



We made updates to make it easier to unlock your account if you forget your password and now request user name. Please see the system messages below for more information.



Annual Report

Number	Permit Section	Question
1	S5.A	Attach a copy of any annexations, incorporations or boundary changes resulting in an increase or decrease in the Permittee's geographic area of permit coverage during the reporting period per S9.D.6. Not Applicable
2	S5.A	Attach updated annual Stormwater Management Program Plan (SWMP Plan). (S5.A.2) 2023 SWMP_2_03102023142130
3	S5.A	Implemented an ongoing program to gather, track, and maintain information per S5.A.3, including costs or estimated costs of implementing the SWMP. Yes
4	S5.A.5.b	Coordinated among departments within the jurisdiction to eliminate barriers to permit compliance. (S5.A.5.b) Yes
5	S5.C.1.	Have you convened an interdisciplinary team to inform and assist in the development, progress, and influence of the comprehensive stormwater planning program? (S.5.c.1). August 1, 2020 Yes
15	S5.C.1.c	Continue to design and implement local development-related codes, rules, standards, or other enforceable documents to minimize impervious surfaces, native vegetation loss, and stormwater runoff, where feasible? See S5.C.1.c.i. (Required annually) Yes
16	S5.C.1.c	From the assessment described in S5.C.1.c.i(a), did you identify any administrative or regulatory barriers to implementation of LID Principles or LID BMPs? (Required annually) No
19	S5.C.1.d	Developed a Stormwater Management Action Plan (SMAP) for at least one high priority area? (S.5.C.1.d.iii – Required by March 31, 2023) Yes
19a	S5.C.1.d	Attach SMAP(s) 2023 Fry Creek SMAP_19a_03102023144216

Number	Permit Section	Question
20	S5.C.2	<p>Did you choose to adopt one or more elements of a regional program? (S5.C.2)</p> <p>Yes</p>
20a	S5.C.2	<p>If yes, list the elements, and the regional program.</p> <p>Encourage local businesses to close their dumpster lids. This is done by bringing awareness to the issue and providing posters, stickers, and signs to help remind employees to close the dumpsters.</p>
21	S5.C.2	<p>Attach a description of general awareness efforts conducted, including your target audiences and subject areas, per S5.C.2.a.i.</p> <p>Education and Outreach_21_03212023130347</p>
26	S5.C.2	<p>Promoted stewardship opportunities (or partnered with others) to encourage resident participation in activities such as those described in S5.C.2.a.iii.</p> <p>Yes</p>
26a	S5.C.2	<p>Attach a list of stewardship opportunities provided.</p> <p>2022 Stewardship Opportunities_26a_03212023130348</p>
27	S5.C.3.	<p>Describe in Comments field the opportunities created for the public, including overburdened communities, to participate in the decision-making processes involving the development, implementation, and updates of the Permittee's SWMP and the SMAP. (S5.C.3.a)</p> <p>We used the City website to alert the community that updates to the SWMP were being made, the SMAP for Fry Creek was being developed, and requested comments for both processes. Public comment was also available during the online "ZOOM" Council Meeting. We also were accepting written (email) comments prior to the meeting to be included in the meeting notes. Meeting were publicized in the local newspaper and in prominent locations in town.</p>
28	S5.C.3.	<p>Posted the updated SWMP Plan and latest annual report on your website no later than May 31. (S5.C.3.b)</p> <p>Yes</p>
28a	S5.C.3.	<p>List the website address in Comments field.</p> <p>https://www.aberdeenwa.gov/226/Stormwater-Division</p>
29	S5.C.4.	<p>Maintained a map of the MS4 including the requirements listed in S5.C.4.a.i-vii?</p> <p>Yes</p>
30	S5.C.4.	<p>Started mapping outfall size and material in accordance with S5.C.4.b.i? (Required no later than January 1, 2020)</p> <p>Yes</p>
30a	S5.C.4.	<p>Attach a spreadsheet that lists the known outfalls' size and material(s).</p> <p>Outfall inventory_30a_03212023131543</p>
31	S5.C.4.	<p>Completed mapping connections to private storm sewers in accordance with S5.C.4.b.ii? (Required no later than August 1, 2023)</p> <p>Not Applicable</p>

Number	Permit Section	Question
33	S5.C.5	Informed public employees, businesses, and the general public of hazards associated with illicit discharges and improper disposal of waste? (S5.C.5.b)
		Yes
33a	S5.C.5	Actions taken to inform public employees, businesses, and the general public of hazards associated with illicit discharges and improper disposal of waste.
		Information on the City's web page Quarterly informational inserts included with utility billing Information booths at local events Information provided to local grade schools
34	S5.C.5	Implemented an ordinance or other regulatory mechanism to effectively prohibit non-stormwater, illicit discharges as described in S5.C.5.c.
		Yes
35	S5.C.5	Implemented procedures for conducting illicit discharge investigations in accordance with S5.C.5.d.i.
		Yes
35a	S5.C.5	Cite field screening methodology in Comments field.
		Center for Watershed Protection, October 2004 "Illicit Discharge Detection and Elimination, A Guidance Manual for Program Development and Technical Assessments"
36	S5.C.5	Percentage of MS4 coverage area screened in the reporting year per S5.C.5.d.i. (Required to screen 12% on average each year.)
		100
36a	S5.C.5	Cite field screening techniques used to determine percent of MS4 screened.
		The Outfall Reconnaissance Inventory
37	S5.C.5	Percentage of total MS4 screened from permit effective date through the end of the reporting year. (S5.C.5.d.i.)
		100
38	S5.C.5	Describe how you publicized a hotline telephone number for public reporting of spills and other illicit discharges in the Comments field. (S5.C.5.d.ii)
		Telephone number and web reporting address are included on the quarterly bill inserts and listed on the City's website
39	S5.C.5	Implemented an ongoing illicit discharge training program for all municipal field staff per S5.C.5.d.iii.
		Yes
40	S5.C.5	Implemented an ongoing program to characterize, trace, and eliminate illicit discharges into the MS4 per S5.C.5.e.
		Yes
41	S5.C.5	Municipal illicit discharge detection staff are trained to conduct illicit discharge detection and elimination activities as described in S5.C.5.f.

Number	Permit Section	Question
		Yes
42	S5.C.5	Attach a report with data describing the actions taken to characterize, trace, and eliminate each illicit discharge reported to, or investigated by, the Permittee as described in S5.C.5.g. The submittal must include all of the applicable information and must follow the instructions, timelines, and format described in Appendix 12.
		Imported from WQWebIDDE
43	S5.C.6.	Implemented an ordinance or other enforceable mechanism to effectively address runoff from new development, redevelopment, and construction sites per the requirements of S5.C.6.b.i-iii.
		Yes
44	S5.C.6.	Revised ordinance or other enforceable mechanism to effectively address runoff from new development, redevelopment, and construction sites per the requirements of S5.C.6.b.i-iii. (Required no later than June 30, 2022)
		Yes
44a	S5.C.6.	Cite code reference in Comments field.
		AMC 13.70.180 Penalties
45	S5.C.6.	Number of adjustments granted to the minimum requirements in Appendix 1. (S5.C.6.b.i. and Section 5 of Appendix 1)
		0
46	S5.C.6.	Number of exceptions/variances granted to the minimum requirements in Appendix 1. (S5.C.6.b.i., and Section 6 of Appendix 1)
		0
47	S5.C.6.	Reviewed Stormwater Site Plans for all proposed development activities that meet the thresholds adopted pursuant to S5.C.6.b.i. (S5.C.6.c.i)
		Yes
47a	S5.C.6.	Number of site plans reviewed during the reporting period.
		57
48	S5.C.6.	Inspected, prior to clearing and construction, permitted development sites per S5.C.6.c.ii, that have a high potential for sediment transport as determined through plan review based on definitions and requirements in Appendix 7 – Determining Construction Site Sediment Damage Potential?
		Yes
48a	S5.C.6.	If no, inspected, prior to clearing and construction, all construction sites meeting the minimum thresholds (S5.C.6.c.ii)?
		No
49	S5.C.6.	Inspected permitted development sites during construction to verify proper installation and maintenance of required erosion and sediment controls per S5.C.6.c.iii.
		Yes
49a	S5.C.6.	Number of construction sites inspected per S5.C.6.c.iii.

Number	Permit Section	Question
		45
49b	S5.C.6.	Inspected stormwater treatment and flow control BMPs/facilities and catch basins in new residential developments every 6 months per S5.C.6.c.iv?
		No
		Comment: No new residential developments
50	S5.C.6.	Inspected all permitted development sites upon completion of construction and prior to final approval or occupancy to ensure proper installation of permanent stormwater facilities. (S5.C.6.c.v)
		Yes
51	S5.C.6.	Verified a maintenance plan is completed and responsibility for maintenance is assigned for projects prior to final approval and occupancy being granted. (S5.C.6.c.v)
		Yes
52	S5.C.6.	Number of enforcement actions taken during the reporting period (based on construction phase inspections at new development and redevelopment projects). (S5.C.6.c.ii-iv)(S5.C.7.c.viii)
		0
53	S5.C.6.	Achieved at least 80% of scheduled construction-related inspections. (S5.C.6.c.vi)
		Yes
54	S5.C.6.	Made Ecology's Notice of Intent for Construction Activity and Notice of Intent for Industrial Activity available to representatives of proposed new development and redevelopment? (S5.C.6.d)
		Yes
55	S5.C.6.	All staff whose primary job duties are implementing the program to control stormwater runoff from new development, redevelopment, and construction sites including permitting, plan review, construction site inspections, and enforcement are trained to conduct these activities? (S5.C.6.e)
		Yes
56	S5.C.7.	Implemented maintenance standards that are as protective, or more protective, of facility function than those specified in the Stormwater Management Manual for Western Washington or a Phase I program approved by Ecology per S5.C.7.a.?
		Yes
57	S5.C.7.	Updated maintenance standards specified in Stormwater Management Manual for Western Washington per S5.C.7.a? (Required no later than June 30, 2022)
		Yes
58	S5.C.7.	Applied a maintenance standard for a facility or facilities which do not have maintenance standards specified in the Stormwater Management Manual for Western Washington? If so, note in the Comments field what kinds of facilities are covered by this alternative standard. (S5.C.7.a)
		No
59	S5.C.7.	Verified that maintenance was performed per the schedule in S5.C.7.a.ii when an inspection identified an exceedance of the maintenance standard.

Number	Permit Section	Question
		Yes
59a	S5.C.7.	Attach documentation of maintenance time frame exceedances that were beyond the Permittee's control.
		Not Applicable
60	S5.C.7.	Implemented an ordinance or other enforceable mechanisms to verify long-term operation and maintenance of stormwater treatment and flow control BMPs/facilities regulated by the permittee per (S5.C.7.b.i (a))?
		Yes
61	S5.C.7.	Annually inspected stormwater treatment and flow control BMPs/facilities regulated by the Permittee per S5.C.7.b.i(b)
		Yes
61a	S5.C.7.	If using reduced inspection frequency for the first time during this permit cycle, attach documentation per S5.C.7.b.i (b)
		Not Applicable
62	S5.C.7.	Achieved at least 80% of scheduled inspections to verify adequate long-term O&M. (S5.C.7.b.ii)
		Yes
63	S5.C.7.	Annually inspected all municipally owned or operated permanent stormwater treatment and flow control BMPs/facilities. (S5.C.7.c.i)
		Yes
63a	S5.C.7.	Number of known municipally owned or operated stormwater treatment and flow control BMPs/facilities. (S5.C.7.c.i)
		6
63b	S5.C.7.	Number of facilities inspected during the reporting period.
		6
63c	S5.C.7.	Number of facilities for which maintenance was performed during the reporting period.
		6
64	S5.C.7.	If using reduced inspection frequency for the first time during this permit cycle, attach documentation per S5.C.7.c.i.
		Not Applicable
65	S5.C.7.	Conducted spot checks and inspections (if necessary) of potentially damaged stormwater facilities after major storms as per S5.C.7.c.ii.
		Yes
66	S5.C.7.	Inspected municipally owned or operated catch basins and inlets every two years or used an alternative approach? Cleaned as needed? (S.5.C.7.c.iii)
		No

Number	Permit Section	Question
66a	S5.C.7.	Number of known catch basins? 3753
66b	S5.C.7.	Number of catch basins inspected during the reporting period? 2097
66c	S5.C.7.	Number of catch basins cleaned during the reporting period? 446
67	S5.C.7.	Attach documentation of alternative catch basin cleaning approach, if used. (S5.C.7.c.iii. (a)-(c)) Not Applicable
68	S5.C.7.	Implemented practices, policies and procedures to reduce stormwater impacts associated with runoff from all lands owned or maintained by the Permittee, and road maintenance activities under the functional control of the Permittee. (S5.C.7.d) Yes
69	S5.C.7.	Documented practices, policies, and procedures to reduce stormwater impacts associated with runoff from all lands owned or maintained by the Permittee, and road maintenance activities under the functional control of the Permittee. (S5.C.7.d – Required by December 31, 2022) Yes
69a	S5.C.7.	Cite documentation in Comments. Pollution Prevention and Operation and Maintenance for Municipal Field Operations. Updated December 2022
70	S5.C.7.	Implemented an ongoing training program for Permittee employees whose primary construction, operations or maintenance job functions may impact stormwater quality. (S5.C.7.e) Yes
71	S5.C.7.	Implemented a Stormwater Pollution Prevention Plan (SWPPP) for all heavy equipment maintenance or storage yards, and material storage facilities owned or operated by the Permittee in areas subject to this Permit that are not required to have coverage under an NPDES permit that covers stormwater discharges associated with the activity. (S5.C.7.f) Yes
72	S5.C.7.	Updated, if needed, SWPPPs according to S5.C.7.f no later than December 31, 2022. Yes
73	S5.C.8	Adopted ordinance(s), or other enforceable documents, requiring the application of source control BMPs for pollutant generating sources associated with existing land uses and activities per S.5.C.8.b.i. (Required by August 1, 2022) Yes
73a	S5.C.8	Cite ordinance. (Required by August 1, 2022) AMC 13.70170, Preventive Maintenance

Number	Permit Section	Question
74	S5.C.8	Established an inventory per S5.C.8.b.ii. (Required by August 1, 2022.)
		Yes
74a	S5.C.8	Number of total sites identified for the inventory.
		226
75	S5.C.8	Implemented an inspection program S5.C.8.b.iii (Required by January 1, 2023).
		Yes
76	S5.C.8	Implemented a progressive enforcement policy per S5.C.8.b.iv (Required by January 1, 2023).
		Yes
77	S5.C.8	Attach a summary of actions taken to implement the source control program per S5.C.8.b.iii and S5.C.8.b.iv.
		2022 Activities to implement S_77_03212023135432
78	S5.C.8	Attach a list of inspections, per S5.C.8.b.iii, organized by the business category, noting the amount of times each business was inspected, and if enforcement actions were taken.
		2023 Source Control Inspection_78_03212023135432
79	S5.C.8	Implemented an ongoing source control training program per S5.C.8.b.v?
		Yes
80	S7	Complied with the Total Maximum Daily Load (TMDL)-specific requirements identified in Appendix 2. (S7.A)
		Yes
81	S7	For TMDLs listed in Appendix 2: Attach a summary of relevant SWMP and Appendix 2 activities to address the applicable TMDL parameter(s). (S7.A)
		TMDL Summary 3-2023_81_03212023140218
82	S8	Submitted payment for cost-sharing for Stormwater Action Monitoring (SAM) status and trends monitoring no later than December 1, 2019 (S8.A.1); and no later than August 15 of each subsequent year? (S8.A.2.a.)
		Yes
84	S8	Submitted payment for cost-sharing for SAM effectiveness and source identification studies no later than December 1, 2019 (S8.B.1); and no later than August 15 of each subsequent year (S8.B.2.a or S8.B.2.c)?
		Yes
87	S8	If conducting stormwater discharge monitoring in accordance with S8.C.1, attach a data and analysis report per S8.C.1. and Appendix 9. (Due annually beginning March 31, 2021.)
		Not Applicable

Number	Permit Section	Question
88	G3	Notified Ecology in accordance with G3 of any discharge into or from the Permittees MS4 which could constitute a threat to human health, welfare or the environment. (G3) Yes
89	G3	Took appropriate action to correct or minimize the threat to human health, welfare, and/or the environment per G3.A. Yes
90	Compliance with standards	Notified Ecology within 30 days of becoming aware that a discharge from the Permittee's MS4 caused or contributed to a known or likely violation of water quality standards in the receiving water. (S4.F.1) Yes
91	Compliance with standards	If requested, submitted an Adaptive Management Response report in accordance with S4.F.3.a. Not Applicable
92	Compliance with standards	Attach a summary of the status of implementation of any actions taken pursuant to S4.F.3 and the status of any monitoring, assessment, or evaluation efforts conducted during the reporting period. (S4.F.3.d) Not Applicable
93	G20	Notified Ecology of the failure to comply with the permit terms and conditions within 30 days of becoming aware of the non-compliance. (G20) Yes
94	G20	Number of non-compliance notifications (G20) provided in reporting year. List permit conditions described in non-compliance notification(s) in Comments field. 2
94a	G20	List permit conditions described in non-compliance notification(s). Sanitary Sewer overflows during flood events.

Attachments:

View Files Attached to Submission

DocDescr	DocName	DocExt	DocID	SubID	AppName
View WAR045026_77_03212023135432	2022 Activities to implement S_77_03212023135432	.pdf	1364837	1854449	wqwebportal
View WAR045026_26a_03212023130348	2022 Stewardship Opportunities_26a_03212023130348	.pdf	1364828	1854449	wqwebportal
View WAR045026_19a_03102023144216	2023 Fry Creek SMAP_19a_03102023144216	.pdf	1360147	1854449	wqwebportal
View WAR045026_78_03212023135432	2023 Source Control Inspection_78_03212023135432	.pdf	1364838	1854449	wqwebportal
View WAR045026_2_03102023142130	2023 SWMP_2_03102023142130	.docx	1360136	1854449	wqwebportal
View Submitted Copy of Record for City of Aberdeen	Copy of Record CityofAberdeen Thursday March 23 2023	.pdf	1365610	1854449	wqwebportal
View Submitted Cover Letter for City of Aberdeen	Cover Letter CityofAberdeen Thursday March 23 2023	.pdf	1365611	1854449	wqwebportal
View WAR045026_21_03212023130347	Education and Outreach_21_03212023130347	.pdf	1364827	1854449	wqwebportal
View WAR045026_30a_03212023131543	Outfall inventory_30a_03212023131543	.pdf	1364829	1854449	wqwebportal

View	WAR045026_81_03212023140218	TMDL Summary 3-2023_81_03212023140218	.pdf	1364844 1854449 wqwebportal
View	ImportedIDDEsWAR045026-2022- ImportedIDDEs_03232023134327	WAR045026-2022- ImportedIDDEs_03232023134327	.xml	1365581 1854449 wqwebportal

[Close](#)

[Ecology Home](#) | [WQWebPortal Home](#) | [WQWebSubmittal Home](#) | [Help](#) | [Release Notes](#) | [Contact Us](#)

Submittals (WQWebSubmittal) Version 1.5-3 | [Data Disclaimer](#) | [Privacy Policy](#)

Copyright © Washington State Department of Ecology 2023. All Rights Reserved.