

## Annual Report

Number	Permit Section	Question
1	S5.A	<p>Attach a copy of any annexations, incorporations or boundary changes resulting in an increase or decrease in the Permittee's geographic area of permit coverage during the reporting period per S9.D.6.</p> <p><b>Not Applicable</b></p>
2	S5.A	<p>Attach updated annual Stormwater Management Program Plan (SWMP Plan). (S5.A.2)</p> <p><b>2020 SWMP_2_03162020144003</b></p>
3	S5.A	<p>Implemented an ongoing program to gather, track, and maintain information per S5.A.3, including costs or estimated costs of implementing the SWMP.</p> <p><b>Yes</b></p>
4	S5.A.5.b	<p>Coordinated among departments within the jurisdiction to eliminate barriers to permit compliance. (S5.A.5.b)</p> <p><b>Yes</b></p> <p>Comment: Developing mechanism to incorporate plans for Source Control Program for Existing Development</p>
4a	S5.A.5.b	<p>Attach a written description of internal coordination mechanisms. (S5.A.5.b).</p> <p><b>Internal coordination mechanis_4a_03162020154235</b></p> <p>Comment: Written internal coordination mechanism will be complete prior to March 31, 2021</p>
15	S5.C.1.c	<p>Continue to design and implement local development-related codes, rules, standards, or other enforceable documents to minimize impervious surfaces, native vegetation loss, and stormwater runoff, where feasible? See S5.C.1.c.i. (Required annually)</p> <p><b>Yes</b></p>
16	S5.C.1.c	<p>From the assessment described in S5.C.1.c.i(a), did you identify any administrative or regulatory barriers to implementation of LID Principles or LID BMPs? (Required annually)</p> <p><b>No</b></p>
20	S5.C.2	<p>Did you choose to adopt one or more elements of a regional program? (S5.C.2)</p> <p><b>No</b></p>
21	S5.C.2	<p>Attach a description of general awareness efforts conducted, including your target audiences and subject areas, per S5.C.2.a.i.</p> <p><b>E&amp;O work plan_21_03122020151611</b></p>
22	S5.C.2	<p>Conducted an evaluation of the effectiveness of the ongoing behavior change program and documented recommendations as outlined in S.5.C.2.a.ii(b). (Required no later than July 1, 2020)</p> <p><b>Not Applicable</b></p>
26	S5.C.2	

Number	Permit Section	Question
		Promoted stewardship opportunities (or partnered with others) to encourage resident participation in activities such as those described in S5.C.2.a.iii.
		<b>Yes</b>
26a	S5.C.2	Attach a list of stewardship opportunities provided.  <b>Stewardship Opportunities 2019_26a_03122020155542</b>
27	S5.C.3.	Describe in Comments field the opportunities created for the public, including overburdened communities, to participate in the decision-making processes involving the development, implementation, and updates of the Permittee's SWMP and the SMAP. (S5.C.3.a)  <b>A public hearing is held annually in March to allow for comment on the City's proposed SWMP for the following year. The draft SWMP is available for review on the City website for two weeks prior to the public hearing. City staff encourages the public to review the draft SWMP prior to the public hearing and provide comment. Comments can be delivered in person at City Hall, through email, or through telephone calls.</b>
28	S5.C.3.	Posted the updated SWMP Plan and latest annual report on your website no later than May 31. (S5.C.3.b)  <b>Yes</b>
28a	S5.C.3.	List the website address in Comments field.  <b><a href="https://www.aberdeenwa.gov/226/Stormwater-Division">https://www.aberdeenwa.gov/226/Stormwater-Division</a></b>
29	S5.C.4.	Maintained a map of the MS4 including the requirements listed in S5.C.4.a.i-vii?  <b>Yes</b>
30	S5.C.4.	Started mapping outfall size and material in accordance with S5.C.4.b.i? (Required no later than January 1, 2020)  <b>Yes</b>
30a	S5.C.4.	Attach a spreadsheet that lists the known outfalls' size and material(s).  <b>Outfall inventory_30a_03162020115057</b>
31	S5.C.4.	Completed mapping connections to private storm sewers in accordance with S5.C.4.b.ii? (Required no later than August 1, 2023)  <b>No</b>
32	S5.C.4.	Developed an electronic format for map, with fully described mapping standards in accordance with S5.C.4.c? (Required no later than August 1, 2021)  <b>Yes</b>
33	S5.C.5	Informed public employees, businesses, and the general public of hazards associated with illicit discharges and improper disposal of waste. Describe actions in Comments field. (S5.C.5.b)  <b>Yes</b>  Comment: Distributed informational flyers with utility billing during 1st quarter of year. Illicit discharge displays at local festivals
34	S5.C.5	Implemented an ordinance or other regulatory mechanism to effectively prohibit non-stormwater, illicit discharges as described in S5.C.5.c.  <b>Yes</b>

Number	Permit Section	Question
35	S5.C.5	Implemented procedures for conducting illicit discharge investigations in accordance with S5.C.5.d.i.
		<b>Yes</b>
35a	S5.C.5	Cite field screening methodology in Comments field.
		<b>Center for Watershed Protection, October 2004 "Illicit Discharge Detection and Elimination, A Guidance Manual for Program Development and Technical Assessments"</b>
36	S5.C.5	Percentage of MS4 coverage area screened in the reporting year per S5.C.5.d.i. (Required to screen 12% on average each year.)
		<b>100</b>
36a	S5.C.5	Cite field screening techniques used to determine percent of MS4 screened.
		<b>The Outfall Reconnaissance Inventory</b>
37	S5.C.5	Percentage of total MS4 screened from permit effective date through the end of the reporting year. (S5.C.5.d.i.)
		<b>100</b>
38	S5.C.5	Describe how you publicized a hotline telephone number for public reporting of spills and other illicit discharges in the Comments field. (S5.C.5.d.ii)
		<b>The hotline telephone number is located on all distributed flyers, festival giveaways, and on the City's Stormwater website. There is also now an online form for reporting IDDE on the City's Stormwater website and is being added to new informational items.</b>
39	S5.C.5	Implemented an ongoing illicit discharge training program for all municipal field staff per S5.C.5.d.iii.
		<b>Yes</b>
40	S5.C.5	Implemented an ongoing program to characterize, trace, and eliminate illicit discharges into the MS4 per S5.C.5.e.
		<b>Yes</b>
41	S5.C.5	Municipal illicit discharge detection staff are trained to conduct illicit discharge detection and elimination activities as described in S5.C.5.f.
		<b>Yes</b>
42	S5.C.5	Attach a report with data describing the actions taken to characterize, trace, and eliminate each illicit discharge reported to, or investigated by, the Permittee as described in S5.C.5.g. The submittal must include all of the applicable information and must follow the instructions, timelines, and format described in Appendix 12.
		<b>2019 IDDE Reports_42_03162020115527</b>
43	S5.C.6.	Implemented an ordinance or other enforceable mechanism to effectively address runoff from new development, redevelopment, and construction sites per the requirements of S5.C.6.b.i-iii.
		<b>Yes</b>
44	S5.C.6.	Revised ordinance or other enforceable mechanism to effectively address runoff from new development, redevelopment, and construction sites per the requirements of S5.C.6.b.i-iii. (Required no later than June 30, 2022)
		<b>Not Applicable</b>

Number	Permit Section	Question
45	S5.C.6.	Number of adjustments granted to the minimum requirements in Appendix 1. (S5.C.6.b.i. and Section 5 of Appendix 1)
		<b>0</b>
46	S5.C.6.	(S5.C.6.b.i., and Section 6 of Appendix 1)
		<b>0</b>
47	S5.C.6.	Reviewed Stormwater Site Plans for all proposed development activities that meet the thresholds adopted pursuant to S5.C.6.b.i. (S5.C.6.c.i)
		<b>Yes</b>
47a	S5.C.6.	Number of site plans reviewed during the reporting period.
		<b>23</b>
48	S5.C.6.	Inspected, prior to clearing and construction, permitted development sites per S5.C.6.c.ii, that have a high potential for sediment transport as determined through plan review based on definitions and requirements in Appendix 7 – Determining Construction Site Sediment Damage Potential?
		<b>Yes</b>
49	S5.C.6.	Inspected permitted development sites during construction to verify proper installation and maintenance of required erosion and sediment controls per S5.C.6.c.iii.
		<b>Yes</b>
49a	S5.C.6.	Number of construction sites inspected per S5.C.6.c.iii.
		<b>8</b>
49b	S5.C.6.	Inspected stormwater treatment and flow control BMPs/facilities and catch basins in new residential developments every 6 months per S5.C.6.c.iv?
		<b>No</b>
		Comment: No new residential developments
50	S5.C.6.	Inspected all permitted development sites upon completion of construction and prior to final approval or occupancy to ensure proper installation of permanent stormwater facilities. (S5.C.6.c.v)
		<b>Not Applicable</b>
51	S5.C.6.	Verified a maintenance plan is completed and responsibility for maintenance is assigned for projects prior to final approval and occupancy being granted. (S5.C.6.c.v)
		<b>Not Applicable</b>
52	S5.C.6.	Number of enforcement actions taken during the reporting period (based on construction phase inspections at new development and redevelopment projects). (S5.C.6.c.ii-iv)(S5.C.7.c.viii)
		<b>1</b>
53	S5.C.6.	Achieved at least 80% of scheduled construction-related inspections. (S5.C.6.c.vi)
		<b>Yes</b>
54	S5.C.6.	Made Ecology's Notice of Intent for Construction Activity and Notice of Intent for Industrial Activity available to representatives of proposed new development and redevelopment? (S5.C.6.d)

Number	Permit Section	Question
<b>Yes</b>		
55	S5.C.6.	All staff whose primary job duties are implementing the program to control stormwater runoff from new development, redevelopment, and construction sites including permitting, plan review, construction site inspections, and enforcement are trained to conduct these activities? (S5.C.6.e)
<b>Yes</b>		
56	S5.C.7.	Implemented maintenance standards that are as protective, or more protective, of facility function than those specified in the Stormwater Management Manual for Western Washington or a Phase I program approved by Ecology per S5.C.7.a.?
<b>Yes</b>		
57	S5.C.7.	Updated maintenance standards specified in Stormwater Management Manual for Western Washington per S5.C.7.a? (Required no later than June 30, 2022)
<b>Yes</b>		
58	S5.C.7.	Applied a maintenance standard for a facility or facilities which do not have maintenance standards specified in the Stormwater Management Manual for Western Washington? If so, note in the Comments field what kinds of facilities are covered by this alternative standard. (S5.C.7.a)
<b>No</b>		
59	S5.C.7.	Verified that maintenance was performed per the schedule in S5.C.7.a.ii when an inspection identified an exceedance of the maintenance standard.
<b>Yes</b>		
59a	S5.C.7.	Attach documentation of maintenance time frame exceedances that were beyond the Permittee's control.
<b>Not Applicable</b>		
60	S5.C.7.	Implemented an ordinance or other enforceable mechanisms to verify long-term operation and maintenance of stormwater treatment and flow control BMPs/facilities regulated by the permittee per (S5.C.7.b.i (a))?
<b>Yes</b>		
61	S5.C.7.	Annually inspected stormwater treatment and flow control BMPs/facilities regulated by the Permittee per S5.C.7.b.i(b)
<b>Yes</b>		
61a	S5.C.7.	If using reduced inspection frequency for the first time during this permit cycle, attach documentation per S5.C.7.b.i (b)
<b>Not Applicable</b>		
62	S5.C.7.	Achieved at least 80% of scheduled inspections to verify adequate long-term O&M. (S5.C.7.b.ii)
<b>Yes</b>		
63	S5.C.7.	Annually inspected all municipally owned or operated permanent stormwater treatment and flow control BMPs/facilities. (S5.C.7.c.i)
<b>Yes</b>		
63a	S5.C.7.	Number of known municipally owned or operated stormwater treatment and flow control BMPs/facilities. (S5.C.7.c.i)

Number	Permit Section	Question
6		
63b	S5.C.7.	Number of facilities inspected during the reporting period.
		<b>6</b>
63c	S5.C.7.	Number of facilities for which maintenance was performed during the reporting period.
		<b>6</b>
		Comment: Mowed around facilities and remove trash and other debris.
64	S5.C.7.	If using reduced inspection frequency for the first time during this permit cycle, attach documentation per S5.C.7.c.i.
		<b>Not Applicable</b>
65	S5.C.7.	Conducted spot checks and inspections (if necessary) of potentially damaged stormwater facilities after major storms as per S5.C.7.c.ii.
		<b>Yes</b>
66	S5.C.7.	Inspected municipally owned or operated catch basins and inlets every two years or used an alternative approach? Cleaned as needed? (S.5.C.7.c.iii)
		<b>No</b>
66a	S5.C.7.	Number of known catch basins?
		<b>3672</b>
66b	S5.C.7.	Number of catch basins inspected during the reporting period?
		<b>1177</b>
66c	S5.C.7.	Number of catch basins cleaned during the reporting period?
		<b>270</b>
67	S5.C.7.	Attach documentation of alternative catch basin cleaning approach, if used. (S5.C.7.c.iii. (a)-(c))
		<b>Not Applicable</b>
68	S5.C.7.	Implemented practices, policies and procedures to reduce stormwater impacts associated with runoff from all lands owned or maintained by the Permittee, and road maintenance activities under the functional control of the Permittee. (S5.C.7.d)
		<b>Yes</b>
69	S5.C.7.	Documented practices, policies, and procedures to reduce stormwater impacts associated with runoff from all lands owned or maintained by the Permittee, and road maintenance activities under the functional control of the Permittee. (S5.C.7.d – Required by December 31, 2022)
		<b>Not Applicable</b>
70	S5.C.7.	Implemented an ongoing training program for Permittee employees whose primary construction, operations or maintenance job functions may impact stormwater quality. (S5.C.7.e)
		<b>Yes</b>
71	S5.C.7.	Implemented a Stormwater Pollution Prevention Plan (SWPPP) for all heavy equipment maintenance or storage yards, and material storage facilities owned or operated by the Permittee in areas subject to this Permit that are not required to have coverage under

Number	Permit Section	Question
		an NPDES permit that covers stormwater discharges associated with the activity. (S5.C.7.f)
		<b>Yes</b>
72	S5.C.7.	Updated, if needed, SWPPPs according to S5.C.7.f no later than December 31, 2022.
		<b>Not Applicable</b>
73	S5.C.8	Adopted ordinance(s), or other enforceable documents, requiring the application of source control BMPs for pollutant generating sources associated with existing land uses and activities per S.5.C.8.b.i. (Required by August 1, 2022)
		<b>Yes</b>
73a	S5.C.8	Cite ordinance. (Required by August 1, 2022)
		<b>AMC 13.70.170, Preventive maintenance</b>
74	S5.C.8	Established an inventory per S5.C.8.b.ii. (Required by August 1, 2022.)
		<b>Not Applicable</b>
75	S5.C.8	Implemented an inspection program S5.C.8.b.iii (Required by January 1, 2023).
		<b>Not Applicable</b>
76	S5.C.8	Implemented a progressive enforcement policy per S5.C.8.b.iv (Required by January 1, 2023).
		<b>Not Applicable</b>
77	S5.C.8	Attach a summary of actions taken to implement the source control program per S5.C.8.b.iii and S5.C.8.b.iv.
		<b>Not Applicable</b>
78	S5.C.8	Attach a list of inspections, per S5.C.8.b.iii, organized by the business category, noting the amount of times each business was inspected, and if enforcement actions were taken.
		<b>Not Applicable</b>
79	S5.C.8	Implemented an ongoing source control training program per S5.C.8.b.v?
		<b>Not Applicable</b>
80	S7	Complied with the Total Maximum Daily Load (TMDL)-specific requirements identified in Appendix 2. (S7.A)
		<b>Yes</b>
81	S7	For TMDLs listed in Appendix 2: Attach a summary of relevant SWMP and Appendix 2 activities to address the applicable TMDL parameter(s). (S7.A)
		<b>TMDL Summary 3-2020_81_03132020095022</b>
82	S8	Submitted payment for cost-sharing for Stormwater Action Monitoring (SAM) status and trends monitoring no later than December 1, 2019 (S8.A.1); and no later than August 15 of each subsequent year? (S8.A.2.a.)
		<b>Yes</b>
83	S8	Notified Ecology by December 1, 2019 which option you selected: S8.A.2.a, or S8.A.2.b.
		<b>Yes</b>

Number	Permit Section	Question
84	S8	Submitted payment for cost-sharing for SAM effectiveness and source identification studies no later than December 1, 2019 (S8.B.1); and no later than August 15 of each subsequent year (S8.B.2.a or S8.B.2.c)?  <b>Yes</b>
85	S8	Notified Ecology by December 1, 2019 which option you selected: S8.B.2.a, or S8.B.2.b?  <b>Yes</b>
86	S8	If conducting stormwater discharge monitoring in accordance with S8.C.1, submitted a QAPP to Ecology no later than February 1, 2020? (S8.C.1.b and Appendix 9)  <b>Not Applicable</b>
88	G3	Notified Ecology in accordance with G3 of any discharge into or from the Permittees MS4 which could constitute a threat to human health, welfare or the environment. (G3)  <b>Not Applicable</b>
89	G3	Took appropriate action to correct or minimize the threat to human health, welfare, and/or the environment per G3.A.  <b>Not Applicable</b>
90	Compliance with standards	Notified Ecology within 30 days of becoming aware that a discharge from the Permittee's MS4 caused or contributed to a known or likely violation of water quality standards in the receiving water. (S4.F.1)  <b>Not Applicable</b>
91	Compliance with standards	If requested, submitted an Adaptive Management Response report in accordance with S4.F.3.a.  <b>Not Applicable</b>
92	Compliance with standards	Attach a summary of the status of implementation of any actions taken pursuant to S4.F.3 and the status of any monitoring, assessment, or evaluation efforts conducted during the reporting period. (S4.F.3.d)  <b>Not Applicable</b>
93	G20	Notified Ecology of the failure to comply with the permit terms and conditions within 30 days of becoming aware of the non-compliance. (G20)  <b>Yes</b>
94	G20	Number of non-compliance notifications (G20) provided in reporting year. List permit conditions described in non-compliance notification(s) in Comments field.  <b>1</b>
94a	G20	List permit conditions described in non-compliance notification(s).  <b>Did not complete 100% inspections of City owned catch basins in the last 2 years.</b>

**Attachments:**

[View Files Attached to Submission](#)

DocDescr	DocName	DocExt	DocID	SubID	AppName
<a href="#">View</a> WAR045026_42_03162020115527	2019 IDDE Reports_42_03162020115527	.pdf	910378	1707224	wqwebportal
<a href="#">View</a> WAR045026_2_03162020144003	2020 SWMP_2_03162020144003	.pdf	910461	1707224	wqwebportal
<a href="#">View</a> Submitted Copy of Record for City of Aberdeen	Copy of Record CityofAberdeen Wednesday March 18 2020	.pdf	910832	1707224	wqwebportal
<a href="#">View</a> Submitted Cover Letter for City of Aberdeen	Cover Letter CityofAberdeen Wednesday March 18 2020	.pdf	910833	1707224	wqwebportal
<a href="#">View</a> WAR045026_21_03122020151611	E&O work plan_21_03122020151611	.docx	908875	1707224	wqwebportal
<a href="#">View</a> WAR045026_4a_03162020154235	Internal coordination mechanis_4a_03162020154235	.docx	910486	1707224	wqwebportal
<a href="#">View</a> WAR045026_30a_03162020115057	Outfall inventory_30a_03162020115057	.xlsx	910374	1707224	wqwebportal
<a href="#">View</a> WAR045026_26a_03122020155542	Stewardship Opportunities 2019_26a_03122020155542	.pdf	908906	1707224	wqwebportal
<a href="#">View</a> WAR045026_81_03132020095022	TMDL Summary 3-2020_81_03132020095022	.docx	909124	1707224	wqwebportal

[Close](#)

[Ecology Home](#) | [WQWebPortal Home](#) | [WQWebSubmittal Home](#) | [Help](#) | [Release Notes](#) | [Contact Us](#)

Submittals (WQWebSubmittal) Version 1.5-3| [Data Disclaimer](#) | [Privacy Policy](#)

Copyright © Washington State Department of Ecology 2020. All Rights Reserved.