

Public Right-of-Way Americans with Disabilities Act (ADA) Self-Evaluation and Transition Plan



Appendix C1

2025 ADA Curb Ramp Inventory Documentation

Prepared by
Transportation Solutions, Inc



City of Aberdeen
2025 ADA Transition Plan

Attribute Field	Data Type	Number Format	Length	Data Source	Attribute Answer Options	Notes
FID *	Object ID			TSI added field	Default ESRI value	Feature class default ID value from TSI data
SHAPE *	SHAPE			Original City data field	See original City data field	
OBJECTID_1	Long	Numeric		Original City data field	See original City data field	City ID numbers (differ from TSI ID numbers)
dateInstal	Text			Original City data field	See original City data field	
Installer	Text			Original City data field	See original City data field	
ContractNa	Text			Original City data field	See original City data field	
ContractNU	Text			Original City data field	See original City data field	
Location	Text			Original City data field	See original City data field	
Yr Install	Text			Original City data field	See original City data field	
Status	Text			Original City data field	1,2,3,Unknown Status, blank	TSI did not update City Status - see TSI_Status_Update
StatusName	Text			Original City data field	Null, no ramp	TSI did not update City Status Name - see TSI_Status_Name_Update
slope	Float	Numeric		Original City data field	See original City data field	
CrossSlope	Float	Numeric		Original City data field	See original City data field	
Ramp_Width	Float	Numeric		Original City data field	See original City data field	
Position2	Text		50	Original City data field	See original City data field	
Domes	Text		50	Original City data field	See original City data field	
Dome_Condi	Text		50	Original City data field	See original City data field	
Min4ftland	Text		50	Original City data field	See original City data field	
TopLanding	Text		50	Original City data field	See original City data field	
Subtype	Float	Numeric		Original City data field	See original City data field	
Flush	Text		50	Original City data field	See original City data field	
Street_Slo	Float	Numeric		Original City data field	See original City data field	
Parallel	Float	Numeric		Original City data field	See original City data field	
Cross_Slop	Float	Numeric		Original City data field	See original City data field	
Gap_Compli	Text		50	Original City data field	See original City data field	
Inspected	Text		50	Original City data field	See original City data field	
Cornor	Text		50	Original City data field	See original City data field	
Primary_St	Text		50	Original City data field	See original City data field	
Cross_Stre	Text		50	Original City data field	See original City data field	
Flare_Left	Float	Numeric		Original City data field	See original City data field	
Flare_Righ	Float	Numeric		Original City data field	See original City data field	
RampType	Text		50	Original City data field	See original City data field	
StreetClea	Text		50	Original City data field	See original City data field	
TSI_CurbRampID_No	Long	Numeric		TSI added field	ID number as number	TSI ID numbers differ from City OBJECTID_1 numbers
GlobalID *	Global ID			TSI added field	ESRI default for TSI	Global ID needed for linking to photo attachments
CreationDate	Date			TSI added field	Date TSI originally created	
Creator	Text		128	TSI added field	ESRI default for TSI	
EditDate	Date			TSI added field	Date TSI last edited	
Editor	Text		128	TSI added field	ESRI default for TSI	
TSI_CurbRamp_ID	Text		254	TSI added field	CR_####	digits match TSI_CurbRampID_No with leading "0"s
TSI_Grade	Text		254	TSI added field	A, B, C, D, D - Blended Transition, Other, Remove	
TSI_Condition	Text		254	TSI added field	Fair or Better, Poor, Very Poor, Missing, Other, Remove	
TSI_ADA2010	Text		254	Original City data field with TSI edits	Yes, No, Other, Remove	
TSI_PROWAG2024	Text		254	TSI added field	Yes, No, Other, Remove, Candidate	
TSI_Status_Update	Text		254	TSI added field	1, 2, 3, Remove and Unknown	City can use this to update their Status field (blank used for Others)
TSI_Status_Name_Update	Text		254	TSI added field	Ramp Compliant, Ramp Not Compliant, No ramp, Unknown	City can use this to update their Status_Name field (Unknown used for Others)
TSI_DWSOnlyCan	Text		254	TSI added field	DWS Only Candidate, blank	Check these for a stand-alone cohort to do DWS
TSI_Ramp_Running_Slope	Double	Numeric		TSI added field	Varies, percentage expressed to tenth decimal	
TSI_Ramp_Cross_Slope	Double	Numeric		TSI added field	Varies, percentage expressed to tenth decimal	
TSI_Ramp_Width_In	Long	Numeric		TSI added field	Varies, inches as integer	
TSI_DWS	Text		256	TSI added field	Compliant DWS, Stamped Aggregate, No DWS, blank	
TSI_Landing_Present	Text		256	TSI added field	Yes, No	
TSI_Landing_Dimensions	Text		256	TSI added field	Less than 3 x 3 ft, 3 x 3 ft, 3.5 x 4 ft, 3 x 5 ft, 4 x 4 ft or greater, blank	
TSI_Landing_Running_Slope	Double	Numeric		TSI added field	Varies, percentage expressed to tenth decimal	
TSI_Landing_Cross_Slope	Double	Numeric		TSI added field	Varies, percentage expressed to tenth decimal	
TSI_Flare_Slope	Double	Numeric		TSI added field	Varies, percentage expressed to tenth decimal	
TSI_Notes	Text		256	TSI added field	Varies	
TSI_Photo_Check	Text		256	TSI added field	Yes, No	
TSI_CR_Photo_ID	Text		255	TSI added field	CR_####.jpg	TSI_CurbRamp_ID with ".jpg" suffix

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1	{A3E8347A-6BE3-4BF0-B9A9-629D61F973B9}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_0001
2	{2D60832D-B9EE-41AA-9E1F-7D222A2E51AA}	3/16/2025 20:31	jennifers127	4/28/2025 22:31	JENNIFERSALEMANN	CR_0002
3	{1A07F00A-F8F9-4D03-A9FF-CBC9A6258C18}	3/16/2025 20:31	jennifers127	4/28/2025 22:31	JENNIFERSALEMANN	CR_0003
4	{7DCE9A64-538C-489A-B059-4D423C9FA12C}	3/16/2025 20:31	jennifers127	4/28/2025 22:31	JENNIFERSALEMANN	CR_0004
5	{0B2115D7-74C4-4BAB-8989-6E367B79B1D4}	3/16/2025 20:31	jennifers127	4/28/2025 22:31	JENNIFERSALEMANN	CR_0005
6	{3EE9A4FA-16D4-4617-9DD0-ECA8AA65B0AE}	3/16/2025 20:31	jennifers127	4/28/2025 22:31	JENNIFERSALEMANN	CR_0006
7	{A65985A6-19DE-4EF3-921A-02042ED4F69A}	3/16/2025 20:31	jennifers127	4/28/2025 22:31	JENNIFERSALEMANN	CR_0007
8	{927268ED-6C34-4D80-96B5-A96C4E4DBBA8}	3/16/2025 20:31	jennifers127	4/28/2025 22:31	JENNIFERSALEMANN	CR_0008
9	{B784DCF6-A039-499B-A5D3-36B4C35260FE}	3/16/2025 20:31	jennifers127	4/28/2025 22:31	JENNIFERSALEMANN	CR_0009
10	{73853C50-0C99-4354-A1F2-7176367F3453}	3/16/2025 20:31	jennifers127	4/28/2025 22:31	JENNIFERSALEMANN	CR_0010
11	{2A2A7857-F7B2-4138-B0B7-C1A6056FD1B1}	3/16/2025 20:31	jennifers127	4/28/2025 22:31	JENNIFERSALEMANN	CR_0011
12	{6E247B1D-D8B3-4F3D-BFE1-D612944AC393}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0012
13	{F8C78E68-8729-41D5-A322-BAADA922AFAA}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0013
14	{861CF278-F503-4182-9C8D-B0CF1781AE7B}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0014
15	{9017C5AC-FF26-485A-BBE4-C8A09C6CFE03}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0015
16	{46E76AB1-0D79-47E0-87C8-5CD4EDCBE20D}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0016
17	{7D52DA07-F21C-484F-8040-EE5669BB7E7A}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0017
18	{3BADFF7A-3859-4DE8-B127-B5B0B91424C2}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0018
19	{F0B2702A-747B-4586-A536-04F624171204}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0019
20	{D73BB777-8B4F-4956-9B94-65ACA11E0258}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0020
21	{695AF720-8EDE-4E71-935A-355B7635A2D1}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0021
22	{9528B6EF-2C85-4A0F-9107-3B56FEB641AF}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0022
23	{BDB6A282-B772-4B8B-998D-64E301192B3C}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0023
24	{7794AB31-46E6-4FD6-91FB-3FE898AF4DA2}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0024
25	{905D5897-861E-43A4-9AB7-4277C0B599EA}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0025
26	{1648BAFF-C964-442A-9C29-F9947154ACF0}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0026
27	{8D53BCE4-97E5-482A-86AB-290C0E375B29}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0027
28	{851E7BC2-1ADA-4645-8BF2-6AF68BF8B0DA}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0028
29	{022693DC-1499-4E03-B08B-9CEE648791E5}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0029
30	{A64C4FE7-92E3-4BA5-B31B-5F3A8D266E5F}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0030
31	{17B8B9F6-C5A1-4025-9061-A7AD14FD2F1F}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0031
32	{1BB9D71B-AACD-4A35-A46C-2C3221434C9A}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0032
33	{9F3C0993-C106-42D0-9BC3-FAD468EBB924}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0033
34	{8157E363-F569-44D3-9B77-E9B9D86B0F79}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0034
35	{8BD0F1D3-8FB7-4FC3-882D-C19DD2554AF8}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0035
36	{06201058-9026-4DBA-9EDC-42F194470327}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0036

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
37	{C223EAE7-45BF-46F9-B8B6-8D4A0DD41E50}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0037
38	{2F5BB95B-86C2-4E3A-B964-0D371233415D}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0038
39	{2D0DEA9D-FAA4-48CE-B9D1-8FAADC3BC2EF}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0039
40	{66038E2E-DFFD-4E46-BEA8-A9EBACEF9F4E}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0040
41	{2E7D3399-4248-4276-98F7-5B7F27CC48C4}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0041
42	{04BCF1B4-949A-4C9F-A45E-8E3E22A57D60}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0042
43	{CC8E5369-DBE7-4FE0-9D53-11901C781F69}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0043
44	{F4FB136C-6676-4364-9D31-703139E983CD}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0044
45	{B04B4CB6-DA64-410A-BA75-4F23863A8336}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0045
46	{CDE3061B-1163-4B11-AAA4-2E6FB783CEAF}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0046
47	{D0B82F78-44BA-4654-9331-5EBCECCC76CD}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0047
48	{0438408F-B698-4C48-A1F2-FDA46F55E1CB}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0048
49	{E7167537-2D41-40A4-BC0C-98E90BA49DC1}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0049
50	{B2C66F55-93C3-4A40-86F7-87AF9D2FEB9F}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0050
51	{85505BF2-7281-4F24-A7B4-0F74F66DF4B0}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0051
52	{10C76045-D78F-4FF3-B8E9-C0519879425E}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0052
53	{7BA2314A-880D-422B-8F54-6BA3FFA8C13C}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0053
54	{D1346727-F204-42D1-83FD-5B22EA75D475}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0054
55	{543CC499-A43C-441B-9E49-AC05C0CDE579}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0055
56	{B27A02AB-C790-4CA1-8E58-315A60959F93}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0056
57	{E7A779B5-0C6E-487D-B54D-528DDEF98E49}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0057
59	{6CE67378-D68B-42DF-A81E-E1EE98793073}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0059
60	{6856BB89-E1F5-4DD3-A101-F1573E021FE5}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0060
61	{305D328A-A9D1-48B2-BDB3-891CB48BE4AA}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0061
62	{8215F7D7-B1B2-46B4-93CF-7E87AE936DAF}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0062
63	{44489424-6AEB-46E5-BD35-86B88BE9E868}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0063
64	{DED6793B-0B1C-4C33-9569-4EE57E787336}	3/16/2025 20:31	jennifers127	4/28/2025 22:40	JENNIFERSALEMANN	CR_0064
65	{B374F9CF-8DD5-4482-B40E-388AACCFC04B}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0065
66	{3C96F853-D9B2-4CD9-8BD8-43419344AB08}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0066
67	{A191C2CF-AC6B-4C68-AEF6-61633A2368BA}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0067
68	{0611D9BA-C51F-458F-AED3-EF3FF4E76667}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0068
69	{0B3E01AE-168D-42BE-BDE4-E9A56C949546}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0069
70	{C812C4A2-177A-4447-9CB6-33DECC2B0EDC}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0070
71	{54EC1EE3-A6D9-4BB0-821F-33BD7D35E2EE}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0070
72	{352A88AC-32FD-43F5-A3FD-9BF6D67BFF17}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0071
73	{8FE917A1-EA1D-49C4-9C2F-2AF6FA8569B8}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0072

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
74	{AFBE941D-867A-4A1A-9829-ED992B8BB549}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0073
75	{6BBDD9B8-DC10-49E8-BED7-37D38C4E952D}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0074
76	{9B340F17-F44C-4ED5-9501-A4C2167AFA5C}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0075
77	{4FEB4478-EFC4-4C74-ABDD-2BCD8D5B9EAD}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0076
78	{D101044E-5BB4-49A0-ADAE-32EB9F9E3FE4}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0077
79	{77CC29A5-3FB5-4010-A025-2588A5F99D13}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0078
80	{F591612D-CDF8-4842-AED5-50FCB357067A}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0079
81	{A89BA1F8-5E96-404E-87D8-F52B5C6089EC}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0080
82	{1ADE6285-9DE7-464D-B4F3-68702E66DABB}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0082
83	{EE8F3D2B-0C4B-4E4C-A691-FB10B3F47686}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0083
84	{F03D2ADD-6F1D-40F3-A947-E50208908D3A}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0084
85	{CECB1C12-9244-431D-93F0-633F250EDA6F}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0085
86	{0AE96305-802B-4336-9DE1-6C0253A93F55}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0086
87	{6AFB07E5-CE0F-497D-ABED-2FDF7BBCF8F3}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0087
88	{694FA01D-5EFF-44CD-A900-244AA0808A2B}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0088
89	{011EE444-7250-4280-9F4D-1C5035966E5F}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0089
90	{7EC63418-D6D0-4B6C-886B-CA80FADD4A2B}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0090
91	{3E03237E-8839-4E85-87EC-E1C5F2868C37}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0091
92	{4CCC3055-43BF-43EE-8594-1B7529929651}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0092
93	{D88EBDC8-CBD5-4616-AC22-9538B3486DF9}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0093
94	{2C8D3122-39B6-4462-96B4-84A74686D684}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0094
95	{25351343-164E-4951-81EE-A9370F5A52A1}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0095
96	{DC7A6CD6-171D-472F-81D6-2E505E42E055}	3/16/2025 20:31	jennifers127	4/28/2025 22:30	JENNIFERSALEMANN	CR_0096
97	{233EAE8-FD8E-4EFA-8182-C99C1A355B0C}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0097
98	{A98FBCB1-1A72-428D-9453-21C7281A8BD5}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0098
99	{BE674C99-31C6-4F0D-8E37-E041081533D0}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0099
100	{5CD91F4F-3C5E-4BC4-8598-3E78F663E763}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0100
101	{421496E4-3C60-4AC3-9436-8DA179827EF6}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0101
102	{255AAAE-D4D7-42EF-88B9-11DD86CA2984}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0102
103	{4935CB35-391E-45C8-8D38-EC0EF8E92B6B}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0103
104	{5E825127-697B-4934-844D-89A6CEE9D936}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0104
105	{29DD53FC-E867-4668-926A-EC4F2C776C49}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0105
106	{18350E4A-52CC-4C74-90C2-9D224BDD9D98}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0106
107	{EF5926F3-4F7C-4338-91A9-1372498256C7}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0107
108	{9ADF6480-02D0-4113-A60B-325670CE4E86}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0108
109	{06D0D655-68FD-405E-A124-8F4C245B1E74}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0109

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
110	{3E4DFF16-30DD-41A9-9BAE-325D9A00AD7B}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0110
111	{8DB99A8C-691A-4547-84D2-E0F600D71040}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0111
112	{0FC33574-C7DC-4B8E-A54C-93C256FE03B2}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0112
113	{DD701D72-FAB2-4B78-A4E9-2883AE90EF8E}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0113
114	{2F8A0255-85B7-42E4-AE57-5FFB0DAB5737}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0114
115	{0300702F-5F08-4235-A024-D250FF1DD34D}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0115
116	{37B4221E-1563-4FC1-B8FC-7E8C0CC07050}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0116
117	{CD81945C-471E-4B8C-B6C7-BC2CD523B51D}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0117
118	{99A1D533-9B14-4E83-98D8-C853DB5CD864}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0118
119	{37415325-E494-43AA-B5E6-AE5893D12A12}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0119
120	{438E8879-10EE-4632-8FE1-E5570A34D977}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0120
121	{2448A5DF-3C55-490A-9B0B-EE30D5D5E982}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0121
122	{7A4CEA7B-36E4-4776-9997-258748F10989}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0122
123	{1FE3FA5F-C878-4E91-84EB-45BD07D55649}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0123
124	{D15FFDB2-1D41-4ADD-BCDA-115DB0283E62}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0124
125	{BE04F981-275B-44E4-9E3C-65D873BCE8C8}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0125
126	{6FE18281-615C-4E0C-9925-5AF4ECE4D026}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0126
127	{586AB651-6AAB-4435-A7FE-BC3D92E2F44B}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0127
128	{7B6F52C2-B095-4CEA-9462-F5BAC6C1CC6F}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0128
129	{A4DAF2DD-F977-4755-AAC4-3F5DC86883FD}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0129
130	{DE72C663-18E8-4F88-AB18-FFD85E9D7414}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0130
131	{CF41AFDB-98A9-4FD2-8BDC-A29F516F75B6}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0131
132	{6EAB810F-7759-4CB9-8433-5D3DC806A104}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0132
133	{CD97209F-B611-42DF-82A3-6D22912806BB}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0133
134	{F05A70E8-2E90-42EB-BD6E-BB054965EFA9}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0134
135	{B47DAEC1-1DFB-456C-8094-96002B436D4C}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0135
136	{E0649B76-70F2-42CE-8A84-867898608C58}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0136
137	{EFE8DEF0-E7E0-440B-B905-1502A8B7806B}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0137
138	{D04FBC19-EAA7-4452-AB82-9FC61BF66ECC}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0138
139	{530272D3-4522-4688-B09D-939A98D4EB48}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0139
140	{D553A339-E840-427C-B1BC-E2B2656D5099}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0140
141	{35726E86-1A1B-4A15-8A4C-10AEE4F20995}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0141
142	{F80A05FD-A4DF-4E68-B296-F42BE163A03B}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0142
143	{8E195EC8-320F-4D80-921C-F20E0E58E87A}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0143
144	{9022F1BD-E36C-4CF7-A75C-B10CE9E209FD}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0144
145	{AD6C7065-1271-4A20-A0A2-C03DF5EE2C80}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0145

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
146	{831D6B06-270E-4672-87D4-0C3A86D8EC51}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0146
147	{3BE2DFA5-31BF-41F0-BFA5-F3743C63316D}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0147
148	{90924C08-A5AD-4B78-8EA8-27EB5E2BD71A}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0148
149	{F89CA33E-5017-4538-8975-039B2B196F93}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0149
150	{FCCB53C5-B19F-486A-A77B-389F867489D4}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0150
151	{5D06E3A0-6B46-43E7-BDF9-9109D12DBB57}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0151
152	{AAAA60A6-5174-407B-93A7-05AD3B7A213B}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0152
153	{E7D47EF9-C5D5-4656-A488-A946CDD670D2}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0153
154	{73F42AC3-6D23-4FC8-99A9-DAB72EE82DFD}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0154
155	{A5931D35-1366-45FC-8C55-991530740B12}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0155
156	{916A1406-CF61-4944-B1D5-BA954B68FBA2}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0156
157	{79A2A677-B729-4229-B663-AA38EC584ED1}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0157
158	{69F6EDF3-DDE1-46F6-8CC2-0F66094DC46A}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0158
159	{9B6666CC-566E-4A20-A27D-DCBADF5D057E}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0159
160	{DB58640F-2F15-4D28-B213-991DD6FD1AD6}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0160
161	{300A3DC7-BCB8-451D-859C-A78148A66F09}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0161
162	{09A4D32F-DF81-4E43-B036-C0C38688E7DD}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0162
163	{6632F1F3-0140-41AB-A425-3D976EBDEEC5}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0163
164	{D5E47B74-9782-4762-A08F-EAE5AE0F3E07}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0164
165	{7DC11E17-9895-4E38-A9B4-E0693F865742}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0165
166	{88370687-1447-4D6D-9BC8-0A8C2DF9C91D}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0166
167	{C7AC67C3-1336-4FC9-BC09-10A18DCB6824}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0167
168	{3839839E-90D6-4548-BAD3-F5B78021F7BE}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0168
169	{4DBC46AD-05FC-4410-B6DB-9E2E645B105F}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_0169
170	{1F4B84B5-EE67-40B2-AC50-09319D11BF35}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0170
171	{D0D31A5F-359A-4ADD-97E9-E3F5654AF513}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0171
172	{AD02735B-40BB-4F67-83C7-D4925831F901}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0172
173	{B748E858-B266-4246-82EA-95A2FBEAD772}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0173
174	{9FB19319-A6B5-4873-9581-8CAE53D71CC5}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0174
175	{4941FFA3-E4CF-4507-9976-CE290D7155F1}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0175
176	{8B04F472-BBB9-4425-937C-69D275F04A13}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0176
177	{35E84AC5-2F75-4820-814F-C49AAA17C4ED}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0177
178	{EAA6B277-196C-483A-9B5D-84907C0415AE}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0178
179	{D650741B-AA50-4AA7-B9D2-CC3F93C94217}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0179
180	{2980A9D7-BCDD-4A1B-BD4C-0D62208A57B0}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0180
181	{8A2DE595-28B7-42D3-B46A-A3FD21BEF85C}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0181

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
182	{CAB49AED-35EE-49FD-8519-0F2F62EC88CE}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0182
183	{D56E3FB2-3F5D-470F-B35D-A715C1289496}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0183
184	{46BA4608-461A-4E45-8432-54F3D06A48A0}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0184
185	{0B981C47-DE60-4ED0-9674-ED94E0B5F707}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0185
186	{93DF7F54-0A7E-4DC7-B0E3-51549D4CB566}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0186
187	{11342194-B74C-4A0A-8721-44067568515B}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0187
188	{914F55DA-83DE-4B7E-9576-B4BC9D54F1F8}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0188
189	{EEA4A3CE-5C63-4D0C-8C41-1BA5F794B1CB}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0189
190	{145B316F-C1DD-4C38-A04D-FBA7F6EF37A5}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0190
191	{D01EECC9-332D-496A-8851-CE629571A47B}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0191
192	{B7F91405-53B2-423C-8B67-889FA4B2E830}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0192
193	{3DC4A9A4-58F4-4F7F-80AC-718F044EF6A2}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0193
194	{70752E37-3CC1-4047-8D1E-A272F47DAD1B}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0194
195	{21B849F5-B4FE-467A-838E-B52BBD54A71D}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0195
196	{73C5690D-38D0-4742-B382-73258854BA33}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0196
197	{7F8C04B6-9959-44E8-87B9-A8E41BA79A8F}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0197
198	{C4D1FA2C-DBC8-4C6E-8CA6-B0A3BFD1304}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0198
199	{53A96409-ACD7-43AE-8995-0BAD85BAF2C9}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0199
200	{39C55014-5870-411A-97E6-FF06B3FD3265}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0200
201	{E923E1B6-7D4B-4444-82D9-4161D928BA3E}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0201
202	{0A4E3145-A9B7-4247-8B7F-350EAD701F3B}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0202
203	{3704352B-91C4-4A5B-AA29-C3630B22F510}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0203
204	{40F89DE5-8658-40D2-BBF6-16137C7C44C4}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0204
205	{42BD7654-2DC2-43DE-8ADE-183C1DB26623}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0205
206	{7C527D2F-DC2D-4BD6-A912-4223153734DE}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0206
207	{98B14173-0D97-444F-ADC3-C7C5BE8F5DDE}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0207
208	{0C2E939D-CF14-40C1-A3D3-6972CAD52B53}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0208
209	{CA48ACD3-7C37-4709-AEED-17D4C4115CE0}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0209
210	{2E79E42A-1887-45AB-8252-59446ACE4C6B}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0210
211	{BA1BE08C-7347-4E14-B594-7D08833C8D0E}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0211
212	{0C9D953E-039D-4A68-A17D-E17F927994CB}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0212
213	{9658FE02-610F-49AB-ACAD-0D9F2289A82E}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0213
214	{C624D7A0-A28A-4313-B5DB-4318CE5510AC}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0214
215	{2478C270-AE24-41D7-A30F-082CEE313BA9}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0215

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
216	{C4695854-AFA9-4779-85FB-A1060BD14DB4}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0216
217	{AEAD338D-D1BD-4F55-A8A7-6629416A9AF7}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0217
218	{7769F05D-4456-416E-A6CC-FF18B1464310}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0218
219	{F11B33C3-FF28-413F-84DF-61E14B3982D4}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0219
220	{3A300749-CBCB-44F1-8D1B-61A1C8072EBD}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0220
221	{CA8E8490-6D55-4103-98B9-3ABD9C67C19C}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0221
222	{452A4C38-993C-4714-BD63-4E030BA5158F}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0222
223	{5A37825D-B768-46C9-BDD6-604AAB513B7D}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0223
224	{99BED419-E32A-4565-B1E4-E91D11FFCFE6}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0224
225	{CDA571DC-8CCE-4F6A-AEE9-39200A3271B6}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0225
226	{916C2CB1-5513-43DA-8050-33BD903CCE11}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0226
227	{87A79BB9-C9EF-4B74-A732-6DF59DAF0A30}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0227
228	{066D9EA9-5FC2-42C2-8531-D94AB746CF56}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0228
229	{19F9F4B5-82D1-4940-B331-60696D016B41}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0229
230	{154D5B52-E720-4849-BCCB-1A8DA57FE39F}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0230
231	{9A51C8BE-C967-43B7-917B-26C638FDAE2B}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0231
232	{82B6A0E8-8DF4-4964-BE54-7C2364C0E17A}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0232
233	{6620B83F-04F4-49A8-B8A2-0A03D0C3F3C9}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0233
234	{E67952B4-82CA-4CE5-9F6A-377831679AD9}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0234
235	{6B5F9E34-0D83-4D3F-BE7D-00E547865AFA}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0235
236	{5FACBB7C-984D-46BD-B9DB-329F7BDFAA80}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0236
237	{EAE344AF-8B8D-415B-8EEA-8308453A9486}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0237
238	{9984192A-5D77-4FE8-9786-63FA8E0F9076}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0238
239	{C498D540-F497-4618-9AB8-6AEC7B182197}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0239
240	{F7688FB8-6E0A-4C32-A479-0AA9455D6D5C}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0240
241	{D0D95FD2-B4B9-4D31-9F30-F36B4ECB285B}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0241
242	{A87CEC3A-B4D0-40AF-BB46-58E9B6CB64FA}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0242
243	{CC6BD042-640A-426C-9177-7C6816914D91}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0243
244	{EE1424BE-050C-4F26-BACF-EFF394D3F616}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0244
245	{442D7A66-A175-4DD5-A071-D93CCB08F942}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0245
246	{7787E83E-FA94-4619-A501-772928121EDE}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0246
247	{2CAD81D7-05CD-4F4D-8559-5132E8A48D58}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0247
248	{34311E95-CF5A-43CD-B2E7-AF9B90F358AB}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0248
249	{D77DA0B7-8F5D-4810-9951-1B3A476A7498}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0249

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
250	{6044BB2F-1544-4ED8-82C9-786473FA4F0B}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0250
251	{704F42FF-728D-418E-8AE2-7B5E15E32DF7}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0251
252	{2E4E7C0E-0A7B-4AE0-A33B-E1D3E5453C3C}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0252
253	{01FFF6F5-A634-48EB-B03D-4E73B9081B12}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0253
254	{70C71C53-233E-4515-9B53-1133310AE458}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0254
255	{B13C5312-0449-4A1A-A55D-92F7AD1C8360}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0255
256	{845433E3-0FE7-4113-BD95-4A6E664F1010}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0256
257	{090A6E9F-EC78-4AD8-B929-107EEE278478}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0257
258	{0441A383-CC64-442E-AEA6-268DB40E4230}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0258
259	{48EE93DA-9EFF-4735-BE9C-782A9062A599}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0259
260	{5A31C3AE-D0D4-4B26-B1CB-0B24BB15B4CC}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0260
261	{D250D261-3E90-413B-A18C-CB139383FFE3}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0261
262	{9858F22E-E0CB-4264-8DBB-341BDC4E5D32}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0262
263	{4F523489-9946-4E55-89D1-821D7D6C8CDE}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0263
264	{5D8D2E5C-9420-4A22-ADBE-A49D7BD33D13}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0264
265	{D82D8A91-520B-46B6-A078-767FA4BFF154}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0265
266	{96A8E2D1-9B61-4C6D-A636-24C4F3B6F35C}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0266
267	{D4E44031-A681-44B2-ABBA-FD0F40266315}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0267
268	{A5C3302D-69B9-41CC-B4D0-35CB30327102}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0268
269	{6E4C4127-6AF4-43E6-B6F7-F90C34A6E2C8}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0269
270	{06A02A2D-4400-4100-9B4D-E51DF0289B95}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0270
271	{12C1E14E-8869-45C3-82AD-6254074AD09E}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0271
272	{3A2135BE-1780-4AA6-BC59-C20A92DDDE98}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0272
273	{9807AC45-3C4E-4208-9D27-B920DE6DF563}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0273
274	{FB773611-0B76-4D64-8132-C24B5053388E}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0274
275	{9A59889E-9B8A-42A4-A5DD-F231EAB6D2CF}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0275
276	{7AF21FAD-CD79-47C6-8EC4-69669C5191C4}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0276
277	{9FBD2479-3B29-4BBA-B4D0-71E54C4B64E9}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0277
278	{E3A3F8FF-07B9-4BE1-8BED-E8E8327BA995}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0278
279	{2590434C-7E2C-4DDB-A7AB-FE4CB60B61E3}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0279
280	{730AB427-CB54-4BF9-BD52-02E737323499}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0280
281	{8DF8E8F0-10BE-4EAE-8120-8C08DBBA91A4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0281
282	{4C51FAF4-FB20-420D-BCB1-A80E1A167DAC}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0282
283	{BBA9E517-B85E-4197-AFBE-CED5DA6683F8}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0283
284	{A64A4CED-FE9A-4510-ADAC-B2958099B05B}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0284

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
285	{99A0BE36-56DD-4EE4-8700-77141F8E1428}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0285
286	{1FA34472-62E1-4259-9C30-CD02133A532B}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0286
287	{301CFCA0-6044-46D1-A7E7-6A2684F384BB}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0287
288	{2BCA3E51-6E1D-48B7-8236-05EF45C68914}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0288
289	{5128FF11-1026-4458-8969-182A698FAAC5}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0289
290	{9A460917-53C4-471F-9954-252561990A45}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0290
291	{FCC649AA-F219-4BC2-853A-231ADACA9515}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0291
292	{DAD41AA6-5DDC-42A8-B341-54804F8C7863}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0292
293	{257DB8A2-47CD-450A-8168-FC47901C26D3}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0293
294	{E87BFD8E-A7BD-458F-B6A2-1724FDED9A72}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0294
295	{3A0D1DC1-1E62-442A-A785-B35D0B661872}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0295
296	{BD42C8A9-6CCA-4E93-AA28-4C6A64E2B67D}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0296
297	{630F1869-5143-424C-B77C-5AB344E003A3}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0297
298	{D48F6796-AC74-4629-A512-70A207ACEEE7}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0298
299	{D477A5EA-8415-48DB-BBB3-4A63B697B954}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0299
300	{1C791B04-CC09-4435-98B1-CFA600700685}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0300
301	{08D1BA7A-30D8-4E3F-82CB-082C63F49ED3}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0301
302	{3E932BB4-24FB-450E-9571-A7CDAA226EB3}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0302
303	{98788D97-EC3E-4510-9BE7-58AAA7465F13}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0303
304	{D027F5F7-B86E-48EA-BB6D-313654F4B0AA}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0304
305	{8EB3DE41-D693-4DC9-91AD-94AD71E09115}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0305
306	{C7799DA8-9D1F-45C5-A582-CEA41BA12F87}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0306
307	{28CE1B11-8786-40A2-A550-F84FF9EC0063}	3/16/2025 20:31	jennifers127	5/1/2025 21:29	JENNIFERSALEMANN	CR_0307
308	{7E964028-7253-4FC2-90C6-844B05D410C6}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0308
309	{D771634D-46D7-4BD1-B2EE-6F64104844BA}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0309
310	{24107F4B-D360-4CA6-A802-71A28DAE6F00}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0310
311	{9D41C8F2-EA20-4C08-95C7-5846BAF2C52C}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0311
312	{F79639BB-C95A-4765-91FD-2D757CFD9E57}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0312
313	{45B764AF-4050-4187-967D-A50695D842A1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0313
314	{7A723884-2A4B-461C-A339-B2F9C8D0F35B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0314
315	{CDA278B0-ACC2-4CA8-874C-7DA8B97212BC}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0315
316	{1DD5D83F-1651-4DE3-B0E9-8773B7EAAADE}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0316
317	{240CF4A9-261E-4371-BFA5-3705BF94DC4C}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0317
318	{931EDA9C-8562-406F-9465-50172FCF298D}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0318
319	{43F3A451-8A47-43EA-81F4-613502E6D3F6}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0319
320	{C6CE227E-9695-4858-A850-C60A5F22AAE8}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0320

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
322	{0E5B6757-5F3B-40CA-A71E-2D36125614DB}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0322
323	{81CB0257-98C6-409A-8E43-46F41F803A06}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0323
324	{01B21101-F88A-4C06-BC57-6E7B51B641D7}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0324
325	{A61A7CA2-9FAE-42C4-83F1-A68CC815ECCD}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0325
326	{EF0E60EE-5DF2-4D12-9256-C676F31C62DC}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0326
327	{43278284-01F8-482B-843F-21FADA209F34}	3/16/2025 20:31	jennifers127	4/23/2025 18:18	JENNIFERSALEMANN	CR_0327
328	{75BF7E3D-7193-4D58-99E1-0C1ED4B8A8DF}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0328
329	{5D6449F9-1EF0-42CD-8DC6-7E991864515B}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0329
330	{E0053A1B-BB14-40EF-A3AA-2E461C7C87CC}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0330
331	{55B91880-8C1E-4767-A0B5-B0F2A2223AFE}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0331
332	{5DD60A38-A313-4926-83D5-0F1321C16E62}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0332
333	{BD255022-23B5-44E4-8984-5C099A199889}	3/16/2025 20:31	jennifers127	5/1/2025 21:33	JENNIFERSALEMANN	CR_0333
334	{0B547308-4885-4930-9B95-5E009B4CD0DB}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0334
335	{EE8CAA00-E6F4-4175-A59F-F6C862E08317}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0335
337	{7A492A10-DC3F-46FA-A5B6-A62795903146}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0337
338	{58981BE5-796A-40F2-B1A4-E9871A453785}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0338
339	{7DBC7A89-4A86-4419-AAA0-690196E5772E}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0339
340	{442E0621-BA57-4347-8E95-BFD060FE8B01}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0340
341	{3EAA9F9F-4134-4EA3-9728-B54E43539028}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0341
342	{B423AD00-55EE-4E3C-988F-2967300962BA}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0342
343	{80D48E3F-FA10-47B2-B65B-FD09AE4C53A4}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0343
344	{8B19A66D-479E-4DB2-B252-93E0E68DCF94}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0344
345	{6BAA9DE8-3569-4BF8-B57F-576A85CABADB}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0345
346	{B24CA53D-291E-497A-80DF-650499F6B533}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0346
347	{FECB8FCA-8BC3-423C-8ED6-18F1E6C4B636}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0347
348	{3BCB3286-0BFD-4583-A7D1-8D022279167F}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0348
349	{27019F28-6F04-444F-929C-06F1646A0140}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0349
350	{9F2C6F29-4292-4702-A53E-780EA404D265}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0350
351	{91DD3051-606E-436E-92E8-AC77B00DB658}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0351
352	{B2958E65-E267-4C30-9530-40CD3065BA38}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0352
353	{ECB060A6-4B95-40CF-9840-6233CE414FDB}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0353
354	{2EBEA631-ACAF-45B9-B4FD-09DB819AC411}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0354
355	{0F13AC53-3CB4-450D-81B0-35D758275FB7}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0355
356	{62C69A60-AD17-4FCE-B74C-43C5FA673F89}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0356
357	{23462322-8A2A-4700-8E9F-EAEB4FCE046C}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0357
358	{07CF7D52-741C-4AC7-87FB-DBA46658A943}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0358

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
359	{5576C245-18AA-4CB4-B55F-FB69F886301C}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0359
360	{A417293D-1A93-48DE-9216-F5512A2659B5}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0360
361	{3230A1A9-4F6C-4551-BE89-292D82CEE7CC}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0361
362	{2C4A1088-8ECC-4842-8C7A-5412F5BC1069}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0362
363	{8BAED9B1-93FE-4C93-AF6E-608EA48D9AF3}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0363
364	{6A5F792F-EA60-474B-AF25-EE5D810BB373}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0364
365	{4229D92F-DC9D-4898-B712-B726F141D2A8}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0365
366	{EF59AF3A-15D7-46C4-A077-8EA9DF0A4603}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0366
367	{98FA0C2A-9B9B-4599-BB8F-411DE232A434}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0367
368	{BC7D80B5-646B-4DAF-8CC3-527EFA868EBF}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0368
371	{AADEC8D2-BE18-4BBC-B295-AC47E5AA278F}	3/16/2025 20:31	jennifers127	4/23/2025 18:21	JENNIFERSALEMANN	CR_0371
372	{6E6C51F9-05C4-4B09-BE2E-A389CCE7D5DC}	3/16/2025 20:31	jennifers127	4/23/2025 18:21	JENNIFERSALEMANN	CR_0372
373	{A27E0B8F-6574-4C6A-B117-08CF676841F7}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0373
374	{B06385F7-C028-4888-B07C-A287F291029E}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0374
375	{FCEDCC3D-0F1B-40DC-ABCC-875C0FC612D4}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0375
376	{5FAC3201-1372-4B82-9AB8-222666F3ECB8}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0376
377	{15A890EB-AB64-4D6B-B5EF-1C2B9E1F24BD}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0377
378	{4916A991-9541-44EC-A57F-93FBC7E4A8A0}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0378
379	{D066A333-B78E-4CD9-A00C-0642669BCAF2}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0379
380	{4AD47D0E-2A97-4325-9EAA-A0624A0A1711}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0380
381	{EAA9CC74-D43B-4E8A-B8E0-83EB7FC71177}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0381
382	{47FFB41C-DECC-4191-B082-F1A4C43EE23C}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0382
383	{F7E9F817-4AB0-4BA3-BF14-F5FF315DD9B4}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0383
384	{9FFD4BBF-B7FB-459F-80D1-7D8C5E98BDB3}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0384
385	{0B61F0D3-3FD3-4293-A29D-ED5DDF181562}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0385
386	{E675A662-B99B-4FCA-933A-B4F37241718E}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0386
387	{0D542718-9610-4BEB-9A8A-62E14B4E949A}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0387
388	{5C9C3FF0-FE8B-4E31-9ED4-75DE18ABF42C}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0388
389	{FCE5E0AD-1117-441B-B115-7A3748B7E1F7}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0389
390	{5383760C-29CB-496A-B24B-FFE2C3D68F8E}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0390
391	{E144C261-F42F-44A9-801A-EFA5DCBAB49D}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0391
392	{DA9FB2E1-C073-4554-84D2-C4FC018907DD}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0392
393	{50F8326D-0120-4C94-BC39-3FF1BF3A8E57}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0393
394	{00E3C173-BEBB-4379-944C-F5785EAADD9B}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0394
395	{75739AFC-8CF8-4E29-93B6-8E6137F9D636}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0395
396	{0625B51E-AC6D-45EC-857C-0E30383736E7}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0396

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
397	{63B474F3-A7F2-4CE1-AFCA-6C875E234183}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0397
398	{AA518F4A-4A8F-40D6-8041-245327A490B5}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0398
399	{5E6522A7-4C2E-4F64-9B3F-DC505240D16A}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0399
400	{DD7BB9B0-5A99-4FDB-99ED-FF85EA0C508C}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0400
401	{4C48DBD3-0733-4B7E-877C-B6BFF5E6A866}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0401
402	{35CD54DB-DD45-4F61-9A1F-C3DEBB9DC7FD}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0402
403	{EF6DD21B-3E0F-4531-AFF4-A4818BC93C85}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0403
404	{2732595E-9B42-4B0A-88DF-F67D2A4FD90A}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0404
405	{75D71670-4D7F-45CA-B9A1-7C7A00A636D0}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0405
406	{655D11BC-FBB3-462B-8E27-FB03CF936469}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0406
407	{5E47FA15-A375-410C-A03F-7831AFEED99F}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0407
408	{B48108BB-356F-4B86-B3AF-4FFC18DC0875}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0408
409	{2A29D9C9-61F7-423B-B54B-46BAED5AA683}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0409
410	{91A30CC0-822D-4A00-BCC5-1C40652DEF12}	3/16/2025 20:31	jennifers127	5/1/2025 21:29	JENNIFERSALEMANN	CR_0410
411	{C46C33B4-0245-4F7B-A4A9-F33A09D8EF9B}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0411
412	{F6917AA8-CA89-44A9-82DC-04124A111CAF}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0412
413	{10F44588-0D5B-49F8-81A7-8E2E8615E8FF}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0413
414	{AA641D9F-9507-4818-B35F-BF77C56DC41F}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0414
415	{C6B2E5B1-D9EA-4922-B72A-7F094772A37F}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0415
416	{2D469E56-8970-4AFA-A34C-B699C31B5E3D}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0416
417	{C7868A76-17E8-46E9-B6C0-7B783BA55143}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0417
418	{A58D9E74-D665-4879-919A-9F3835B3AC43}	3/16/2025 20:31	jennifers127	4/23/2025 17:30	JENNIFERSALEMANN	CR_0418
419	{A9365E0A-6C92-4519-A571-73513276DBB2}	3/16/2025 20:31	jennifers127	4/23/2025 17:31	JENNIFERSALEMANN	CR_0419
420	{50216AF5-1CDB-4121-B37D-CB84A9FB4A2C}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0420
421	{98529945-FB87-4D07-AFC9-5928A1B5DE7B}	3/16/2025 20:31	jennifers127	4/23/2025 17:31	JENNIFERSALEMANN	CR_0421
422	{6EA0223B-8D55-444D-9270-6030E443BD57}	3/16/2025 20:31	jennifers127	4/23/2025 18:21	JENNIFERSALEMANN	CR_0422
423	{A86985E7-A6C1-44FC-964C-E5D81B768F95}	3/16/2025 20:31	jennifers127	4/23/2025 18:21	JENNIFERSALEMANN	CR_0423
424	{EA5F2F78-517D-45B3-B364-5EB8A209B0BD}	3/16/2025 20:31	jennifers127	4/23/2025 18:22	JENNIFERSALEMANN	CR_0424
425	{7848020F-DEE6-49E8-A63B-1E0128B5D0C2}	3/16/2025 20:31	jennifers127	4/23/2025 18:22	JENNIFERSALEMANN	CR_0425
426	{240AFD45-7D99-493D-8A7B-88F8FCC6D7C0}	3/16/2025 20:31	jennifers127	4/23/2025 18:22	JENNIFERSALEMANN	CR_0426
427	{187E8C53-EFAC-42F9-A43B-05BEA229DF23}	3/16/2025 20:31	jennifers127	4/23/2025 18:23	JENNIFERSALEMANN	CR_0427
428	{7988D8BE-D35D-402A-AA2A-7290FB86C122}	3/16/2025 20:31	jennifers127	4/23/2025 18:23	JENNIFERSALEMANN	CR_0428
429	{653B2638-5016-4B3F-8937-912ABE2AC930}	3/16/2025 20:31	jennifers127	4/23/2025 18:24	JENNIFERSALEMANN	CR_0429
430	{569EF346-EF92-45A9-9266-EE2F52A5E3C5}	3/16/2025 20:31	jennifers127	4/23/2025 18:24	JENNIFERSALEMANN	CR_0430
431	{2D320807-7159-4A51-BEC1-43AE4F6F7A08}	3/16/2025 20:31	jennifers127	4/23/2025 18:24	JENNIFERSALEMANN	CR_0431
432	{5A94151E-54B0-434D-87D9-95D58AECE298}	3/16/2025 20:31	jennifers127	4/23/2025 18:25	JENNIFERSALEMANN	CR_0432

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
433	{D0ACFFD0-C599-40C5-A80F-1192ECFB4880}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0433
434	{36560679-CA5D-4471-8FBD-6E856A84C634}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0434
435	{92AAD8D6-9A34-4A06-AB55-35AD0B621F80}	3/16/2025 20:31	jennifers127	4/23/2025 17:31	JENNIFERSALEMANN	CR_0435
436	{ADE8D23C-7AB6-48AA-ACFC-D5902F95C7B5}	3/16/2025 20:31	jennifers127	4/23/2025 17:32	JENNIFERSALEMANN	CR_0436
437	{BA34209E-1886-4033-A88D-E2AA701578BA}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0437
438	{6337C864-7523-4BCA-842D-D5117BDB9F66}	3/16/2025 20:31	jennifers127	5/1/2025 21:29	JENNIFERSALEMANN	CR_0438
439	{D538547D-B7D4-45B3-8329-198A9FD9723F}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0439
440	{7D258F1F-CA14-4C81-9D57-0912A543273E}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0440
441	{C1A79F88-6EBF-496E-BC5A-2151E0E49EEF}	3/16/2025 20:31	jennifers127	4/23/2025 17:33	JENNIFERSALEMANN	CR_0441
442	{18B544E4-77DD-400B-9321-F7BAA91AFF9C}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0442
443	{D86D9659-992F-4EF7-A42D-0FF161D9F1E6}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0443
444	{9FAFF035-3839-4BC1-B24D-661164F36990}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0444
445	{238E27BA-7A27-4F2C-948E-71E2D98350D3}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0445
446	{376FED7F-8496-48DE-AC4D-BC28ED5ADEB3}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0446
447	{DDDF186C-C182-43ED-89FF-F4F242CD0F90}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0447
448	{EE2667EA-9E4B-485F-9A76-EC0E773D3CC2}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0448
449	{1AC6D2BE-3A46-44F7-8B26-828318309D43}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0449
450	{648943A1-2CFC-4744-A326-100556C0BD0B}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0450
451	{2FA184A6-439C-43A7-A2E9-24E80D07A7A3}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0451
452	{E7F138EE-9D53-4750-99CE-00ADEBC10C82}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0452
453	{13F1484A-80FC-4318-BF59-BF8F76B03A67}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0453
454	{0EA2ABA9-F7AF-42BF-AB17-A6F61DCDA962}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0454
455	{5A2BC18E-3504-4605-8473-302A67AED4AD}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0455
456	{CE0397BF-ABCB-4914-9AC6-7BA49A2DE9BE}	3/16/2025 20:31	jennifers127	4/23/2025 17:34	JENNIFERSALEMANN	CR_0456
457	{8F17B2E5-BE49-420F-A390-0E7303AD2DBC}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0457
458	{37BF1191-6184-4330-85F5-02DC790F6D64}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0458
459	{2A42BF45-9736-4E88-8039-FF26E6717C3A}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0459
460	{3D3CFF45-2044-4BA1-B430-A96788046F61}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0460
461	{1076DA69-B9AD-41D9-A750-1B04E077CE5A}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0461
462	{43876883-C2CE-45D3-AD4E-BD641698B575}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0462
463	{BC8223FF-458C-4705-85C0-C9044F6717E8}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0463
464	{8503CA6A-FE8A-4CD8-B80F-1467562EE794}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0464
465	{551CB1C0-6977-42D7-99B4-AA44C504C6C9}	3/16/2025 20:31	jennifers127	5/1/2025 21:21	JENNIFERSALEMANN	CR_0465
466	{427F997C-CCB3-47B4-8775-96B2EA679FBD}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0466
467	{26CB27D8-BD82-4009-B8B4-AFC7D01972EF}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0467

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
468	{85C8E55C-A1EC-4945-B8C8-3C929964C7E1}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0468
469	{B58F11BB-A366-4814-9FAB-261D1E0E6E68}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0469
470	{57EFA2E2-5CBF-4CED-BE6F-247EE948721C}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0470
471	{CAC04C9D-CA4F-43C0-ABDB-890E6A282167}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0471
472	{1F200C86-9293-4887-AB94-5DD26C9C3584}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0472
473	{FBEE9D49-A4FB-44D8-8CF0-2D701E647558}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0473
474	{BE9336FE-9B05-4AB0-9D47-0031E9CC5002}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0474
475	{8D05A841-8718-470F-AD53-18E42F6C37AD}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0475
476	{A8F0D290-5B8C-4D39-8777-362EEED30928}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_0476
477	{E11C2583-BC17-4C24-B2C5-D985C126E99C}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0477
478	{ECB0BF8D-A496-49B6-B656-61096439F951}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0478
479	{3393CFAC-EB75-4E37-91DD-138847E2D2C7}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0479
480	{FE8C0165-A460-4C15-B9AC-9E7B0E106DDD}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0480
481	{CE92EE6A-CF01-4D9C-B293-2D5A1961D8AC}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0481
482	{3ECC7AD6-425E-49C6-96D8-544C648C74DA}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0482
483	{B306AD5F-6914-4515-A137-BDF125D10A3A}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0483
484	{FEB94DC4-1DF2-4FF5-AAAA-E8A901C04EE4}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0484
485	{44B66E78-73B8-403B-A329-AFDE8B46E332}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0485
486	{93A9D3EA-4D83-4998-97E9-7E553F69B8AF}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0486
487	{4AC1CFC9-4EED-42D8-82BE-1F37D9282EEF}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0487
488	{6559419B-D338-42DE-9F72-38FF39D0F4B8}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0488
489	{5808EEFB-9484-481F-8387-B27582D95AFE}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0489
490	{3D37C465-20DB-42A8-A244-5796EFE72DA0}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0490
491	{3FECAC0D-A4C6-4A99-A03B-6C57F8B43EAD}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0491
492	{896B96FC-216E-4CFE-AC15-CDDF6514C82B}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0492
493	{1EE478CB-E36B-43A4-BED4-845D6D2FDACC}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0493
494	{4B0F11B1-B69B-4618-A1A9-5C8954E61F0F}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0494
495	{67A1589E-004F-412D-83BB-5180EB42B952}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0495
496	{3DD29505-FAEB-48C5-AF4F-C57F66165B8B}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0496
497	{DC0E986F-F5B6-4FCE-A18F-DB05B0108D77}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0497
498	{9843DBB4-BE97-48E6-B9BE-7CDDAEF15AEB}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0498
499	{B1B9A809-F58C-448E-B2F4-186E2A8D45F2}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0499
500	{5A79837E-24B3-4C82-943F-3B38852D8908}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0500
501	{1E02F95D-CB87-4F06-A9EF-19ADC2B4488D}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0501
502	{F9DF3ED0-4F28-4254-8FDA-3EFBD7404713}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0502
503	{885D3082-0E1B-4F6C-9DAA-4ED62E3DC7D8}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0503

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
504	{32ADE42F-03E4-4129-8239-C24BFB3A181A}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0504
505	{A2C4E37B-CCA0-477A-896E-98139E816A20}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0505
506	{9D4C4BBE-524F-42C3-86F4-1366EA675E17}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0506
507	{71B9C85B-9ED3-4BD3-B1B0-440E76079EFA}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0507
508	{81D3BF98-7B51-4E51-B14F-F7A5E0F9AB2D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0508
509	{207862B7-D2DD-403B-8449-D076AD9BA039}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0509
510	{0ACD79EE-B74D-4FE2-97E7-254A02A30D3F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0510
511	{427358EF-E22D-45EE-BC8A-BF7BB974F15C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0511
512	{FF2E0131-A635-4716-9F3F-24A0C0BB13B7}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0512
513	{CC19A0FA-3CC1-442B-BA69-04FBA1006623}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0513
514	{8AA7CD7B-2A59-42AC-A7A3-8582F83660B1}	3/16/2025 20:31	jennifers127	4/23/2025 18:25	JENNIFERSALEMANN	CR_0514
515	{8B52A24A-87EB-40BD-A413-621F845CAE55}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0515
516	{66376D3C-86E8-440C-B9EF-6EF357694A53}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0516
517	{0DA0ED78-E4A4-48CF-B0EF-761DB795EBE2}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0517
518	{A33E0B7D-BFD2-4C9D-A313-FDB11286ACFC}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0518
519	{69BF7A87-0946-45ED-B338-F54A900D88AA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0519
520	{9CCDADA7-13C9-404A-A612-80669BAF7C28}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0520
521	{A4038034-71D8-49BA-976B-D7D216FB6981}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0521
522	{38DD9BC2-2BF8-43AA-99F1-A9CCECB84009}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0522
523	{24C276BF-81E8-4451-A274-B5CB3CEF5D83}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0523
524	{3C0FA88B-A5AB-48AF-9147-86120BD59008}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0524
525	{A76DEB3E-69F5-4084-9A31-DAC6EEE64B0D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0525
526	{23C2577D-20EC-4802-8EDC-D25C34B07DA3}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0526
527	{D24F4206-2B37-4B2C-97DB-1FCB5960A25F}	3/16/2025 20:31	jennifers127	4/23/2025 18:25	JENNIFERSALEMANN	CR_0527
528	{EF157AD1-C38C-40CE-AC0D-3D0FAE1AE05E}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0528
529	{6856AA2F-9C4C-489A-B045-B1EFEAF879D0}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0529
530	{4A24BFF5-C3C2-41D4-B279-5B8435CB3888}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0530
531	{B2D9553C-DC8C-495B-A4FF-DAF1E96EA3E1}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0531
532	{BB4218B8-E3B5-40BE-9D9C-0E1182822837}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0532
533	{27129515-6AAB-4F21-98CC-6295D746D6D5}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0533
534	{7E90E121-D507-4D09-9923-7BD8E2E9B6B2}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0534
535	{293DBB0F-A1A1-43C4-A8AA-00ED432E1DB6}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0535
536	{42C10726-8CF3-4BA3-A99D-49DAFBF4405C}	3/16/2025 20:31	jennifers127	5/1/2025 21:33	JENNIFERSALEMANN	CR_0536
537	{7280DAB5-ED31-4CA6-886C-269598E62036}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0537
538	{5E5751FC-2301-4665-AFF6-BA3A1E3CFFBD}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0538
539	{F6388B6B-C7FF-4205-932B-A7F56CD6E338}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0539

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
540	{52CBECCC-A4B6-4EB5-AEFD-77CB516DCB80}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0540
541	{B9E3FEB4-E0FE-4308-84C6-696D726F6C38}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0541
542	{3F666D05-6032-424C-821D-5A3C452F0274}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0542
543	{799D50E4-A2BB-4B93-82E3-71F3F3401D70}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_0543
544	{DD36A525-7A2E-4948-93BD-E030576749A3}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_0544
545	{F065E37C-9F23-40FA-99DF-46F87CF7EE88}	3/16/2025 20:31	jennifers127	4/23/2025 17:35	JENNIFERSALEMANN	CR_0545
546	{2180459A-EDEF-456D-AA8B-1B2173BE2288}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_0546
547	{BE6A3F70-F080-4C63-AC43-21615C9F7C22}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_0547
548	{1F25CDA3-45D6-43F2-BA4D-29351E2815DE}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_0548
549	{AADC178A-14A2-420F-892C-BFCFBE112303}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0549
550	{D8176373-F733-486B-B424-118F93F2A598}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0550
556	{EED333A6-8942-443A-8AF9-B0E618A28A50}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0556
557	{0C20AA31-98F5-4573-B1DB-28467298F967}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0557
558	{976EABB9-ABD8-48CF-9C34-07763F54D51F}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0558
559	{A0CD704B-9C63-4D5E-9B71-FF9B0D15350A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0559
560	{3E3B9BD2-7DC8-4ACD-B642-ADA3545B206E}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0560
561	{8073DCB5-CC28-4FC2-9733-5CB6C9FEEC55}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0561
562	{0909C6F0-A29C-4522-A25A-C3C3A79C8AA8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0562
563	{098007DC-EE1F-4F2D-8F3B-B4305BF916FA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0563
564	{B715DC19-F75D-46C9-8E33-D3EFB9EE53DC}	3/16/2025 20:31	jennifers127	4/28/2025 22:42	JENNIFERSALEMANN	CR_0564
565	{C7F479E3-1F43-406F-9FA8-4EE72ED8D52A}	3/16/2025 20:31	jennifers127	4/28/2025 22:16	JENNIFERSALEMANN	CR_0565
566	{34E7AE3C-4BA4-4794-815E-F287B9D675B0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0566
567	{0436AC91-DEB1-47CE-88F7-14CF8C4A5788}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0567
571	{FFF43235-8250-4391-99AD-969E1FACC154}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0571
572	{3994DF67-07EB-46EE-9104-251938372126}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0572
573	{8F29E289-7CC6-4BAF-B448-281B5FD29756}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0573
574	{ABC614E1-739D-4753-94DC-9CD39B2274B8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0574
575	{8DE59F54-6954-4FC2-8615-89EF869A0810}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0575
576	{F4C624FA-1999-4BEF-B4E7-11A26DC4496B}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0576
578	{5FA30455-E850-4529-AD9B-B1CBE84D655D}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0578
579	{9F41421B-9325-4F6A-9FCD-B8233F17A50B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0579
580	{286E0641-1D11-481A-948D-49179314327D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0580
581	{BBF6A1CE-EA04-43EA-87CB-39D39AFBCAA0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0581
582	{78F15E66-87ED-4398-A1CE-3500FB1431B4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0582
583	{BEF86EF6-DEE8-426F-81F8-C961CFC7D575}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0583
584	{59EFD44-5939-4D2D-B232-0B0641467D23}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0584

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
585	{336C3C6F-173C-436C-AB92-8571F3FD53A7}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0585
586	{B711AEE1-1BC5-4084-B4E8-1767813DDC75}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0586
587	{8AC6752D-BFDD-466C-879E-2C2FD1E04584}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0587
588	{DA66CA3C-4F19-46F6-A563-6565586D2FAC}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0588
589	{882E4A66-2F8E-4D7F-B098-07DD3FF4BFF1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0589
590	{E239F3B4-F8D8-4F5F-A14F-7A94D2DFC977}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0590
591	{8E04137D-E28F-4E91-9A0C-62AD3294F8D3}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0591
592	{05074627-917D-4A41-B2BA-B217DBD43AF4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0592
593	{99C31D5F-2745-465C-8384-A2B96B0DF03F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0593
594	{58574EA5-4451-407C-A79C-E50149C99E7E}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0594
595	{CC7A809D-DE43-44D9-B474-93E24D6E95B4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0595
596	{9C7856FC-0CBF-4430-A58C-B789059D2673}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0596
597	{877416AC-B1B4-4F52-95E5-254DDBF01CB6}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0597
598	{CF1D2700-4B57-4BFA-879C-B0906F1F80A9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0598
599	{7AF41C17-F36C-4496-86C0-F9344171612E}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0599
600	{B0843510-5715-4BCA-9151-7ACD4CA83777}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0600
601	{E09B4737-E933-46B1-9D87-7913F4931EE1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0601
602	{CE8B18E1-BA29-42CC-B97A-2B577611E12E}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0602
603	{AEEE5BC7-EE6D-4DAD-9E20-6F4C3BC57A8D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0603
604	{4B5B59FD-5B45-4E9B-82CC-24158A7FAB69}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0604
605	{7DCD97CB-6763-437A-8F8E-405BE98DEFEF}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0605
606	{BF683F77-7D83-45B6-9FA9-A6D0A2D4D0DE}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0606
607	{5CBA4104-A35A-4B3A-9895-36F82AB3B27B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0607
608	{2C586FA0-15D4-49CA-B511-58449052C705}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0608
609	{83F4F55E-AEE1-441F-AF35-8B2D71B8C808}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0609
610	{F3858C04-1FA3-4761-8FA5-BA875883FF80}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0610
611	{0727E709-67BC-43F5-BC5B-B4BE833293CB}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0611
612	{AE58D0D5-7821-42BC-849D-76C93D552B44}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0612
613	{13D99B05-F0F7-49A3-8944-1C60707716BE}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0613
614	{C0C0EB4E-7D2E-4658-AB3F-72F0D5FB4B7D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0614
615	{B6772AA4-33A4-47D0-A2ED-13B796E8DB1F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0615
616	{D6F64F7A-D871-4A62-9156-4696ADF7D5E8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0616
618	{D7AF9969-7157-4C1C-BD3C-762909D2BC97}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0618
619	{1206786E-0E89-4325-810D-04E0567AF505}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0619
620	{FDFC09DF-6244-4B92-ADCB-0A3C3ACC8477}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0620
621	{10B779E8-84A4-4C5D-A29B-1633276B893D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0621

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
622	{B35FDECF-C7C0-442C-BA36-159F7C769137}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0622
623	{2B873174-07DE-4481-932F-2EF98942407A}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0623
624	{EE45AB77-1BA5-45C7-8BE6-CF903B223030}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0624
630	{A3A4B0BE-583A-4E4F-8B3C-7EDF5F8FF933}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0630
631	{0E2CA0A3-70E3-479F-890F-2D7EDE2B3999}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0631
632	{709B0550-632E-4B96-A31A-6BEA4151896D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0632
633	{891E6B0F-504A-4160-A331-77E158B3770F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0633
634	{8A87C1B6-F689-475E-94CB-E3ADE7B07DB0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0634
635	{FC0158F8-699E-49D0-B618-CB53C9B5DB6A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0635
636	{FB584B2D-5224-4D74-8A11-1764D5FA8F86}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0636
637	{C2E98E1D-DC8B-4464-A0A1-57CA446F365F}	3/16/2025 20:31	jennifers127	4/23/2025 17:02	JENNIFERSALEMANN	CR_0637
638	{86AB1E36-6366-41EF-B0C2-ECB3C97A55B0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0638
639	{B3D0B0F0-463F-4080-95DC-413B1D3F876F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0639
640	{87A0E644-5EA8-42E5-AEB3-533B80E38997}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0640
641	{D863CBF2-F986-4320-8D89-06C2E6A3078D}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0641
642	{C70D0888-E201-478A-A918-13863FAA78B8}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0642
643	{3BA2C387-D53E-4324-AD1F-8123D0CEEE2C}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_0643
644	{E7AFF898-9174-40BE-880D-76D3444AD506}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0644
645	{6E785A9F-1F77-453C-89EA-DF484AA2665E}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0645
646	{9F1B5150-E2AA-43A0-9B32-79902E632B9C}	3/16/2025 20:31	jennifers127	4/28/2025 22:35	JENNIFERSALEMANN	CR_0646
647	{A783ACCB-3C0E-4CAC-B765-CA826D87FDE7}	3/16/2025 20:31	jennifers127	4/28/2025 22:24	JENNIFERSALEMANN	CR_0647
648	{7D9432A5-5834-4C3C-B829-345A0F5AB20D}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0648
649	{B19321A4-9A13-43E8-986E-CD7BA7811B17}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0649
650	{611547D1-C530-429E-9A92-16917A457714}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0650
651	{6617EA0D-E62B-45A8-B114-BB980F01EF6F}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0651
652	{A65D68D8-8D8A-49E6-9223-5A4EC7D831D9}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0652
653	{94D2C509-9881-4EA7-8527-57F3699291B7}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0653
654	{94ADD9EF-2C29-4BAC-807B-3593CC7E3811}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0654
655	{C7799704-3FA9-4912-A053-3461EED729DF}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0655
656	{C75046B8-EE68-4C85-8DA5-3F026053E5B2}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0656
657	{23DD42A2-ADE0-45E4-8DC0-D747040D9BB0}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0657
658	{E00DF312-30CB-47DF-904B-A61C585B02FE}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0658
659	{4B60B23C-52F9-49D8-A94C-5D0925B8405C}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0659
661	{D5355C85-190E-46F7-A6A3-564E7591AB06}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0661
662	{38B89414-CCA3-41E2-90AB-5B1AE5931382}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0662

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
663	{D86853B7-6A39-4005-8A75-9EBC47E44190}	3/16/2025 20:31	jennifers127	4/23/2025 18:26	JENNIFERSALEMANN	CR_0663
664	{1494E44D-0821-4647-8B2A-FB454BC53BD0}	3/16/2025 20:31	jennifers127	4/23/2025 18:26	JENNIFERSALEMANN	CR_0664
665	{3C65521F-E4AD-4A25-AB12-26112126E456}	3/16/2025 20:31	jennifers127	4/23/2025 17:36	JENNIFERSALEMANN	CR_0665
666	{C9594467-29A8-4898-92A6-164280E78D74}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_0666
667	{0E45C7D4-C600-4E8E-A3BD-185E25F39CFB}	3/16/2025 20:31	jennifers127	4/23/2025 18:26	JENNIFERSALEMANN	CR_0667
668	{96FF6C37-DCB5-465B-AF94-FE63B02DFD53}	3/16/2025 20:31	jennifers127	4/23/2025 18:27	JENNIFERSALEMANN	CR_0668
669	{1F82D77D-0EAA-4453-8235-0897BFA46823}	3/16/2025 20:31	jennifers127	4/23/2025 18:27	JENNIFERSALEMANN	CR_0669
670	{6617B21B-18C6-4A2B-AB16-1EF5D838B8DC}	3/16/2025 20:31	jennifers127	4/23/2025 18:27	JENNIFERSALEMANN	CR_0670
671	{E868F60B-3299-49D4-BAB4-30965A88D078}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0671
672	{6126CFB3-659F-4B14-A6B8-61146BD4B565}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0672
673	{B6F9D8A0-DF02-42D4-9973-9A30A948D0F6}	3/16/2025 20:31	jennifers127	4/23/2025 18:28	JENNIFERSALEMANN	CR_0673
674	{CC2A93C3-194F-472F-8C53-055D33C79DC7}	3/16/2025 20:31	jennifers127	4/23/2025 18:28	JENNIFERSALEMANN	CR_0674
675	{182989AD-FC1D-40FB-9A40-5C464F4C1EDE}	3/16/2025 20:31	jennifers127	4/23/2025 18:28	JENNIFERSALEMANN	CR_0675
676	{F1DF05FD-F7AC-4214-AA01-2ABB8834BA6B}	3/16/2025 20:31	jennifers127	4/23/2025 18:29	JENNIFERSALEMANN	CR_0676
677	{0185A877-0395-4437-B0D8-562C2150633D}	3/16/2025 20:31	jennifers127	4/23/2025 18:29	JENNIFERSALEMANN	CR_0677
678	{F9B740DC-17B2-41EE-B33F-06D3F6608CF6}	3/16/2025 20:31	jennifers127	4/23/2025 18:30	JENNIFERSALEMANN	CR_0678
679	{919F27C7-9478-4348-BADC-C3070BAB04E2}	3/16/2025 20:31	jennifers127	4/23/2025 18:30	JENNIFERSALEMANN	CR_0679
568	{144E6AB9-F476-482F-B6BF-7E6B41D843E4}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_068
680	{B86BA002-70EC-4004-BDFE-7ACAD8985FB7}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0680
681	{B3D5AE69-A4DF-4D7D-8C54-8A332EBC023A}	3/16/2025 20:31	jennifers127	4/23/2025 18:30	JENNIFERSALEMANN	CR_0681
682	{6A9A0861-2240-4ED6-A1D9-F279F5AB3CC9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0682
683	{315447D6-546A-4CF8-8055-DD844635216C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0683
684	{6D15E22C-6DDD-4B65-A89F-FF046881991B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0684
685	{328023F4-9286-4AC2-BF89-DFDAE7ED89F9}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0685
686	{4D1F51B0-B806-4BEB-8DD5-51029AAEDF12}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0686
687	{27B0FBDD-E166-4081-BE0F-E166F5444B4D}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0687
688	{F6619A2A-2B8A-42E0-96F2-606141647559}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0688
689	{4E2B27A0-F882-4E37-A892-BFCE591C41AA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0689
690	{CDC2ED3B-92F2-4E55-ADE8-8BAB9273D0D5}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0690
691	{803002E0-395C-4D9C-A81E-273841707FB1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0691
692	{4DBC933E-B73D-49CF-8401-00DA48A8CEBB}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0692
693	{C3FF56A6-C552-4615-BC53-3F42414EBFE4}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0693
699	{8A358784-C03C-4B74-8579-CF839715F9E9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0693
694	{297F311D-2082-4A59-81E0-15F8BA0FD9C3}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0694
695	{75C7A924-60E3-43A0-8AD1-13900509E3D1}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0695

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
696	{ED82E1D1-7C11-4CDF-AE5A-8D3CAC4B3936}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0696
697	{689EAB73-3D4F-4910-9583-0C3E585C5619}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0697
698	{312BE967-9898-418F-A4BC-1CA5B2E1C1D2}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0698
700	{A2E4B4D2-5152-4176-96A2-C241DF11F4B1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0700
701	{12BC8D92-C468-4940-A2ED-BF28CB3A6FBE}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0701
702	{37F334F6-ECDF-4C64-8E10-1A6A7F977BBC}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0702
703	{1A95104C-C884-471E-A317-AFF7FE0D0837}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0703
704	{1331532A-494B-464C-86DB-22A631C814CA}	3/16/2025 20:31	jennifers127	4/28/2025 22:27	JENNIFERSALEMANN	CR_0704
705	{60009574-41EC-496F-A17C-3E6CF745368F}	3/16/2025 20:31	jennifers127	4/23/2025 18:31	JENNIFERSALEMANN	CR_0705
706	{92E3FF44-E00F-4C34-9AE1-BFDC63FE28D1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0706
707	{A1EE51CB-2EA1-41B5-9841-2D9FC7147369}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0707
708	{31CF0DDE-CB20-459C-BACB-21BEAFB10C6C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0708
709	{2C5812AF-A349-418C-9AEE-19D46D926AF0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0709
710	{8309B202-4DE3-412C-BCAB-B4EC3C58F5FA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0710
711	{3B47718B-5A4B-47BD-910F-AF9803600FCB}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0711
712	{E89E8D1A-471C-43A9-9E28-3C0BFE181E5C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0712
713	{1CA30F9A-3139-492D-86E8-7C15150D34DC}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0713
714	{A0A8868B-A8C9-4330-90C2-DE1179EB8D04}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0714
715	{2F8E74C7-16D2-44EF-A72C-00E97BD2133E}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0715
716	{08C74244-7499-4DDD-8871-EAA877BF1C28}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0716
717	{A43ABCD8-A9EE-4910-9864-DDF05030CEB3}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0717
718	{78F00368-EDAA-42D9-96E4-D709CF4638FE}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0718
719	{E137B9AF-DEDD-4DAC-9037-5D67150A90C4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0719
720	{EECAE6DC-F14D-476A-959C-BB0FE22FBFC3}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0720
721	{D526A882-84A0-4156-9519-717E1F76A10B}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0721
722	{54D450D1-A36C-4680-AB60-2A7FB9BB3DF2}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0722
723	{4E0B1145-60B9-4622-8E75-24A9A9B83457}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0723
724	{A106545D-6F32-4BB0-98B5-F17040A95173}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0724
725	{47812654-81B6-404F-A275-BFDF3DC17714}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0725
726	{78767E3B-D17B-4C0B-9E8A-2C6DC0C03F9E}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0726
727	{80561206-7F52-4628-83A1-4AB9DBF2C99D}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0727
728	{C5209E05-75E8-4183-9307-D642FD63137C}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0728
729	{AF8E38EA-76C1-4D57-98F8-EDB3CF0110A1}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0729
730	{0ED6AA49-9BF3-4AD2-93B4-4745C384C71E}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0730
731	{4BB3B71C-56F3-4673-BD85-202394E36F2E}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0731
732	{970A860A-CF09-46D4-908C-57072EECCECA}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0732

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
733	{A8BA128E-E279-40B2-82E1-22CC4C331613}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0733
734	{D05DA68B-BC9A-48D2-9057-31D8F44A2398}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0734
735	{9C4D7B8B-3FF7-47A0-8515-F61AEB2CBBC1}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0735
736	{ED6627D7-C441-47B9-9CA7-FC4BBC823D7B}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0736
737	{2D6E8BC1-5949-4421-8C6D-3155C8F4FBB3}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0737
738	{4E702970-58F3-43F2-8691-BECF90AF4B20}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0738
739	{70C74661-6BF1-49C4-BCEF-34820184A98A}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0739
740	{1CD3A0BA-6413-45AE-BCCC-F260F9D7A615}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0740
741	{534C9327-C43F-494E-A779-F5C35CD4785C}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_0741
742	{D413A0AE-CFAD-4244-980F-68C5A1EA8C10}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0742
743	{6B54A3C3-2E07-4697-B82E-1F2A846E8D85}	3/16/2025 20:31	jennifers127	4/23/2025 17:36	JENNIFERSALEMANN	CR_0743
744	{A6CE022B-CD62-4F70-A7A0-6611CC1A8BA4}	3/16/2025 20:31	jennifers127	4/23/2025 17:41	JENNIFERSALEMANN	CR_0744
745	{AFEBB9E6-0016-4E18-8F62-CF50B01EE624}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0745
746	{235C19D0-4DF6-440D-B2CE-5A3A935875B1}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0746
747	{A654A215-30DB-40F7-ABEC-C58CB66091DA}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0747
748	{DFD92B9B-5F99-4D2C-B0CE-4B03720DA1D1}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0748
749	{D260E6BF-0209-433B-BEF5-7C51C15F28F7}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0749
750	{49F9FA7B-8AE2-45BF-9D79-F833E62E83DA}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0750
751	{16033204-EFCD-4A45-B149-270291191090}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0751
752	{1A940034-8015-4330-9B91-AA4BDD93FA9F}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0752
753	{C00CEAE1-B88E-4FAB-9D8C-10AE75B1ABCD}	3/16/2025 20:31	jennifers127	5/1/2025 21:21	JENNIFERSALEMANN	CR_0753
755	{99746FBC-946D-44B1-B5B9-F80CB96E108B}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0755
756	{F2A55FDD-0B5C-43BF-9D2E-5DBF8EE9171E}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0756
757	{9556BE34-1B77-46B3-BE89-B6CAAFF654AB}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0757
758	{300DA553-CE58-4732-B182-03D38C9E37EF}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0758
759	{DB31C7B6-27B1-4F18-9710-2E9A61EC165B}	3/16/2025 20:31	jennifers127	4/23/2025 18:31	JENNIFERSALEMANN	CR_0759
760	{819E5820-99B0-4E53-91F9-6889A4B25369}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0760
761	{A81ED757-9ECD-4AA9-BC84-2171CF3342D4}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0761
762	{9CF477E1-2D6C-454F-ADF6-B0C733AE570B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0762
763	{863F4B22-0ACF-4AA1-ABFC-9DC957950AC0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0763
764	{C581162B-AAF5-4DB1-A31A-BC87879CDE8B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0764
765	{56D6C167-5D8D-4638-B3EE-4C0A891661C3}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0765
766	{FEAA6D73-5B5D-4772-9D81-B86CBDEBDDCD}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0766
767	{A1E21EED-176B-4200-89C7-420AF8C8D7ED}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0767
768	{21080345-FF58-4E5D-A6C1-A0D4440C8900}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0768
769	{1DE4E9FE-5094-40F5-85E8-C3542860A089}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0769

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
770	{912AF190-E511-4432-908B-60FF474D626F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0770
771	{3E7DD52F-2E22-43BF-B506-B275B8E18956}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0771
772	{0486D2E6-7D0B-490E-97AC-75BF3B71D23F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0772
773	{BD6DE986-C98A-4C1B-AD35-0A819AA6A98E}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0773
774	{AA122321-739E-4635-B7E9-3C0939E5358C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0774
775	{448E855E-9EDE-46AD-89E2-60CAE446ED87}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0775
776	{6D1AAA30-1AA5-4114-8E1D-5AE0B1572CC3}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0776
777	{2B713C21-D988-4636-B89C-5636BDBD7D7C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0777
778	{D5D5B564-9E90-4CA4-8AAD-C2DBEFB3FA74}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_0778
779	{BEC6643E-1E74-4559-8D43-8A5A504BB015}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0779
780	{DBEF8087-C384-43F8-9984-A3C3DD27A4EE}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0780
781	{3DC2D5F5-4075-4063-A8C5-EE9D3F7BDE47}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0781
782	{B72C34FB-9A1D-49BB-A6D0-D2AC7065DC80}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0782
783	{74F6B4DC-14CD-46BB-9DC0-096BF47BAE78}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0783
784	{71090AAF-5814-4844-A1D1-F1155C4CBCA5}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0784
785	{9BD0A80C-AEA6-4583-BD58-FC2CEB8F89B7}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0785
786	{4F04102C-149A-488C-90FD-D3215F4726B1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0786
787	{5FC12977-6EEB-4AE5-8DCD-F08BAA6C3FEB}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0787
788	{F61166B0-D6A9-474D-B8F1-6B6F14AB7FD2}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0788
789	{9CCC9D35-E021-4B38-8AC8-5ADEFFCE6140}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_0789
790	{4A953CA0-FE13-4716-9DF9-2C2D502A038A}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_0790
791	{8F4BCF25-A963-4C28-BB93-A40B23A21D77}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0791
792	{2E3A14AA-C8A3-4E76-A421-DF5B7107A82A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0792
793	{623D2F3C-05B6-4ED1-BE89-F1832CBC0E3A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0793
794	{DB0EF67A-EE72-44D3-9197-CC5BFF24CDCE}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0794
795	{1A9951BD-A0C6-44CE-9A1D-95ED6E0001A8}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0795
796	{D4D553F5-9D61-4651-A5F6-C9117431517A}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0796
797	{D85DDA1D-7459-4D56-98C9-6E9A89D2C568}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0797
798	{D0B8267F-AFE3-4DBA-85CB-44AD51239306}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0798
799	{886E5908-2D46-45B1-9CBC-B241C8250B33}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0799
800	{C5EF6F35-A30A-4F6A-94F5-9F2BAD2705DF}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0800
801	{108F1DAF-2AA2-4927-B6F9-1595735CC20E}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0801
802	{AF5DE3AB-84CE-404C-85EF-24146539C564}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0802
803	{289EDC0D-8B50-4DED-A98F-617E4AFB9730}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0803
804	{3D754543-B0DC-44A4-A88E-1FDFE92EA2E5}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0804
805	{DF11FC0A-7FC9-4228-9B39-3F04E5DA7654}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0805

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
806	{06C2190F-5A18-47C9-B652-A9BBB269BDEB}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0806
807	{C766516C-E8B6-402D-8E51-68FE4EECEED}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0807
808	{9982203E-1DF6-4BF8-BEC8-432958DA13C5}	3/16/2025 20:31	jennifers127	4/23/2025 18:07	JENNIFERSALEMANN	CR_0808
809	{4FDB5F36-426D-417F-A42E-325C5C3DD2AD}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0809
810	{AF07CBBB-339A-4223-9088-8A9B92565209}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0810
811	{CD1C644C-A74E-425A-9139-9FF5F979B128}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0811
812	{EFEC677E-951F-49B0-99ED-301210EDD004}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0812
813	{0AB2C58D-768D-4919-A9AB-92E11AD12366}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0813
814	{46242A87-9C37-4533-B050-5EF49B2BE9E8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0814
815	{DE115824-57A6-437A-B1F4-9199BB9C22BD}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0815
816	{E7B13D58-5EF9-478D-A4EE-DBD95E0F1FB0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0816
817	{4DAAF244-2BA8-4CA6-A128-BD3671C6C111}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0817
818	{F456E351-3181-44C9-B5DF-57E90042A425}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0818
819	{C05C9A2B-16A7-4660-809F-E509EFA6105A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0819
820	{A391A70D-E0A9-46C7-AF8D-CC3361A21C85}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0820
821	{D87C5BFA-BAD2-416A-8E9E-910EABA94D2D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0821
822	{B977B022-A0CE-45CF-A87B-5B4202C4837F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0822
823	{BEC77DDB-0DE4-4081-9B2D-7C2DFF69ECB9}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0823
824	{01810E15-BF53-4F18-9443-0BF1FD013237}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0824
825	{9F293D95-F2CC-4EF4-8347-83564C1EB276}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0825
826	{71535822-0E9D-4DAF-8730-7925D9F28135}	3/16/2025 20:31	jennifers127	5/1/2025 21:31	JENNIFERSALEMANN	CR_0826
827	{BEB64B08-FEBD-482F-A039-88254BB8855B}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0827
828	{61CAE7E5-D77F-4065-8F45-D1BD5867A1EC}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0828
829	{DCBD2A3B-C648-4E5B-9BB2-C3885290122D}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0829
830	{5B78F858-CD1A-4A40-8111-4B1342250A0A}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0830
831	{0A4E0779-867D-422F-9806-7B4A2D48B5C9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0831
832	{31AE1925-8E15-4B2E-BD6F-5A24C3B75F15}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0832
833	{B605050D-F628-4329-802B-6C364FCA4395}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0833
834	{499044EF-4D0C-478A-B508-0E581C0EA3A2}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0834
835	{36DA0422-7AC5-468A-AB8F-4941CAD1C4BB}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0835
836	{7FA4E28F-DB25-4D8C-96F8-026C69A2FAC7}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0836
837	{68D656B4-8CA7-4CDC-9631-925B38701ED4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0837
838	{5176C1EC-64C2-4CE1-9F17-9C115E4E9FE5}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0838
839	{ACCC84FB-417D-4592-8E79-1BEBAF683398}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0839
840	{92365376-B61C-46E4-84C8-40069E594FFA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0840

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
841	{D20D043B-CA2A-4847-933E-273355AAEE9A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0841
842	{65FAF3A0-7370-4CAE-95C5-D5CC57353CA2}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0842
843	{56D8430D-280A-4454-B0B5-2C20A14F3204}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0843
844	{D4A872AD-8060-47AD-8445-99E60BD7A60B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0844
845	{1AA78A1F-703B-4585-8F79-8BCCCDDBD5030}	3/16/2025 20:31	jennifers127	4/23/2025 18:13	JENNIFERSALEMANN	CR_0845
846	{5A629384-9510-4E96-9A6F-CC87CA700F52}	3/16/2025 20:31	jennifers127	4/23/2025 18:13	JENNIFERSALEMANN	CR_0846
847	{7A103098-D1E8-42F5-8C15-C9121BE89DF2}	3/16/2025 20:31	jennifers127	4/23/2025 18:14	JENNIFERSALEMANN	CR_0847
848	{5A1C60FF-B903-4363-8F8F-C40512F87D81}	3/16/2025 20:31	jennifers127	4/23/2025 18:14	JENNIFERSALEMANN	CR_0848
849	{C384607B-5C81-415C-AA40-E01114602738}	3/16/2025 20:31	jennifers127	4/23/2025 18:14	JENNIFERSALEMANN	CR_0849
850	{3EE92449-2E76-422F-A441-6853ABFF0C31}	3/16/2025 20:31	jennifers127	4/23/2025 18:15	JENNIFERSALEMANN	CR_0850
851	{4208D6EA-141F-4454-AA01-82876BA940E4}	3/16/2025 20:31	jennifers127	4/23/2025 18:15	JENNIFERSALEMANN	CR_0851
852	{11A3106A-4779-4007-8D65-6E0F5638A7C6}	3/16/2025 20:31	jennifers127	4/23/2025 18:15	JENNIFERSALEMANN	CR_0852
853	{5B1C8210-6F4D-4D0D-A59C-C8A697C9062D}	3/16/2025 20:31	jennifers127	4/23/2025 18:16	JENNIFERSALEMANN	CR_0853
854	{AAB6652B-84DB-401D-A068-553601CB0499}	3/16/2025 20:31	jennifers127	4/23/2025 18:16	JENNIFERSALEMANN	CR_0854
855	{E1A460DF-0D29-4FDB-A200-9B8D4AE9D185}	3/16/2025 20:31	jennifers127	4/23/2025 18:17	JENNIFERSALEMANN	CR_0855
856	{02EEE45F-5C57-447B-90DC-17E5278F29EE}	3/16/2025 20:31	jennifers127	4/23/2025 18:17	JENNIFERSALEMANN	CR_0856
857	{883F3631-38D7-4B96-946A-D1800B8F45CC}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0857
858	{C21908DC-A669-471F-81E5-D1D3D77AA2FB}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0858
859	{5D3A5020-0D6B-4275-B70A-A555AA61EC74}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0859
860	{9767495C-3A8E-4DD1-A3C7-121C62E77088}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0860
861	{041153E1-3895-47FA-9BC4-ADD196DD003B}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0861
862	{BFDEFEC4-A73E-413C-AD46-A046B898FE47}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0862
863	{74CAFF7A-0373-4A49-B0A1-1750AF742BD4}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0863
864	{13C90F44-BE6C-4631-A41B-F78C98672308}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0864
865	{38598F0C-038C-424C-8AEE-6C7BEF677535}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0865
866	{B40DAE42-7DCC-4F85-AF02-D051681A0D39}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0866
867	{22F7AEDA-CD8F-407B-96D9-A901938053A2}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0867
868	{C7C1EE31-45B7-4A7C-981A-5A12E714D375}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0868
869	{7DDF79E1-00B7-4343-88EF-B3F08685C8E7}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0869
870	{B4C1F446-4D76-4330-98FC-4CD72868B9DB}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0870
871	{93874A71-FF4E-4DFB-B0E1-71C7094D72CE}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0871
872	{445DE7C1-1E8F-4964-A3C9-DA905B49E0AC}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0872
873	{D394FC6B-4CB0-4FF1-9BA9-98A966FFC87D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0873
874	{07D0F064-ED0B-4CB7-BB8B-2D98F57C45EA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0874
875	{5A4F819D-8FF3-40A8-AF76-08D61D198778}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0875
876	{16C2B255-791C-440C-988D-6A828B7E730A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0876

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
877	{BB4DA0EF-8BC5-445D-A260-B8B1E1D54183}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0877
878	{A8EA4F08-06AE-42FB-BC2F-81FA5DF7A3AA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0878
879	{D171F011-BC39-436B-8AB0-846A67B451D9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0879
880	{9A715F80-FD73-416D-8208-D2C934CA092C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0880
881	{4991C649-A276-4F33-AE1C-C747C7A21003}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0881
882	{CE35DD26-1DE6-4D83-B7AB-4C121B0B01E2}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0882
883	{62DC8EA3-FAAD-467D-ABC1-CAF83060EE97}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0883
884	{C0DF3EFA-ACD2-48EB-B8DA-BD727FB592CD}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0884
885	{ECF6E514-E57C-4315-AD3E-9A732655527A}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0885
886	{9B346E43-136D-4F6E-A819-160369649374}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0886
887	{38887D6E-9D70-4F65-AE67-6239AD5AB943}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0887
888	{909D9C16-05DE-4711-A8D7-3BD9953B9739}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0888
889	{A94845E7-F9E4-4E5E-8A12-FC56F6B0074D}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0889
890	{4D8FAF1E-A180-4057-A787-E9FF42C3A507}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0890
891	{7858E045-D8CB-46DC-BAD2-E131B6CE5938}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0891
892	{031D0AB5-158E-4216-84A2-73202BF475A7}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0892
893	{313D119D-9ABA-40E8-A0F4-0738FBF6C898}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0893
894	{E255F3CE-002B-492A-B477-AAC11127FFCA}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0894
895	{081609BF-20AE-42D4-A61F-9121E3242D28}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0895
896	{32ECAC6C-924F-4F60-AC20-DD299F6FFAA6}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0896
897	{DE16C837-259D-4021-9110-7478205D7F46}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0897
898	{5D58F287-B3DA-4271-988D-3560F368EE01}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0898
899	{540CB4D0-AE72-4A8A-814B-FC4E92ED036B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0899
900	{6321D19C-01E7-4B07-A735-35E1B5258189}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0900
901	{CF10D23A-161F-4911-9A67-644BEE97EA35}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0901
902	{F8FCEf16-1447-4493-9090-F21E5A25C1AB}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0902
903	{B46CCAFE-90E0-45FF-9F7D-748DB7D28616}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0903
904	{F6BDF48C-1347-4F4C-823F-C8D611E5D66C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0904
905	{1F56C0E1-9A1B-4088-8E57-B04C44003849}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0905
906	{53A8ACD6-5670-4A21-B182-773BA2E02ECF}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0906
907	{B96084E8-C5AD-475E-ADA5-7478C754FDB7}	3/16/2025 20:31	jennifers127	4/23/2025 18:17	JENNIFERSALEMANN	CR_0907
908	{01FC1927-5FEE-4F3C-A249-A26A02D9CB50}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0908
909	{AC594FA7-9E2B-4C7F-9EAE-E201C7459C76}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0909
910	{E981B104-374A-4B36-9503-FCDB6095D4BB}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0910
911	{9A5E4B11-88D8-43BB-AAAB-3AD0903F81CC}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0911
912	{F028D349-9CC4-42E0-9BF4-7F2F6373E8E8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0912

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
913	{C9D4D3CA-BECE-4BD7-A42F-65A9B7C645CA}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_0913
914	{5905F3B4-F3FC-435E-843E-DA057396FF5E}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0914
915	{1C5ABEBA-7B8D-4964-91A3-C7D64D77783A}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0915
916	{0B1B53CB-0FAA-4559-8FFF-D8B2A5889238}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0916
917	{E4D81DE7-CEDC-4559-8ED6-41B5028CD855}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0917
918	{3B99C66E-EAE5-4867-B192-040DE9DC59FB}	3/16/2025 20:31	jennifers127	4/23/2025 17:44	JENNIFERSALEMANN	CR_0918
919	{6232AC5A-745A-40F7-A945-E85323BECE02}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_0919
920	{32CC2E2C-D18B-41D7-97B9-ADD64EFC1AD8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0920
921	{2A852C29-3149-41CF-BB42-B33117BC3FDF}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0921
922	{9AC84FE7-5208-4B84-87BA-5A03DC8A2AAF}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0922
923	{DD73196D-284F-484B-AD2F-274461832386}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0923
924	{AF6E3EF0-0F94-4CF7-AF01-6D8E6371B993}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0924
925	{4F1740B5-9583-4306-B76F-9041C12E3AF7}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0925
926	{C0ECB8C3-3078-4695-B191-8B233AC853C8}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0926
927	{C555FF86-3C71-4602-8AB6-EC1D7F67D726}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0927
928	{8EBFA5D7-9C59-4CC6-BEB0-C35AD92C28F7}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0928
929	{7311F3F3-93BC-44B2-A3AE-85B5AA2933F3}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0929
930	{F6D99309-AC07-478B-8519-AD784A599B16}	3/16/2025 20:31	jennifers127	4/28/2025 22:29	JENNIFERSALEMANN	CR_0930
931	{15D65A40-8D34-4515-B744-30C2CB65832E}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_0931
932	{DBC641B9-0F5A-43DE-AA86-AA2CF0BF8CA2}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0932
933	{0D13D6C4-7F65-4E2F-BC9F-A8E9B2324767}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0933
934	{6E34E827-329D-4164-9E0A-42215B950E51}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0934
935	{7C7FE6D2-854A-4D62-BF7C-54C482EB3F9A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0935
936	{BAC1E119-C687-418F-8855-37D2C8ECF194}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0936
937	{A3EB3F23-6CBD-49D3-8E18-130CAB48ACA0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0937
938	{E71BF463-2C6D-4A1A-8B3E-E5B1EE2F39FA}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0938
939	{B133AE8F-DA97-454A-B49F-DE90C570803B}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0939
940	{51541A59-DB99-429D-9797-556D174EAA20}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0940
941	{D8A37EEA-00DB-48CC-9B8F-D71CF01FFCC1}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_0941
942	{FA7DA27C-500A-4228-B988-CFECBD3AFF7B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0942
943	{F2574C5A-BF46-41A8-A40C-E9CB48E7ED14}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0943
944	{8DB63395-7685-4C63-ACD4-CC12219B9763}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0944
945	{D619B5B8-3D27-4594-8577-B1A19E8FBDF2}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0945
946	{06763B85-7A8F-4440-854B-DAF1E8D0EB71}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0946
947	{6648821E-8CC6-4B6D-B631-04D397DD0A86}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0947

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
948	{D243CE31-357C-4BC3-9F59-7E3DEB26C8FA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0948
949	{50991CFA-0FBB-41DE-95C3-8980AAE24756}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0949
950	{80369F19-1BA2-4B43-B506-F42EB98E54F6}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0950
951	{15C4F434-2F14-4840-A734-A595A063478B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0951
952	{EA11930F-E2C0-4440-A795-297F352D080A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0952
953	{17632EB0-7C30-49DA-9C87-8A50A0981604}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0953
954	{F68E7C45-F4AE-49CB-93DB-94B01AFA3D4F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0954
955	{F4906F89-8157-423F-B5B6-1BBB746CFE32}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0955
956	{FB49E7AC-C793-4839-9923-AC3ED69D45AF}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0956
957	{6565B5BA-A478-44D3-A7F3-D00FE207F882}	3/16/2025 20:31	jennifers127	4/23/2025 18:18	JENNIFERSALEMANN	CR_0957
958	{8348460B-6503-49A6-9D7C-5756B52A2A8A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0958
959	{7A6EBD01-27B9-4C97-A00E-058F3FD3BD90}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0959
960	{6F847BE5-2C77-47D4-8501-603F0E8B35F0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0960
961	{A3B1815A-1116-426C-8F4C-A984AA067958}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0961
962	{E74CF4C5-0F70-4866-B85C-B518583BCD1A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0962
963	{A5267B96-8C7E-4867-AD7B-91FF4B5E6B58}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0963
964	{77049497-1B01-4006-9E0D-14B62231DC59}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0964
965	{F8C3E31B-B512-4547-B525-437427602D76}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0965
966	{CAC2BDF4-7521-438C-A2FD-10EBFFD4BF3F}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0966
967	{4531705D-B327-4E4E-A1FF-D7F8EA0DB824}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0967
968	{6D12F61E-D2CC-4A38-9762-08E6C3E80FDC}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0968
969	{1C59F76F-8E0D-46A3-B3CD-26439F08C377}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_0969
971	{AFA98C65-46E1-4F0D-A2A9-7DE12FEFC6C1}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0971
972	{D22BE034-D0E3-4DFC-A3DB-8F5152D5F644}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0972
973	{840F1D18-2B2B-423A-B93F-B128DD03716D}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0973
974	{E196BF31-0937-4953-A922-0C6A05444046}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_0974
975	{F62EE71D-BC2F-4F01-BE51-4707E12989AB}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0975
976	{D6985AF7-5978-4578-A0BA-2F00DD2A274F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0976
977	{4AB59645-374B-4518-AD01-69EEDB1281A6}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0977
978	{80B91606-F071-483E-B33A-E95E251BD502}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0978
979	{26751882-57C8-493F-B099-707300597E1C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0979
980	{9A47D260-1965-4ED0-8DFC-961A2D84BF6C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0980
981	{5938775E-DD20-4452-8F96-DDFE04811885}	3/16/2025 20:31	jennifers127	4/23/2025 17:02	JENNIFERSALEMANN	CR_0981
982	{5296B424-14F0-47EF-979C-E071C9F86D33}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0982
983	{90CACBBA-B14B-4876-8E1B-D21DE1FA50AB}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0983
984	{E1D6AF76-278C-4A4D-915B-32672D9CBCB4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0984

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
985	{7A3282FF-5D73-4C07-AE3D-EE148B6A2657}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0985
986	{A4B5B8AF-4B3C-4566-8AC6-D12F7E36E78F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0986
987	{FC7331A5-E8DF-471F-AD2B-4C325C3C1E5D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_0987
988	{BF35C9A0-046E-4070-B9A1-0B9957425C20}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0988
989	{F05861D4-08F6-4E05-BAE1-CCFEDDA53662}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0989
990	{8B96493D-986F-40F4-8226-6DEFDEF733CF}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0990
992	{9D947C44-3B67-47F5-B7CC-3E87401F6411}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0992
993	{57959F42-7543-4FAD-87D2-F9A86D67D796}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0993
994	{85E70D57-B9E5-4885-8FC3-EFA203D9383E}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0994
995	{E2AB2303-AD82-4FAA-9C07-3A3662B5182F}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0995
996	{6A538EFF-988C-4E21-BD95-3483097823D8}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0996
997	{7232CB02-EF9D-43D8-BD0A-5BEDC9EA589F}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0997
998	{FD758A14-607A-4544-8A42-8F6601BA7C64}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0998
999	{80336CE8-9637-4AAB-9675-0C234B4DC377}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_0999
1000	{A95D552E-9E5C-4AFD-BE51-8B6763A49C39}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1000
1001	{6A139749-FD6F-4839-8F86-7AA6258276D8}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1001
1002	{0615DEA8-955C-429A-8664-F67C036CFA67}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1002
1003	{BE5F6935-5E46-4F58-B483-DFAECBED0D8C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1003
1004	{D02B8C1B-AA15-4CE9-8548-F4DA7F3AFADF}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1004
1005	{54501FA4-A245-45C5-9AE4-E4CBE355BAD1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1005
1006	{9EB52E03-0587-4E2E-ACCA-A961C2C5FC32}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1006
1007	{22D6A406-62D0-4217-9147-D5E76EAD7806}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1007
1008	{0BE91157-3A62-48DB-8671-38A98712B3E6}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1008
1009	{7BAAD45C-C244-42BD-AFBD-7F89F330C4CF}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1009
1011	{18CE1EFA-8ACD-40AA-9ECB-4238245413DD}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1011
1012	{34618DBD-9F01-4D27-894A-0982D0E8547D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1012
1013	{9DD1B02F-7EA3-4D59-B64C-BFDF0BF091E1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1013
1014	{E1415CF4-A8AD-41A4-A119-0EC1949C1EE8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1014
1015	{0F1D1501-55B5-4D82-9EC7-79AB230AB1BD}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1015
1016	{B5D43B2D-77D0-4CDD-B5AA-71E90840C9EE}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1016
1017	{AA67CF58-648E-4972-9CD7-A8E0E7F9C5D2}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1017
1018	{4F373C7B-E102-4426-9EDF-74C48601FD56}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1018
1019	{A5B0AC33-83BC-4388-8271-C1756B09BFE9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1019
1020	{5F38809A-CA51-454F-96BA-629AB4DB7F9B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1020
1021	{EDC678C7-E670-4D7D-8D00-97A64214FB2F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1021
1022	{76C521D5-CB5F-4D63-8419-4278E369DAC8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1022

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1023	{E046ACDD-68A6-4AAA-8EFF-3408D760C9A5}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1023
1024	{92A5CF1A-DD19-4586-B77D-D4ED88CD0387}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1024
1025	{7B2A75AB-6932-41FC-BC47-51B09AAF2C07}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1025
1026	{B8B494FB-0D2A-40EE-806E-02F25EE203E9}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1026
1027	{877CFB6F-A245-4391-9B3F-C2A7E890D1EA}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1027
1028	{8C3C146C-E9E5-426B-A53A-10EF0F2DB8C3}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1028
1029	{55D3D030-A169-4F47-A7E2-1C04C75B3741}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1029
1030	{5965E435-EE69-4AA6-8BAF-18DFACE1A4F5}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1030
1031	{E23443DF-551B-4FCE-97F3-7E3A526D710E}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1031
1032	{885F9D4C-C052-4B85-9407-3CCDC59EE7FA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1032
1033	{DF7B60A7-556E-4E4F-828A-D91EABBD9EF5}	3/16/2025 20:31	jennifers127	4/23/2025 17:02	JENNIFERSALEMANN	CR_1033
1034	{29FD9DDB-D0CA-4422-83F5-2D4BA1CA9448}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1034
1035	{1BDD7651-EDC8-4098-B05C-8708C47B78F4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1035
1036	{989EB356-6CD5-4506-8006-DEE106E6203C}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1036
1037	{0089FD57-14E4-4919-A732-A79FACA6A9E6}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1037
1038	{3E49FDE1-C7D5-4A70-9D50-FF4F6104FB1F}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1038
1039	{189EC82F-F5B5-46A8-A5FB-F0E6C7A25A0C}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1039
1040	{50E31138-3971-4523-A9D1-17ADA90C9B29}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1040
1041	{49358A11-53C0-4F4F-965D-9E0DE2BE8E55}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1041
1044	{6C15E148-FBB6-42E3-98AC-E9F03B664A03}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_1044
1045	{D6CCD691-38D6-420B-85F6-DDAA00BDE4D5}	3/16/2025 20:31	jennifers127	4/28/2025 22:28	JENNIFERSALEMANN	CR_1045
1046	{2838F3A5-087D-4FDF-B53B-4E4D3C8A7A8E}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1046
1047	{8967DC64-C7C7-422B-B1F5-3CF6A3B83C4E}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1047
1048	{49CE2307-2173-4E0F-A201-A32086CE83F6}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1048
1049	{72DF12FC-7E47-4675-9F7C-CEF8BC1BCFBC}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1049
1050	{DB426472-7AAC-40A9-B30E-44BA3BC0653F}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1050
1051	{B0D42AB8-FAC2-4675-AF03-FF1BD073E715}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1051
1052	{926EE970-737C-483C-8808-F73A6A8C1945}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1052
1053	{F8B0D5EA-9AB4-4A11-8F52-4E491A65474A}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1053
1054	{D7628535-41C9-4406-8D88-BDAB748E097C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1054
1055	{832FF6CF-94F4-494C-A734-F0F9E5A38854}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1055
1056	{28BBBB8E-870A-4E69-AA94-41D812A8E202}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1056
1057	{C67BF89C-BB1C-4D2B-A824-DF027ED6E774}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1057
1058	{8A2262F5-CAAE-4565-B62A-12163C74ACAE}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1058
1059	{77C6DBA7-1C72-4DB2-9185-89B6071044C2}	3/16/2025 20:31	jennifers127	5/1/2025 21:33	JENNIFERSALEMANN	CR_1059
1060	{15840008-E566-4040-AA0C-95B4DEED97BA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1060

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1061	{9E480103-34D1-416A-91B8-4BF87183C7B4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1061
1062	{28F3B1AE-4402-4C96-A4F5-285577311CFE}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1062
1063	{DA826287-B68F-456C-B070-488FF511D4A1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1063
1064	{8CB9D9A0-1BA3-4C7F-8800-556971256560}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1064
1065	{3F571D8C-19A6-4A89-A27A-CF1334A64588}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1065
1066	{A0C60FF4-B14C-442A-BD3C-3489759624EE}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1066
1067	{14FBC5AD-0741-45C7-8258-9BE8C8F29EFB}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1067
1068	{B87D21A1-A5E8-45E1-959A-DF4588A34EF3}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1068
1069	{3E7ADBEF-B348-4977-BD5A-6E555E8C8EBC}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1069
1010	{30823CBC-CBC1-495C-ABA8-ECEB866C78BD}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1070
1070	{89CC244C-1039-408C-8AFA-D27D9127F84B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1070
1071	{2FF7CBBB-AD50-4821-8AE8-2E54835D7E6B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1071
1072	{0D137A74-2B3E-42C1-9DAD-D449A59A3748}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1072
1073	{B4584B1D-876A-4FFA-9B33-032620A3403B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1073
1074	{A112021E-906E-4CFD-9F69-6C0F973EE6E6}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1074
1075	{7A8D5E7A-30F0-4741-866A-05AA48373F68}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1075
1076	{D704A735-E761-4CB8-9423-EE40B3B00C5D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1076
1077	{F503EBC1-471A-45EC-93F1-1F21194CF2E6}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1077
1078	{2A0DDC3E-C50B-4230-ACC1-783DE4D08BE0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1078
1079	{E3EC1F4E-0FF9-4CB2-A6F5-AD302A2888D6}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1079
1080	{BE88D6C6-4D3C-4C43-9964-19E162C6D5C3}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1080
1081	{F31A3617-536C-4E50-ACEB-D8CED7F506B5}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1081
1082	{EAE568CC-875C-4A94-9AA3-95862D98531C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1082
1083	{A8C2DF84-0961-4845-A21E-993E57F8E1E5}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1083
1084	{1325BDA5-EB95-4DC1-81BA-DBD55320C27F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1084
1085	{9C92FEF8-058A-4F1A-94D6-40CA40609419}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1085
1086	{F1E38F2B-F12B-4302-9C3C-96882C97DD61}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1086
1087	{8B39884D-965F-4428-BD33-9FBEC403C20D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1087
1088	{8F9A33DB-F098-4CED-BA70-9354338E50A4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1088
1089	{AC3D3F4D-1FA8-433C-89F6-D92AF8686B48}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1089
1090	{CAF190B2-3D79-4B1E-9DC4-038AB9169158}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1090
1091	{692BEA01-3822-45B1-B613-D6F3A7900D64}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1091
1092	{1139E053-F2E6-46CD-86A1-34B6F2DCB194}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1092
1093	{41616C0C-3683-41E9-9504-55B2EC44421D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1093
1094	{D40891F9-9BF1-4214-82A2-3086929B7B06}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1094
1095	{A671DEA9-1739-4427-BA2D-FD17FC8E6F4B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1095

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1096	{B4D14121-9BEA-43EE-BC05-01BF462611C1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1096
1097	{7783B51D-1D16-435E-A746-8E068ECDE032}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1097
1098	{A27FC65F-9C4F-425A-8BE1-F45CFA76CDAB}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1098
1099	{D28C31AA-4F12-4CB5-B6AD-B3F5F1190091}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1099
1100	{A0EFD7EC-E402-4138-8610-CAA843A0D456}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1100
1101	{EAF55F76-60F0-4A83-9CA4-5D2BC17596A6}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1101
1102	{966CF23F-180F-483F-B801-294924335C5A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1102
1103	{B4D34942-F4BD-4835-BD30-A50A326ED4D5}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1103
1104	{7123FFCD-5BD6-41A6-AAFB-8BC860985151}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1104
1105	{A06BF144-BC19-4D90-B237-7CC63A558B08}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1105
1106	{8079F2B8-8399-43BE-8E32-E06D6093EBD0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1106
1107	{CA40099C-4C89-4FE9-BF04-105F0FE97950}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1107
1108	{E463A47E-D0B5-48D3-B2CE-344D327B10B2}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1108
1109	{59F0E1F4-9FC1-4C88-BAA7-2A7FA825F52A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1109
1110	{22DEFC07-3DAE-4086-8919-E1110F481798}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1110
1111	{ED795A67-C610-448E-A6D4-8E7EFAD2A06D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1111
1112	{504852E3-FD31-446E-8273-5FAFF2279774}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1112
1113	{69F08C36-C18A-438E-A990-D37E4566328B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1113
1114	{10A2200D-08F7-46D3-A3DB-8A31334AEFD1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1114
1115	{214ADB7A-C286-4219-A21A-A3CD979D6C2A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1115
1116	{51E37767-53E3-4301-9472-7578D66548CF}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1116
1117	{2E6214B0-2DA9-41A4-BF82-9C55C1F314E0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1117
1118	{59D39B82-F49D-41C1-A2FE-A6FB5DD4C47C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1118
1119	{C2EC00CB-D8AF-4F50-829E-E15A07A3196E}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1119
1120	{806B5CE4-7163-4224-BFDD-410FF136D2C4}	3/16/2025 20:31	jennifers127	4/23/2025 17:02	JENNIFERSALEMANN	CR_1120
1121	{E8F4ABA0-5F73-4A3C-BC44-D8BC05558F45}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1121
1122	{FE3C2CD7-A75A-4F92-A3D4-AC3AA365B4B6}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1122
1123	{2526AEB0-911B-469E-AE06-67173B7F3E0D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1123
1124	{819AC4C3-7735-42F7-B8CE-CE06FF847F70}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1124
1125	{0DE76464-A01F-46FE-8985-93B7DDA4CDCF}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1125
1126	{4D1EB6C4-B762-42C0-AD27-C4A4AF0BCF77}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1126
1127	{37628E61-B14F-45C6-BD38-6A806C02E234}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1127
1128	{7F9D3626-994C-4BF5-80F4-2FA4668EFC46}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1128
1129	{E2F2241C-FA7F-4659-9D36-CC89056918B5}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1129
1130	{282CE9FC-2D6F-44B1-ACFD-09DE84821A93}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1130
1131	{91D74FBC-9DCD-4CA4-A720-34BD4A3EEF22}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1131

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1132	{5E02E842-8E1C-4E49-9C0C-21D723212671}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1132
1133	{C2E23A87-E7D6-4F35-A1A6-A4B9DCF50692}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1133
1134	{B3819B6D-5061-48F8-94D6-A44752554A77}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1134
1135	{D7723200-0A8F-4B19-9EC6-C377EE2EDBC7}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1135
1136	{A948D406-513D-420D-98A5-D52837EA8C1A}	3/16/2025 20:31	jennifers127	4/23/2025 18:18	JENNIFERSALEMANN	CR_1136
1137	{798C1A17-C644-4A35-8609-F355D40978B2}	3/16/2025 20:31	jennifers127	4/23/2025 18:18	JENNIFERSALEMANN	CR_1137
1138	{C8EC72F8-265A-476F-9A97-A383791768C8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1138
1139	{2F0FC628-2EF1-408F-B3A7-9D3368B7519E}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1139
1140	{BCC07A37-29AB-403E-A9EC-E5E4764DD597}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1140
1141	{57E1E1DC-7802-4506-9FD4-1B1055CDCA05}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1141
1142	{60A09674-7F23-4621-9F50-FE627447E9B9}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1142
1143	{8B8856E3-95C6-43E9-B82B-0C0F29F3D5C1}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1143
1144	{3875E678-EBA4-478A-8C87-22E1D91EE768}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1144
1145	{6EADAB62-4A05-42AC-8830-907F46F73097}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1145
1146	{BA39C289-65E8-410E-9882-8DAB9B0DC137}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1146
1147	{091DF0F5-9544-4029-81FF-A74D88A7F29F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1147
1148	{286AA18A-1505-4C13-9F26-568F774D2B34}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1148
1149	{EEBD795B-6788-41C3-BF27-079AA746AE35}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1149
1150	{0634464B-DD88-4861-A1CE-85FD2961E2B9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1150
1151	{2913C6D9-BD84-4CE8-B85E-2358FB0CEAA1}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1151
1152	{0C6DE979-163E-46F8-BE48-1ECC4B752080}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1152
1153	{3B944B46-1A1E-4BDA-9D91-61B5EF1BA8AA}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1153
1154	{A06CAA4C-4076-4F8B-BE49-35C9732FA2CA}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1154
1155	{BD542743-4C6A-409D-9D78-A0AF80CF6C95}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1155
1156	{005AF7A5-63BC-4111-8FCE-3A949A05F606}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1156
1157	{D636EE67-6609-4BFD-BA0A-67FF8DCCA1E6}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1157
1158	{51EA1148-4554-4476-9538-AC2A627B48E8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1158
1159	{8A5ABEFF-AD76-4625-AAD3-DCF2F9BC29AB}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1159
1160	{19850313-867A-4CE7-BD43-D043D5CA716F}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1160
1161	{0B5FB188-BEFA-41E9-A86E-E887E9081758}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1161
1162	{2C8D2929-C5E7-4E8A-8D98-25E8D0D033EA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1162
1163	{CC620E52-5E67-4FA3-BFAD-FBA6508EB40C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1163
1164	{33E5BBFB-6C3D-4990-B6D4-58923B4F8318}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1164
1165	{54A4704A-5E76-4C9A-9E18-04CE338F79C1}	3/16/2025 20:31	jennifers127	4/23/2025 18:19	JENNIFERSALEMANN	CR_1165
1166	{87B169FD-A76D-4421-AB41-CF24D0232B41}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1166
1167	{2AB3653B-6D26-4B58-8352-CB01945692C9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1167

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1168	{34C881C4-3E49-4E1C-9F2B-D346C3B71157}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1168
1169	{25E668D5-8638-4119-AFEA-5B916D6E025A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1169
1170	{EDDF656-6FE2-4F42-ABB9-7D18C057DE2F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1170
1171	{4028BD4A-5977-47E6-BA97-AF5831210C4B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1171
1172	{A2E1C60D-77F7-4357-81F0-160655679C4E}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1172
1173	{9EA4A4E8-E00A-42F8-92CD-2637FA8B6D48}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1173
1174	{09F4A8B1-867B-488F-A3D3-7934A499BF83}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1174
1175	{02344A80-6F20-4C7D-99BA-23FBB7BCDECA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1175
1176	{5D1B927D-B04C-4588-ACA4-15DE86BF475C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1176
1177	{534C7196-A232-4941-A7CD-733AE0C56331}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1177
1178	{08658192-0553-471C-9586-E65EE271D5FD}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1178
1179	{EAECEAD7-97B5-419F-B9A5-3C26F20DC7A7}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1179
1180	{D351379B-93B2-49E2-BF28-6A0768DCAE80}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1180
1181	{6D3C0AA6-5418-4C2A-801D-38D8C367DDD3}	3/16/2025 20:31	jennifers127	4/23/2025 18:20	JENNIFERSALEMANN	CR_1181
1182	{FBB5B60D-9B83-4CFD-B453-16B1F9E0AB7C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1182
1183	{C52A7893-4680-4EDA-AA85-9CF986D7BEC1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1183
1184	{89386C2C-E944-49BE-8218-848BAEE1168C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1184
1185	{922ACD18-70F3-4C39-8124-A5E93E737913}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1185
1186	{300AB0F2-87C0-460E-B22F-9F19748E7A23}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1186
1187	{F4AAB993-D816-4E70-9075-358CA04FA0B6}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1187
1188	{84F3A5DA-0727-4E95-8869-42AAB03AE195}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1188
1189	{9F3F8CF1-A731-413A-8A40-357E745778CE}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1189
1190	{CAF13B4D-35F7-45ED-9FBF-D7C31A901D07}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1190
1191	{03BEE104-99E2-4194-9108-C10AAB3685A7}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1191
1192	{0CAA186B-E69F-463F-B531-706AA1626A66}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1192
1193	{D80BC726-8B50-43FD-9B83-FB70C7ECB220}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1193
1194	{29437555-51C4-495F-A4BB-F69D87CACDC4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1194
1195	{238AE87D-7CEB-4FE3-A480-79D7E4B483A1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1195
1196	{7B92CC52-8C56-4DF7-BA27-1458FB5A63DC}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1196
1197	{0796816D-FB16-4707-8A1F-FD9C0E0D1A3F}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1197
1198	{89E04DF3-A12A-4EED-98EC-781EF46DCC1E}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1198
1199	{51F7B9CE-2384-4DB0-A40E-72E9EE1F547A}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1199
1200	{0AAEEA83-9A8A-4499-83BE-D8AAE026E1A0}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1200
1201	{428B0FF1-3B7C-40C7-AA52-00902C240F52}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1201
1202	{D4956FB8-422B-4C16-A2B3-0DCCDA9A1369}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1202
1203	{270B2174-0785-474D-B803-E932EB396320}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1203

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1204	{B4077E31-0B9D-4DAF-8519-EFFAD22C9BF0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1204
1206	{3579C616-23E3-42C8-ADAD-F3345E1D8A27}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1206
1207	{70CBFD4E-1246-4CA8-9E7C-4EE94D5FD3BF}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1207
1208	{8DD1ABDF-4116-4DF9-9792-68638317FE4E}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1208
1209	{164EAF64-2A86-4B08-9A1D-CF8F960BFAB1}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1209
1210	{66203BB0-47A2-4938-92D1-E307ECB28FD8}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1210
1211	{F619DCD6-C0BC-4D80-82F5-BC6E4022FB71}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1211
1212	{B6C1CB7E-CA45-473F-9AB7-BB228D06098F}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1212
1213	{BC924AAA-EFE8-4FF4-B3C1-AA29B4F12A7D}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1213
1214	{DF1ECDB0-5C29-4DBB-85C9-0622AF4B3FA3}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1214
1215	{ADAB92F2-F706-47C2-A595-A446FCB99769}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1215
1216	{89C98E87-D07F-4D6C-9684-E40259FCAA27}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1216
1217	{92829311-6138-43B7-97A4-BEE8ACD8B3E5}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1217
1218	{C94A8BBF-8326-4F34-B12F-8D20F530FDA7}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1218
1219	{9B435DE2-F8A2-472E-ADE5-1DC803761CD2}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1219
1220	{D6654447-EDE9-405C-995D-A56516CAEDB9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1220
1221	{E8D12257-572A-493A-9E96-DDD1DCC80652}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1221
1222	{F4C7AA12-F329-40B9-AE27-5DECAA45F764}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1222
1223	{0827ED7A-4645-42D0-8D28-C96CF8FD69B9}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1223
1224	{62FF6D86-74F3-4887-B750-EBA96C196B68}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1224
1225	{743F35B8-BA44-47A0-B80F-22DB5D220337}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1225
1226	{E2191020-776B-4BE5-A496-64C8AE4B9BA9}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1226
1227	{EF495A7D-E7CC-44D2-B943-272DA52180A6}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1227
1228	{AC9256B2-B7B2-4C6B-A1EF-3A4961A8C313}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1228
1229	{B1317C37-D3B0-4F96-A320-A2F79194D373}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1229
1231	{882C4638-33B9-42DD-B18F-EF17248FAC5B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1231
1232	{A21DAD9B-FD2B-445D-9F35-DB8B86EE00FB}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1232
1233	{1494B50A-DF2F-45A2-8C4B-F95DBAA43516}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1233
1234	{01C40164-A517-48EC-91EA-6FD69517C3B9}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1234
1235	{3E936B27-F95F-4DA1-A8AD-25F67C534273}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1235
1236	{34C78D7D-436F-454E-A58E-35734A0153C6}	3/16/2025 20:31	jennifers127	4/23/2025 18:04	JENNIFERSALEMANN	CR_1236
1237	{7376249C-BB8C-48AE-BFF6-A60CDAD3B6DA}	3/16/2025 20:31	jennifers127	4/23/2025 18:04	JENNIFERSALEMANN	CR_1237
1238	{A1834381-22AE-404B-AFB2-28F8934767E2}	3/16/2025 20:31	jennifers127	4/23/2025 18:05	JENNIFERSALEMANN	CR_1238
1239	{1CE90CB9-E3F4-4828-95E8-E4F90814681F}	3/16/2025 20:31	jennifers127	4/23/2025 18:05	JENNIFERSALEMANN	CR_1239
1240	{7EAFDA05-4A5F-45DA-95C8-856A717E622A}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1240
1241	{7A2BEB75-9543-438E-A6BA-B33C8C478735}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1241

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1242	{12411B7A-FB40-44CA-A0F2-AF5CF1AAC019}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1242
1243	{FAA1F091-9B7E-4B58-A790-345618FA429F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1243
1244	{F15A6AB7-4698-4A67-A80F-BE9941E66719}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1244
1245	{A528BC11-F3EB-4845-ACBD-3542F19C14DD}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1245
1246	{4CEA3CB5-F8C0-41AF-9672-3C91F4464C0D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1246
1247	{E92B058C-E014-444E-8A58-BBAF5CA330C1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1247
1248	{A7E69FBE-8382-4189-93FE-0FD6312D0186}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1248
1249	{6C7D5875-2B57-46DB-9490-FCAF882811D8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1249
1250	{751B5E57-AED1-4521-9572-002C8C38A078}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1250
1251	{A1DBCC90-6177-460D-8DC2-C9F762FF881D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1251
1252	{A89C3E3A-F1C9-4E7A-B49E-9F547E0074C9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1252
1253	{4D3BE544-1AE3-46E6-9A3F-FEBF6BFC4A28}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1253
1254	{98EE4ECA-89A8-4BB9-BD9D-D6BFE558A792}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1254
1255	{3B789B9A-A066-4F21-BFFC-657E21D9A85C}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1255
1256	{A0BCDFC0-B62B-4650-B315-2855D488F379}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1256
1257	{B9FA39A5-C71A-4087-B89A-9F9633B9B937}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1257
1258	{1C56758A-BDE9-4F09-A749-0F1024DAFA58}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1258
1259	{5F54AA49-2FD5-47C9-BC63-6FB364A53690}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1259
1260	{A468F597-18C9-47B1-9D85-D678689DE60D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1260
1261	{2A7F73CD-0A1C-419B-BCA0-C3D20DA503D5}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1261
1262	{3FD2C658-8D57-429C-875B-DE0CF9EE820E}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1262
1263	{15BF4E6E-F5A7-410D-B277-E872AE418996}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1263
1264	{2224B7C8-20D3-467E-B4A2-9EF08030EB40}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1264
1265	{571AA257-6AFC-48C5-AFB8-53BADA85F654}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1265
1266	{B91F72A6-EFA3-4C0D-A7C7-A515FB352BA9}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1266
1267	{F8579FDC-2662-4299-8175-66E601648E53}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1267
1268	{2CEF027F-71B2-4A78-8383-A678DED26E09}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1268
1269	{49D8B6BC-2B28-4DB1-9BFC-609B47CF9234}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1269
1270	{D0B9C133-7712-4A8B-B3B1-7737FC253DD4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1270
1271	{DC54BF85-3B30-4882-8FC8-AF6A85032D41}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1271
1272	{E69BC085-7702-4416-8F45-8234AFF77BC2}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1272
1273	{4E26630F-5F58-41AA-B826-8F590A6D9BF9}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1273
1274	{C627B905-3C53-484A-9932-EA13716E3917}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1274
1275	{5D451956-303E-4981-8DCB-06E6D4A3CA42}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1275
1276	{1F20D9D7-A7B8-4323-A236-28AD03A4019C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1276
1277	{A5775CB0-244D-441D-82C2-AD6CB177559F}	3/16/2025 20:31	jennifers127	4/23/2025 18:06	JENNIFERSALEMANN	CR_1277

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1278	{E1F71CD8-B479-4FD9-9E23-299BB84ED080}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1278
1279	{C1FD727F-DC3E-4EF6-9D70-C9949A58D674}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1279
1280	{4A948EDC-A528-4A67-A23D-0FF07301C21A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1280
1281	{9096BD58-AB82-4E69-9E8C-A1C12CA00C90}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1281
1282	{F9DA746E-1D85-4B23-87DD-7FF4EB0C0A38}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1282
1283	{300309A4-CE26-4B2D-AEA7-FFC1565FFF53}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1283
1284	{A618F8AF-0E5C-451D-817E-F5AB7355ECE3}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1284
1285	{371EA41A-F5E0-4194-ADA7-BBA2937FED44}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1285
1286	{F9059F15-396C-4220-BAD3-3C38716650CD}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1286
1287	{78517F37-9AF0-4B68-A64C-6CBE59875B96}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1287
1288	{DA7AA4E5-72F8-4C16-8259-802BA251DC45}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1288
1289	{D7E506D2-AB65-4982-BBF4-1F727FEE3F8A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1289
1290	{7DCD1C70-B27B-4FDC-B31E-EE045157D262}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1290
1291	{016E05CA-F48B-46EA-AD3C-94C6AC3F2AA9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1291
1292	{1F36677F-A1A2-4A9B-94D4-2AC4261AFDA8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1292
1293	{AF4BBEC0-4FEB-4C38-A72B-C16BA81DC960}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1293
1294	{EFCF3D2E-8CD7-4EC6-A1BC-0AC523D433AC}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1294
1295	{7E0DD7C4-0FB9-4FE2-8A46-CE23307987B2}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1295
1296	{EDC09D9A-00F7-4C55-9AF4-1828409E1527}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1296
1297	{E6DCB6CC-C9AD-4450-92A7-30DA38D5CECD}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1297
1298	{658C95C6-F9BF-4967-B53C-6F7F4A7BD8B9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1298
1299	{C8048336-A0D1-4CC8-B61D-4A402101A452}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1299
1300	{936E804C-DEF0-404B-87E1-8CC1F087C7D0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1300
1301	{9A7C4510-1CA6-45EB-A3C7-9C11CF22BC52}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1301
1302	{E96E0C88-DB66-4EE1-9A18-ACCF0D89E412}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1302
1303	{7D5F2AB1-447B-4AB6-9818-6698F5D4D801}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1303
1304	{F70624CC-986E-4EE9-8A25-645B99B44D3B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1304
1305	{F6004C8E-4399-44F0-AECB-6F1253C82866}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1305
1306	{99FA2015-51B0-44B9-9941-F2B3BCE0C238}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1306
1307	{EC4256C0-7256-4F1D-87D2-BC6400E8F0DB}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1307
1308	{9FFC61CF-1B4F-4182-899C-10287847E609}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1308
1309	{1FB62A08-9BCD-41B0-9520-8CCB820D4E6B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1309
1310	{DCB759F7-9E95-4F5C-805F-A369A99EC33B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1310
1311	{189381F7-735F-492C-B5E5-4AE6E323BD98}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1311
1312	{680CCB10-DD83-44D8-B8D9-C77E6382B902}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1312
1313	{3B88A72A-DBB7-4045-ADE3-3776EA7F93C6}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1313

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1314	{1C696087-E52B-4352-A5B5-34B00575E36C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1314
1315	{1986A726-406C-4C68-97B4-E9A7D9B331D4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1315
1316	{15C8984B-66CF-48FA-A456-53473BF7FBB9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1316
1317	{EC1D4C71-5424-4631-9AFF-C1AE1DD9141F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1317
1318	{CBC2137F-2CD0-4474-96BC-732A4219CC1C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1318
1319	{8B71D750-D602-41EE-82CC-6087545E4A37}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1319
1320	{83A86F74-7837-439C-BB5C-4B6A58A70287}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1320
1321	{6997B4F1-7C70-47D4-89ED-43C721FEC134}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1321
1322	{8CB5B678-36EA-448D-89D1-DF2936532054}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1322
1323	{26F558CB-8520-4FF0-979F-1FFCAD7E50FE}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1323
1324	{B2A75FB4-9AE1-48EE-B707-578B18F39232}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1324
1325	{7228EAAC-FBB0-4D1A-AA7E-97389EDCD85B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1325
1326	{BC7E9795-EC48-4148-ADEC-ECF42EB51E96}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1326
1327	{C13B5228-78D6-4350-B2F4-FC3FD77CD6F6}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1327
1328	{5AA518C8-AFE6-4137-B738-6232D2F5B728}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1328
1329	{2B8BFB73-901E-4848-9484-F695CF405D9B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1329
1330	{91B2A05F-C7CD-415D-BE07-B27E6AD375D9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1330
1331	{7DD4914C-635C-47E7-9F95-EDAA913A97C5}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1331
1332	{CD3AEA67-DCF7-4949-99AA-2859A51416BC}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1332
1333	{9CAB5604-1193-4120-95EC-AE4F21DBF09F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1333
1334	{A9D816D2-5C4E-44F4-934F-BE389A486A60}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1334
1335	{DB31BCE9-207C-48AA-B6BD-AA94BBCE6220}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1335
1336	{4F7DC4AB-D7EA-45C9-B59A-46427D772877}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1336
1337	{C5D09957-A54B-434C-AA8E-3A0FF331BC2E}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1337
1338	{87995536-5F69-428A-B7B1-4E4DA6039A3F}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1338
1339	{CB511AAD-6D60-478C-87F6-5BB13114D2E8}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1339
1340	{66C06615-68CD-41F1-84A7-3900B1C8D90F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1340
1341	{01AC3F94-2C12-4F24-940F-A80CA9475752}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1341
1342	{CE698BC2-65C0-4D15-9877-442AD38DA069}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1342
1343	{F3D7EC0D-52EA-4760-97AA-84338EB77425}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1343
1344	{0F1072FB-AEA8-4021-9D73-010E50F9591D}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1344
1345	{3AE4D7AA-34BC-4F21-B530-10A3EF3FE96A}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1345
1346	{16276F25-9ABE-48A4-998E-7E224645E249}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1346
1347	{98B586F0-C5D8-4EBD-B510-DAA84B49F41F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1347
1348	{020C0A73-20CB-4394-8993-CE9A929851DB}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1348
1349	{4FD497E8-CFF8-4D54-8ED6-DBE5A7DFAA82}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1349

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1350	{5C819ED3-A5FF-4ACB-A9B0-AA63769B4B1D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1350
1351	{068B7010-B023-4B43-BF88-B1A037588228}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1351
1352	{C51DCF19-4DA5-4038-BA3C-C50D80D35012}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1352
1353	{EFACF170-ABB5-4B84-873B-2D18344BDCA6}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1353
1354	{08D061C6-8BF2-4747-8E37-895FE9A16048}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1354
1355	{4F536609-18A3-40ED-8981-ADB2BE24511C}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1355
1356	{537A28D0-5245-474C-9750-3B006D2E9F8D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1356
1357	{166406A1-16E5-4774-8492-C3656FD8DD5E}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1357
1358	{79F934A6-A26F-46DF-BDF5-785A240EE656}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1358
1359	{8383CAB9-03AB-4DEB-A189-AAAFBDD3B82B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1359
1360	{FC099571-ED9E-4F77-9615-0F3256700D24}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1360
1361	{8492595C-FD52-4F73-A4EB-7CF96BFB245A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1361
1362	{FBCFBD8E-CF89-4F4E-AE47-4F4F662E7B4F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1362
1363	{C9167978-8FED-44D6-B72B-606F62D5C027}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1363
1364	{AD0B6452-1921-433E-84FF-60452957B7CE}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1364
1365	{DEF65A10-983D-4DFA-9F49-CA3D9D99BC0A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1365
1366	{8373B935-AFC1-437F-BBC4-241D7544F1F1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1366
1367	{0F025C78-4C8B-4231-A89B-C221963E10F0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1367
1368	{74D8391C-0398-470A-A7EA-6CE4D244DCFA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1368
1369	{93B40DAA-AC4F-4348-876C-5366B8502581}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1369
1370	{F9E523E9-144A-4C62-BD5E-757A56CAF139}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1370
1371	{CD44795A-A054-45E3-8D42-89D17BB477CF}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1371
1372	{332906A5-6761-418C-96AD-BB3D29CD83E8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1372
1373	{8BFA3390-AE9A-4036-B8DB-C7930FC0D109}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1373
1374	{2895A3E5-4050-4D50-9BEA-647F714D7825}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1374
1375	{FD6E10D4-EB44-4EB0-89F4-3EB0B119B82C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1375
1376	{99EDB0A7-A68A-476B-AB72-B91B93136A44}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1376
1377	{DBFF168D-8B68-421A-8C54-3D39DF60FE6D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1377
1378	{F46815DC-041C-4510-9516-9A71541D042D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1378
1379	{1DAFD7E2-D854-4A3C-A6D6-77FDAB8E09D5}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1379
1380	{F23ECE6E-A155-495F-9565-43DD6EAA97F2}	3/16/2025 20:31	jennifers127	4/23/2025 18:07	JENNIFERSALEMANN	CR_1380
1381	{988F81E7-2D50-4008-9A59-1C955338B096}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1381
1382	{90900F35-EA95-4F41-8A5B-493E17CD4462}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1382
1383	{047490CC-7B6C-4082-B14F-8CCCC7B10DDD}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1383
1384	{3201972C-AFB2-44A5-AA43-E5755CBB02F4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1384
1385	{CEBC3601-79CE-4951-9D30-598EEDC42C61}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1385

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1386	{B96E1467-6033-4527-BFBD-80EAD25958B4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1386
1387	{BF842316-5D9B-469E-88D1-6518DE05D196}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1387
1388	{A66E542A-A208-4EC9-88C1-C4BE96E66DE4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1388
1389	{A5C8278E-19FC-463B-93CE-3A389F0C3D51}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1389
1390	{479224D9-DA22-4E2C-98B9-E64A88C0E70F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1390
1391	{CBC80AC6-CA4F-4A89-B886-A2B437A16C7B}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1391
1392	{11F00CB2-B93F-4F1B-88B8-4CE533357CC6}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1392
1393	{38112575-DA9C-4D76-B305-141929205650}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1393
1394	{C0FEAE22-2AF3-4C73-9324-09B9058FAAC8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1394
1395	{03AA5D94-E76E-4D09-92A2-FD19731D94BC}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1395
1396	{7E288714-0674-4607-9A6C-FB5A9468FC85}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1396
1397	{EE8FA5C5-578E-49BF-8EED-BE38FE592D56}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1397
1398	{9B8C69CC-E974-4B59-B2BF-CCC518070091}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1398
1399	{D64E823D-CC8F-4F2D-ACFD-967D230F50F0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1399
1400	{B4592C6B-7B07-4B70-9328-2CAAC27C9D79}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1400
1401	{5A3BFD8E-CD8A-43F6-B684-5EDEF5F03CC9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1401
1402	{46D7E138-5140-42C1-882C-EF01E29C1B27}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1402
1403	{6A605671-55D2-47D1-B5AC-CF308DB2B016}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1403
1404	{398D8A2F-D36D-4352-8D00-D95768DF155F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1404
1405	{5679AF25-F0A2-4483-8A57-F52528E768A1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1405
1406	{EEDCA422-010E-4AE4-8F38-0CFE2E627BD7}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1406
1407	{432CF9D9-7B42-445D-B58F-CDC239EFA303}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1407
1408	{79BC60B1-80CE-440E-B31D-64FDBE4A18DA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1408
1409	{01D7E1FF-D0A9-49D4-B88F-2EAE0AE342D3}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_1409
1414	{4ABAB8F7-0B99-4BEF-8A42-79149FE44652}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_141
1410	{5026225F-FDA2-4FCD-9206-9FFA390F85CD}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1410
1411	{A4257A0B-4FA6-4EAE-9432-B72643607F12}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1411
1412	{EA485D6E-A67D-4ACB-9778-62EE3A044088}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1412
1413	{BC3BD690-9AB7-4DD8-BB3A-9A89DFA66A5}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1413
1415	{88980CC4-14B4-476F-B5FC-BF85FEBE0BD4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1415
1416	{A7D1523D-3162-4F08-BB4A-BA2607ADEEF0}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1416
1417	{2EACA649-BE32-4634-A5E9-BFC9DB9BC0D3}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1417
1418	{F5710E88-207E-49B6-88B7-A5E82CC10AB0}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1418
1419	{7C424AF7-9323-451E-9F95-8BEB8EE09BDB}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1419
1420	{2A9C5F9B-4075-4F04-8E6E-0B55E8F78BA8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1420
1421	{E920184D-4E1E-4A54-BD11-7E48B4C68544}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1421

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1422	{B53EE40B-3DB7-4CC8-94FA-4C4D48B46757}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1422
1423	{60F50E95-D0BD-48DF-B9E5-E3A45AB30030}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1423
1424	{C194A8DE-07B8-4866-935F-E2DD16993D42}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1424
1425	{47E733A0-EF5B-40EB-8080-F921ED890929}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1425
1426	{C700E82C-5393-48AD-8381-71881B4CAC47}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1426
1427	{89D42790-10FA-4871-93AD-C49146FD3D5B}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1427
1428	{4DDCB39F-4C9A-455E-9783-791B3CDA8476}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1428
1429	{D4BC6420-35F9-4889-9022-66BE04CB8E2C}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1429
1430	{1D0F31B1-4487-4BF5-A8FF-B217A7B039FC}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1430
1431	{B1AC3363-DC2E-4F30-A4EA-D7777445549D}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1431
1432	{AEA33CC1-B5EC-4327-82FF-3652691E6A0C}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1432
1433	{6841BC4F-FB9B-4579-905F-BF146438D7CF}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1433
1434	{A0CB6EBB-084B-45F0-B203-43AC29C61049}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1434
1435	{79FB99C7-AC4B-41D3-908D-73E16F64CC1B}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1435
1436	{5A9DCB72-EB9F-4123-9222-F0F83252567F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1436
1437	{6DDA05C1-FA7F-4D31-8A97-78DB20ADA190}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1437
1438	{2F8AD5C5-4A4E-428D-BAC0-9EE789F01778}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1438
1439	{01230F2E-8CAB-4BD7-839D-BE0423A06806}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1439
1440	{BC8D27D5-39C2-4F82-A53A-A0890A147B92}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1440
1441	{39C33584-9B7F-46E3-AC4E-5AAF8E606545}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1441
1442	{B109DC86-24C3-459F-A95B-F492549B11C8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1442
1443	{998D7531-CA38-4A10-B505-110C0B7C45D2}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1443
1444	{75F5CEEA-7C95-4D58-88F9-9A5E99DCCEA2}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1444
1445	{A5B7846C-4944-4231-938F-6884B0E97447}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1445
1446	{6DE5CDCD-ABF9-4A54-AB05-44E62A9C63C9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1446
1447	{46FC1CCE-1585-4BDD-9B93-4C86B63E11F8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1447
1448	{DC9A0506-5433-4D53-89BA-F55AC713C090}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1448
1449	{6EE44994-405A-4656-AFCE-6AAE222CD2C8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1449
1450	{4E6BB054-7E87-4B29-92D8-7A889246EF35}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1450
1451	{A7C3EFF7-21B9-4F42-934C-2FB73C3EA070}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1451
1452	{243FEF0A-9350-4416-A795-31ADCC4BF007}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1452
1453	{898CF09C-A518-4F22-BC7C-3FE39B87212D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1453
1454	{669C944B-379C-4C3F-A4E8-45880C59875B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1454
1455	{A6615A98-4EE7-46ED-936C-84DF6D440191}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1455
1456	{E880A70F-E660-4EFB-9826-1578F7856898}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1456
1457	{04EF8ABD-DD88-4E2F-A439-20FA29585725}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1457

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1458	{91B666FD-3409-4402-8F39-E84AD5047260}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1458
1459	{398C7623-7545-4B7B-BC96-CAB909AFC5E8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1459
1460	{CB6952C5-0DDF-4CAB-B25B-83E3B53AEBD8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1460
1461	{AD38D4DC-C5CB-4C54-9649-20B69B54DF13}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1461
1462	{744ABD06-66C4-4D98-9989-F846ABE18BAE}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1462
1463	{4963D540-A2C0-4AEF-8C6F-FB19CC3DB0D4}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1463
1464	{06F847C9-12FF-4B1F-AF51-D20E1462F170}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1464
1465	{9F5F1040-C419-4505-926D-78978E7C6230}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1465
1466	{CDA37A7B-357C-418C-9054-078C52583BC4}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1466
1467	{3158AF71-84B0-4261-AE9A-C4F9EB8F92FE}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1467
1468	{7598B0D9-5822-47FB-85BA-78E8A98E514D}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1468
1469	{828DBB92-4E22-4140-B319-E00773DE1B58}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1469
1470	{3EE7962D-F1FA-467B-B29B-C59F091E569A}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1470
1471	{1B416FC8-4C0D-489A-BAFF-C3F65256FCAB}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1471
1472	{AF529CE9-2C68-4370-A859-C56573A2C421}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1472
1473	{E7F3E738-6241-4C0F-BE0D-872EA676FF5B}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1473
1474	{DE1E6EA2-3C8B-406C-AC2A-86796A0D279D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1474
1475	{E66E56C4-0707-4F42-B27C-992256EF3A59}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1475
1476	{BF4900E7-16A6-417E-8D4A-9205831A5501}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1476
1477	{0334F74A-A4AC-4DDC-9C9A-787F5522E32F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1477
1478	{8441ABC9-6E4E-4CD8-B4BC-AD308A4139B4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1478
1479	{EA1EB2E2-9386-4B26-A931-B42C2C418392}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1479
1480	{811B18AD-11D7-442E-9DEB-8264AE061F71}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1480
1481	{20C03E56-E63F-45A5-827D-CB8EA5D92AC1}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1481
1482	{24ABB5D6-F947-4E5D-BC1D-796E66D70120}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1482
1483	{32FB4A1D-A44C-43E8-9A09-5A2ACDB131D2}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1483
1484	{1C06E0E1-7020-4BDC-9392-AE3A983F1E3B}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1484
1485	{EB9E2F2D-108E-47FD-99B9-BEE2AF0943B6}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1485
1486	{3A7A4CFB-61C8-4E46-8810-2CAC5857A176}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1486
1487	{F8D44338-FAED-4FF2-A5FC-90806B37A5DC}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1487
1488	{113A7C80-D231-4ED8-BE1A-5FBC886C90F8}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1488
1489	{EC173CEF-1F96-4A4D-8E4C-03B1A20DFB6A}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1489
1490	{254E8D14-5B8E-49F2-92EE-FAD1C2286D1D}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1490
1491	{F48A618E-BF10-4CC5-AEBA-4AD1C16A5992}	3/16/2025 20:31	jennifers127	4/28/2025 22:19	JENNIFERSALEMANN	CR_1491
1492	{9D5ED77B-37EC-4AC6-B40C-18F88F7547E0}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1492
1493	{A5F785A5-0EFA-433A-90A9-80389BE0D83D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1493

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1494	{8FEFABFA-772C-4499-9304-98921D782FFA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1494
1495	{34291CED-15F5-4F74-9130-30E36D2CB92C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1495
1496	{67A127AF-2F69-429E-B35D-43CA86848795}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1496
1497	{5EE85AEF-2ADA-48CA-9FE8-D5FDB0DE3A21}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1497
1498	{C8505588-ABA5-49C5-8900-A9198289C160}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1498
1499	{856D76B4-D559-4BA4-A93E-BB47D702D943}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1499
1500	{4D5383FE-62E0-4F8B-8606-FCE0C6EDBE05}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1500
1501	{B07A3DA3-727A-4336-B5E3-3A3D8E9B7E2A}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1501
1502	{FD6719D0-6166-4818-81F5-DBC36538D0A}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1502
1503	{C8AB178E-8EC3-4707-9F88-CE66AE94FC29}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1503
1504	{42873B0C-59B2-4B86-922D-D6A1033EAB2D}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1504
1505	{B770BF0E-1D9D-48FC-8D74-6516F2FA5D94}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1505
1506	{D71C9EB8-95D9-49FA-AE53-753940308CDE}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1506
1507	{82A9C8EE-4292-4E48-BCCB-20CE77E0C64C}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1507
1508	{F419B188-CBE4-4B9B-8A86-F805B2184FC9}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1508
1509	{94C45748-3D70-4E36-A0F5-B6B6EA1D74CB}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1509
1510	{6D578177-0BBB-4552-81F2-A0865F6B027F}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1510
1511	{90E4384F-467B-460F-AE79-3DDE27EB1D5A}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1511
1512	{D80C65DC-BB4A-4048-A076-8FFCF929DEA2}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1512
1513	{73809A15-22D9-4454-A596-955E75CA36B7}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1513
1514	{10DD5C0D-919F-4475-A75A-B85E8D28E62D}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1514
1515	{6B524397-F78D-4488-97FB-EBE3D84DA393}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1515
1516	{D4682B10-D97E-42D3-B26E-B2B531B87CED}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1516
1517	{F1ADDC89-FCDB-4F6F-80CE-C77C7408E047}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1517
1518	{AA12D81C-0960-4426-8DAC-2DF6411DB8FB}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1518
1519	{0E74F4AC-E31B-4B1E-B61B-CF5EB4415DFB}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1519
1520	{42537C96-8202-4098-AB98-55A3EACA2348}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1520
1521	{38E904C1-44B1-48A0-947A-4EC40EDE3A98}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1521
1522	{FC088046-D48B-4B19-AD61-7BFC8A908AD9}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1522
1523	{5CA3A7FD-F224-4BEB-82E9-575EE2B15535}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1523
1524	{3943FA78-9F32-4042-A1E0-7782FE6B283A}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1524
1525	{AED38DA0-09B4-4408-887A-FA5D9A95CD37}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1525
1526	{1734FAEA-E65B-4F87-B59F-92EF8403357F}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1526
1527	{4620C86A-96FF-4BAB-863B-684C712B55AB}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1527
1528	{3A879DD9-E93A-455E-B7BC-9C99D1DB56C2}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1528
1529	{3B2ED2E0-1EDC-40AF-89D3-5ABC21B9ABAF}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1529

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1530	{2A79D09C-5E23-4267-B495-2561B7A2C25A}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1530
1531	{9B050225-02B6-4BC2-8DF2-CC25FBDCC09D}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1531
1532	{A923A3A3-9CAE-4475-A76D-DAAD52E3A6C0}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1532
1533	{DBF231D7-920D-494B-B47E-B5F55D5F2494}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1533
1534	{A51E13EB-5008-4FFA-B241-51E64C985E45}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1534
1535	{0348E937-B482-4033-AA8F-DDC7841212D9}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1535
1536	{63C580A8-0338-4822-8DFE-2D7B66F92437}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1536
1537	{D4D8FEB7-0C60-4E77-938F-C076E7469FF3}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1537
1538	{57DE52CB-22B8-4061-822A-D77AC22AD390}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1538
1539	{84436D26-EE13-4689-9E7F-D6553A80B555}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1539
1540	{E1A61FEB-F0AB-4B7B-8F5A-1D8D23A56067}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1540
1541	{16E46B05-7F41-46C0-8EAF-3100BCDD2B88}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1541
1542	{09FD9DB6-D8F4-4F90-959B-B1692BE560FF}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1542
1543	{93D4DAEA-A7C3-44D2-BCFA-70DF2212BAEA}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1543
1544	{715431CB-B20F-40A4-90D3-C66BF67DABF1}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1544
1545	{20471574-E5EB-4664-9466-AA1D1DD29557}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1545
1546	{9B4D094C-D29E-4C7B-A102-B0180D1C0A82}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1546
1547	{8BB4817D-C40B-4B4E-9702-C4098DD78928}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1547
1548	{57592938-EFD9-41AA-8AF9-12B166FC077C}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1548
1549	{3E168C73-052B-4C69-A40B-D9A5A0DA11A3}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1549
1550	{6E94C962-0FAA-4335-9900-7353AA91FEC3}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1550
1551	{EDD0E8E9-6E22-4123-9651-9F842925B3A2}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1551
1552	{27841477-5906-43F5-AEC7-D055481D3CC3}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1552
1553	{C98F25A5-B006-4C97-9B44-4AD4B30128BE}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1553
1554	{B45CD4F8-7C08-45DD-A4AB-5A52DCF55CEA}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1554
1555	{3269108F-F070-492D-9472-CEFCB616361E}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1555
1556	{9AD626A9-0A48-4AE1-9792-57912C4F29FA}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1556
1557	{E44E842F-F26D-4E6C-8C89-647D0ADF7F9C}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1557
1558	{B2099CFE-CCF9-46A5-9F0D-970055759860}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1558
1559	{658FE6EA-70E8-4E62-94F3-222AD33AB377}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1559
1560	{E91282EC-B14F-4970-AEFE-39D85793C788}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1560
1561	{BA3DCD65-A596-4700-A0E5-20997C3100AD}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1561
1562	{FCC88A76-440D-4BD9-9F12-BFE74B23EBEE}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1562
1563	{6441EDE5-F3D4-4041-BF6E-EFEA3B9D7294}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1563
1564	{397B4BE2-8186-49C1-8939-ED4B689CDE51}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1564
1565	{3BFD18F0-8173-48AE-8159-F092DD49AEA0}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1565

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1566	{1C7EF504-E963-4A56-A2BA-34D7C499A245}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1566
1567	{2C2A9DC3-1208-4A4B-AC74-36007566C839}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1567
1568	{28B891C6-E682-49D6-8378-BF81FB0EB4EC}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1568
1569	{B4C3374A-F957-445E-A52E-5D97D78AF177}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1569
1570	{59323DAA-44EB-47A2-99BA-B9A8B22AAB4D}	3/16/2025 20:31	jennifers127	4/28/2025 22:25	JENNIFERSALEMANN	CR_1570
1571	{7A3507B1-7264-4612-927A-D931C9BB6319}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1571
1572	{C098A61F-F321-4421-B672-911F91DB7983}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1572
1573	{6F50E9F6-6A19-469B-99BB-2F5DAE021DC4}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1573
1574	{664C214E-8A42-4757-9167-B0EA76A0BD0E}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1574
1575	{A1970842-5FF8-4621-8789-FFDBC52DA742}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1575
1576	{965945F8-0B1E-4B6C-A899-301F1219754F}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1576
1577	{E46FDE32-066B-49DB-B3A9-D103B326C9AA}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1577
1578	{CE93D57C-F863-4DE1-9DFA-6DD273799BA9}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1578
1579	{E4C78BFA-BF4D-4FE5-9C18-EEFE937FBBA0}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1579
1580	{F8006193-F46D-4BF8-A1D9-8FB6043E28BE}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1580
1581	{46D4149E-174A-4F7A-A31C-F230CA77E31C}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1581
1582	{198D522A-49A2-4036-901D-DF3442AE1853}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1582
1583	{E254F295-6A35-43E5-8A2F-E587DEBB8360}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1583
1584	{C775ABA9-B77C-4AB3-BBC1-C42ED278F76F}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1584
1585	{BA63A286-2F3D-479F-9E0A-FB27F7D7530F}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1585
1586	{B8EFC848-7BEF-47C6-BB64-5B67BF84B789}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1586
1587	{786AF167-D86A-450C-A03A-322C6700ED9B}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1587
1588	{1689F5BE-B52C-440E-9170-BBC58016A415}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1588
1589	{0DD1E4AB-5786-4B81-ACA9-AA54BE95899F}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1589
1590	{E36761C9-6BD9-449C-838A-DDA76CF6ABA2}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1590
1591	{4AF44E9F-8FEA-49DC-A919-4721C6405609}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1591
1592	{5F244AD3-A8DD-44AB-94D3-6240234FA421}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1592
1593	{C3064E17-0859-4A45-9DF2-E528CD376BE2}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1593
1594	{C7CB70EB-BDB8-46B5-8B57-E2CEE382E93F}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1594
1595	{01786D60-C608-4A26-B66C-BFB2F8E4E1BF}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1595
1596	{0C7F80C7-CBD5-4BFC-B193-6C33E1393DA1}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1596
1597	{87EE270D-3773-43F6-AF1C-5CDCAF3AB18E}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1597
1598	{B9219333-CF4A-4B32-AFB8-FA38C0527016}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1598
1599	{5E572A25-C9BA-4CE1-BF0A-68362952BEDC}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1599
1600	{B0B627D1-6FF0-4B24-8D92-B8C01FE7A8E8}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1600
1601	{7481BA90-F252-4C64-AB55-790C87AA6C19}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1601

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1602	{0F137F16-D7E3-479A-A437-B32125930F3F}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1602
1603	{781C8686-7FB3-44AB-9936-6007C7D4AA9B}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1603
1604	{60C774F7-5894-46EF-A81C-D781B3514794}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1604
1605	{98023F64-1AED-47B4-821F-FE2F18A39E1F}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1605
1606	{89299B4E-F1F0-411D-9EDC-905459F5DF88}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1606
1607	{BA37435D-0DC6-4CC8-9C8B-EF980B42D090}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1607
1608	{F20396AD-AEF2-4FCD-9C53-3EC4DAAC37D4}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1608
1609	{2706C891-B7DC-4888-9A2A-F5AFF4003ACE}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1609
1610	{5CA216F7-C8C2-44E4-8DA4-AE2998C90F15}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1610
1611	{CFD1B407-9393-4050-B982-016A7BA8E878}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1611
1612	{0A5373DF-913F-4244-A37E-100601A7CCB4}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1612
1613	{A3CC0723-9F04-42E1-9E47-C88F1F2900EC}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1613
1614	{63D32568-7A7A-400A-BD55-E3E8E8AFF3E9}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1614
1615	{88FD00CF-1BCE-414C-85C3-DE28190BB6B5}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1615
1616	{0FFCF4FD-E006-462F-85FC-E4B08443476A}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1616
1617	{92B91C1E-95AC-4994-B2F6-59D6132DB001}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1617
1618	{7FE69BCB-FDA8-492F-A00D-B7C5BC38F004}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1618
1619	{E106B713-E97C-451C-B037-76235C5380A5}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1619
1620	{4BA50588-BB5F-4EBE-8807-63108DC5315D}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1620
1621	{C4D46752-5D53-4849-92F2-F87B582E24EC}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1621
1622	{0EFD9E5E-8DFF-4FAB-A953-9DB0A0809B21}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1622
1623	{19721ABD-66EE-4F37-8BDA-CDFE1BF1C3E9}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1623
1624	{E3BEBD1F-3980-4B95-8B7D-31AE2478C5A5}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1624
1625	{B90D6F0D-FBC2-43BC-A8B0-6B49535A8F20}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1625
1626	{3910C1A1-3B2E-4363-90A6-E5C7CCC59C85}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1626
1627	{D520CF72-6517-4441-8C58-9E4D1BF41F99}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1627
1628	{A320DE1B-7074-4A4F-ADD8-AC99796EBBE6}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1628
1629	{723C468A-9E06-4703-862E-85C777B8C026}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1629
1630	{33F00E5F-CDCF-4361-B54B-BBA7A6F285B7}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1630
1631	{8FA9D42B-87A7-4AB1-8D42-EF5B8ACF5764}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1631
1632	{A576A2F7-129F-44D2-8288-58F5EF025B60}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1632
1633	{5C27A096-4D66-40D3-9E13-A0C65C3250EB}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1633
1634	{22A63898-79DE-441D-ABA4-AD0E491B36F8}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1634
1635	{CEAAAB2D-531E-4CFD-97EB-E0CDAB267773}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1635
1636	{02ADA005-013E-46F8-9B63-A350F75EB383}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1636
1637	{7923CA1C-03E8-4F85-8865-10582D529497}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1637

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1638	{6C39032B-3DA5-4CE0-94C9-E4DC0024EB80}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1638
1639	{C9683300-9E04-49F6-9196-76C0401B40CB}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1639
1640	{E66C9CC5-6BF5-4998-98FB-7E02D2BAC478}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1640
1641	{49368EED-4546-4D88-B528-C650175AE0E6}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1641
1642	{F2E2C920-B056-44E8-9C54-5600D2AFC992}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1642
1643	{D3777261-B2BA-4EA1-9871-979B0C05E2C3}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1643
1644	{073EE4A7-791F-43F4-B364-58D4010967DD}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1644
1645	{D1551B2F-7111-4EE4-921A-D6EC00ECDD1F}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1645
1646	{87992FE7-127E-45D6-B8F4-316EFF9314FB}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1646
1647	{42D14AC2-C4EE-4164-9E12-35B15746BA1D}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1647
1648	{5EBD2B42-54AB-4ADA-BA31-F3C874632AB9}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1648
1649	{80DAB171-08E3-42DA-B4DA-1B50AF725F34}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1649
1650	{20550387-8355-46E8-8074-E9BF9367BFF2}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1650
1651	{807EB78E-F164-423E-B664-6B7B2EE79DEF}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1651
1652	{730CDDA9-52CD-44AE-95B6-F5B0E9D78933}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1652
1653	{44DB0C35-C729-4393-9A1B-4D69F3B626EC}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1653
1654	{8DF2170A-E672-4AC1-BD5D-6C5412F33038}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1654
1655	{F5A9400E-E8B0-4692-AC31-39261B001588}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1655
1656	{49FF40FE-2D0A-46A4-BA11-1ECB6A41E319}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1656
1657	{2AE0F100-20D3-4942-A85E-6B167A050227}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1657
1658	{69095C85-81E6-46C9-A9E0-F0E2E7595BE5}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_1658
1659	{218F7C31-9F5B-404C-8885-D20DAD95E678}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1659
1661	{31618991-884B-482E-87A1-CF4F7C2DD4DE}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1661
1662	{2D6ED7D3-31A4-48F7-A317-28D16BB05BE4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1662
1663	{A7B1E91D-4B46-4BC8-8514-4FB07CC09B6E}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1663
1664	{F390C95A-512D-4C9D-BB3D-AB86B894910D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1664
1665	{6862CA34-E643-4B54-8CAA-5C2E98DEA29F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1665
1666	{9FBDA5BB-D865-4545-BAE0-F2687C35C78C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1666
1667	{755E63ED-E0F5-4DB9-8BEA-10B9C882B0CD}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1667
1668	{416F2301-B7AB-4AF6-AA74-EC920F93811A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1668
1669	{85D8C947-E4C0-4F09-985C-C45EB103F54F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1669
1670	{3586DFE8-DFA9-4CC6-A76E-60517CE94353}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1670
1671	{8F4C3C44-D647-4D32-9FDE-5179130370F9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1671
1672	{90F0A997-44CF-464D-9CA6-E2EA1DFB504E}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1672
1673	{D88B36AA-B465-4552-9F56-EC6E6F183539}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1673
1674	{16AE6C02-098A-4EAB-A35D-9EFD58E28E0D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1674

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1675	{AA150BC3-A1DD-4317-997B-446C3F3670A9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1675
1676	{18BAE366-40A8-4A8D-8529-6228A8D6D5EA}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1676
1677	{401F95D3-0E28-41C4-BB34-3BEF825115C9}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1677
1678	{72F5EE00-A024-4C94-9A24-B15265FDE0A1}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1678
1679	{DD37CB01-C982-47A3-A2AB-D80EB57D23A3}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1679
1680	{28886A86-23FA-4BEF-9AEC-B0BF84AD0943}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1680
1681	{35587471-24A5-4F64-B217-182CDEDBB884}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1681
1682	{F27D2964-1533-4E64-914B-172288558A64}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_1682
1683	{BF34BC6D-B6E5-4311-8839-3086AFF092E3}	3/16/2025 20:31	jennifers127	4/23/2025 18:31	JENNIFERSALEMANN	CR_1683
1684	{10E1AD80-880C-4984-9D1B-4BCE59A33105}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1684
1685	{B354F533-4D43-435D-85BC-54389E4B51C8}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1685
1686	{166E517C-D53C-4D00-9087-46A36787F491}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_1686
1687	{D2227E1F-A249-4B45-8850-C5CD7C38F4EC}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1687
1688	{7856FA62-6029-4CF1-95F4-55BF676847CD}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1688
1689	{C5AF5332-F37F-4F1D-873A-A7FA0675357C}	3/16/2025 20:31	jennifers127	4/23/2025 17:41	JENNIFERSALEMANN	CR_1689
1690	{F40B643E-72FC-4F4E-A15D-70DEDB7B1B50}	3/16/2025 20:31	jennifers127	4/23/2025 17:43	JENNIFERSALEMANN	CR_1690
1691	{F20BD4E5-15B7-4925-9806-161FA9B6222A}	3/16/2025 20:31	jennifers127	4/23/2025 17:43	JENNIFERSALEMANN	CR_1691
1692	{ECA6F157-C9CE-40E1-8A59-C3D8AE91E608}	3/16/2025 20:31	jennifers127	4/23/2025 17:43	JENNIFERSALEMANN	CR_1692
1693	{22F9A67B-DA48-4237-BD3E-08AE0AB1674F}	3/16/2025 20:31	jennifers127	4/23/2025 17:43	JENNIFERSALEMANN	CR_1693
1694	{57C1BB63-C86C-40ED-BC19-EAF44E95E727}	3/16/2025 20:31	jennifers127	4/23/2025 17:42	JENNIFERSALEMANN	CR_1694
1695	{46D819F4-76E5-488D-A2BE-3B2EDCC77CB8}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1695
1696	{D4C61ADA-FC63-4060-80BD-8DA011276184}	3/16/2025 20:31	jennifers127	4/23/2025 17:43	JENNIFERSALEMANN	CR_1696
1697	{FEAC7B5B-4C79-4BB5-BFB0-F97CC2EB0664}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1697
1698	{142461F4-077D-4A92-BE96-5D77F0090EDE}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1698
1699	{EEF426B8-BF4A-4319-890F-45197495C221}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1699
1700	{84EAB8D0-24F5-45F4-8030-0D209EBA5E61}	3/16/2025 20:31	jennifers127	4/23/2025 17:46	JENNIFERSALEMANN	CR_1700
1701	{944E205D-6F96-4E2A-A5E7-4AFC04F85A51}	3/16/2025 20:31	jennifers127	4/23/2025 17:46	JENNIFERSALEMANN	CR_1701
1702	{D0C0A52C-6CBE-483F-B66A-156588F99639}	3/16/2025 20:31	jennifers127	4/23/2025 17:46	JENNIFERSALEMANN	CR_1702
1703	{09697E09-E5E1-4EDD-9133-66EC1E2799DA}	3/16/2025 20:31	jennifers127	4/23/2025 17:46	JENNIFERSALEMANN	CR_1703
1704	{673E5A80-42A9-4E44-80AB-A60181E02C00}	3/16/2025 20:31	jennifers127	4/23/2025 17:46	JENNIFERSALEMANN	CR_1704
1705	{4885AB83-6D76-4BF4-93CA-16395D5DFC35}	3/16/2025 20:31	jennifers127	4/23/2025 17:46	JENNIFERSALEMANN	CR_1705
1706	{2BE49887-832B-4671-925B-053D441E1725}	3/16/2025 20:31	jennifers127	4/23/2025 17:47	JENNIFERSALEMANN	CR_1706
1707	{B411CF49-860E-4085-9898-ACE9D167F314}	3/16/2025 20:31	jennifers127	4/23/2025 17:47	JENNIFERSALEMANN	CR_1707
1708	{FDBBC07F-5B4F-4653-BF65-93179F4D8EAE}	3/16/2025 20:31	jennifers127	4/23/2025 17:47	JENNIFERSALEMANN	CR_1708

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1709	{4D7D5E1B-928D-458E-B7E1-4D8FCC1D6554}	3/16/2025 20:31	jennifers127	4/23/2025 17:47	JENNIFERSALEMANN	CR_1709
1710	{363FF266-B92E-4F46-82C7-C049F39C4867}	3/16/2025 20:31	jennifers127	4/23/2025 17:48	JENNIFERSALEMANN	CR_1710
1711	{1C8934F7-CA85-4985-A142-96B4D64F0B71}	3/16/2025 20:31	jennifers127	4/23/2025 17:48	JENNIFERSALEMANN	CR_1711
1712	{195CF7BD-9F4A-4B1A-BBC5-09E3CF969C37}	3/16/2025 20:31	jennifers127	4/23/2025 17:48	JENNIFERSALEMANN	CR_1712
1713	{AE72B929-E9ED-4CE2-94D6-DE5941AD474B}	3/16/2025 20:31	jennifers127	4/23/2025 17:48	JENNIFERSALEMANN	CR_1713
1714	{79EC2685-64A5-4059-95AF-2533C843FD9F}	3/16/2025 20:31	jennifers127	4/23/2025 17:48	JENNIFERSALEMANN	CR_1714
1715	{677665B9-CC82-4010-BC22-3384B4655C93}	3/16/2025 20:31	jennifers127	4/23/2025 17:49	JENNIFERSALEMANN	CR_1715
1716	{2DFDFE53-2591-4487-8E14-99902A117E85}	3/16/2025 20:31	jennifers127	4/23/2025 17:49	JENNIFERSALEMANN	CR_1716
1717	{CE14FF6C-EB20-430D-B082-44A0435EE130}	3/16/2025 20:31	jennifers127	4/23/2025 17:49	JENNIFERSALEMANN	CR_1717
1718	{6448A46A-299C-4A8F-8C35-467D324A05F9}	3/16/2025 20:31	jennifers127	4/23/2025 17:49	JENNIFERSALEMANN	CR_1718
1719	{8CE933A9-33DB-48B3-8306-16FB99F2F2B7}	3/16/2025 20:31	jennifers127	4/23/2025 17:49	JENNIFERSALEMANN	CR_1719
1720	{464821CC-C5CA-4DE9-9FAB-A8CD9F27AD86}	3/16/2025 20:31	jennifers127	4/23/2025 17:49	JENNIFERSALEMANN	CR_1720
1721	{11A9B8FD-F802-43FA-9FF0-D8D8E547DF2E}	3/16/2025 20:31	jennifers127	4/23/2025 17:50	JENNIFERSALEMANN	CR_1721
1722	{2D6C6DB1-6955-4D67-8D51-E93ED1C8ABA5}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1722
1723	{C7421563-3BB7-4BC0-BD8D-462DAB0DDA2F}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1723
1724	{744A84CF-CD24-4FCE-871A-E5B93E053EB1}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1724
1725	{90360D99-E2A0-4521-A532-C5C0FD539C7A}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1725
1726	{72F714DC-3474-41E7-BE41-3130B9B1F626}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1726
1727	{5F3E9C86-8B09-4598-A166-CE8CC17D3AD1}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1727
1728	{5BE2BBAF-7E3A-4536-B1AB-E4275DA9FFC6}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1728
1729	{F3A229F1-BDB6-4798-9A4D-A15A82C2D8C4}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1729
1730	{D465E8C9-D12C-4D28-A6DE-C75ED32D9AE3}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1730
1731	{E6913F6C-8DB0-45D2-8DA2-D857416E5E73}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1731
1732	{E352AA0D-AC1A-4FBE-B8D4-5D4AD43E69E4}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1732
1733	{A919EA32-E208-488C-9405-0B7C6037E28D}	3/16/2025 20:31	jennifers127	4/23/2025 18:32	JENNIFERSALEMANN	CR_1733
1734	{C84C6CBB-CB42-49F6-8DBE-7E9DE92C4A34}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1734
1735	{4C82C915-9D17-484B-BE47-84759744C736}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1735
1736	{7EE3A0B4-458A-4967-913E-41C27F43983D}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1736
1737	{A1753C28-166E-4528-8A7D-4A9B0DCBCBAE}	3/16/2025 20:31	jennifers127	4/23/2025 17:53	JENNIFERSALEMANN	CR_1737
1738	{25824D6C-4D53-4E3D-9B13-F49F7A91FB2B}	3/16/2025 20:31	jennifers127	4/23/2025 17:53	JENNIFERSALEMANN	CR_1738
1739	{AAA466C7-988C-402B-9BD6-52E757DB8C4A}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1739
1740	{B95D68EB-1859-4425-A29E-849353F8348C}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1740
1741	{6F456D9D-A9DE-40FB-AC02-A6FB0FCAD29E}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1741
1742	{23BF1CAE-8049-4959-A3B7-D5D42842EAFD}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1742
1743	{8B0555D2-D25C-4369-80A2-03A1F64AFC9F}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1743

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1744	{7E5465FF-7708-41A5-8C59-4DFBA315560F}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1744
1745	{D84D1FC8-CFA5-4AC4-B5F2-10B415D4C2EE}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1745
1746	{07252CD5-82D9-489E-9F02-1B621474FA86}	3/16/2025 20:31	jennifers127	4/23/2025 18:33	JENNIFERSALEMANN	CR_1746
1747	{AC6D9D9B-044C-41A2-8863-369E6F581BE5}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1747
1748	{B2E0750E-1B44-4847-9C9D-15754282ECB5}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1748
1749	{6D1FC51B-E5C0-47FF-A996-9995EC3101F8}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1749
1750	{6B39534C-6E70-428A-A09C-49A6407D9363}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1750
1751	{A26FD0A6-6508-47E9-946A-11286F3DB2D7}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1751
1752	{21CFD6B1-A577-422D-AAD1-A7140C612BE2}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1752
1753	{BE43C52D-BED1-478B-B089-84E403603F47}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1753
1754	{7BB75EF7-5D1D-4271-BE10-A55408466841}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1754
1755	{5642719E-1950-4FDF-9031-2981C3E5782E}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1755
1756	{D1918649-E609-412F-87D8-13E2EDF1F894}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1756
1757	{3D227D1B-5A65-4ABA-AA6E-236360D8A56B}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1757
1758	{D9DBC66B-D4ED-4557-B6C7-E4FF614C7795}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1758
1759	{D417314C-91E6-4498-87F7-A8D9197F2B03}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1759
1760	{BB5A1B40-BA77-4846-94D5-18A17368C508}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1760
1761	{D8BF7638-1A3F-46B4-92C6-D0D3AA0FC366}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1761
1762	{48250A90-973F-4096-AD05-41280F7FC6DE}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1762
1763	{B639C7BE-1D45-474D-9883-3BEA34ADEB17}	3/16/2025 20:31	jennifers127	5/1/2025 21:30	JENNIFERSALEMANN	CR_1763
1764	{B8DFDDF6-FA9A-4D28-9E0B-0FD8A3E29C0B}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1764
1765	{F34E9DAC-AAE7-43B3-A79D-432A02B003EE}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1765
1766	{DC39D89E-9475-40D7-AF7B-25651B2D8800}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1766
1767	{A945EEAB-CF8C-4B55-8467-4EF1613F78B8}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1767
1768	{686A0607-8C22-4CAC-B8EA-254BED12B263}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1768
1769	{A7433A03-7878-4FD8-AA31-386A5F63FDA8}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1769
1770	{0540D41B-8DB0-4A9E-81B6-A05090095E12}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1770
1771	{0275E099-E831-43E3-822D-18945FC869F4}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1771
1772	{7A0C3A9C-0B3D-4786-98C7-01E442DC400D}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1772
1773	{ED767E37-8E32-4345-B605-F9E09CE5CDC1}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1773
1774	{130ABCCF-B480-4E3B-A340-CA0B6DA1E500}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1774

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1775	{CD55920B-9842-4DA7-826F-FA88C41AC2FE}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1775
1776	{41D6FBB7-DC8E-4F49-BB48-60F5A5F14FC6}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1776
1777	{E84611F7-0A91-454F-B042-ED786B03A128}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1777
1778	{F0F0A88D-A9C3-43EB-87DD-06A0D56E5870}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1778
1779	{849CFD8C-AB17-46C4-BFAB-EC40524D5D98}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1779
1780	{E3115F36-DCA7-426F-A456-F9DD1D0E766C}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1780
1781	{72A1BCE0-E25D-460D-B424-542CCED3EF38}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1781
1782	{97392EE1-981E-46E4-AC94-BCD10FB4881E}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1782
1783	{9E6D996B-2C94-4D6D-8610-3BED4CFDF150}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1783
1784	{6B31740D-2107-4E84-B401-176B5A67C178}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_1784
1785	{A28FDD15-15BF-4D31-81CA-DF244408278E}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1785
1786	{EC8A5A6C-56B5-46F4-9192-7722695232A9}	3/16/2025 20:31	jennifers127	4/23/2025 18:33	JENNIFERSALEMANN	CR_1786
1787	{46E0E6C7-2AE7-458E-9D01-2BB45E0EEDA2}	3/16/2025 20:31	jennifers127	4/23/2025 18:34	JENNIFERSALEMANN	CR_1787
1788	{E76DC234-21EC-411C-B484-3A8F8AACBD6A}	3/16/2025 20:31	jennifers127	4/23/2025 18:34	JENNIFERSALEMANN	CR_1788
1789	{119E1735-773B-4037-A61C-2430E477523E}	3/16/2025 20:31	jennifers127	4/23/2025 18:35	JENNIFERSALEMANN	CR_1789
1790	{B9295CE6-18E4-475F-96AC-6B71E8C37385}	3/16/2025 20:31	jennifers127	4/23/2025 18:35	JENNIFERSALEMANN	CR_1790
1791	{4595929E-B264-4C4E-B5DD-B842A5300931}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_1791
1792	{0A86D907-2660-4A04-ABB7-A4C33A7AD20E}	3/16/2025 20:31	jennifers127	4/23/2025 18:35	JENNIFERSALEMANN	CR_1792
1793	{90A37EA0-7849-4858-9F97-C91EB797C3F1}	3/16/2025 20:31	jennifers127	4/23/2025 18:36	JENNIFERSALEMANN	CR_1793
1794	{3954809B-0CC6-4FE3-94FE-4FF8935A298A}	3/16/2025 20:31	jennifers127	4/23/2025 18:36	JENNIFERSALEMANN	CR_1794
1795	{6F5A6FC7-63CA-426E-BA2D-C11A5051BE40}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_1795
1796	{1DD1C6EE-6861-4A21-A0AC-E3096F611C0D}	3/16/2025 20:31	jennifers127	4/23/2025 18:36	JENNIFERSALEMANN	CR_1796
1797	{C4A91833-DEA4-416C-94B6-6741EB3B6C2E}	3/16/2025 20:31	jennifers127	4/23/2025 18:37	JENNIFERSALEMANN	CR_1797
1798	{EBD62F73-B266-4CA3-B190-A0AC18DF110D}	3/16/2025 20:31	jennifers127	4/23/2025 18:37	JENNIFERSALEMANN	CR_1798
1799	{4CCE7208-04B8-4B51-B963-099CB4FB71A7}	3/16/2025 20:31	jennifers127	4/23/2025 18:37	JENNIFERSALEMANN	CR_1799
1800	{B7D5A8E6-3BB0-4DCA-8B3C-4EB66FD7B391}	3/16/2025 20:31	jennifers127	4/23/2025 18:38	JENNIFERSALEMANN	CR_1800
1801	{6A9583AF-82CF-4137-82C1-25267D25FF42}	3/16/2025 20:31	jennifers127	4/23/2025 18:38	JENNIFERSALEMANN	CR_1801
1802	{9BF14F6E-5FE1-4C2A-98BD-E41AA4F4B3D5}	3/16/2025 20:31	jennifers127	4/23/2025 18:38	JENNIFERSALEMANN	CR_1802
1803	{E7989873-93CD-4E7F-AF0B-3EBFB90C0E51}	3/16/2025 20:31	jennifers127	4/23/2025 18:38	JENNIFERSALEMANN	CR_1803
1804	{DECD0EF6-83F9-43EB-8CBD-28803E54663E}	3/16/2025 20:31	jennifers127	4/23/2025 18:39	JENNIFERSALEMANN	CR_1804
1805	{9EB4C344-DD66-4925-8F86-C9FA515BE9D0}	3/16/2025 20:31	jennifers127	4/23/2025 18:39	JENNIFERSALEMANN	CR_1805
1806	{9EB8D657-AF80-455D-96D2-8F99B2571083}	3/16/2025 20:31	jennifers127	4/23/2025 18:40	JENNIFERSALEMANN	CR_1806
1807	{CF809EC6-9023-4DD6-8A46-B56DCF75D5F6}	3/16/2025 20:31	jennifers127	4/23/2025 18:40	JENNIFERSALEMANN	CR_1807
1808	{656E42B5-4CF6-4F62-A449-D9DFA70F94F4}	3/16/2025 20:31	jennifers127	4/23/2025 18:40	JENNIFERSALEMANN	CR_1808
1809	{8506FC2F-AB3D-4C15-99CC-A16A499D1E32}	3/16/2025 20:31	jennifers127	4/23/2025 18:41	JENNIFERSALEMANN	CR_1809
1810	{93273457-5DFB-4680-9698-5C2A0575BF21}	3/16/2025 20:31	jennifers127	4/23/2025 18:41	JENNIFERSALEMANN	CR_1810

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
1811	{A858B8FC-9B65-435A-B406-C9A7AA6274FF}	3/16/2025 20:31	jennifers127	4/23/2025 18:41	JENNIFERSALEMANN	CR_1811
1812	{6286EB07-8926-442B-8368-712E038AFAE3}	3/16/2025 20:31	jennifers127	4/23/2025 18:41	JENNIFERSALEMANN	CR_1812
1813	{E19046E9-34E2-4E29-B497-64FA1570D7A7}	3/16/2025 20:31	jennifers127	4/23/2025 18:41	JENNIFERSALEMANN	CR_1813
1814	{49393474-A85E-4B3C-BBD5-A5B227DB8199}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_1814
1815	{B89B7579-5BE5-4C19-BBAA-A245F297E477}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_1815
1816	{48219C3B-C368-4CC1-ACC2-5A19F7F7888B}	3/16/2025 20:31	jennifers127	4/23/2025 18:42	JENNIFERSALEMANN	CR_1816
1817	{6BBC1848-6098-4503-9F4F-A0B0940C695C}	3/16/2025 20:31	jennifers127	4/23/2025 18:42	JENNIFERSALEMANN	CR_1817
1818	{9FF8E0BF-311E-4A1C-9824-52572206CC8D}	3/16/2025 20:31	jennifers127	4/23/2025 18:43	JENNIFERSALEMANN	CR_1818
1819	{CE41EE7E-61EE-4982-8E0A-A6A2C90CF8A4}	3/16/2025 20:31	jennifers127	4/23/2025 18:43	JENNIFERSALEMANN	CR_1819
1820	{495F055D-4FD8-4D29-984C-0E804A48C03D}	3/16/2025 20:31	jennifers127	4/23/2025 18:43	JENNIFERSALEMANN	CR_1820
1821	{E908AB96-9955-488E-8824-491FADC1F2E2}	3/16/2025 20:31	jennifers127	4/23/2025 18:43	JENNIFERSALEMANN	CR_1821
1822	{28ED8BF9-7A13-453B-8998-E48CD04682FE}	3/16/2025 20:31	jennifers127	4/23/2025 18:44	JENNIFERSALEMANN	CR_1822
1823	{243A62E9-580B-4F96-9566-5ECC17300320}	3/16/2025 20:31	jennifers127	4/23/2025 18:44	JENNIFERSALEMANN	CR_1823
1824	{2295FEB0-C4ED-4935-98BF-7CB217E6AD56}	3/16/2025 20:31	jennifers127	4/23/2025 18:44	JENNIFERSALEMANN	CR_1824
1825	{249E24A8-E993-47F3-910A-9206A370D843}	3/16/2025 20:31	jennifers127	4/23/2025 18:45	JENNIFERSALEMANN	CR_1825
1826	{F7B785EF-B191-43F5-8D4F-23C7163382D6}	3/16/2025 20:31	jennifers127	4/23/2025 18:45	JENNIFERSALEMANN	CR_1826
1827	{75E4490A-EB36-454D-8912-0A0CF963BE68}	3/16/2025 20:31	jennifers127	4/23/2025 18:45	JENNIFERSALEMANN	CR_1827
1828	{269C025F-6F14-4289-A692-812318D86D29}	3/16/2025 20:31	jennifers127	4/23/2025 18:46	JENNIFERSALEMANN	CR_1828
1829	{1E4F621F-5F76-4C8F-9075-58F51826A660}	3/16/2025 20:31	jennifers127	4/23/2025 18:46	JENNIFERSALEMANN	CR_1829
1830	{657987D5-BC41-4FEB-99F2-F22563504E06}	3/16/2025 20:31	jennifers127	4/23/2025 18:46	JENNIFERSALEMANN	CR_1830
1831	{5810ACC3-0F0C-4075-B44C-9BFED10BA57}	3/16/2025 20:31	jennifers127	4/23/2025 18:46	JENNIFERSALEMANN	CR_1831
1832	{5F2C12F4-C5EE-4344-8DFE-2AC506008D88}	3/16/2025 20:31	jennifers127	4/23/2025 18:47	JENNIFERSALEMANN	CR_1832
1833	{6D51CC2A-2465-43C1-9642-EE1FF409E969}	3/16/2025 20:31	jennifers127	4/23/2025 18:47	JENNIFERSALEMANN	CR_1833
1834	{02FE2F03-1104-40CB-B663-3EA5A38B716D}	3/16/2025 20:31	jennifers127	4/23/2025 18:47	JENNIFERSALEMANN	CR_1834
1835	{340815CE-F23F-44C7-A7E3-7FFC514C2A4E}	3/16/2025 20:31	jennifers127	4/23/2025 18:48	JENNIFERSALEMANN	CR_1835
1836	{66C8DA94-FA1D-4E53-8512-BDF08D2874EB}	3/16/2025 20:31	jennifers127	4/23/2025 18:48	JENNIFERSALEMANN	CR_1836
1837	{DB2F55F7-CB0C-4556-9EF5-3FF2401E8A65}	3/16/2025 20:31	jennifers127	4/23/2025 18:48	JENNIFERSALEMANN	CR_1837
1838	{B5D0ED65-1A83-46F9-904B-7CFAFCD27918}	3/16/2025 20:31	jennifers127	4/23/2025 18:48	JENNIFERSALEMANN	CR_1838
1839	{3909573D-450D-4988-8FD4-30FADD036500}	3/16/2025 20:31	jennifers127	4/23/2025 18:48	JENNIFERSALEMANN	CR_1839
1840	{D117B647-6017-463C-BBCB-6D7501AB38C3}	3/16/2025 20:31	jennifers127	4/23/2025 18:49	JENNIFERSALEMANN	CR_1840
1841	{2E2BFC94-CD2B-4FAB-B694-4B44E9A2C0B4}	3/16/2025 20:31	jennifers127	4/23/2025 18:49	JENNIFERSALEMANN	CR_1841
1842	{AD2F8DA4-0304-48CE-912A-53F51736B0A9}	3/16/2025 20:31	jennifers127	4/28/2025 22:26	JENNIFERSALEMANN	CR_1842
2000	{1E672C7C-8EAD-4122-A12C-9C3ED894DA40}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2000
2001	{7668E1D7-BACB-4249-BC40-A8A5FE56E16A}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2001
2002	{434012AD-E725-46DC-BFB0-C3B6F129F952}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2002

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
2003	{B48CE4FC-2A24-4226-B149-0E39E3F65FB5}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2003
2004	{3EBAFB9D-4341-4800-A737-A8A3FFFD2FEE}	3/16/2025 20:31	jennifers127	5/1/2025 21:22	JENNIFERSALEMANN	CR_2004
2005	{9389D1F1-F408-41CE-AD98-8999943DC364}	3/16/2025 20:31	jennifers127	4/23/2025 17:55	JENNIFERSALEMANN	CR_2005
2006	{824E589E-978B-4E26-A321-D378A0DDABD1}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_2006
2007	{97A7A725-26B9-49CD-BAAD-088521D0DBAF}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2007
2008	{4FB435E4-227B-4970-B9AB-A7AEFC544E2F}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2008
2009	{FBB9458C-8608-4469-A6AA-65B08F59BC1F}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2009
2010	{03CA50DC-976E-4712-A317-FEA2F6A0FC07}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2010
2011	{19B50433-DE3D-44DB-87E3-AF3D8F2FB7EF}	3/16/2025 20:31	jennifers127	4/23/2025 17:55	JENNIFERSALEMANN	CR_2011
2012	{3088AF20-DE8D-4FDB-9E36-5080194C82D0}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2012
2013	{50B9D5BB-4ED9-4E8C-9C9E-699900B3ECEB}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2013
2014	{FFB3631F-8529-43C8-8D12-ED8C8E48FF4B}	3/16/2025 20:31	jennifers127	4/23/2025 18:50	JENNIFERSALEMANN	CR_2014
2015	{535CBC35-887A-4037-AD18-A5B8E68FD066}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2015
2016	{6BAA872C-A488-4FD6-A138-81B95566379B}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2016
2017	{5D17CC47-1A88-4201-89B4-6349A82F1077}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2017
2018	{785BAE4C-4F58-4555-919E-3C62A482C8D0}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2018
2019	{B6C8AE19-768F-4F1D-A672-3539ABCAFB2B}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2019
2020	{566BBD1A-7D64-4C09-A9B6-EC38D136C943}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2020
2021	{4192FB90-0D5E-499C-993B-E6300BACB166}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2021
2022	{64612E4D-931B-4499-B63F-0FB36859594A}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2022
2023	{32B5F242-6C9F-4A8F-9B4B-362F8F2EC2EF}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2023
2024	{5ED01F62-92A1-4841-91D9-56125B185A3D}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2024
2025	{D8E991A3-1A58-4CFF-A05A-98BF5046F5CE}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2025
2026	{E5530E6A-57CC-41AF-92F3-B1CB032E36EA}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2026
2027	{3BE81182-31E2-462C-8D64-028A0034442D}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2027
2028	{A0ADD208-BDDA-453B-AD08-4685E97ACD65}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2028
2029	{CCF0C5BC-9F38-4651-927B-2767E1B39720}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2029
2030	{559A9E1B-A72A-4E9D-9F06-C7085B0470AE}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2030
2031	{E789AFC5-9FB4-429D-A1E7-E145B6CEEC23}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2031
2032	{42A38A8B-B76A-4D6A-A39B-FB4255EA19C0}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2032
2033	{EDBE1A1C-287A-4B21-AD5A-7617BAABBAF5}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2033
2034	{E805026F-B21E-42D4-AB2A-A56AE542FD22}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2034
2035	{90A47DF4-14AC-4270-BDFF-5597187B39BA}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2035
2036	{9DF849A2-5B8C-4FD1-B615-8C406CA4CF53}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2036

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
2037	{F611FE33-E0BD-47ED-BAF4-AA8B19C84ECA}	3/16/2025 20:31	jennifers127	5/1/2025 21:28	JENNIFERSALEMANN	CR_2037
2038	{12BAE4B6-5C9A-4C03-86E2-A605BD1E24CE}	4/4/2025 21:04		4/28/2025 22:22	JENNIFERSALEMANN	CR_2038
2039	{49EAFDF2-0379-416E-B83F-DA5AB256F771}	4/4/2025 21:37		4/28/2025 22:22	JENNIFERSALEMANN	CR_2039
2040	{3A556C5F-2528-44F8-BC6D-F15B393797A9}	4/4/2025 21:35		4/28/2025 22:22	JENNIFERSALEMANN	CR_2040
2041	{7824F529-CC31-4DCC-8196-FE7A2A5DE677}	4/4/2025 18:06		4/28/2025 22:22	JENNIFERSALEMANN	CR_2041
2042	{3850F52F-D0C4-49F4-B072-97B1DF926DF7}	4/4/2025 18:04		4/28/2025 22:22	JENNIFERSALEMANN	CR_2042
2043	{7D51C994-7E0C-46B3-A162-110DC6E0000E}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_2043
2044	{EE2A6850-7FBE-4E42-B2AC-CBDF46250654}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_2044
2045	{1F682C99-D3C7-4369-A162-EE41EC57086B}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_2045
2046	{A10B5915-BCA6-4BEC-918B-A17A7AC58FAB}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_2046
2047	{D611CCFB-D292-4701-A080-E217ECB4ECA5}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_2047
2048	{E7B6D327-8AE6-4C32-9E85-5D2D515B75EF}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_2048
2049	{CC60CCED-4C89-4537-BB04-E15ABC833523}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_2049
2050	{C1FD48D0-1FBD-481B-ABEF-3E00B378FEC3}	3/16/2025 20:31	jennifers127	5/1/2025 21:27	JENNIFERSALEMANN	CR_2050
2051	{38A414BB-C786-4AC9-AC32-7E631126B64D}	4/4/2025 18:18		4/28/2025 22:22	JENNIFERSALEMANN	CR_2051
2052	{4968E86E-EFAC-4394-BF08-D4EAA8386B77}	4/4/2025 18:16		4/28/2025 22:22	JENNIFERSALEMANN	CR_2052
2053	{FA4C4866-42A8-4881-835B-A8F96A6A134C}	4/4/2025 19:07	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2053
2054	{48397365-2A70-4268-893B-C29E0EB5BF55}	4/4/2025 19:07	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2054
2055	{AEE4C437-3204-434A-B916-44DB166692E3}	4/4/2025 17:58		4/28/2025 22:22	JENNIFERSALEMANN	CR_2055
2056	{F5FA9236-FB2D-4E28-9C72-36F0CA17D34C}	4/2/2025 20:05		4/28/2025 22:22	JENNIFERSALEMANN	CR_2056
2057	{6ACE989B-3650-4FD8-B6C1-3B03EF79F4F7}	4/3/2025 22:35		4/28/2025 22:22	JENNIFERSALEMANN	CR_2057
2058	{D84664EB-80D9-4801-9B83-0E367969D03C}	4/3/2025 1:28		5/1/2025 21:27	JENNIFERSALEMANN	CR_2058
2059	{B25EF0DC-671A-4BB2-9FAC-B685EB28E877}	4/2/2025 23:44		4/23/2025 19:47	JENNIFERSALEMANN	CR_2059
2060	{6CD51F5F-0CB3-448E-BD44-47FC9FDAB17A}	4/2/2025 23:42		4/23/2025 19:47	JENNIFERSALEMANN	CR_2060
2061	{E02D6D08-20E4-43BD-8F2F-9DE57DF24552}	4/3/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2061
2062	{23B7B2AE-E421-4D6B-9EFC-D002847BF72B}	4/3/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2062
2063	{4DF3A9C7-4800-4BB8-8314-F406029FCA38}	4/3/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2063
2064	{C7CC5EBD-6AB4-44D6-A54F-78831A528877}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2064
2065	{74360F99-DBB3-4C23-BF1E-42328FAFF2A1}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2065
2066	{840245EA-7DC7-4A4E-9A9D-185F808BBE64}	4/3/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2066
2067	{2ACFF12F-3E55-455D-8A30-FBC2526A4B6D}	4/3/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2067
2068	{8C2DF462-D57D-4A9A-AF9A-E4DEAACFD09D}	4/4/2025 20:13		4/28/2025 22:22	JENNIFERSALEMANN	CR_2068
2069	{E11D4451-E12A-4971-B30C-0551D3A5F4BE}	4/3/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2069
2070	{A52FA57D-DD2B-4CB7-AA87-6786A32696BE}	4/4/2025 20:10		4/28/2025 22:22	JENNIFERSALEMANN	CR_2070

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
2071	{E0228970-BBA3-4DD3-90D9-013EE8BFB13D}	4/3/2025 17:23		4/28/2025 22:22	JENNIFERSALEMANN	CR_2071
2072	{7F85263C-0FA9-46E8-8B17-B298C1E02112}	4/3/2025 17:25		4/28/2025 22:22	JENNIFERSALEMANN	CR_2072
2073	{0C8D1980-7766-4D3A-868E-DFCC57BC6118}	4/3/2025 17:26		4/28/2025 22:22	JENNIFERSALEMANN	CR_2073
2074	{908943F2-5C38-4AB4-89A2-B0B270F3573F}	4/3/2025 20:30	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2074
2075	{E9084A39-47EB-4D44-83C0-4EB39BEB50A0}	4/3/2025 20:30	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2075
2076	{DE317D13-B6EC-4EB3-934D-7C4FF37FEA9F}	4/3/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2076
2077	{04B91705-05B7-460D-B8E3-4D0CAE4CF9A5}	4/4/2025 22:53		4/28/2025 22:22	JENNIFERSALEMANN	CR_2077
2078	{DAA2921B-9B10-4EAF-A2AB-3E61B536CE71}	4/4/2025 22:52		4/28/2025 22:22	JENNIFERSALEMANN	CR_2078
2079	{B6A51B22-C268-423C-8D10-E82D18502F30}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2079
2080	{509609CB-678F-4974-9B79-202A2C87C737}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2080
2081	{C775CCD3-EF52-415C-8239-4C4E2A0FA8FE}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2081
2082	{C9FE9847-14B1-4CA9-82C9-8F71E31EA346}	3/16/2025 20:31	jennifers127	4/28/2025 22:17	JENNIFERSALEMANN	CR_2082
2083	{B5BB5D96-4DE6-4762-B3D5-EDCB0E3F459B}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2083
2084	{1F52F28E-EF67-4284-858B-3431EBEF3875}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2084
2085	{28F244A3-9BAB-487A-91C9-4365BA22719D}	3/16/2025 20:31	jennifers127	4/23/2025 18:51	JENNIFERSALEMANN	CR_2085
2086	{55EF527A-072C-44E0-85E7-FDBC1C2461BB}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2086
2087	{1DF75A19-AB7D-4CEA-83A0-BDC8C1D41CE9}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2087
2088	{0A0F0806-3E6B-45C8-8608-87CD9F527B05}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2088
2089	{4C63327A-EBC2-4B07-AECE-82B6411B26A5}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2089
2090	{0B36CE84-B37B-4072-9DCA-B187BB3544A6}	4/4/2025 18:48	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2090
2091	{BC8E0CA9-02B8-4933-A83B-06E9AA56280B}	4/4/2025 18:46	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2091
2092	{C9CAE4C9-A3F7-4C39-A529-EC638A2D1CAC}	4/4/2025 18:47	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2092
2093	{214E5EBC-9A19-450A-B5E2-A0F2A401D7F0}	4/4/2025 18:47	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2093
2094	{1614DFF9-0B5A-4D06-BA30-11381776093B}	4/4/2025 18:47	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2094
2095	{202E0CF3-B292-42C7-AD11-53549E71D45E}	4/4/2025 22:21		4/28/2025 22:22	JENNIFERSALEMANN	CR_2095
2096	{98D28D14-BA9B-43D2-BA70-CA21E4431754}	4/4/2025 22:19		4/28/2025 22:22	JENNIFERSALEMANN	CR_2096
2097	{FCA9A9E1-E456-4D07-B4E6-D131DFF53A1C}	4/4/2025 22:01		4/28/2025 22:22	JENNIFERSALEMANN	CR_2097
2098	{41B20E2B-93D6-419C-ACB5-FB36CB4A0F64}	4/10/2025 20:12	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2098
2099	{8F1D2B39-6561-459B-B9FB-785A9B86E5D4}	4/10/2025 20:12	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2099
2100	{B8B2F143-88AF-400F-80DD-C52DB9953B54}	4/9/2025 17:32	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2100
2101	{1F96FCF3-64A8-43DB-9BE8-8D10F0EAA78D}	4/9/2025 17:13	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2101
2102	{3ECCB2C4-2E84-4C79-B19A-28D9D5458CFB}	4/4/2025 22:00		4/28/2025 22:22	JENNIFERSALEMANN	CR_2102
2103	{628DE75D-1E75-4BEC-8150-72149663716B}	<Null>	<Null>	<Null>	<Null>	CR_2103
2104	{7EF69FE9-63E4-4F86-9FFC-F0B5FDC841DF}	4/2/2025 19:05		4/28/2025 22:22	JENNIFERSALEMANN	CR_2104
2105	{9C4C23C3-6798-4C4F-9E15-8091D3C9B77D}	3/17/2025 23:15		4/24/2025 23:12	JENNIFERSALEMANN	CR_2105
2106	{B00B7CCF-C08B-43E9-BDB0-1030EA30D7EE}	3/17/2025 23:18		4/24/2025 23:12	JENNIFERSALEMANN	CR_2106

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
2107	{458F4F90-B9D3-45B5-97BF-F4746689AFE8}	3/17/2025 23:26		4/23/2025 21:12	JENNIFERSALEMANN	CR_2107
2108	{E168C422-3506-40DF-9E09-134D17211EC1}	3/17/2025 23:22		4/23/2025 17:56	JENNIFERSALEMANN	CR_2108
2109	{A8555BFF-6AD3-4718-83EB-4CC4F218496F}	3/17/2025 23:21		4/24/2025 23:12	JENNIFERSALEMANN	CR_2109
2110	{396FCB8D-5CBD-420C-9DEB-575AD25592D8}	3/17/2025 23:28		4/24/2025 23:12	JENNIFERSALEMANN	CR_2110
2111	{619EC9AB-2253-4963-977E-BD6040D7EB8A}	3/17/2025 23:30		4/24/2025 23:12	JENNIFERSALEMANN	CR_2111
2112	{FF906D4C-BBB9-4EBE-89E0-0BA07596DC67}	3/18/2025 0:08		4/23/2025 19:44	JENNIFERSALEMANN	CR_2112
2113	{43742D93-73B9-4600-BCE1-9BDDF8C45ABF}	3/18/2025 0:10		4/23/2025 19:44	JENNIFERSALEMANN	CR_2113
2114	{19BA6ECC-5277-459A-86EB-0CD82AD9DF43}	3/18/2025 17:02		5/1/2025 21:17	JENNIFERSALEMANN	CR_2114
2115	{30CF9A6A-B571-438F-B13E-19B1D33FEBAB}	3/18/2025 17:01		5/1/2025 21:17	JENNIFERSALEMANN	CR_2115
2116	{C3073F6C-3F36-45D5-A18A-52FA739967B4}	3/18/2025 16:57		4/23/2025 19:45	JENNIFERSALEMANN	CR_2116
2117	{8FE7FEF6-9537-46E8-A2E0-E02A73A57BBB}	3/18/2025 16:58		4/23/2025 19:45	JENNIFERSALEMANN	CR_2117
2118	{88E7F4C5-DCF1-4BF9-B97D-475C4C903F60}	3/18/2025 17:17		4/28/2025 22:22	JENNIFERSALEMANN	CR_2118
2119	{46B2FE57-8D35-46E2-B6F7-39CFFDD5CF84}	3/18/2025 18:39		4/23/2025 19:46	JENNIFERSALEMANN	CR_2119
2120	{108DF9A6-2164-4E07-A4DE-0E550366697F}	3/18/2025 0:01		4/24/2025 23:17	JENNIFERSALEMANN	CR_2120
2121	{0F95A7B7-C5AE-4861-B35D-24EBC53C6672}	3/18/2025 18:22		5/1/2025 21:28	JENNIFERSALEMANN	CR_2121
2122	{4EC70518-FB10-4D4B-8F16-F538DFC5ADB8}	3/18/2025 18:23		5/1/2025 21:27	JENNIFERSALEMANN	CR_2122
2123	{BE117C14-74FE-4E28-92C7-4413B4EF802D}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2123
2124	{08B6ECDD-146F-47D0-B1D0-1E1E9E1D09D4}	3/16/2025 20:31	jennifers127	4/28/2025 22:22	JENNIFERSALEMANN	CR_2124
2125	{388271DC-0422-4F20-A18D-DB5CC5C84480}	3/17/2025 17:37		4/24/2025 23:17	JENNIFERSALEMANN	CR_2125
2126	{8EA2AE86-A003-4985-A83C-747AB3CB4D2F}	<Null>	<Null>	<Null>	<Null>	CR_2126
2129	{36FAF5D3-196B-49D0-839D-798E797622E1}	3/17/2025 19:35		4/23/2025 18:54	JENNIFERSALEMANN	CR_2129
2130	{4B619677-67A7-407D-8116-B9EBFC0AFE10}	3/17/2025 19:36		4/23/2025 18:55	JENNIFERSALEMANN	CR_2130
2131	{E95AD301-2B0D-4444-8B98-4E49DA275707}	3/17/2025 19:37		4/23/2025 18:55	JENNIFERSALEMANN	CR_2131
2132	{C08173D5-E68C-48FE-AC86-2FFDBD98C5E8}	3/17/2025 19:38		4/23/2025 18:55	JENNIFERSALEMANN	CR_2132
2133	{478F45B7-E9D3-4E6B-818A-DB9A48216F9F}	3/17/2025 19:52		4/24/2025 23:17	JENNIFERSALEMANN	CR_2133
2134	{07FBAB7B-A3E6-4154-8BF4-F11417C3E280}	3/17/2025 20:14		4/23/2025 17:56	JENNIFERSALEMANN	CR_2134
2135	{93A7BC39-0ADD-4C63-85F1-0151A9DBA29E}	3/17/2025 17:53		4/24/2025 23:17	JENNIFERSALEMANN	CR_2135
2136	{ABDFF5B3-EB3B-43E4-A3F1-8148F232CA64}	3/17/2025 18:10		4/24/2025 23:17	JENNIFERSALEMANN	CR_2136
2137	{1BA94F20-CE30-419F-8201-8C1E408BAA1D}	3/17/2025 19:01		4/24/2025 23:17	JENNIFERSALEMANN	CR_2137
2138	{754DB09D-4CE8-44A4-A51E-079AAD189BB9}	3/17/2025 20:34		4/24/2025 23:17	JENNIFERSALEMANN	CR_2138
2139	{3DC57BD2-0B7C-4F76-B906-ACB738134BB7}	3/17/2025 18:08		4/24/2025 23:17	JENNIFERSALEMANN	CR_2139
2140	{418BA671-0777-4826-B14C-F6F5A7E0940E}	3/17/2025 18:10		4/24/2025 23:17	JENNIFERSALEMANN	CR_2140
2141	{7B6C4656-9485-4D69-ADAE-9B1CF8D2A5E2}	3/18/2025 18:03		4/28/2025 22:22	JENNIFERSALEMANN	CR_2141
2142	{787F2E2F-CFD1-4CA4-B21A-A7E83104E495}	3/18/2025 18:01		4/28/2025 22:22	JENNIFERSALEMANN	CR_2142
2143	{A5237A0F-DA9C-4239-AA3B-3BD8D2560DFD}	3/18/2025 17:57		4/23/2025 19:46	JENNIFERSALEMANN	CR_2143

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
2144	{89F62D65-AB7B-4F71-AC96-8AE2A5E7C4C5}	3/18/2025 17:58		4/23/2025 19:46	JENNIFERSALEMANN	CR_2144
2145	{63D1EDD1-6D5C-4F14-A329-3494030672AC}	3/18/2025 18:17		4/24/2025 23:12	JENNIFERSALEMANN	CR_2145
2146	{CA7E2B03-3FBC-4123-954E-ED864D6A22B2}	3/17/2025 23:23		4/23/2025 21:12	JENNIFERSALEMANN	CR_2146
2147	{C01612AC-C884-4F43-9E2A-A0AACB537ABA}	3/16/2025 20:31	jennifers127	4/23/2025 21:13	JENNIFERSALEMANN	CR_2147
2148	{D86969FD-BF2A-49FD-A9FF-35CA20B9C1BD}	4/14/2025 17:00	jennifers127	4/28/2025 22:23	JENNIFERSALEMANN	CR_2148
2149	{F896788A-F238-4122-8CF1-3DD461720C10}	4/14/2025 17:00	jennifers127	4/28/2025 22:23	JENNIFERSALEMANN	CR_2149
2150	{C470AE78-73A1-4665-898A-1FE2AFA3D1AD}	4/14/2025 17:00	jennifers127	4/28/2025 22:23	JENNIFERSALEMANN	CR_2150
2151	{94BB9D64-8A7C-4E31-88FB-FA10FA229795}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_2151
2152	{37026DE8-F878-4859-B2B6-0799EC31BFA5}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_2152
2153	{D839FC47-0312-4557-A673-4845D5EBA1D4}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_2153
2154	{A130021A-E5BD-42B7-A939-0BB49D537818}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_2154
2155	{3C908346-57AD-44C7-A1DC-32BCB0116E95}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_2155
2156	{50CA7F31-8558-4CFE-9AF6-6420EA2C8051}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_2156
2157	{1CC6B747-A532-4874-87B2-6DB253517501}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_2157
2158	{1ED2FFCD-BFD8-44BF-AFBA-375ED4016093}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_2158
2159	{46957655-D4FA-434F-BE7A-226F9AAF5BCF}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_2159
2160	{7D1068BC-12C1-436D-A667-9389D8D4883D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_2160
2161	{49268361-DB1B-4A90-8C14-6C59AFC306B3}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_2161
2162	{6F717A7C-9FEE-4E3B-A8C6-D9CCFA810C66}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_2162
2163	{B8D0B3D2-FB7F-49E3-9644-BC5382780BBF}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_2163
2164	{AB5D75B7-D607-4AB0-BA48-B3AC2664616F}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_2164
2165	{BCAD8B8F-19E9-4ACA-9023-FF75639079B9}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_2165
2166	{0749E79A-AD43-4DB9-A2A0-797E0F1707EC}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2166
2167	{63373250-7C6F-4027-A3AF-90A5A85BE294}	3/16/2025 20:31	jennifers127	4/23/2025 21:12	JENNIFERSALEMANN	CR_2167
2168	{A45D307E-39A2-45FF-9477-632B0E4DAEBC}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_2168
2169	{C2A2CEC3-07FF-4D9B-8B11-FBD78BFCE2B}	3/16/2025 20:31	jennifers127	4/24/2025 23:12	JENNIFERSALEMANN	CR_2169
2170	{4FD63B83-617A-4093-9B2E-A302AB0DA81F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_2170
2171	{1855B1A8-6895-4F5F-81D6-25D0732FB783}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2171
2172	{248C4AB9-DACD-4186-9F83-D7461B33F2F7}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_2172
2173	{F6C41620-6060-484B-8003-33CCC3E85DF7}	3/16/2025 20:31	jennifers127	4/23/2025 21:13	JENNIFERSALEMANN	CR_2173
2174	{B0DB47BE-DDC4-4FB7-B307-85000A7BFEA5}	3/16/2025 20:31	jennifers127	4/23/2025 21:13	JENNIFERSALEMANN	CR_2174
2175	{8DEE34D1-8EC4-48EA-A95C-AB9133A0B4F8}	3/16/2025 20:31	jennifers127	4/23/2025 21:13	JENNIFERSALEMANN	CR_2175
2176	{159BED90-802A-4041-A53B-94D2EA3F5038}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2176
2177	{53E877C6-2FEA-4223-8A86-166243907E0A}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_2177
2178	{0E77BC76-AA03-4A12-B05E-ABA965CC2420}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_2178

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRampID_No	GlobalID *	CreationDate	Creator	EditDate	Editor	TSI_CurbRamp_ID
2179	{1853CE03-854B-4E05-9AB5-0D129492D30C}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_2179
2180	{EC657A75-5222-4191-8E6B-7D635159D87E}	3/16/2025 20:31	jennifers127	4/23/2025 21:13	JENNIFERSALEMANN	CR_2180
2181	{B6559EC6-E63A-4A71-B0F9-A2ADCB36FDBF}	3/16/2025 20:31	jennifers127	4/23/2025 21:13	JENNIFERSALEMANN	CR_2181
2182	{B68F325D-068A-4B43-9AE4-DAAB7A004AD0}	3/16/2025 20:31	jennifers127	4/23/2025 17:02	JENNIFERSALEMANN	CR_2182
2183	{3938605A-D6AC-485E-987F-2A1EE7BDB42B}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2183
2184	{7669E143-F981-4890-920F-AB240F146C8C}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2184
2185	{599C5A38-CE0F-44AA-8D23-CE9B858F53FB}	3/16/2025 20:31	jennifers127	4/23/2025 21:13	JENNIFERSALEMANN	CR_2185
2186	{769410ED-AE5C-4E36-A2AE-5E5ACBFB4AE3}	3/16/2025 20:31	jennifers127	4/23/2025 21:13	JENNIFERSALEMANN	CR_2186
2187	{BFB E48D5-520D-43DA-B825-16D02FCC6D03}	3/16/2025 20:31	jennifers127	4/23/2025 21:13	JENNIFERSALEMANN	CR_2187
2188	{4FF53CF9-E7AE-4F0B-ACE4-4FDA495619C8}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2188
2189	{7B8E26C8-F777-45FD-A1BF-16B775955467}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_2189
2190	{85A76F25-4A4F-456F-8DC9-76784872235D}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_2190
2191	{4A08F4B8-155F-46A9-8639-86230AD06C42}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_2191
2192	{62042F73-7250-41CE-BD53-3A60608C1C00}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_2192
2193	{7C333567-304A-45F3-BF9C-445B70AC42B9}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2193
2195	{4846E4CF-EA10-490E-8EF7-65C4A8133909}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2195
2196	{D1E0AE66-47BF-4EBF-87F0-C35F729CF82C}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2196
2197	{14FAD5DB-9FBF-4BFF-871E-7F408C8E25E6}	3/16/2025 20:31	jennifers127	4/23/2025 21:13	JENNIFERSALEMANN	CR_2197
2198	{A9339B27-E1F2-44F4-890F-9FCE1D210A43}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_2198
2199	{7C9229AE-BAF4-4403-8463-5B91AC66CF4F}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_2199
2200	{B9022903-BD20-4733-8EF7-52037A2C8E46}	3/16/2025 20:31	jennifers127	4/23/2025 17:02	JENNIFERSALEMANN	CR_2200
2201	{79DBF8FA-2D32-48ED-A51B-974016D1E215}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_2201
2202	{F9886E91-763E-430D-BE51-0A9FC489C682}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_2202
2203	{ECB44FCD-62F9-46C7-8B99-E95A0731EC4F}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2203
2204	{50FE9A8D-DFAD-4E3F-8E83-8800488CAF4E}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_2204
2205	{D562976F-341A-4CE7-9224-49FB3AC0F809}	3/16/2025 20:31	jennifers127	4/23/2025 17:28	JENNIFERSALEMANN	CR_2205
1230	{53C0ACEF-1A0C-494C-A562-037594935F3A}	3/16/2025 20:31	jennifers127	4/23/2025 17:01	JENNIFERSALEMANN	CR_2206
2206	{AE09880A-8DCC-4C91-B3DE-5A21200D9A5D}	3/16/2025 20:31	jennifers127	4/23/2025 21:13	JENNIFERSALEMANN	CR_2206
2207	{301539A1-6811-44FC-8522-3B6D3FEF083A}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2207
2208	{C9C1999A-A862-4D19-BB3B-637D271B4D1B}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2208
2209	{AAC573CC-EF43-4C3A-B92D-3381A5177B54}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2209
2210	{02F7F63B-8683-4D02-A707-A54C0AB701D6}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2210
2211	{167484AD-BB81-4E69-AD4D-770CF51BCF3C}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2211
2212	{34713744-B694-46F5-AA3C-DCAFE403063D}	3/16/2025 20:31	jennifers127	4/24/2025 23:17	JENNIFERSALEMANN	CR_2212

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0001	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0002	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0003	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0004	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0005	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0006	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0007	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0008	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0009	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0010	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0011	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0012	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0013	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0014	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0015	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0016	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0017	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0018	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0019	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0020	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0021	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0022	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0023	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0024	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0025	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0026	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0027	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0028	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0029	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0030	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0031	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0032	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0033	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0034	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0035	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0036	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0037	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0038	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0039	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0040	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0041	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0042	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0043	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0044	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0045	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0046	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0047	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0048	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0049	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0050	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0051	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0052	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0053	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0054	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0055	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0056	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0057	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0059	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0060	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0061	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0062	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0063	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0064	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0065	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0066	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0067	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0068	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0069	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0070	B	Poor	No	No	2	Non-compliant Ramp	
CR_0070	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0071	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0072	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0073	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0074	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0075	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0076	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0077	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0078	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0079	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0080	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0082	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0083	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0084	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0085	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0086	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0087	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0088	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0089	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_0090	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0091	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0092	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0093	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0094	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0095	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0096	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0097	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0098	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0099	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0100	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0101	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0102	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0103	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0104	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0105	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0106	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0107	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0108	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0109	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0110	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0111	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0112	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0113	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0114	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0115	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0116	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0117	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0118	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0119	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0120	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0121	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0122	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0123	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_0124	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0125	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0126	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0127	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0128	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0129	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0130	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0131	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0132	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0133	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0134	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0135	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0136	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0137	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0138	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0139	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0140	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0141	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0142	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0143	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0144	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0145	A	Fair or Better	Yes	Yes	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0146	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0147	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0148	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0149	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0150	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0151	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0152	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0153	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0154	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0155	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0156	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0157	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0158	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0159	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_0160	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0161	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0162	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0163	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0164	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0165	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0166	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0167	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0168	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0169	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0170	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0171	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_0172	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_0173	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0174	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0175	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0176	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_0177	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0178	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0179	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0180	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0181	A	Fair or Better	Yes	No	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0182	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0183	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0184	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0185	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0186	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0187	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0188	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0189	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0190	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0191	B	Poor	No	No	2	Non-compliant Ramp	
CR_0192	B	Poor	No	No	2	Non-compliant Ramp	
CR_0193	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0194	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0195	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0196	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0197	B	Poor	No	No	2	Non-compliant Ramp	
CR_0198	B	Poor	No	No	2	Non-compliant Ramp	
CR_0199	B	Poor	No	No	2	Non-compliant Ramp	
CR_0200	B	Poor	No	No	2	Non-compliant Ramp	
CR_0201	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0202	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0203	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0204	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0205	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_0206	B	Poor	No	No	2	Non-compliant Ramp	
CR_0207	B	Poor	No	No	2	Non-compliant Ramp	
CR_0208	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0209	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0210	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0211	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0212	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0213	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0214	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0215	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0216	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0217	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0218	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0219	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0220	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0221	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0222	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0223	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0224	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0225	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0226	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0227	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0228	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0229	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0230	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0231	B	Poor	No	No	2	Non-compliant Ramp	
CR_0232	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0233	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0234	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0235	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0236	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0237	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0238	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0239	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0240	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0241	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0242	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0243	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0244	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0245	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0246	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0247	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0248	A	Fair or Better	No	Yes	2	Non-compliant Ra	
CR_0249	A	Fair or Better	Yes	Yes	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0250	A	Fair or Better	No	Yes	2	Non-compliant Ra	
CR_0251	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0252	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0253	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0254	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0255	D	Missing	No	No	3	No ramp	
CR_0256	D	Missing	No	No	3	No ramp	
CR_0257	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0258	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0259	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0260	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0261	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0262	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0263	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0264	B	Poor	No	No	2	Non-compliant Ramp	
CR_0265	B	Poor	No	No	2	Non-compliant Ramp	
CR_0266	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0267	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0268	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0269	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0270	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0271	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0272	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0273	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0274	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0275	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0276	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0277	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0278	D	Missing	No	No	3	No ramp	
CR_0279	D	Missing	No	No	3	No ramp	
CR_0280	D	Missing	No	No	3	No ramp	
CR_0281	D	Missing	No	No	3	No ramp	
CR_0282	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0283	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0284	C	Very Poor	No	No	2	Non-compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0285	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0286	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0287	D	Missing	No	No	3	No ramp	
CR_0288	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0289	B	Poor	No	No	2	Non-compliant Ramp	
CR_0290	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0291	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0292	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0293	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0294	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0295	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0296	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0297	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0298	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0299	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0300	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0301	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0302	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0303	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0304	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0305	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0306	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0307	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0308	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0309	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0310	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0311	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0312	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0313	D	Missing	No	No	3	No ramp	
CR_0314	D	Missing	No	No	3	No ramp	
CR_0315	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0316	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0317	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0318	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0319	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0320	C	Very Poor	No	No	2	Non-compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0322	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0323	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0324	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0325	D	Missing	No	No	3	No ramp	
CR_0326	D	Missing	No	No	3	No ramp	
CR_0327	D	Missing	No	No	3	No ramp	
CR_0328	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0329	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0330	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0331	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0332	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0333	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0334	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0335	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0337	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0338	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0339	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0340	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0341	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0342	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0343	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0344	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0345	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0346	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0347	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0348	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0349	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0350	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0351	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0352	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0353	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0354	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0355	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0356	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0357	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0358	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0359	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0360	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0361	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0362	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0363	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0364	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0365	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0366	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0367	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0368	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0371	D	Missing	No	No	3	No ramp	
CR_0372	D	Missing	No	No	3	No ramp	
CR_0373	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0374	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0375	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0376	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0377	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0378	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0379	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0380	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0381	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0382	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0383	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0384	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0385	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0386	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0387	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0388	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0389	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0390	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0391	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0392	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0393	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0394	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0395	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0396	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0397	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0398	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0399	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0400	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0401	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0402	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0403	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0404	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0405	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0406	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0407	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0408	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0409	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0410	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0411	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0412	B	Poor	No	No	2	Non-compliant Ramp	
CR_0413	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0414	B	Poor	No	No	2	Non-compliant Ramp	
CR_0415	B	Poor	No	No	2	Non-compliant Ramp	
CR_0416	B	Poor	No	No	2	Non-compliant Ramp	
CR_0417	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0418	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0419	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0420	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0421	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0422	D	Missing	No	No	3	No ramp	
CR_0423	D	Missing	No	No	3	No ramp	
CR_0424	D	Missing	No	No	3	No ramp	
CR_0425	D	Missing	No	No	3	No ramp	
CR_0426	D	Missing	No	No	3	No ramp	
CR_0427	D	Missing	No	No	3	No ramp	
CR_0428	D	Missing	No	No	3	No ramp	
CR_0429	D	Missing	No	No	3	No ramp	
CR_0430	D	Missing	No	No	3	No ramp	
CR_0431	D	Missing	No	No	3	No ramp	
CR_0432	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0433	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0434	B	Poor	No	No	2	Non-compliant Ramp	
CR_0435	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0436	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0437	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_0438	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0439	B	Poor	No	No	2	Non-compliant Ramp	
CR_0440	B	Poor	No	No	2	Non-compliant Ramp	
CR_0441	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0442	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0443	B	Poor	No	No	2	Non-compliant Ramp	
CR_0444	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0445	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0446	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0447	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0448	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0449	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0450	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0451	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0452	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0453	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0454	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0455	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0456	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0457	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0458	B	Poor	No	No	2	Non-compliant Ramp	
CR_0459	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0460	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0461	B	Poor	No	No	2	Non-compliant Ramp	
CR_0462	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0463	B	Poor	No	No	2	Non-compliant Ramp	
CR_0464	B	Poor	No	No	2	Non-compliant Ramp	
CR_0465	B	Poor	No	No	2	Non-compliant Ramp	
CR_0466	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0467	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0468	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0469	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_0470	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0471	B	Poor	No	No	2	Non-compliant Ramp	
CR_0472	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0473	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0474	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0475	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0476	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0477	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0478	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0479	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0480	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0481	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0482	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0483	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0484	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0485	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0486	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0487	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0488	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0489	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0490	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0491	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0492	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0493	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0494	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0495	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0496	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0497	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0498	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0499	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0500	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0501	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0502	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0503	A	Fair or Better	Yes	Yes	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0504	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0505	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0506	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0507	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0508	D	Missing	No	No	3	No ramp	
CR_0509	D	Missing	No	No	3	No ramp	
CR_0510	D	Missing	No	No	3	No ramp	
CR_0511	D	Missing	No	No	3	No ramp	
CR_0512	D	Missing	No	No	3	No ramp	
CR_0513	D	Missing	No	No	3	No ramp	
CR_0514	D	Missing	No	No	3	No ramp	
CR_0515	D	Missing	No	No	3	No ramp	
CR_0516	D	Missing	No	No	3	No ramp	
CR_0517	D	Missing	No	No	3	No ramp	
CR_0518	D	Missing	No	No	3	No ramp	
CR_0519	D	Missing	No	No	3	No ramp	
CR_0520	D	Missing	No	No	3	No ramp	
CR_0521	D	Missing	No	No	3	No ramp	
CR_0522	D	Missing	No	No	3	No ramp	
CR_0523	D	Missing	No	No	3	No ramp	
CR_0524	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0525	D	Missing	No	No	3	No ramp	
CR_0526	D	Missing	No	No	3	No ramp	
CR_0527	D	Missing	No	No	3	No ramp	
CR_0528	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0529	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0530	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0531	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0532	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0533	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0534	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0535	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0536	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0537	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0538	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0539	A	Fair or Better	Yes	Yes	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0540	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0541	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0542	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0543	B	Poor	No	No	2	Non-compliant Ramp	
CR_0544	B	Poor	No	No	2	Non-compliant Ramp	
CR_0545	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0546	B	Poor	No	No	2	Non-compliant Ramp	
CR_0547	B	Poor	No	No	2	Non-compliant Ramp	
CR_0548	B	Poor	No	No	2	Non-compliant Ramp	
CR_0549	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0550	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0556	D	Missing	No	No	3	No ramp	
CR_0557	D	Missing	No	No	3	No ramp	
CR_0558	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0559	D	Missing	No	No	3	No ramp	
CR_0560	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0561	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0562	D	Missing	No	No	3	No ramp	
CR_0563	D	Missing	No	No	3	No ramp	
CR_0564	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0565	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0566	D	Missing	No	No	3	No ramp	
CR_0567	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0571	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0572	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0573	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0574	D	Missing	No	No	3	No ramp	
CR_0575	D	Missing	No	No	3	No ramp	
CR_0576	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0578	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0579	D	Missing	No	No	3	No ramp	
CR_0580	D	Missing	No	No	3	No ramp	
CR_0581	D	Missing	No	No	3	No ramp	
CR_0582	D	Missing	No	No	3	No ramp	
CR_0583	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0584	C	Very Poor	No	No	2	Non-compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0585	D	Missing	No	No	3	No ramp	
CR_0586	D	Missing	No	No	3	No ramp	
CR_0587	D	Missing	No	No	3	No ramp	
CR_0588	D	Missing	No	No	3	No ramp	
CR_0589	D	Missing	No	No	3	No ramp	
CR_0590	D	Missing	No	No	3	No ramp	
CR_0591	D	Missing	No	No	3	No ramp	
CR_0592	D	Missing	No	No	3	No ramp	
CR_0593	D	Missing	No	No	3	No ramp	
CR_0594	D	Missing	No	No	3	No ramp	
CR_0595	D	Missing	No	No	3	No ramp	
CR_0596	D	Missing	No	No	3	No ramp	
CR_0597	D	Missing	No	No	3	No ramp	
CR_0598	D	Missing	No	No	3	No ramp	
CR_0599	D	Missing	No	No	3	No ramp	
CR_0600	D	Missing	No	No	3	No ramp	
CR_0601	D	Missing	No	No	3	No ramp	
CR_0602	D	Missing	No	No	3	No ramp	
CR_0603	D	Missing	No	No	3	No ramp	
CR_0604	D	Missing	No	No	3	No ramp	
CR_0605	D	Missing	No	No	3	No ramp	
CR_0606	D	Missing	No	No	3	No ramp	
CR_0607	D	Missing	No	No	3	No ramp	
CR_0608	D	Missing	No	No	3	No ramp	
CR_0609	D	Missing	No	No	3	No ramp	
CR_0610	D	Missing	No	No	3	No ramp	
CR_0611	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0612	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0613	D	Missing	No	No	3	No ramp	
CR_0614	D	Missing	No	No	3	No ramp	
CR_0615	D	Missing	No	No	3	No ramp	
CR_0616	D	Missing	No	No	3	No ramp	
CR_0618	D	Missing	No	No	3	No ramp	
CR_0619	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0620	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0621	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0622	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0623	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0624	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0630	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0631	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0632	D	Missing	No	No	3	No ramp	
CR_0633	D	Missing	No	No	3	No ramp	
CR_0634	D	Missing	No	No	3	No ramp	
CR_0635	D	Missing	No	No	3	No ramp	
CR_0636	D	Missing	No	No	3	No ramp	
CR_0637	D	Missing	No	No	3	No ramp	
CR_0638	D	Missing	No	No	3	No ramp	
CR_0639	D	Missing	No	No	3	No ramp	
CR_0640	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0641	B	Poor	No	No	2	Non-compliant Ramp	
CR_0642	B	Poor	No	No	2	Non-compliant Ramp	
CR_0643	B	Poor	No	No	2	Non-compliant Ramp	
CR_0644	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0645	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0646	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0647	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0648	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_0649	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0650	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0651	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0652	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0653	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0654	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0655	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0656	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_0657	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0658	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0659	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0661	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0662	A	Fair or Better	No	No	2	Non-compliant Ra	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0663	D	Missing	No	No	3	No ramp	
CR_0664	D	Missing	No	No	3	No ramp	
CR_0665	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0666	B	Poor	No	No	2	Non-compliant Ramp	
CR_0667	D	Missing	No	No	3	No ramp	
CR_0668	D	Missing	No	No	3	No ramp	
CR_0669	D	Missing	No	No	3	No ramp	
CR_0670	D	Missing	No	No	3	No ramp	
CR_0671	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0672	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0673	D	Missing	No	No	3	No ramp	
CR_0674	D	Missing	No	No	3	No ramp	
CR_0675	D	Missing	No	No	3	No ramp	
CR_0676	D	Missing	No	No	3	No ramp	
CR_0677	D	Missing	No	No	3	No ramp	
CR_0678	D	Missing	No	No	3	No ramp	
CR_0679	D	Missing	No	No	3	No ramp	
CR_068	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0680	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0681	D	Missing	No	No	3	No ramp	
CR_0682	D	Missing	No	No	3	No ramp	
CR_0683	D	Missing	No	No	3	No ramp	
CR_0684	D	Missing	No	No	3	No ramp	
CR_0685	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_0686	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0687	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0688	D	Missing	No	No	3	No ramp	
CR_0689	D	Missing	No	No	3	No ramp	
CR_0690	D	Missing	No	No	3	No ramp	
CR_0691	D	Missing	No	No	3	No ramp	
CR_0692	D	Missing	No	No	3	No ramp	
CR_0693	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0693	D	Missing	No	No	3	No ramp	
CR_0694	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0695	C	Very Poor	No	No	2	Non-compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0696	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0697	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0698	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0700	D	Missing	No	No	3	No ramp	
CR_0701	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0702	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0703	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0704	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0705	D	Missing	No	No	3	No ramp	
CR_0706	D	Missing	No	No	3	No ramp	
CR_0707	D	Missing	No	No	3	No ramp	
CR_0708	D	Missing	No	No	3	No ramp	
CR_0709	D	Missing	No	No	3	No ramp	
CR_0710	D	Missing	No	No	3	No ramp	
CR_0711	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0712	D	Missing	No	No	3	No ramp	
CR_0713	D	Missing	No	No	3	No ramp	
CR_0714	D	Missing	No	No	3	No ramp	
CR_0715	D	Missing	No	No	3	No ramp	
CR_0716	D	Missing	No	No	3	No ramp	
CR_0717	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0718	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0719	D	Missing	No	No	3	No ramp	
CR_0720	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0721	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0722	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0723	D	Missing	No	No	3	No ramp	
CR_0724	D	Missing	No	No	3	No ramp	
CR_0725	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0726	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0727	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0728	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0729	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0730	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0731	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0732	C	Very Poor	No	No	2	Non-compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0733	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0734	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0735	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0736	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0737	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0738	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0739	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0740	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0741	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0742	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0743	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0744	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0745	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0746	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0747	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0748	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0749	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0750	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0751	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0752	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0753	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0755	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0756	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0757	D	Missing	No	No	3	No ramp	
CR_0758	D	Missing	No	No	3	No ramp	
CR_0759	D	Missing	No	No	3	No ramp	
CR_0760	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0761	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0762	D	Missing	No	No	3	No ramp	
CR_0763	D	Missing	No	No	3	No ramp	
CR_0764	D	Missing	No	No	3	No ramp	
CR_0765	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0766	D	Missing	No	No	3	No ramp	
CR_0767	D	Missing	No	No	3	No ramp	
CR_0768	D	Missing	No	No	3	No ramp	
CR_0769	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0770	D	Missing	No	No	3	No ramp	
CR_0771	D	Missing	No	No	3	No ramp	
CR_0772	D	Missing	No	No	3	No ramp	
CR_0773	D	Missing	No	No	3	No ramp	
CR_0774	D	Missing	No	No	3	No ramp	
CR_0775	D	Missing	No	No	3	No ramp	
CR_0776	D	Missing	No	No	3	No ramp	
CR_0777	D	Missing	No	No	3	No ramp	
CR_0778	Other	Other	Other	Other	Unknown	Unknown	
CR_0779	D	Missing	No	No	3	No ramp	
CR_0780	D	Missing	No	No	3	No ramp	
CR_0781	D	Missing	No	No	3	No ramp	
CR_0782	D	Missing	No	No	3	No ramp	
CR_0783	D	Missing	No	No	3	No ramp	
CR_0784	D	Missing	No	No	3	No ramp	
CR_0785	D	Missing	No	No	3	No ramp	
CR_0786	D	Missing	No	No	3	No ramp	
CR_0787	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0788	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0789	Other	Other	Other	Other	Unknown	Unknown	
CR_0790	Other	Other	Other	Other	Unknown	Unknown	
CR_0791	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0792	D	Missing	No	No	3	No ramp	
CR_0793	D	Missing	No	No	3	No ramp	
CR_0794	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0795	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0796	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0797	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0798	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0799	D	Missing	No	No	3	No ramp	
CR_0800	D	Missing	No	No	3	No ramp	
CR_0801	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0802	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0803	D	Missing	No	No	3	No ramp	
CR_0804	D	Missing	No	No	3	No ramp	
CR_0805	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0806	D	Missing	No	No	3	No ramp	
CR_0807	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0808	D	Missing	No	No	3	No ramp	
CR_0809	D	Missing	No	No	3	No ramp	
CR_0810	D	Missing	No	No	3	No ramp	
CR_0811	D	Missing	No	No	3	No ramp	
CR_0812	D	Missing	No	No	3	No ramp	
CR_0813	D	Missing	No	No	3	No ramp	
CR_0814	D	Missing	No	No	3	No ramp	
CR_0815	D	Missing	No	No	3	No ramp	
CR_0816	D	Missing	No	No	3	No ramp	
CR_0817	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0818	D	Missing	No	No	3	No ramp	
CR_0819	D	Missing	No	No	3	No ramp	
CR_0820	D	Missing	No	No	3	No ramp	
CR_0821	D	Missing	No	No	3	No ramp	
CR_0822	D	Missing	No	No	3	No ramp	
CR_0823	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0824	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0825	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0826	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_0827	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0828	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0829	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0830	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0831	D	Missing	No	No	3	No ramp	
CR_0832	D	Missing	No	No	3	No ramp	
CR_0833	D	Missing	No	No	3	No ramp	
CR_0834	D	Missing	No	No	3	No ramp	
CR_0835	D	Missing	No	No	3	No ramp	
CR_0836	D	Missing	No	No	3	No ramp	
CR_0837	D	Missing	No	No	3	No ramp	
CR_0838	D	Missing	No	No	3	No ramp	
CR_0839	D	Missing	No	No	3	No ramp	
CR_0840	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0841	D	Missing	No	No	3	No ramp	
CR_0842	D	Missing	No	No	3	No ramp	
CR_0843	D	Missing	No	No	3	No ramp	
CR_0844	D	Missing	No	No	3	No ramp	
CR_0845	D	Missing	No	No	3	No ramp	
CR_0846	D	Missing	No	No	3	No ramp	
CR_0847	D	Missing	No	No	3	No ramp	
CR_0848	D	Missing	No	No	3	No ramp	
CR_0849	D	Missing	No	No	3	No ramp	
CR_0850	D	Missing	No	No	3	No ramp	
CR_0851	D	Missing	No	No	3	No ramp	
CR_0852	D	Missing	No	No	3	No ramp	
CR_0853	D	Missing	No	No	3	No ramp	
CR_0854	D	Missing	No	No	3	No ramp	
CR_0855	D	Missing	No	No	3	No ramp	
CR_0856	D	Missing	No	No	3	No ramp	
CR_0857	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0858	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0859	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0860	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0861	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0862	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0863	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0864	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0865	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0866	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0867	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0868	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0869	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0870	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0871	D	Missing	No	No	3	No ramp	
CR_0872	D	Missing	No	No	3	No ramp	
CR_0873	D	Missing	No	No	3	No ramp	
CR_0874	D	Missing	No	No	3	No ramp	
CR_0875	D	Missing	No	No	3	No ramp	
CR_0876	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0877	D	Missing	No	No	3	No ramp	
CR_0878	D	Missing	No	No	3	No ramp	
CR_0879	D	Missing	No	No	3	No ramp	
CR_0880	D	Missing	No	No	3	No ramp	
CR_0881	D	Missing	No	No	3	No ramp	
CR_0882	D	Missing	No	No	3	No ramp	
CR_0883	D	Missing	No	No	3	No ramp	
CR_0884	D	Missing	No	No	3	No ramp	
CR_0885	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0886	D	Missing	No	No	3	No ramp	
CR_0887	D	Missing	No	No	3	No ramp	
CR_0888	D	Missing	No	No	3	No ramp	
CR_0889	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_0890	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_0891	D	Missing	No	No	3	No ramp	
CR_0892	D	Missing	No	No	3	No ramp	
CR_0893	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0894	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0895	D	Missing	No	No	3	No ramp	
CR_0896	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0897	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0898	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0899	D	Missing	No	No	3	No ramp	
CR_0900	D	Missing	No	No	3	No ramp	
CR_0901	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0902	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0903	D	Missing	No	No	3	No ramp	
CR_0904	D	Missing	No	No	3	No ramp	
CR_0905	D	Missing	No	No	3	No ramp	
CR_0906	D	Missing	No	No	3	No ramp	
CR_0907	D	Missing	No	No	3	No ramp	
CR_0908	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0909	D	Missing	No	No	3	No ramp	
CR_0910	D	Missing	No	No	3	No ramp	
CR_0911	D	Missing	No	No	3	No ramp	
CR_0912	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0913	B	Poor	No	No	2	Non-compliant Ramp	
CR_0914	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0915	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0916	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0917	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0918	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0919	B	Poor	No	No	2	Non-compliant Ramp	
CR_0920	D	Missing	No	No	3	No ramp	
CR_0921	D	Missing	No	No	3	No ramp	
CR_0922	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0923	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0924	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0925	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0926	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0927	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0928	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0929	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0930	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_0931	B	Poor	No	No	2	Non-compliant Ramp	
CR_0932	D	Missing	No	No	3	No ramp	
CR_0933	D	Missing	No	No	3	No ramp	
CR_0934	D	Missing	No	No	3	No ramp	
CR_0935	D	Missing	No	No	3	No ramp	
CR_0936	D	Missing	No	No	3	No ramp	
CR_0937	D	Missing	No	No	3	No ramp	
CR_0938	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0939	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0940	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0941	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_0942	D	Missing	No	No	3	No ramp	
CR_0943	D	Missing	No	No	3	No ramp	
CR_0944	D	Missing	No	No	3	No ramp	
CR_0945	D	Missing	No	No	3	No ramp	
CR_0946	D	Missing	No	No	3	No ramp	
CR_0947	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0948	D	Missing	No	No	3	No ramp	
CR_0949	D	Missing	No	No	3	No ramp	
CR_0950	D	Missing	No	No	3	No ramp	
CR_0951	D	Missing	No	No	3	No ramp	
CR_0952	D	Missing	No	No	3	No ramp	
CR_0953	D	Missing	No	No	3	No ramp	
CR_0954	D	Missing	No	No	3	No ramp	
CR_0955	D	Missing	No	No	3	No ramp	
CR_0956	D	Missing	No	No	3	No ramp	
CR_0957	D	Missing	No	No	3	No ramp	
CR_0958	D	Missing	No	No	3	No ramp	
CR_0959	D	Missing	No	No	3	No ramp	
CR_0960	D	Missing	No	No	3	No ramp	
CR_0961	D	Missing	No	No	3	No ramp	
CR_0962	D	Missing	No	No	3	No ramp	
CR_0963	D	Missing	No	No	3	No ramp	
CR_0964	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0965	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0966	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0967	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0968	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0969	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0971	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0972	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0973	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0974	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_0975	D	Missing	No	No	3	No ramp	
CR_0976	D	Missing	No	No	3	No ramp	
CR_0977	D	Missing	No	No	3	No ramp	
CR_0978	D	Missing	No	No	3	No ramp	
CR_0979	D	Missing	No	No	3	No ramp	
CR_0980	D	Missing	No	No	3	No ramp	
CR_0981	D	Missing	No	No	3	No ramp	
CR_0982	D	Missing	No	No	3	No ramp	
CR_0983	D	Missing	No	No	3	No ramp	
CR_0984	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_0985	D	Missing	No	No	3	No ramp	
CR_0986	D	Missing	No	No	3	No ramp	
CR_0987	D	Missing	No	No	3	No ramp	
CR_0988	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0989	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0990	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0992	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0993	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0994	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0995	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0996	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_0997	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0998	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_0999	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1000	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1001	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1002	D	Missing	No	No	3	No ramp	
CR_1003	D	Missing	No	No	3	No ramp	
CR_1004	D	Missing	No	No	3	No ramp	
CR_1005	D	Missing	No	No	3	No ramp	
CR_1006	D	Missing	No	No	3	No ramp	
CR_1007	D	Missing	No	No	3	No ramp	
CR_1008	D	Missing	No	No	3	No ramp	
CR_1009	D	Missing	No	No	3	No ramp	
CR_1011	D	Missing	No	No	3	No ramp	
CR_1012	D	Missing	No	No	3	No ramp	
CR_1013	D	Missing	No	No	3	No ramp	
CR_1014	D	Missing	No	No	3	No ramp	
CR_1015	D	Missing	No	No	3	No ramp	
CR_1016	D	Missing	No	No	3	No ramp	
CR_1017	D	Missing	No	No	3	No ramp	
CR_1018	D	Missing	No	No	3	No ramp	
CR_1019	D	Missing	No	No	3	No ramp	
CR_1020	D	Missing	No	No	3	No ramp	
CR_1021	D	Missing	No	No	3	No ramp	
CR_1022	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1023	D	Missing	No	No	3	No ramp	
CR_1024	D	Missing	No	No	3	No ramp	
CR_1025	D	Missing	No	No	3	No ramp	
CR_1026	B	Poor	No	No	2	Non-compliant Ramp	
CR_1027	B	Poor	No	No	2	Non-compliant Ramp	
CR_1028	B	Poor	No	No	2	Non-compliant Ramp	
CR_1029	D	Missing	No	No	3	No ramp	
CR_1030	B	Poor	No	No	2	Non-compliant Ramp	
CR_1031	D	Missing	No	No	3	No ramp	
CR_1032	D	Missing	No	No	3	No ramp	
CR_1033	D	Missing	No	No	3	No ramp	
CR_1034	D	Missing	No	No	3	No ramp	
CR_1035	D	Missing	No	No	3	No ramp	
CR_1036	B	Poor	No	No	2	Non-compliant Ramp	
CR_1037	B	Poor	No	No	2	Non-compliant Ramp	
CR_1038	B	Poor	No	No	2	Non-compliant Ramp	
CR_1039	B	Poor	No	No	2	Non-compliant Ramp	
CR_1040	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1041	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1044	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1045	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1046	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1047	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1048	B	Poor	No	No	2	Non-compliant Ramp	
CR_1049	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1050	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1051	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1052	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1053	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1054	D	Missing	No	No	3	No ramp	
CR_1055	D	Missing	No	No	3	No ramp	
CR_1056	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1057	D	Missing	No	No	3	No ramp	
CR_1058	D	Missing	No	No	3	No ramp	
CR_1059	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_1060	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1061	D	Missing	No	No	3	No ramp	
CR_1062	D	Missing	No	No	3	No ramp	
CR_1063	D	Missing	No	No	3	No ramp	
CR_1064	D	Missing	No	No	3	No ramp	
CR_1065	D	Missing	No	No	3	No ramp	
CR_1066	D	Missing	No	No	3	No ramp	
CR_1067	D	Missing	No	No	3	No ramp	
CR_1068	D	Missing	No	No	3	No ramp	
CR_1069	D	Missing	No	No	3	No ramp	
CR_1070	D	Missing	No	No	3	No ramp	
CR_1070	D	Missing	No	No	3	No ramp	
CR_1071	D	Missing	No	No	3	No ramp	
CR_1072	D	Missing	No	No	3	No ramp	
CR_1073	D	Missing	No	No	3	No ramp	
CR_1074	D	Missing	No	No	3	No ramp	
CR_1075	D	Missing	No	No	3	No ramp	
CR_1076	D	Missing	No	No	3	No ramp	
CR_1077	D	Missing	No	No	3	No ramp	
CR_1078	D	Missing	No	No	3	No ramp	
CR_1079	D	Missing	No	No	3	No ramp	
CR_1080	D	Missing	No	No	3	No ramp	
CR_1081	D	Missing	No	No	3	No ramp	
CR_1082	D	Missing	No	No	3	No ramp	
CR_1083	D	Missing	No	No	3	No ramp	
CR_1084	D	Missing	No	No	3	No ramp	
CR_1085	D	Missing	No	No	3	No ramp	
CR_1086	D	Missing	No	No	3	No ramp	
CR_1087	D	Missing	No	No	3	No ramp	
CR_1088	D	Missing	No	No	3	No ramp	
CR_1089	D	Missing	No	No	3	No ramp	
CR_1090	D	Missing	No	No	3	No ramp	
CR_1091	D	Missing	No	No	3	No ramp	
CR_1092	D	Missing	No	No	3	No ramp	
CR_1093	D	Missing	No	No	3	No ramp	
CR_1094	D	Missing	No	No	3	No ramp	
CR_1095	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1096	D	Missing	No	No	3	No ramp	
CR_1097	D	Missing	No	No	3	No ramp	
CR_1098	D	Missing	No	No	3	No ramp	
CR_1099	D	Missing	No	No	3	No ramp	
CR_1100	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1101	D	Missing	No	No	3	No ramp	
CR_1102	D	Missing	No	No	3	No ramp	
CR_1103	D	Missing	No	No	3	No ramp	
CR_1104	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1105	D	Missing	No	No	3	No ramp	
CR_1106	D	Missing	No	No	3	No ramp	
CR_1107	D	Missing	No	No	3	No ramp	
CR_1108	D	Missing	No	No	3	No ramp	
CR_1109	D	Missing	No	No	3	No ramp	
CR_1110	D	Missing	No	No	3	No ramp	
CR_1111	D	Missing	No	No	3	No ramp	
CR_1112	D	Missing	No	No	3	No ramp	
CR_1113	D	Missing	No	No	3	No ramp	
CR_1114	D	Missing	No	No	3	No ramp	
CR_1115	D	Missing	No	No	3	No ramp	
CR_1116	D	Missing	No	No	3	No ramp	
CR_1117	D	Missing	No	No	3	No ramp	
CR_1118	D	Missing	No	No	3	No ramp	
CR_1119	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1120	D	Missing	No	No	3	No ramp	
CR_1121	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1122	D	Missing	No	No	3	No ramp	
CR_1123	D	Missing	No	No	3	No ramp	
CR_1124	D	Missing	No	No	3	No ramp	
CR_1125	D	Missing	No	No	3	No ramp	
CR_1126	D	Missing	No	No	3	No ramp	
CR_1127	D	Missing	No	No	3	No ramp	
CR_1128	D	Missing	No	No	3	No ramp	
CR_1129	D	Missing	No	No	3	No ramp	
CR_1130	D	Missing	No	No	3	No ramp	
CR_1131	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1132	D	Missing	No	No	3	No ramp	
CR_1133	D	Missing	No	No	3	No ramp	
CR_1134	D	Missing	No	No	3	No ramp	
CR_1135	D	Missing	No	No	3	No ramp	
CR_1136	D	Missing	No	No	3	No ramp	
CR_1137	D	Missing	No	No	3	No ramp	
CR_1138	D	Missing	No	No	3	No ramp	
CR_1139	D	Missing	No	No	3	No ramp	
CR_1140	D	Missing	No	No	3	No ramp	
CR_1141	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1142	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1143	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1144	D	Missing	No	No	3	No ramp	
CR_1145	C	Very Poor	No	No	2	Non-compliant Ramp	DWS Only Candidate
CR_1146	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1147	D	Missing	No	No	3	No ramp	
CR_1148	D	Missing	No	No	3	No ramp	
CR_1149	D	Missing	No	No	3	No ramp	
CR_1150	D	Missing	No	No	3	No ramp	
CR_1151	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1152	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1153	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1154	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1155	D	Missing	No	No	3	No ramp	
CR_1156	D	Missing	No	No	3	No ramp	
CR_1157	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1158	D	Missing	No	No	3	No ramp	
CR_1159	D	Missing	No	No	3	No ramp	
CR_1160	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1161	D	Missing	No	No	3	No ramp	
CR_1162	D	Missing	No	No	3	No ramp	
CR_1163	D	Missing	No	No	3	No ramp	
CR_1164	D	Missing	No	No	3	No ramp	
CR_1165	D	Missing	No	No	3	No ramp	
CR_1166	D	Missing	No	No	3	No ramp	
CR_1167	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1168	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1169	D	Missing	No	No	3	No ramp	
CR_1170	D	Missing	No	No	3	No ramp	
CR_1171	D	Missing	No	No	3	No ramp	
CR_1172	D	Missing	No	No	3	No ramp	
CR_1173	D	Missing	No	No	3	No ramp	
CR_1174	D	Missing	No	No	3	No ramp	
CR_1175	D	Missing	No	No	3	No ramp	
CR_1176	D	Missing	No	No	3	No ramp	
CR_1177	D	Missing	No	No	3	No ramp	
CR_1178	D	Missing	No	No	3	No ramp	
CR_1179	D	Missing	No	No	3	No ramp	
CR_1180	D	Missing	No	No	3	No ramp	
CR_1181	D	Missing	No	No	3	No ramp	
CR_1182	D	Missing	No	No	3	No ramp	
CR_1183	D	Missing	No	No	3	No ramp	
CR_1184	D	Missing	No	No	3	No ramp	
CR_1185	D	Missing	No	No	3	No ramp	
CR_1186	D	Missing	No	No	3	No ramp	
CR_1187	D	Missing	No	No	3	No ramp	
CR_1188	D	Missing	No	No	3	No ramp	
CR_1189	D	Missing	No	No	3	No ramp	
CR_1190	D	Missing	No	No	3	No ramp	
CR_1191	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1192	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1193	D	Missing	No	No	3	No ramp	
CR_1194	D	Missing	No	No	3	No ramp	
CR_1195	D	Missing	No	No	3	No ramp	
CR_1196	D	Missing	No	No	3	No ramp	
CR_1197	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1198	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1199	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1200	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1201	D	Missing	No	No	3	No ramp	
CR_1202	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1203	C	Very Poor	No	No	2	Non-compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1204	D	Missing	No	No	3	No ramp	
CR_1206	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1207	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1208	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1209	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1210	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1211	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1212	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1213	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1214	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1215	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1216	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1217	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1218	D	Missing	No	No	3	No ramp	
CR_1219	D	Missing	No	No	3	No ramp	
CR_1220	D	Missing	No	No	3	No ramp	
CR_1221	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1222	B	Poor	No	No	2	Non-compliant Ramp	
CR_1223	B	Poor	No	No	2	Non-compliant Ramp	
CR_1224	B	Poor	No	No	2	Non-compliant Ramp	
CR_1225	B	Poor	No	No	2	Non-compliant Ramp	
CR_1226	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_1227	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_1228	D	Missing	No	No	3	No ramp	
CR_1229	D	Missing	No	No	3	No ramp	
CR_1231	D	Missing	No	No	3	No ramp	
CR_1232	D	Missing	No	No	3	No ramp	
CR_1233	D	Missing	No	No	3	No ramp	
CR_1234	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1235	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1236	D	Missing	No	No	3	No ramp	
CR_1237	D	Missing	No	No	3	No ramp	
CR_1238	D	Missing	No	No	3	No ramp	
CR_1239	D	Missing	No	No	3	No ramp	
CR_1240	B	Poor	No	No	2	Non-compliant Ramp	
CR_1241	B	Poor	No	No	2	Non-compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1242	D	Missing	No	No	3	No ramp	
CR_1243	D	Missing	No	No	3	No ramp	
CR_1244	D	Missing	No	No	3	No ramp	
CR_1245	D	Missing	No	No	3	No ramp	
CR_1246	D	Missing	No	No	3	No ramp	
CR_1247	D	Missing	No	No	3	No ramp	
CR_1248	D	Missing	No	No	3	No ramp	
CR_1249	D	Missing	No	No	3	No ramp	
CR_1250	D	Missing	No	No	3	No ramp	
CR_1251	D	Missing	No	No	3	No ramp	
CR_1252	D	Missing	No	No	3	No ramp	
CR_1253	D	Missing	No	No	3	No ramp	
CR_1254	B	Poor	No	No	2	Non-compliant Ramp	DWS Only Candidate
CR_1255	B	Poor	No	No	2	Non-compliant Ramp	
CR_1256	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1257	D	Missing	No	No	3	No ramp	
CR_1258	D	Missing	No	No	3	No ramp	
CR_1259	D	Missing	No	No	3	No ramp	
CR_1260	D	Missing	No	No	3	No ramp	
CR_1261	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1262	B	Poor	No	No	2	Non-compliant Ramp	
CR_1263	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1264	B	Poor	No	No	2	Non-compliant Ramp	
CR_1265	B	Poor	No	No	2	Non-compliant Ramp	
CR_1266	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1267	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1268	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1269	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1270	D	Missing	No	No	3	No ramp	
CR_1271	D	Missing	No	No	3	No ramp	
CR_1272	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1273	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1274	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1275	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1276	D	Missing	No	No	3	No ramp	
CR_1277	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1278	D	Missing	No	No	3	No ramp	
CR_1279	D	Missing	No	No	3	No ramp	
CR_1280	D	Missing	No	No	3	No ramp	
CR_1281	D	Missing	No	No	3	No ramp	
CR_1282	D	Missing	No	No	3	No ramp	
CR_1283	D	Missing	No	No	3	No ramp	
CR_1284	D	Missing	No	No	3	No ramp	
CR_1285	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1286	D	Missing	No	No	3	No ramp	
CR_1287	D	Missing	No	No	3	No ramp	
CR_1288	D	Missing	No	No	3	No ramp	
CR_1289	D	Missing	No	No	3	No ramp	
CR_1290	D	Missing	No	No	3	No ramp	
CR_1291	D	Missing	No	No	3	No ramp	
CR_1292	D	Missing	No	No	3	No ramp	
CR_1293	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1294	B	Poor	No	No	2	Non-compliant Ramp	
CR_1295	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1296	D	Missing	No	No	3	No ramp	
CR_1297	D	Missing	No	No	3	No ramp	
CR_1298	D	Missing	No	No	3	No ramp	
CR_1299	D	Missing	No	No	3	No ramp	
CR_1300	D	Missing	No	No	3	No ramp	
CR_1301	D	Missing	No	No	3	No ramp	
CR_1302	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1303	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1304	D	Missing	No	No	3	No ramp	
CR_1305	D	Missing	No	No	3	No ramp	
CR_1306	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1307	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1308	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1309	D	Missing	No	No	3	No ramp	
CR_1310	D	Missing	No	No	3	No ramp	
CR_1311	D	Missing	No	No	3	No ramp	
CR_1312	D	Missing	No	No	3	No ramp	
CR_1313	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1314	D	Missing	No	No	3	No ramp	
CR_1315	D	Missing	No	No	3	No ramp	
CR_1316	D	Missing	No	No	3	No ramp	
CR_1317	D	Missing	No	No	3	No ramp	
CR_1318	D	Missing	No	No	3	No ramp	
CR_1319	D	Missing	No	No	3	No ramp	
CR_1320	D	Missing	No	No	3	No ramp	
CR_1321	D	Missing	No	No	3	No ramp	
CR_1322	D	Missing	No	No	3	No ramp	
CR_1323	D	Missing	No	No	3	No ramp	
CR_1324	D	Missing	No	No	3	No ramp	
CR_1325	D	Missing	No	No	3	No ramp	
CR_1326	D	Missing	No	No	3	No ramp	
CR_1327	D	Missing	No	No	3	No ramp	
CR_1328	D	Missing	No	No	3	No ramp	
CR_1329	D	Missing	No	No	3	No ramp	
CR_1330	D	Missing	No	No	3	No ramp	
CR_1331	D	Missing	No	No	3	No ramp	
CR_1332	D	Missing	No	No	3	No ramp	
CR_1333	D	Missing	No	No	3	No ramp	
CR_1334	D	Missing	No	No	3	No ramp	
CR_1335	D	Missing	No	No	3	No ramp	
CR_1336	D	Missing	No	No	3	No ramp	
CR_1337	D	Missing	No	No	3	No ramp	
CR_1338	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1339	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1340	D	Missing	No	No	3	No ramp	
CR_1341	D	Missing	No	No	3	No ramp	
CR_1342	D	Missing	No	No	3	No ramp	
CR_1343	D	Missing	No	No	3	No ramp	
CR_1344	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1345	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1346	D	Missing	No	No	3	No ramp	
CR_1347	D	Missing	No	No	3	No ramp	
CR_1348	D	Missing	No	No	3	No ramp	
CR_1349	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1350	D	Missing	No	No	3	No ramp	
CR_1351	D	Missing	No	No	3	No ramp	
CR_1352	D	Missing	No	No	3	No ramp	
CR_1353	D	Missing	No	No	3	No ramp	
CR_1354	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1355	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1356	D	Missing	No	No	3	No ramp	
CR_1357	D	Missing	No	No	3	No ramp	
CR_1358	D	Missing	No	No	3	No ramp	
CR_1359	D	Missing	No	No	3	No ramp	
CR_1360	D	Missing	No	No	3	No ramp	
CR_1361	D	Missing	No	No	3	No ramp	
CR_1362	D	Missing	No	No	3	No ramp	
CR_1363	D	Missing	No	No	3	No ramp	
CR_1364	D	Missing	No	No	3	No ramp	
CR_1365	D	Missing	No	No	3	No ramp	
CR_1366	D	Missing	No	No	3	No ramp	
CR_1367	D	Missing	No	No	3	No ramp	
CR_1368	D	Missing	No	No	3	No ramp	
CR_1369	D	Missing	No	No	3	No ramp	
CR_1370	D	Missing	No	No	3	No ramp	
CR_1371	D	Missing	No	No	3	No ramp	
CR_1372	D	Missing	No	No	3	No ramp	
CR_1373	D	Missing	No	No	3	No ramp	
CR_1374	D	Missing	No	No	3	No ramp	
CR_1375	D	Missing	No	No	3	No ramp	
CR_1376	D	Missing	No	No	3	No ramp	
CR_1377	D	Missing	No	No	3	No ramp	
CR_1378	D	Missing	No	No	3	No ramp	
CR_1379	D	Missing	No	No	3	No ramp	
CR_1380	D	Missing	No	No	3	No ramp	
CR_1381	D	Missing	No	No	3	No ramp	
CR_1382	D	Missing	No	No	3	No ramp	
CR_1383	D	Missing	No	No	3	No ramp	
CR_1384	D	Missing	No	No	3	No ramp	
CR_1385	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1386	D	Missing	No	No	3	No ramp	
CR_1387	D	Missing	No	No	3	No ramp	
CR_1388	D	Missing	No	No	3	No ramp	
CR_1389	D	Missing	No	No	3	No ramp	
CR_1390	D	Missing	No	No	3	No ramp	
CR_1391	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1392	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1393	D	Missing	No	No	3	No ramp	
CR_1394	D	Missing	No	No	3	No ramp	
CR_1395	D	Missing	No	No	3	No ramp	
CR_1396	D	Missing	No	No	3	No ramp	
CR_1397	D	Missing	No	No	3	No ramp	
CR_1398	D	Missing	No	No	3	No ramp	
CR_1399	D	Missing	No	No	3	No ramp	
CR_1400	D	Missing	No	No	3	No ramp	
CR_1401	D	Missing	No	No	3	No ramp	
CR_1402	D	Missing	No	No	3	No ramp	
CR_1403	D	Missing	No	No	3	No ramp	
CR_1404	D	Missing	No	No	3	No ramp	
CR_1405	D	Missing	No	No	3	No ramp	
CR_1406	D	Missing	No	No	3	No ramp	
CR_1407	D	Missing	No	No	3	No ramp	
CR_1408	D	Missing	No	No	3	No ramp	
CR_1409	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_141	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1410	B	Poor	No	No	2	Non-compliant Ramp	
CR_1411	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1412	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1413	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1415	D	Missing	No	No	3	No ramp	
CR_1416	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1417	D	Missing	No	No	3	No ramp	
CR_1418	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1419	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1420	D	Missing	No	No	3	No ramp	
CR_1421	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1422	D	Missing	No	No	3	No ramp	
CR_1423	D	Missing	No	No	3	No ramp	
CR_1424	D	Missing	No	No	3	No ramp	
CR_1425	D	Missing	No	No	3	No ramp	
CR_1426	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1427	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1428	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1429	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1430	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1431	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1432	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1433	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1434	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1435	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1436	D	Missing	No	No	3	No ramp	
CR_1437	B	Poor	No	No	2	Non-compliant Ramp	
CR_1438	B	Poor	No	No	2	Non-compliant Ramp	
CR_1439	B	Poor	No	No	2	Non-compliant Ramp	
CR_1440	B	Poor	No	No	2	Non-compliant Ramp	
CR_1441	D	Missing	No	No	3	No ramp	
CR_1442	D	Missing	No	No	3	No ramp	
CR_1443	D	Missing	No	No	3	No ramp	
CR_1444	D	Missing	No	No	3	No ramp	
CR_1445	D	Missing	No	No	3	No ramp	
CR_1446	D	Missing	No	No	3	No ramp	
CR_1447	D	Missing	No	No	3	No ramp	
CR_1448	D	Missing	No	No	3	No ramp	
CR_1449	D	Missing	No	No	3	No ramp	
CR_1450	D	Missing	No	No	3	No ramp	
CR_1451	D	Missing	No	No	3	No ramp	
CR_1452	D	Missing	No	No	3	No ramp	
CR_1453	D	Missing	No	No	3	No ramp	
CR_1454	D	Missing	No	No	3	No ramp	
CR_1455	D	Missing	No	No	3	No ramp	
CR_1456	D	Missing	No	No	3	No ramp	
CR_1457	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1458	D	Missing	No	No	3	No ramp	
CR_1459	D	Missing	No	No	3	No ramp	
CR_1460	D	Missing	No	No	3	No ramp	
CR_1461	D	Missing	No	No	3	No ramp	
CR_1462	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1463	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1464	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1465	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1466	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1467	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1468	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1469	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1470	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1471	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1472	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1473	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1474	D	Missing	No	No	3	No ramp	
CR_1475	D	Missing	No	No	3	No ramp	
CR_1476	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1477	D	Missing	No	No	3	No ramp	
CR_1478	D	Missing	No	No	3	No ramp	
CR_1479	D	Missing	No	No	3	No ramp	
CR_1480	D	Missing	No	No	3	No ramp	
CR_1481	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1482	D	Missing	No	No	3	No ramp	
CR_1483	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1484	D	Missing	No	No	3	No ramp	
CR_1485	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1486	D	Missing	No	No	3	No ramp	
CR_1487	D	Missing	No	No	3	No ramp	
CR_1488	D	Missing	No	No	3	No ramp	
CR_1489	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1490	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1491	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1492	D	Missing	No	No	3	No ramp	
CR_1493	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1494	D	Missing	No	No	3	No ramp	
CR_1495	D	Missing	No	No	3	No ramp	
CR_1496	D	Missing	No	No	3	No ramp	
CR_1497	D	Missing	No	No	3	No ramp	
CR_1498	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1499	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1500	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1501	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1502	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1503	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1504	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1505	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1506	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1507	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1508	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1509	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1510	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1511	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1512	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1513	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1514	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1515	D	Missing	No	No	3	No ramp	
CR_1516	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1517	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1518	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1519	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1520	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1521	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1522	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1523	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1524	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1525	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1526	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1527	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1528	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1529	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1530	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1531	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1532	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1533	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1534	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1535	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1536	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1537	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1538	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1539	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1540	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1541	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1542	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1543	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1544	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1545	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1546	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1547	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1548	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1549	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1550	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1551	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1552	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1553	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1554	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1555	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1556	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1557	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1558	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1559	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1560	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1561	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1562	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1563	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1564	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1565	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1566	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1567	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1568	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1569	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1570	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1571	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1572	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1573	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1574	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1575	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1576	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1577	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1578	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1579	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1580	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1581	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1582	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1583	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1584	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1585	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1586	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1587	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1588	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1589	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1590	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1591	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1592	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1593	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1594	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1595	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1596	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1597	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1598	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1599	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1600	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1601	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1602	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1603	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1604	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_1605	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1606	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1607	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1608	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1609	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1610	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1611	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1612	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1613	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1614	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1615	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1616	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1617	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1618	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1619	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1620	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1621	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1622	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1623	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1624	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1625	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1626	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1627	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1628	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1629	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1630	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1631	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1632	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1633	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1634	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1635	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1636	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1637	A	Fair or Better	Yes	Yes	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1638	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1639	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1640	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1641	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1642	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1643	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1644	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1645	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1646	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1647	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1648	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1649	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1650	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1651	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1652	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1653	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1654	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1655	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1656	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1657	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1658	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1659	B	Poor	No	No	2	Non-compliant Ramp	
CR_1661	D	Missing	No	No	3	No ramp	
CR_1662	D	Missing	No	No	3	No ramp	
CR_1663	D	Missing	No	No	3	No ramp	
CR_1664	D	Missing	No	No	3	No ramp	
CR_1665	D	Missing	No	No	3	No ramp	
CR_1666	D	Missing	No	No	3	No ramp	
CR_1667	D	Missing	No	No	3	No ramp	
CR_1668	D	Missing	No	No	3	No ramp	
CR_1669	D	Missing	No	No	3	No ramp	
CR_1670	D	Missing	No	No	3	No ramp	
CR_1671	D	Missing	No	No	3	No ramp	
CR_1672	D	Missing	No	No	3	No ramp	
CR_1673	D	Missing	No	No	3	No ramp	
CR_1674	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1675	D	Missing	No	No	3	No ramp	
CR_1676	D	Missing	No	No	3	No ramp	
CR_1677	D	Missing	No	No	3	No ramp	
CR_1678	D	Missing	No	No	3	No ramp	
CR_1679	D	Missing	No	No	3	No ramp	
CR_1680	D	Missing	No	No	3	No ramp	
CR_1681	D	Missing	No	No	3	No ramp	
CR_1682	D	Missing	No	No	3	No ramp	
CR_1683	D	Missing	No	No	3	No ramp	
CR_1684	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1685	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1686	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1687	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1688	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1689	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1690	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1691	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1692	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1693	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1694	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1695	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1696	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1697	B	Poor	No	No	2	Non-compliant Ramp	
CR_1698	B	Poor	No	No	2	Non-compliant Ramp	
CR_1699	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1700	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1701	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1702	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1703	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1704	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1705	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1706	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1707	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1708	C	Very Poor	No	No	2	Non-compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1709	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1710	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1711	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1712	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1713	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1714	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1715	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1716	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1717	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1718	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1719	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1720	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1721	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1722	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1723	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1724	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1725	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1726	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1727	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1728	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1729	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1730	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1731	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1732	B	Poor	No	No	2	Non-compliant Ramp	
CR_1733	D	Missing	No	No	3	No ramp	
CR_1734	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1735	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1736	B	Poor	No	No	2	Non-compliant Ramp	
CR_1737	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1738	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_1739	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1740	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1741	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_1742	B	Poor	No	No	2	Non-compliant Ramp	
CR_1743	A	Fair or Better	Yes	No	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1744	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1745	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1746	D	Missing	No	No	3	No ramp	
CR_1747	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1748	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1749	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1750	B	Poor	No	No	2	Non-compliant Ramp	
CR_1751	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1752	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_1753	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1754	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1755	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1756	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1757	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1758	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1759	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1760	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1761	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1762	B	Poor	No	No	2	Non-compliant Ramp	
CR_1763	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1764	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1765	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1766	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1767	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1768	A	Fair or Better	Yes	No	1	Compliant Ramp	
CR_1769	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1770	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1771	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1772	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1773	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1774	B	Poor	No	No	2	Non-compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1775	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1776	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1777	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1778	B	Poor	No	No	2	Non-compliant Ramp	
CR_1779	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1780	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1781	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1782	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_1783	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1784	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_1785	B	Poor	No	No	2	Non-compliant Ramp	
CR_1786	D	Missing	No	No	3	No ramp	
CR_1787	D	Missing	No	No	3	No ramp	
CR_1788	D	Missing	No	No	3	No ramp	
CR_1789	D	Missing	No	No	3	No ramp	
CR_1790	D	Missing	No	No	3	No ramp	
CR_1791	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_1792	D	Missing	No	No	3	No ramp	
CR_1793	D	Missing	No	No	3	No ramp	
CR_1794	D	Missing	No	No	3	No ramp	
CR_1795	B	Poor	No	No	2	Non-compliant Ramp	
CR_1796	D	Missing	No	No	3	No ramp	
CR_1797	D	Missing	No	No	3	No ramp	
CR_1798	D	Missing	No	No	3	No ramp	
CR_1799	D	Missing	No	No	3	No ramp	
CR_1800	D	Missing	No	No	3	No ramp	
CR_1801	D	Missing	No	No	3	No ramp	
CR_1802	D	Missing	No	No	3	No ramp	
CR_1803	D	Missing	No	No	3	No ramp	
CR_1804	D	Missing	No	No	3	No ramp	
CR_1805	D	Missing	No	No	3	No ramp	
CR_1806	D	Missing	No	No	3	No ramp	
CR_1807	D	Missing	No	No	3	No ramp	
CR_1808	D	Missing	No	No	3	No ramp	
CR_1809	D	Missing	No	No	3	No ramp	
CR_1810	D	Missing	No	No	3	No ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_1811	D	Missing	No	No	3	No ramp	
CR_1812	D	Missing	No	No	3	No ramp	
CR_1813	D	Missing	No	No	3	No ramp	
CR_1814	B	Poor	No	No	2	Non-compliant Ramp	
CR_1815	Other	Other	Other	Other	Unknown	Unknown	
CR_1816	D	Missing	No	No	3	No ramp	
CR_1817	D	Missing	No	No	3	No ramp	
CR_1818	D	Missing	No	No	3	No ramp	
CR_1819	D	Missing	No	No	3	No ramp	
CR_1820	D	Missing	No	No	3	No ramp	
CR_1821	D	Missing	No	No	3	No ramp	
CR_1822	D	Missing	No	No	3	No ramp	
CR_1823	D	Missing	No	No	3	No ramp	
CR_1824	D	Missing	No	No	3	No ramp	
CR_1825	D	Missing	No	No	3	No ramp	
CR_1826	D	Missing	No	No	3	No ramp	
CR_1827	D	Missing	No	No	3	No ramp	
CR_1828	D	Missing	No	No	3	No ramp	
CR_1829	D	Missing	No	No	3	No ramp	
CR_1830	D	Missing	No	No	3	No ramp	
CR_1831	D	Missing	No	No	3	No ramp	
CR_1832	D	Missing	No	No	3	No ramp	
CR_1833	D	Missing	No	No	3	No ramp	
CR_1834	D	Missing	No	No	3	No ramp	
CR_1835	D	Missing	No	No	3	No ramp	
CR_1836	D	Missing	No	No	3	No ramp	
CR_1837	D	Missing	No	No	3	No ramp	
CR_1838	D	Missing	No	No	3	No ramp	
CR_1839	D	Missing	No	No	3	No ramp	
CR_1840	D	Missing	No	No	3	No ramp	
CR_1841	D	Missing	No	No	3	No ramp	
CR_1842	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	
CR_2000	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2001	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2002	A	Fair or Better	Yes	Yes	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_2003	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2004	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_2005	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_2006	B	Poor	No	No	2	Non-compliant Ramp	DWS Only Candidate
CR_2007	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2008	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2009	A	Fair or Better	No	No	2	Non-compliant Ra	
CR_2010	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2011	C	Very Poor	No	No	2	Non-compliant Ramp	DWS Only Candidate
CR_2012	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2013	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2014	D	Missing	No	No	3	No ramp	
CR_2015	Other	Other	Other	Other	Unknown	Unknown	DWS Only Candidate
CR_2016	Other	Other	Other	Other	Unknown	Unknown	DWS Only Candidate
CR_2017	Other	Other	Other	Other	Unknown	Unknown	DWS Only Candidate
CR_2018	Other	Other	Other	Other	Unknown	Unknown	
CR_2019	Other	Other	Other	Other	Unknown	Unknown	
CR_2020	Other	Other	Other	Other	Unknown	Unknown	
CR_2021	Other	Other	Other	Other	Unknown	Unknown	
CR_2022	Other	Other	Other	Other	Unknown	Unknown	
CR_2023	Other	Other	Other	Other	Unknown	Unknown	
CR_2024	Other	Other	Other	Other	Unknown	Unknown	
CR_2025	Other	Other	Other	Other	Unknown	Unknown	
CR_2026	Other	Other	Other	Other	Unknown	Unknown	
CR_2027	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2028	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2029	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2030	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2031	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2032	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2033	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2034	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2035	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2036	A	Fair or Better	Yes	Yes	1	Compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_2037	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2038	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2039	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2040	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2041	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2042	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2043	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2044	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2045	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2046	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2047	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2048	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2049	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2050	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2051	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2052	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2053	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2054	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2055	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2056	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2057	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2058	C	Very Poor	No	No	2	Non-compliant Ramp	<Null>
CR_2059	D	Missing	No	No	3	No ramp	<Null>
CR_2060	D	Missing	No	No	3	No ramp	<Null>
CR_2061	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2062	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2063	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2064	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2065	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2066	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2067	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2068	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2069	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2070	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_2071	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2072	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2073	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2074	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2075	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2076	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2077	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2078	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2079	Other	Other	Other	Other	Unknown	Unknown	
CR_2080	Other	Other	Other	Other	Unknown	Unknown	
CR_2081	Other	Other	Other	Other	Unknown	Unknown	
CR_2082	D	Missing	No	No	3	No ramp	
CR_2083	Other	Other	Other	Other	Unknown	Unknown	
CR_2084	Other	Other	Other	Other	Unknown	Unknown	
CR_2085	D	Missing	No	No	3	No ramp	
CR_2086	Other	Other	Other	Other	Unknown	Unknown	
CR_2087	Other	Other	Other	Other	Unknown	Unknown	
CR_2088	Other	Other	Other	Other	Unknown	Unknown	
CR_2089	Other	Other	Other	Other	Unknown	Unknown	
CR_2090	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2091	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2092	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2093	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2094	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2095	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2096	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2097	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2098	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2099	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2100	A	Fair or Better	Yes	No	1	Compliant Ramp	<Null>
CR_2101	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2102	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2103	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2104	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2105	B	Poor	No	No	2	Non-compliant Ramp	<Null>
CR_2106	B	Poor	No	No	2	Non-compliant Ramp	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_2107	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2108	C	Very Poor	No	No	2	Non-compliant Ramp	<Null>
CR_2109	B	Poor	No	No	2	Non-compliant Ramp	<Null>
CR_2110	B	Poor	No	No	2	Non-compliant Ramp	<Null>
CR_2111	B	Poor	No	No	2	Non-compliant Ramp	<Null>
CR_2112	D	Missing	No	No	3	No ramp	<Null>
CR_2113	D	Missing	No	No	3	No ramp	<Null>
CR_2114	B	Poor	No	No	2	Non-compliant Ramp	DWS Only Candidate
CR_2115	B	Poor	No	No	2	Non-compliant Ramp	DWS Only Candidate
CR_2116	D	Missing	No	No	3	No ramp	<Null>
CR_2117	D	Missing	No	No	3	No ramp	<Null>
CR_2118	A	Fair or Better	No	No	2	Non-compliant Ra	<Null>
CR_2119	D	Missing	No	No	3	No ramp	<Null>
CR_2120	Other	Other	Other	Other	Unknown	Unknown	<Null>
CR_2121	C	Very Poor	No	No	2	Non-compliant Ramp	<Null>
CR_2122	A	Fair or Better	Yes	No	1	Compliant Ramp	<Null>
CR_2123	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2124	A	Fair or Better	Yes	Yes	1	Compliant Ramp	
CR_2125	A	Fair or Better	No	No	2	Non-compliant Ra	Yes
CR_2126	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2129	D	Missing	No	No	3	No ramp	<Null>
CR_2130	D	Missing	No	No	3	No ramp	<Null>
CR_2131	D	Missing	No	No	3	No ramp	<Null>
CR_2132	D	Missing	No	No	3	No ramp	<Null>
CR_2133	Other	Other	Other	Other	Unknown	Unknown	<Null>
CR_2134	C	Very Poor	No	No	2	Non-compliant Ramp	<Null>
CR_2135	Other	Other	Other	Other	Unknown	Unknown	<Null>
CR_2136	Other	Other	Other	Other	Unknown	Unknown	<Null>
CR_2137	Other	Other	Other	Other	Unknown	Unknown	<Null>
CR_2138	Other	Other	Other	Other	Unknown	Unknown	<Null>
CR_2139	Other	Other	Other	Other	Unknown	Unknown	<Null>
CR_2140	Other	Other	Other	Other	Unknown	Unknown	<Null>
CR_2141	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2142	A	Fair or Better	Yes	Yes	1	Compliant Ramp	<Null>
CR_2143	D	Missing	No	No	3	No ramp	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_2144	D	Missing	No	No	3	No ramp	<Null>
CR_2145	B	Poor	No	No	2	Non-compliant Ramp	<Null>
CR_2146	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2147	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2148	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	<Null>
CR_2149	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	<Null>
CR_2150	A	Fair or Better	Yes	Candidate	1	Compliant Ramp	<Null>
CR_2151	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2152	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2153	D	Missing	No	No	3	No ramp	
CR_2154	D	Missing	No	No	3	No ramp	
CR_2155	D	Missing	No	No	3	No ramp	
CR_2156	D	Missing	No	No	3	No ramp	
CR_2157	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_2158	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_2159	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_2160	D	Missing	No	No	3	No ramp	
CR_2161	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_2162	D	Missing	No	No	3	No ramp	
CR_2163	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_2164	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2165	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2166	Other	Other	Other	Other	Unknown	Unknown	
CR_2167	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2168	B	Poor	No	No	2	Non-compliant Ramp	DWS Only Candidate
CR_2169	B	Poor	No	No	2	Non-compliant Ramp	DWS Only Candidate
CR_2170	D	Missing	No	No	3	No ramp	
CR_2171	Other	Other	Other	Other	Unknown	Unknown	
CR_2172	D	Missing	No	No	3	No ramp	
CR_2173	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2174	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2175	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2176	Other	Other	Other	Other	Unknown	Unknown	
CR_2177	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_2178	C	Very Poor	No	No	2	Non-compliant Ramp	

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Grade	TSI_Condition	TSI_ADA2010	TSI_PROWAG2024	TSI_Status_Update	TSI_Status_Name_Update	TSI_DWSOnlyCan
CR_2179	D	Missing	No	No	3	No ramp	
CR_2180	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2181	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2182	D	Missing	No	No	3	No ramp	
CR_2183	Other	Other	Other	Other	Unknown	Unknown	
CR_2184	Other	Other	Other	Other	Unknown	Unknown	
CR_2185	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2186	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2187	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2188	Other	Other	Other	Other	Unknown	Unknown	
CR_2189	D	Missing	No	No	3	No ramp	
CR_2190	D	Missing	No	No	3	No ramp	
CR_2191	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_2192	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_2193	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2195	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2196	Other	Other	Other	Other	Unknown	Unknown	
CR_2197	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2198	D	Missing	No	No	3	No ramp	
CR_2199	D	Missing	No	No	3	No ramp	
CR_2200	D	Missing	No	No	3	No ramp	
CR_2201	C	Very Poor	No	No	2	Non-compliant Ramp	DWS Only Candidate
CR_2202	D	Missing	No	No	3	No ramp	
CR_2203	Other	Other	Other	Other	Unknown	Unknown	
CR_2204	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_2205	C	Very Poor	No	No	2	Non-compliant Ramp	
CR_2206	D	Missing	No	No	3	No ramp	
CR_2206	D - Blended Transition	Missing	No	No	3	No ramp	DWS Only Candidate
CR_2207	Other	Other	Other	Other	Unknown	Unknown	
CR_2208	Other	Other	Other	Other	Unknown	Unknown	
CR_2209	Other	Other	Other	Other	Unknown	Unknown	
CR_2210	Other	Other	Other	Other	Unknown	Unknown	
CR_2211	Other	Other	Other	Other	Unknown	Unknown	
CR_2212	D	Missing	No	No	3	No ramp	

2025 ADA Transition Plan

[illegible]

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0037	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0038	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0039	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0040	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0041	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0042	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0043	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0044	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0045	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0046	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0047	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0048	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0049	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0050	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0051	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0052	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0053	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0054	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0055	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0056	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0057	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0059	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0060	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0061	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0062	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0063	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0064	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0065	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0066	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0067	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0068	5	0.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0069	8	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0070	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0070	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0071	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0072	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0073	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0074	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0075	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0076	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0077	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0078	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0079	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0080	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0082	3	1.2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0083	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0084	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0085	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0086	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0087	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0088	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0089	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0090	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0091	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0092	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0093	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0094	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0095	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0096	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0097	8.3	0.1	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0098	5.9	0.5	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0099	8.3	1.3	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0100	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0101	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0102	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0103	3.2	0.4	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0104	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0105	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0106	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0107	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0108	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0109	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0110	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0111	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0112	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0113	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0114	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0115	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0116	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0117	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0118	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0119	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0120	5.5	1.4	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0121	0.2	0.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0122	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0123	6.3	2.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0124	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0125	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0126	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0127	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0128	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0129	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0130	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0131	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0132	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0133	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0134	6.3	1.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0135	7.4	1.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0136	7.8	0.8	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0137	7.1	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0138	3.7	0.4	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0139	4.9	1.2	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0140	4.6	0.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0141	7.7	1.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0142	2.4	1.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0143	1.7	1.8	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0144	1.3	1.4	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0145	7	1.3	60	Compliant DWS	Yes	4 x 4 ft or greater

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0146	6.9	0.8	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0147	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0148	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0149	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0150	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0151	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0152	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0153	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0154	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0155	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0156	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0157	6.3	1.2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0158	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0159	8	2.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0160	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0161	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0162	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0163	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0164	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0165	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0166	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0167	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0168	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0169	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0170	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0171	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0172	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0173	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0174	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0175	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0176	7.3	0.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0177	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0178	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0179	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0180	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0181	4.4	1.8	60	Compliant DWS	Yes	4 x 4 ft or greater

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0182	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0183	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0184	4	1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0185	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0186	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0187	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0188	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0189	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0190	5.4	1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0191	2.4	0.1	36	Compliant DWS	Yes	4 x 4 ft or greater
CR_0192	3.5	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0193	2.1	0.6	<Null>	<Null>	No	4 x 4 ft or greater
CR_0194	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0195	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0196	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0197	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0198	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0199	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0200	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0201	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0202	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0203	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0204	9.3	0.2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0205	7.9	2.9	48	Compliant DWS	Yes	3 x 3 ft
CR_0206	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0207	<Null>	0.5	<Null>	Compliant DWS	Yes	4 x 4 ft or greater
CR_0208	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0209	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0210	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0211	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0212	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0213	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0214	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0215	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0216	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0217	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0218	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0219	1.7	1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0220	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0221	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0222	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0223	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0224	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0225	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0226	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0227	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0228	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0229	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0230	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0231	3.3	1.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0232	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0233	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0234	3.2	1.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0235	3.5	0.1	52	Compliant DWS	Yes	4 x 4 ft or greater
CR_0236	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0237	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0238	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0239	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0240	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0241	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0242	3.5	0.8	70	Compliant DWS	Yes	4 x 4 ft or greater
CR_0243	6.9	0.1	70	Compliant DWS	Yes	4 x 4 ft or greater
CR_0244	7.7	1.7	70	Compliant DWS	Yes	4 x 4 ft or greater
CR_0245	2	1.7	70	Compliant DWS	Yes	4 x 4 ft or greater
CR_0246	2.8	1.8	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0247	1.5	3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0248	13.8	1.3	70	Compliant DWS	Yes	4 x 4 ft or greater
CR_0249	2	1.7	60	Compliant DWS	Yes	4 x 4 ft or greater

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0250	12	1.8	70	Compliant DWS	Yes	4 x 4 ft or greater
CR_0251	5.2	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0252	6.6	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0253	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0254	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0255	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0256	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0257	7.5	0.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0258	7	0.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0259	7.4	0	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0260	6.9	0.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0261	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0262	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0263	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0264	1.5	0.6	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0265	6	2	60	No DWS	Yes	4 x 4 ft or greater
CR_0266	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0267	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0268	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0269	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0270	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0271	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0272	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0273	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0274	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0275	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0276	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0277	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0278	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0279	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0280	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0281	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0282	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0283	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0284	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0285	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0286	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0287	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0288	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0289	9.5	0.2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0290	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0291	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0292	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0293	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0294	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0295	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0296	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0297	3.8	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0298	5.5	1.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0299	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0300	5.6	0.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0301	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0302	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0303	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0304	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0305	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0306	3.5	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0307	<Null>	<Null>	<Null>	<Null>	<Null>	Less than 3 x 3 ft
CR_0308	4.1	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0309	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0310	4.8	0.4	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0311	4.9	1.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0312	6.8	2.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0313	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0314	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0315	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0316	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0317	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0318	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0319	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0320	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0322	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0323	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0324	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0325	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0326	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0327	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0328	8	0.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0329	5.9	0.2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0330	2.1	0.5	54	Compliant DWS	Yes	4 x 4 ft or greater
CR_0331	2.1	0.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0332	2	1.7	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0333	6.7	1.8	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0334	7.7	1.2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0335	7.3	1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0337	4.9	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0338	5.1	1.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0339	6.2	1.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0340	5	1.6	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0341	6	0.6	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0342	7.8	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0343	6.4	0.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0344	6.7	1.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0345	2.2	0.8	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0346	2.9	0.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0347	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0348	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0349	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0350	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0351	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0352	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0353	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0354	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0355	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0356	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0357	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0358	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0359	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0360	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0361	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0362	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0363	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0364	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0365	3.5	0.4	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0366	5.4	1.1	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0367	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0368	1.1	1.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0371	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0372	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0373	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0374	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0375	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0376	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0377	5.2	0.9	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0378	6.2	1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0379	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0380	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0381	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0382	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0383	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0384	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0385	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0386	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0387	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0388	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0389	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0390	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0391	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0392	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0393	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0394	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0395	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0396	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0397	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0398	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0399	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0400	<Null>	7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0401	6.5	1.7	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0402	8.2	1.2	56	Compliant DWS	Yes	4 x 4 ft or greater
CR_0403	2.7	1.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0404	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0405	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0406	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0407	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0408	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0409	10	1.1	24	Compliant DWS	No	<Null>
CR_0410	6	<Null>	48	Compliant DWS	Yes	Less than 3 x 3 ft
CR_0411	<Null>	<Null>	<Null>	No DWS	<Null>	<Null>
CR_0412	9.1	1.5	36	Compliant DWS	No	<Null>
CR_0413	14	4	36	Compliant DWS	Yes	4 x 4 ft or greater
CR_0414	9.4	<Null>	<Null>	Compliant DWS	Yes	4 x 4 ft or greater
CR_0415	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0416	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0417	3.4	3.4	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0418	<Null>	<Null>	28	<Null>	No	<Null>
CR_0419	8.8	<Null>	36	No DWS	No	<Null>
CR_0420	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0421	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0422	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0423	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0424	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0425	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0426	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0427	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0428	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0429	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0430	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0431	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0432	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0433	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0434	11.3	0.9	36	Compliant DWS	Yes	4 x 4 ft or greater
CR_0435	<Null>	<Null>	36	<Null>	No	<Null>
CR_0436	<Null>	<Null>	36	<Null>	No	<Null>
CR_0437	4.7	0.1	36	Compliant DWS	Yes	4 x 4 ft or greater
CR_0438	15	0	24	<Null>	Yes	Less than 3 x 3 ft
CR_0439	0	1.8	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0440	0.7	0.6	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0441	<Null>	7	<Null>	Compliant DWS	<Null>	<Null>
CR_0442	11	0.8	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_0443	7.9	0.8	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_0444	10	2	96	Compliant DWS	Yes	4 x 4 ft or greater
CR_0445	<Null>	0.4	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_0446	9.5	0.4	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0447	9.1	1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0448	8.3	1.5	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_0449	8.3	2	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_0450	7.9	1	96	Compliant DWS	Yes	4 x 4 ft or greater
CR_0451	7.7	0.7	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0452	8.3	1.3	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0453	8.3	1.1	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_0454	8.3	0	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0455	7	0.5	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0456	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0457	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0458	8	0.5	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_0459	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0460	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0461	8	2	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0462	6.2	2	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0463	5.5	0.3	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0464	6	5	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0465	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0466	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0467	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0468	8.3	1.3	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0469	6.6	0.6	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_0470	7.7	1.4	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_0471	11.1	2	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_0472	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0473	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0474	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0475	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0476	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0477	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0478	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0479	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0480	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0481	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0482	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0483	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0484	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0485	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0486	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0487	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0488	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0489	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0490	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0491	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0492	3.9	1.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0493	8	0.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0494	6.5	1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0495	7.7	1.2	52	Compliant DWS	Yes	4 x 4 ft or greater
CR_0496	6.8	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0497	5	1	52	Compliant DWS	Yes	4 x 4 ft or greater
CR_0498	6.7	1.5	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0499	4.9	1.2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0500	6.6	0.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0501	7.7	0.6	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0502	6	0.7	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0503	3.5	0.1	48	Compliant DWS	Yes	4 x 4 ft or greater

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0504	3.9	0.8	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0505	6.9	0.2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0506	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0507	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0508	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0509	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0510	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0511	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0512	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0513	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0514	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0515	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0516	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0517	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0518	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0519	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0520	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0521	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0522	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0523	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0524	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0525	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0526	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0527	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0528	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0529	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0530	8.3	0	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0531	6	0.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0532	5.7	1.7	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0533	8.3	1	54	Compliant DWS	Yes	4 x 4 ft or greater
CR_0534	5.7	0.2	54	Compliant DWS	Yes	4 x 4 ft or greater
CR_0535	2	0.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0536	1.7	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0537	6.6	0.3	54	Compliant DWS	Yes	4 x 4 ft or greater
CR_0538	8.1	0	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0539	7	0.7	48	Compliant DWS	Yes	4 x 4 ft or greater

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0540	5.2	1.3	54	Compliant DWS	Yes	4 x 4 ft or greater
CR_0541	5.2	0	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0542	1.7	0.9	54	Compliant DWS	Yes	4 x 4 ft or greater
CR_0543	3.2	1	36	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_0544	4	1	36	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_0545	6.7	0.5	36	No DWS	Yes	<Null>
CR_0546	7.7	1.2	36	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_0547	7	1	36	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_0548	7.8	1.2	36	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_0549	8.3	1.8	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0550	7	1.7	144	Compliant DWS	Yes	4 x 4 ft or greater
CR_0556	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0557	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0558	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0559	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0560	0.1	1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0561	3.5	0	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0562	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0563	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0564	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0565	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0566	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0567	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0571	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0572	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0573	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0574	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0575	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0576	5	0.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0578	3.3	0.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0579	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0580	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0581	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0582	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0583	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0584	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0585	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0586	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0587	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0588	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0589	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0590	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0591	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0592	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0593	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0594	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0595	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0596	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0597	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0598	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0599	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0600	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0601	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0602	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0603	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0604	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0605	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0606	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0607	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0608	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0609	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0610	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0611	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0612	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0613	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0614	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0615	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0616	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0618	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0619	5	0.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0620	3.4	0.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0621	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0622	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0623	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0624	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0630	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0631	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0632	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0633	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0634	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0635	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0636	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0637	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0638	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0639	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0640	9.8	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0641	<Null>	<Null>	<Null>	Compliant DWS	Yes	4 x 4 ft or greater
CR_0642	9.7	1.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0643	6.5	0.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0644	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0645	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0646	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0647	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0648	4.6	0.1	36	Compliant DWS	Yes	4 x 4 ft or greater
CR_0649	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0650	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0651	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0652	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0653	5	2	54	Compliant DWS	Yes	4 x 4 ft or greater
CR_0654	7	0.7	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0655	9.3	0.1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0656	6.5	2.1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0657	7.6	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0658	7	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0659	5.3	1.3	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_0661	8.3	0.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0662	7.5	0.2	48	Compliant DWS	Yes	4 x 4 ft or greater

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0663	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0664	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0665	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0666	<Null>	<Null>	<Null>	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_0667	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0668	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0669	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0670	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0671	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0672	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0673	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0674	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0675	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0676	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0677	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0678	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0679	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_068	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0680	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0681	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0682	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0683	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0684	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0685	4.9	1.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0686	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0687	5.3	0.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0688	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0689	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0690	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0691	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0692	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0693	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0693	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0694	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0695	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0696	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0697	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0698	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0700	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0701	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0702	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0703	8.2	1.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0704	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0705	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0706	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0707	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0708	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0709	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0710	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0711	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0712	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0713	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0714	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0715	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0716	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0717	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0718	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0719	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0720	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0721	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0722	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0723	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0724	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0725	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0726	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0727	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0728	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0729	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0730	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0731	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0732	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0733	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0734	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0735	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0736	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0737	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0738	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0739	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0740	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0741	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0742	7.5	1.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0743	8	0.7	48	No DWS	Yes	4 x 4 ft or greater
CR_0744	2.4	1.7	48	No DWS	Yes	4 x 4 ft or greater
CR_0745	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0746	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0747	5.8	1.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0748	5.9	0.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0749	5.5	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0750	5.2	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0751	4.1	2.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0752	8.3	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0753	<Null>	<Null>	<Null>	Compliant DWS	Yes	<Null>
CR_0755	1.7	1.3	96	Compliant DWS	Yes	4 x 4 ft or greater
CR_0756	6.6	0.7	96	Compliant DWS	Yes	4 x 4 ft or greater
CR_0757	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0758	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0759	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0760	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0761	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0762	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0763	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0764	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0765	5.9	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0766	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0767	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0768	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0769	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0770	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0771	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0772	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0773	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0774	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0775	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0776	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0777	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0778	<Null>	<Null>	48	No DWS	Yes	4 x 4 ft or greater
CR_0779	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0780	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0781	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0782	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0783	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0784	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0785	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0786	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0787	4.3	1.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0788	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0789	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0790	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0791	7.6	1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0792	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0793	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0794	4.8	0.8	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0795	3.9	1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0796	3	0.6	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0797	4.4	0.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0798	4.7	1.2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0799	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0800	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0801	0.3	0.4	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0802	2.7	0.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0803	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0804	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0805	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0806	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0807	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0808	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0809	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0810	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0811	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0812	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0813	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0814	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0815	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0816	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0817	5	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0818	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0819	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0820	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0821	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0822	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0823	4.8	0.9	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0824	3.4	1.1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0825	5.7	0.9	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0826	<Null>	1	48	Compliant DWS	Yes	3.5 x 4 ft
CR_0827	2.5	0.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0828	2.3	0.7	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0829	5.8	0.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0830	<Null>	0	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0831	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0832	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0833	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0834	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0835	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0836	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0837	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0838	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0839	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0840	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0841	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0842	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0843	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0844	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0845	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0846	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0847	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0848	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0849	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0850	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0851	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0852	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0853	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0854	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0855	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0856	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0857	2.8	1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0858	4.2	0.7	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0859	7.3	0.5	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0860	5.2	0	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0861	7.3	1.2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0862	7.2	0.6	48	Compliant DWS	Yes	<Null>
CR_0863	5	1.8	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0864	9.1	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0865	9	1.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0866	7.3	0.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0867	6.9	1.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0868	3	1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0869	6	1.8	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0870	5.6	0.4	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0871	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0872	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0873	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0874	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0875	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0876	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0877	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0878	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0879	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0880	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0881	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0882	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0883	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0884	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0885	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0886	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0887	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0888	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0889	6.1	0.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0890	5.1	0.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_0891	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0892	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0893	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0894	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0895	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0896	4	1.1	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0897	3	1.2	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0898	6.8	1	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0899	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0900	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0901	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0902	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0903	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0904	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0905	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0906	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0907	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0908	2.3	0.2	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0909	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0910	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0911	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0912	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0913	2	3	36	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_0914	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0915	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0916	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0917	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0918	<Null>	<Null>	<Null>	No DWS	<Null>	<Null>
CR_0919	10.5	0.4	36	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_0920	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0921	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0922	8.6	0	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0923	7.5	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0924	8.8	0	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0925	4.8	1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0926	3.3	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0927	6.1	1	48	Compliant DWS	No	<Null>
CR_0928	5.5	1.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0929	8.3	1.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0930	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0931	7.5	1.5	48	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_0932	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0933	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0934	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0935	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0936	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0937	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0938	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0939	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0940	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0941	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0942	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0943	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0944	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0945	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0946	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0947	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0948	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0949	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0950	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0951	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0952	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0953	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0954	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0955	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0956	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0957	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0958	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0959	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0960	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0961	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0962	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0963	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0964	3.7	0.5	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0965	3.8	1.6	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0966	6.2	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0967	6.2	0.7	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0968	7	1.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0969	8.3	1.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0971	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0972	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0973	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0974	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0975	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0976	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0977	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0978	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0979	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0980	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0981	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0982	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0983	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0984	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_0985	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0986	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0987	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_0988	1.7	0.2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0989	2.4	0.5	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_0990	5.6	0.7	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0992	7.5	1.8	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0993	6.3	0	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0994	6.6	1.9	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0995	4.3	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0996	6.2	0.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0997	7.8	1.9	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0998	3	1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_0999	6.8	1.2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1000	6.6	0.3	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1001	6.7	0	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1002	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1003	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1004	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1005	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1006	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1007	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1008	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1009	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1011	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1012	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1013	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1014	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1015	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1016	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1017	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1018	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1019	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1020	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1021	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1022	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1023	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1024	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1025	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1026	15.7	1.7	60	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_1027	10.7	4.3	60	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_1028	6.6	1.7	60	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_1029	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1030	7	1.6	60	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_1031	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1032	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1033	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1034	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1035	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1036	13.5	3.5	48	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_1037	9.1	0.8	60	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_1038	11.3	0.8	60	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_1039	9.3	0.3	36	Compliant DWS	Yes	4 x 4 ft or greater
CR_1040	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1041	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1044	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1045	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1046	10.2	0.2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1047	10.5	3.5	36	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_1048	12.5	1.2	36	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_1049	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1050	8.2	0.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1051	6.2	3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1052	8.3	1.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1053	8.3	1.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1054	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1055	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1056	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1057	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1058	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1059	7.3	0.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1060	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

[illegible]

2025 ADA Transition Plan

[illegible]

2025 ADA Transition Plan

[illegible]

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1168	5.1	1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1169	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1170	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1171	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1172	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1173	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1174	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1175	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1176	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1177	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1178	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1179	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1180	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1181	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1182	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1183	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1184	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1185	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1186	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1187	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1188	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1189	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1190	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1191	3.2	0.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1192	4.7	1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1193	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1194	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1195	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1196	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1197	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1198	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1199	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1200	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1201	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1202	4.2	0	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1203	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1204	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1206	1	1.5	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1207	7.3	0.7	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1208	7	0.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1209	6	0.7	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1210	5.5	0.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1211	6.9	1.8	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1212	6.2	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1213	8.3	1.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1214	6.1	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1215	5.7	1.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1216	3.2	1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1217	6.5	1.8	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1218	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1219	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1220	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1221	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1222	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1223	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1224	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1225	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1226	2.6	0.6	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1227	4	0.3	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1228	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1229	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1231	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1232	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1233	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1234	12.5	1.9	36	No DWS	<Null>	<Null>
CR_1235	11.4	1.9	<Null>	No DWS	<Null>	<Null>
CR_1236	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1237	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1238	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1239	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1240	<Null>	<Null>	<Null>	Stamped Aggregate	<Null>	<Null>
CR_1241	<Null>	<Null>	<Null>	Stamped Aggregate	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1242	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1243	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1244	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1245	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1246	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1247	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1248	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1249	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1250	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1251	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1252	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1253	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1254	<Null>	0.2	<Null>	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_1255	10.5	2.4	60	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_1256	8.2	1.7	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1257	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1258	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1259	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1260	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1261	8.3	2.1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1262	8.3	1.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1263	<Null>	2.5	<Null>	Compliant DWS	Yes	4 x 4 ft or greater
CR_1264	14	7.8	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1265	13.9	0.9	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1266	6.2	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1267	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1268	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1269	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1270	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1271	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1272	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1273	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1274	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1275	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1276	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1277	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1278	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1279	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1280	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1281	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1282	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1283	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1284	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1285	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1286	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1287	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1288	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1289	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1290	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1291	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1292	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1293	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1294	<Null>	<Null>	36	Compliant DWS	Yes	4 x 4 ft or greater
CR_1295	<Null>	<Null>	32	<Null>	<Null>	<Null>
CR_1296	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1297	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1298	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1299	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1300	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1301	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1302	1.1	2	48	No DWS	Yes	4 x 4 ft or greater
CR_1303	7.5	1.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1304	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1305	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1306	7.6	0.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1307	0.4	1.8	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1308	4.7	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1309	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1310	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1311	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1312	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1313	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1314	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1315	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1316	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1317	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1318	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1319	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1320	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1321	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1322	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1323	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1324	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1325	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1326	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1327	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1328	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1329	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1330	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1331	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1332	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1333	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1334	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1335	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1336	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1337	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1338	5.5	0.2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1339	1.7	0.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1340	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1341	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1342	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1343	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1344	3.2	2.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1345	6.7	0	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1346	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1347	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1348	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1349	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1350	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1351	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1352	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1353	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1354	6	1.7	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1355	2	0.7	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1356	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1357	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1358	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1359	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1360	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1361	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1362	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1363	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1364	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1365	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1366	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1367	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1368	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1369	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1370	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1371	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1372	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1373	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1374	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1375	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1376	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1377	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1378	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1379	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1380	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1381	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1382	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1383	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1384	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1385	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1386	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1387	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1388	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1389	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1390	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1391	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1392	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1393	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1394	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1395	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1396	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1397	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1398	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1399	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1400	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1401	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1402	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1403	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1404	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1405	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1406	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1407	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1408	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1409	5.9	1.8	36	No DWS	Yes	4 x 4 ft or greater
CR_141	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1410	7.3	0	36	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_1411	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1412	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1413	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1415	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1416	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1417	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1418	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1419	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1420	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1421	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1422	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1423	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1424	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1425	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1426	4.1	1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1427	7.2	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1428	6.8	0.5	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1429	5.8	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1430	6.7	1.2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1431	5.8	2.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1432	6	0.2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1433	6.7	1.1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1434	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1435	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1436	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1437	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1438	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1439	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1440	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1441	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1442	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1443	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1444	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1445	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1446	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1447	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1448	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1449	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1450	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1451	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1452	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1453	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1454	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1455	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1456	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1457	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

2025 ADA Transition Plan

[illegible]

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1494	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1495	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1496	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1497	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1498	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1499	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1500	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1501	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1502	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1503	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1504	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1505	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1506	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1507	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1508	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1509	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1510	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1511	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1512	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1513	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1514	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1515	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1516	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1517	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1518	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1519	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1520	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1521	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1522	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1523	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1524	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1525	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1526	<Null>	<Null>	<Null>	Compliant DWS	Yes	<Null>
CR_1527	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1528	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1529	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

[illegible]

City of Aberdeen
2025 ADA Transition Plan

[illegible]

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1602	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1603	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1604	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1605	6.7	1.3	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1606	7.3	1.4	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1607	5.2	1.7	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1608	3.8	1.8	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1609	1.7	2	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1610	4.5	0.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1611	2.3	1.7	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1612	4.1	1.3	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1613	2.4	0.8	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1614	5.6	1.6	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1615	5.5	1.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1616	2.5	1	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1617	6.1	1.5	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1618	5	1.4	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1619	8	1.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1620	1.6	1.2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1621	0.6	1.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1622	0.6	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1623	3	2	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1624	5.9	0	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1625	5.4	0.2	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1626	5.4	2	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1627	2	0.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1628	7	1.3	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1629	2.8	1.3	70	Compliant DWS	Yes	4 x 4 ft or greater
CR_1630	1	1.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1631	4.9	1	96	Compliant DWS	Yes	4 x 4 ft or greater
CR_1632	1.7	0.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1633	2	1.3	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1634	3.8	1.8	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1635	6.7	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1636	0.7	0.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1637	2.4	0.5	60	Compliant DWS	Yes	4 x 4 ft or greater

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1638	3.3	1.8	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1639	7.3	1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1640	1.1	1.4	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1641	1.7	0.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1642	3.9	1.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1643	6.8	1.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1644	5	1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1645	4.8	0.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1646	6.4	1.2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1647	4.8	0.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1648	4.2	0.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1649	2.4	0.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1650	0.4	1.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1651	6.6	0.2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1652	5.1	1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1653	7.4	1.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1654	5.2	1.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1655	8	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1656	7.6	0.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1657	5	1.1	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1658	4.5	0.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1659	11.2	0.9	44	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_1661	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1662	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1663	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1664	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1665	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1666	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1667	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1668	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1669	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1670	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1671	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1672	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1673	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1674	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1675	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1676	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1677	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1678	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1679	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1680	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1681	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1682	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1683	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1684	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1685	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1686	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1687	5.8	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1688	6.6	0.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1689	<Null>	<Null>	<Null>	Stamped Aggregate	No	<Null>
CR_1690	<Null>	<Null>	<Null>	No DWS	<Null>	<Null>
CR_1691	<Null>	<Null>	<Null>	No DWS	<Null>	<Null>
CR_1692	<Null>	<Null>	<Null>	No DWS	<Null>	<Null>
CR_1693	<Null>	<Null>	<Null>	No DWS	<Null>	<Null>
CR_1694	<Null>	<Null>	<Null>	No DWS	<Null>	<Null>
CR_1695	<Null>	<Null>	<Null>	No DWS	<Null>	<Null>
CR_1696	<Null>	<Null>	<Null>	No DWS	<Null>	<Null>
CR_1697	2.5	1.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1698	4.9	4	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1699	4.5	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1700	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1701	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1702	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1703	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1704	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1705	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1706	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1707	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1708	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1709	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1710	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1711	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1712	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1713	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1714	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1715	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1716	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1717	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1718	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1719	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1720	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1721	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1722	7.2	1.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1723	7.9	2.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1724	6.9	1.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1725	<Null>	<Null>	<Null>	Stamped Aggregate	No	<Null>
CR_1726	<Null>	<Null>	<Null>	Stamped Aggregate	No	<Null>
CR_1727	<Null>	<Null>	<Null>	Stamped Aggregate	No	<Null>
CR_1728	<Null>	<Null>	<Null>	Stamped Aggregate	No	<Null>
CR_1729	<Null>	<Null>	<Null>	Stamped Aggregate	No	<Null>
CR_1730	<Null>	<Null>	<Null>	Stamped Aggregate	No	<Null>
CR_1731	<Null>	<Null>	<Null>	Stamped Aggregate	No	<Null>
CR_1732	8.1	0.7	36	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_1733	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1734	6.3	1.3	94	Compliant DWS	Yes	4 x 4 ft or greater
CR_1735	<Null>	<Null>	36	No DWS	Yes	4 x 4 ft or greater
CR_1736	6	1.9	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1737	<Null>	<Null>	48	<Null>	No	<Null>
CR_1738	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1739	4.9	0.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1740	5.7	1.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1741	0.3	0	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1742	4.7	1.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1743	1.5	0.9	60	Compliant DWS	Yes	4 x 4 ft or greater

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1744	6.3	1.6	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1745	6.5	2	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_1746	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1747	4.1	2.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1748	5.6	2.4	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1749	5.7	3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1750	4	0.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1751	6.7	1.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1752	3	1.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1753	6.6	1.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1754	7	0.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1755	6.1	1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1756	8	0.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1757	4.8	1.4	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1758	7.3	1.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1759	8.2	1.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1760	6.8	0.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1761	6.5	2.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1762	4.1	2.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1763	6.5	0.5	60	Compliant DWS	Yes	3 x 5 ft
CR_1764	6.1	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1765	7.9	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1766	8	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1767	5.8	1.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1768	4	0.8	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1769	2.1	1.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1770	4.7	2.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1771	5.4	2.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1772	0.5	1.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1773	8	1.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1774	7.4	1.5	60	Compliant DWS	Yes	4 x 4 ft or greater

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1775	6.8	2.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1776	5	0	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1777	5.6	0.1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1778	7	1.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1779	8	0.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1780	3.7	1.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1781	2.4	0.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1782	8	1.2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1783	6	1.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1784	4.3	0.4	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1785	3	4.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_1786	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1787	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1788	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1789	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1790	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1791	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1792	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1793	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1794	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1795	9	1	36	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_1796	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1797	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1798	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1799	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1800	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1801	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1802	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1803	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1804	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1805	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1806	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1807	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1808	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1809	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1810	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_1811	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1812	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1813	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1814	6	1.8	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_1815	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1816	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1817	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1818	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1819	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1820	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1821	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1822	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1823	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1824	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1825	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1826	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1827	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1828	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1829	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1830	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1831	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1832	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1833	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1834	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1835	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1836	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1837	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1838	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1839	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1840	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1841	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_1842	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2000	7.6	0.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2001	1.5	0.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2002	4	0.9	60	Compliant DWS	Yes	4 x 4 ft or greater

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_2003	4	0.2	94	Compliant DWS	Yes	4 x 4 ft or greater
CR_2004	5.5	<Null>	<Null>	Stamped Aggregate	No	<Null>
CR_2005	10.3	<Null>	<Null>	No DWS	No	<Null>
CR_2006	7.6	1.2	60	No DWS	Yes	4 x 4 ft or greater
CR_2007	7.6	1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2008	7.7	1.2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2009	2.7	0.7	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2010	4.4	0.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2011	11.2	<Null>	<Null>	No DWS	<Null>	<Null>
CR_2012	7.3	1.4	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2013	6.5	1.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2014	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2015	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2016	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2017	13	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2018	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2019	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2020	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2021	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2022	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2023	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2024	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2025	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2026	10	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2027	2	0.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2028	2	0.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2029	4	0.7	65	Compliant DWS	Yes	4 x 4 ft or greater
CR_2030	3.1	1.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2031	7.3	1.1	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_2032	6.3	0.8	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2033	7.5	0.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2034	5.6	0.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2035	2.8	0.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2036	3.8	0.2	60	Compliant DWS	Yes	4 x 4 ft or greater

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_2037	5.5	0.9	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2038	1.4	2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2039	5	1.4	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2040	0.7	0.8	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2041	3.8	0.2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2042	5.7	0	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2043	6.6	0.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2044	3.7	0.5	56	Compliant DWS	Yes	4 x 4 ft or greater
CR_2045	7.6	0.7	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2046	6.3	1.1	58	Compliant DWS	Yes	4 x 4 ft or greater
CR_2047	6.8	1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2048	6.8	0.6	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2049	1.8	0.3	55	Compliant DWS	Yes	4 x 4 ft or greater
CR_2050	5.2	1	54	Compliant DWS	Yes	4 x 4 ft or greater
CR_2051	5.6	1.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2052	3.8	1.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2053	6.7	1.7	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_2054	6	2	72	Compliant DWS	Yes	4 x 4 ft or greater
CR_2055	3.4	0.3	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2056	6	0.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2057	1.9	1.4	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2058	8.3	0	36	Stamped Aggregate	Yes	4 x 4 ft or greater
CR_2059	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2060	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2061	2.5	2	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_2062	0.6	1	96	Compliant DWS	Yes	4 x 4 ft or greater
CR_2063	1.7	1.7	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_2064	1	0.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2065	3	1.8	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2066	7.3	1	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_2067	1.5	0.5	96	Compliant DWS	Yes	4 x 4 ft or greater
CR_2068	6.2	1.3	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_2069	2.5	1.5	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_2070	4.2	1.9	120	Compliant DWS	Yes	4 x 4 ft or greater

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_2071	7	0.6	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_2072	0	1.3	96	Compliant DWS	Yes	4 x 4 ft or greater
CR_2073	6.9	2	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_2074	4.1	0.3	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_2075	0.6	1	96	Compliant DWS	Yes	4 x 4 ft or greater
CR_2076	5.5	0.9	120	Compliant DWS	Yes	4 x 4 ft or greater
CR_2077	7.7	1.7	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2078	7.2	0.2	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2079	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2080	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2081	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2082	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2083	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2084	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2085	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2086	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2087	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2088	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2089	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2090	7	2	54	Compliant DWS	Yes	4 x 4 ft or greater
CR_2091	5.5	1.1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2092	7.7	0.1	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2093	6	0.5	54	Compliant DWS	Yes	4 x 4 ft or greater
CR_2094	8.2	0.8	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2095	3.3	0.5	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2096	3.4	0.4	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2097	4.5	0.2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2098	6.7	1.8	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2099	7.3	1	54	Compliant DWS	Yes	4 x 4 ft or greater
CR_2100	6.2	2.1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2101	2	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2102	5.2	0.9	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2103	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2104	8.3	0.1	63	Compliant DWS	Yes	4 x 4 ft or greater
CR_2105	1	0.2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2106	7.4	0.4	48	Compliant DWS	Yes	4 x 4 ft or greater

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_2107	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2108	6.3	<Null>	<Null>	<Null>	No	<Null>
CR_2109	5.7	3.2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2110	2.3	1.8	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2111	3.1	0.5	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2112	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2113	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2114	7.3	0.7	60	No DWS	Yes	4 x 4 ft or greater
CR_2115	7.2	1	60	No DWS	Yes	4 x 4 ft or greater
CR_2116	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2117	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2118	3	2.4	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2119	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2120	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2121	4.1	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2122	4.6	0.3	48	Compliant DWS	Yes	4 x 4 ft or greater
CR_2123	6.9	1	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2124	7.3	1.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2125	3.4	0.9	60	No DWS	Yes	4 x 4 ft or greater
CR_2126	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2129	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2130	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2131	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2132	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2133	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2134	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2135	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2136	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2137	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2138	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2139	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2140	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2141	7	2	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2142	8	0.6	60	Compliant DWS	Yes	4 x 4 ft or greater
CR_2143	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_2144	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2145	3.6	2	42	Compliant DWS	Yes	4 x 4 ft or greater
CR_2146	<Null>	<Null>	<Null>	No DWS	<Null>	<Null>
CR_2147	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2148	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2149	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2150	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2151	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2152	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2153	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2154	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2155	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2156	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2157	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2158	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2159	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2160	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2161	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2162	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2163	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2164	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2165	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2166	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2167	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2168	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2169	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2170	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2171	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2172	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2173	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2174	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2175	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2176	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2177	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2178	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Ramp_Running_Slope	TSI_Ramp_Cross_Slope	TSI_Ramp_Width_In	TSI_DWS	TSI_Landing_Present	TSI_Landing_Dimensions
CR_2179	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2180	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2181	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2182	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2183	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2184	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2185	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2186	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2187	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2188	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2189	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2190	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2191	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2192	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2193	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2195	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2196	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2197	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2198	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2199	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2200	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2201	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2202	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2203	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2204	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2205	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2206	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2206	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2207	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2208	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2209	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2210	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2211	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2212	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0001	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0002	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0003	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0004	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0005	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0006	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0007	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0008	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0009	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0010	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0011	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0012	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0013	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0014	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0015	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0016	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0017	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0018	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0019	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0020	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0021	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0022	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0023	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0024	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0025	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0026	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0027	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0028	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0029	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0030	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0031	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0032	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0033	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0034	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0035	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0036	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0037	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0038	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0039	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0040	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0041	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0042	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0043	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0044	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0045	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0046	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0047	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0048	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0049	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0050	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0051	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0052	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0053	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0054	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0055	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0056	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0057	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0059	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0060	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0061	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0062	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0063	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0064	<Null>	<Null>	<Null>	Cross slope exceeds 2.0%	No	<Null>
CR_0065	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0066	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0067	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0068	1.1	0.4	<Null>	Cross slope	Yes	CR_0068.jpg
CR_0069	0.2	2.1	<Null>	Cross slope, DWS not full width of ramp	Yes	CR_0069.jpg
CR_0070	<Null>	<Null>	<Null>	Asphalt patch bump	No	<Null>
CR_0070	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0071	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0072	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0073	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0074	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0075	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0076	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0077	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0078	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0079	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0080	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0082	0	0.8	<Null>	<Null>	Yes	CR_0082.jpg
CR_0083	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0084	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0085	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0086	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0087	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0088	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0089	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0090	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0091	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0092	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0093	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0094	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0095	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0096	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0097	0.3	0.2	4.1	<Null>	Yes	CR_0097.jpg
CR_0098	0.9	1.8	3	<Null>	Yes	CR_0098.jpg
CR_0099	0.3	1.3	<Null>	<Null>	Yes	CR_0099.jpg
CR_0100	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0101	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0102	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0103	0.2	0.3	<Null>	<Null>	Yes	CR_0103.jpg
CR_0104	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0105	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0106	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0107	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0108	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0109	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0110	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0111	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0112	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0113	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0114	<Null>	<Null>	<Null>	Vegetation	No	<Null>
CR_0115	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0116	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0117	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0118	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0119	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0120	2	2	<Null>	<Null>	Yes	CR_0120.jpg
CR_0121	1.2	1	<Null>	<Null>	Yes	CR_0121.jpg
CR_0122	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0123	0.6	0	<Null>	DWS is not at edge of curb.	Yes	CR_0123.jpg
CR_0124	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0125	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0126	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0127	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0128	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0129	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0130	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0131	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0132	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0133	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0134	1.7	1.6	<Null>	<Null>	Yes	CR_0134.jpg
CR_0135	0.9	1.4	<Null>	<Null>	Yes	CR_0135.jpg
CR_0136	0.4	1.5	<Null>	<Null>	Yes	CR_0136.jpg
CR_0137	1.8	2	<Null>	Vegetation	Yes	CR_0137.jpg
CR_0138	0.3	1.6	<Null>	<Null>	Yes	CR_0138.jpg
CR_0139	1.1	1.7	<Null>	<Null>	Yes	CR_0139.jpg
CR_0140	1.8	0	<Null>	<Null>	Yes	CR_0140.jpg
CR_0141	1.6	1.2	9.9	<Null>	Yes	CR_0141.jpg
CR_0142	1.5	2	<Null>	<Null>	Yes	CR_0142.jpg
CR_0143	1.6	2	<Null>	<Null>	Yes	CR_0143.jpg
CR_0144	1.2	0.5	<Null>	<Null>	Yes	CR_0144.jpg
CR_0145	0.5	0.8	<Null>	<Null>	Yes	CR_0145.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0146	0.3	0.2	<Null>	<Null>	Yes	CR_0146.jpg
CR_0147	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0148	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0149	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0150	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0151	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0152	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0153	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0154	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0155	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0156	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0157	1.7	2	<Null>	<Null>	Yes	CR_0157.jpg
CR_0158	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0159	0.5	0.3	<Null>	<Null>	Yes	CR_0159.jpg
CR_0160	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0161	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0162	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0163	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0164	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0165	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0166	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0167	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0168	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0169	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0170	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0171	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0172	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0173	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0174	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0175	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0176	2.1	1.3	<Null>	<Null>	Yes	CR_0176.jpg
CR_0177	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0178	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0179	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0180	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0181	2.1	1.4	<Null>	Slope	Yes	CR_0181.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0182	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0183	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0184	1	1.7	<Null>	<Null>	Yes	CR_0184.jpg
CR_0185	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0186	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0187	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0188	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0189	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0190	2	0.2	5	<Null>	Yes	CR_0190.jpg
CR_0191	1.5	0	<Null>	Cracks forming	Yes	CR_0191.jpg
CR_0192	4.3	1.2	<Null>	No landing	Yes	CR_0192.jpg
CR_0193	2.1	0.6	<Null>	slope	Yes	CR_0193.jpg
CR_0194	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0195	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0196	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0197	<Null>	<Null>	<Null>	Landing slope	No	<Null>
CR_0198	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0199	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0200	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0201	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0202	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0203	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0204	2.7	0.7	5.7	Monitor gap between panels and crack in Landing's	Yes	CR_0204.jpg
CR_0205	0.9	1.4	9.5	Monitor gap between panels and crack in Landing's	Yes	CR_0205.jpg
CR_0206	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0207	0.1	<Null>	<Null>	Cracking	Yes	CR_0207.jpg
CR_0208	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0209	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0210	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0211	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0212	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0213	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0214	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0215	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0216	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0217	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0218	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0219	2	2	<Null>	<Null>	Yes	CR_0219.jpg
CR_0220	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0221	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0222	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0223	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0224	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0225	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0226	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0227	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0228	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0229	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0230	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0231	2.7	1.1	7.5	Landing slope, asphalt upheaval in adjacent PAR	Yes	CR_0231.jpg
CR_0232	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0233	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0234	2	2	<Null>	<Null>	Yes	CR_0234.jpg
CR_0235	1	1.2	<Null>	<Null>	Yes	CR_0235.jpg
CR_0236	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0237	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0238	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0239	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0240	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0241	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0242	1.5	0.4	<Null>	<Null>	Yes	CR_0242.jpg
CR_0243	1.6	1.7	<Null>	<Null>	Yes	CR_0243.jpg
CR_0244	1.4	0.9	<Null>	<Null>	No	<Null>
CR_0245	2	1.8	<Null>	<Null>	Yes	CR_0245.jpg
CR_0246	1.5	1.5	<Null>	<Null>	Yes	CR_0246.jpg
CR_0247	1.7	1.8	<Null>	<Null>	Yes	CR_0247.jpg
CR_0248	1.6	0.3	<Null>	MEF candidate. If 15 feet, greater than 8.3% running slope permitted	Yes	CR_0248.jpg
CR_0249	0	1.8	<Null>	<Null>	Yes	CR_0249.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0250	1.7	1.1	<Null>	MEF candidate. If 15 feet, greater than 8.3% running slope permitted	Yes	CR_0250.jpg
CR_0251	2	1.5	<Null>	<Null>	Yes	CR_0251.jpg
CR_0252	1.6	1.2	8.8	<Null>	Yes	CR_0252.jpg
CR_0253	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0254	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0255	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0256	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0257	2	1.6	<Null>	Vegetation	Yes	CR_0257.jpg
CR_0258	0.8	0.5	<Null>	<Null>	Yes	CR_0258.jpg
CR_0259	0.2	0.3	<Null>	<Null>	Yes	CR_0259.jpg
CR_0260	0.5	1.2	<Null>	<Null>	Yes	CR_0260.jpg
CR_0261	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0262	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0263	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0264	1	0.3	<Null>	Minor curb lip	Yes	CR_0264.jpg
CR_0265	2	0.8	3.4	DWS only candidate	Yes	CR_0265.jpg
CR_0266	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0267	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0268	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0269	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0270	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0271	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0272	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0273	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0274	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0275	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0276	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0277	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0278	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0279	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0280	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0281	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0282	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0283	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0284	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0285	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0286	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0287	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0288	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0289	0.6	0.8	10	Monitor panel gaps	Yes	CR_0289.jpg
CR_0290	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0291	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0292	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0293	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0294	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0295	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0296	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0297	3	1.5	<Null>	<Null>	Yes	CR_0297.jpg
CR_0298	0.6	1.5	<Null>	<Null>	Yes	CR_0298.jpg
CR_0299	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0300	0.7	1.4	<Null>	<Null>	Yes	CR_0300.jpg
CR_0301	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0302	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0303	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0304	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0305	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0306	2	1.2	<Null>	slope	Yes	CR_0306.jpg
CR_0307	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0308	2	0.5	<Null>	<Null>	Yes	CR_0308.jpg
CR_0309	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0310	1.3	1.3	4.1	Minor curb lip	Yes	CR_0310.jpg
CR_0311	1.2	1.3	4.2	<Null>	Yes	CR_0311.jpg
CR_0312	0.3	1.5	12	Monitor gap between panels	Yes	CR_0312.jpg
CR_0313	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0314	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0315	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0316	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0317	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0318	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0319	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0320	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0322	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0323	<Null>	<Null>	<Null>	End of curb under overpass	Yes	CR_0323.jpg
CR_0324	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0325	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0326	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0327	<Null>	<Null>	<Null>	<Null>	Yes	CR_0327.jpg
CR_0328	1.9	0	9.5	<Null>	Yes	CR_0328.jpg
CR_0329	1.3	0.3	<Null>	<Null>	Yes	CR_0329.jpg
CR_0330	1.8	0.9	<Null>	<Null>	Yes	CR_0330.jpg
CR_0331	0.2	0.3	<Null>	<Null>	Yes	CR_0331.jpg
CR_0332	0.8	0.8	3.9	<Null>	Yes	CR_0332.jpg
CR_0333	1.9	2	<Null>	<Null>	Yes	CR_0333.jpg
CR_0334	0.9	0.3	9	<Null>	Yes	CR_0334.jpg
CR_0335	0.7	0	<Null>	<Null>	Yes	CR_0335.jpg
CR_0337	1.9	1	<Null>	Debris	Yes	CR_0337.jpg
CR_0338	0.5	0.4	<Null>	<Null>	Yes	CR_0338.jpg
CR_0339	0.5	0.5	<Null>	<Null>	Yes	CR_0339.jpg
CR_0340	1.9	1.5	8	<Null>	Yes	CR_0340.jpg
CR_0341	2	0.3	10	<Null>	Yes	CR_0341.jpg
CR_0342	0.4	1	<Null>	<Null>	Yes	CR_0342.jpg
CR_0343	1.1	1.3	8.3	<Null>	Yes	CR_0343.jpg
CR_0344	1.7	0.6	6.8	<Null>	Yes	CR_0344.jpg
CR_0345	0.9	0.7	0.8	<Null>	Yes	CR_0345.jpg
CR_0346	1.7	1.1	1.9	<Null>	Yes	CR_0346.jpg
CR_0347	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0348	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0349	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0350	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0351	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0352	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0353	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0354	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0355	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0356	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0357	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0358	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0359	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0360	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0361	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0362	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0363	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0364	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0365	1.7	1.3	7.6	DWS discoloration	Yes	CR_0365.jpg
CR_0366	1.3	1	7.3	<Null>	Yes	CR_0366.jpg
CR_0367	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0368	1.1	1.3	<Null>	Blended Transition at unsigned driveway	Yes	CR_0368.jpg
CR_0371	<Null>	<Null>	<Null>	End of new frontage PAR	Yes	CR_0371.jpg
CR_0372	<Null>	<Null>	<Null>	<Null>	Yes	CR_0372.jpg
CR_0373	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0374	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0375	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0376	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0377	1.1	0.7	<Null>	<Null>	Yes	CR_0377.jpg
CR_0378	0.7	0.8	<Null>	<Null>	Yes	CR_0378.jpg
CR_0379	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0380	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0381	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0382	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0383	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0384	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0385	<Null>	<Null>	<Null>	Crack in ramp forming	No	<Null>
CR_0386	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0387	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0388	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0389	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0390	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0391	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0392	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0393	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0394	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0395	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0396	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0397	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0398	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0399	<Null>	<Null>	<Null>	DWS deterioration	No	<Null>
CR_0400	0.3	<Null>	7.4	Cross slope	Yes	CR_0400.jpg
CR_0401	1.5	1.2	7.6	<Null>	Yes	CR_0401.jpg
CR_0402	1.6	1.4	<Null>	<Null>	Yes	CR_0402.jpg
CR_0403	0.9	2	<Null>	<Null>	Yes	CR_0403.jpg
CR_0404	<Null>	<Null>	<Null>	Gravel debris	No	<Null>
CR_0405	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0406	<Null>	<Null>	<Null>	Gravel debris	No	<Null>
CR_0407	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0408	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0409	10	<Null>	<Null>	No landing, Curb lip, asphalt to Road transition	Yes	CR_0409.jpg
CR_0410	4.5	6	<Null>	Utility pole blocking Landing	Yes	CR_0410.jpg
CR_0411	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0412	<Null>	<Null>	<Null>	Curb lip	Yes	CR_0412.jpg
CR_0413	2.7	0.3	10	Curb lip	Yes	CR_0413.jpg
CR_0414	3	<Null>	<Null>	Slope	Yes	CR_0414.jpg
CR_0415	<Null>	<Null>	<Null>	DWS very close to tracks	No	<Null>
CR_0416	<Null>	<Null>	<Null>	Utility Pole and Fire hydrant blocking PAR	No	<Null>
CR_0417	1.9	2.9	<Null>	DWS very close to tracks, slopes	Yes	CR_0417.jpg
CR_0418	<Null>	<Null>	<Null>	No landing, ramp width less than 36	Yes	CR_0418.jpg
CR_0419	<Null>	<Null>	<Null>	No landing	Yes	CR_0419.jpg
CR_0420	<Null>	<Null>	<Null>	Gravel debris	No	<Null>
CR_0421	<Null>	<Null>	<Null>	Steep side flares,	Yes	CR_0421.jpg
CR_0422	<Null>	<Null>	<Null>	<Null>	Yes	CR_0422.jpg
CR_0423	<Null>	<Null>	<Null>	<Null>	Yes	CR_0423.jpg
CR_0424	<Null>	<Null>	<Null>	<Null>	Yes	CR_0424.jpg
CR_0425	<Null>	<Null>	<Null>	<Null>	Yes	CR_0425.jpg
CR_0426	<Null>	<Null>	<Null>	<Null>	Yes	CR_0426.jpg
CR_0427	<Null>	<Null>	<Null>	<Null>	Yes	CR_0427.jpg
CR_0428	<Null>	<Null>	<Null>	<Null>	Yes	CR_0428.jpg
CR_0429	<Null>	<Null>	<Null>	<Null>	Yes	CR_0429.jpg
CR_0430	<Null>	<Null>	<Null>	<Null>	Yes	CR_0430.jpg
CR_0431	<Null>	<Null>	<Null>	<Null>	Yes	CR_0431.jpg
CR_0432	<Null>	<Null>	<Null>	<Null>	Yes	CR_0432.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0433	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0434	1	1.9	6	Running slope	Yes	CR_0434.jpg
CR_0435	<Null>	6	<Null>	<Null>	Yes	CR_0435.jpg
CR_0436	7	<Null>	<Null>	<Null>	Yes	CR_0436.jpg
CR_0437	1.7	1.5	5.3	<Null>	Yes	CR_0437.jpg
CR_0438	<Null>	<Null>	<Null>	Less than 36 inch width	Yes	CR_0438.jpg
CR_0439	1.8	0	<Null>	Asphalt ramp in front of Bt with 8.6% running slope, Minor asphalt deterioration in front of BT	Yes	CR_0439.jpg
CR_0440	0.7	0.6	<Null>	Major curb lip	Yes	CR_0440.jpg
CR_0441	<Null>	<Null>	<Null>	Curb lip, cross slope	Yes	CR_0441.jpg
CR_0442	2.1	0	13	<Null>	Yes	CR_0442.jpg
CR_0443	6	0.8	9.3	<Null>	Yes	CR_0443.jpg
CR_0444	0.6	0.3	<Null>	Running slope	Yes	CR_0444.jpg
CR_0445	1.5	0.3	9.8	Cracks, DWS deterioration	Yes	CR_0445.jpg
CR_0446	1.4	0.2	9.3	<Null>	Yes	CR_0446.jpg
CR_0447	1.1	0.7	10	<Null>	Yes	CR_0447.jpg
CR_0448	2	0.7	9	<Null>	Yes	CR_0448.jpg
CR_0449	0.1	0.1	8.9	<Null>	Yes	CR_0449.jpg
CR_0450	1	1.8	6.7	<Null>	Yes	CR_0450.jpg
CR_0451	1.7	0	10	<Null>	Yes	CR_0451.jpg
CR_0452	1.9	1.6	10	<Null>	Yes	CR_0452.jpg
CR_0453	6.7	2.3	9.1	<Null>	Yes	CR_0453.jpg
CR_0454	2	1.9	9.6	DWS deterioration. Both ramps this corner.	Yes	CR_0454.jpg
CR_0455	1.9	2	9.6	<Null>	Yes	CR_0455.jpg
CR_0456	<Null>	<Null>	<Null>	Cracks	Yes	CR_0456.jpg
CR_0457	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0458	1.6	0.3	9	Crack in ramp	Yes	CR_0458.jpg
CR_0459	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0460	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0461	1.3	1.6	9.1	Monitor gap between panels	Yes	CR_0461.jpg
CR_0462	2	1.1	8.3	DWS deterioration	Yes	CR_0462.jpg
CR_0463	1.7	1.5	8.3	crack in ramp	Yes	CR_0463.jpg
CR_0464	1.5	1.6	8	DWS deterioration, cracks, panel upheaval	Yes	CR_0464.jpg
CR_0465	<Null>	<Null>	<Null>	Crack in DWS	No	<Null>
CR_0466	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0467	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0468	2.7	0.7	<Null>	Landing slope	Yes	CR_0468.jpg
CR_0469	2.1	0	<Null>	<Null>	Yes	CR_0469.jpg
CR_0470	1.7	0.2	<Null>	<Null>	Yes	CR_0470.jpg
CR_0471	4.7	0	<Null>	<Null>	Yes	CR_0471.jpg
CR_0472	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0473	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0474	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0475	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0476	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0477	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0478	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0479	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0480	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0481	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0482	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0483	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0484	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0485	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0486	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0487	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0488	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0489	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0490	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0491	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0492	1.7	0.6	1.5	<Null>	Yes	CR_0492.jpg
CR_0493	1.4	0.5	10	<Null>	Yes	CR_0493.jpg
CR_0494	1.1	0.3	<Null>	<Null>	Yes	CR_0494.jpg
CR_0495	1.7	1.8	7.9	<Null>	Yes	CR_0495.jpg
CR_0496	1	0.7	<Null>	<Null>	Yes	CR_0496.jpg
CR_0497	2	1.2	7.5	<Null>	Yes	CR_0497.jpg
CR_0498	1.7	1.9	8.3	<Null>	Yes	CR_0498.jpg
CR_0499	1.7	2	6.4	<Null>	Yes	CR_0499.jpg
CR_0500	0.1	0.3	10	<Null>	Yes	CR_0500.jpg
CR_0501	0.1	0.5	10	<Null>	Yes	CR_0501.jpg
CR_0502	0.9	0.5	5.1	<Null>	Yes	CR_0502.jpg
CR_0503	0.2	0.3	9.1	<Null>	Yes	CR_0503.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0504	1	0.3	3.5	<Null>	Yes	CR_0504.jpg
CR_0505	6.9	0.2	4.2	<Null>	Yes	CR_0505.jpg
CR_0506	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0507	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0508	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0509	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0510	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0511	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0512	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0513	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0514	<Null>	<Null>	<Null>	<Null>	Yes	CR_0514.jpg
CR_0515	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0516	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0517	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0518	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0519	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0520	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0521	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0522	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0523	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0524	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0525	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0526	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0527	<Null>	<Null>	<Null>	<Null>	Yes	CR_0527.jpg
CR_0528	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0529	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0530	2	1.7	13	Flair slope outside of PAR	Yes	CR_0530.jpg
CR_0531	0.3	0	<Null>	<Null>	Yes	CR_0531.jpg
CR_0532	0.8	1.7	7.3	Newly constructed shares landing with 2174	Yes	CR_0532.jpg
CR_0533	1	0.7	7.1	<Null>	Yes	CR_0533.jpg
CR_0534	1.7	0.8	7.5	<Null>	Yes	CR_0534.jpg
CR_0535	1.5	1.6	3.9	<Null>	Yes	CR_0535.jpg
CR_0536	0.3	1.6	1.9	Vegetation	Yes	CR_0536.jpg
CR_0537	0.6	1.5	<Null>	Debris	Yes	CR_0537.jpg
CR_0538	1.7	0.6	9.5	<Null>	Yes	CR_0538.jpg
CR_0539	1.3	0.7	7.4	<Null>	Yes	CR_0539.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0540	0.7	1.3	9.2	<Null>	Yes	CR_0540.jpg
CR_0541	2	0.6	6	<Null>	Yes	CR_0541.jpg
CR_0542	0.1	1.6	6.1	<Null>	Yes	CR_0542.jpg
CR_0543	1.1	0	5.2	2025 Systemic? Small Cracks	Yes	CR_0543.jpg
CR_0544	0.7	1.9	5	DWS stamped aggregate	Yes	CR_0544.jpg
CR_0545	<Null>	<Null>	10	<Null>	Yes	CR_0545.jpg
CR_0546	0.7	0.9	8.8	Curb lip, vegetation, DWS stamped aggregate	Yes	CR_0546.jpg
CR_0547	0.8	1.7	10	DWS stamped aggregate	Yes	CR_0547.jpg
CR_0548	0.3	0.3	10	<Null>	Yes	CR_0548.jpg
CR_0549	2	0.6	11	Flare slope	Yes	CR_0549.jpg
CR_0550	1.2	3	<Null>	Landing slope	Yes	CR_0550.jpg
CR_0556	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0557	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0558	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0559	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0560	0.9	1.7	<Null>	<Null>	Yes	CR_0560.jpg
CR_0561	2	2	<Null>	Ramp after BT	Yes	CR_0561.jpg
CR_0562	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0563	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0564	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0565	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0566	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0567	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0571	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0572	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0573	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0574	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0575	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0576	1.7	0.4	<Null>	2023 A St Reconstruction	Yes	CR_0576.jpg
CR_0578	1.5	1.1	<Null>	2023 A St Reconstruction	Yes	CR_0578.jpg
CR_0579	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0580	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0581	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0582	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0583	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0584	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0585	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0586	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0587	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0588	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0589	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0590	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0591	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0592	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0593	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0594	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0595	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0596	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0597	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0598	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0599	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0600	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0601	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0602	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0603	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0604	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0605	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0606	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0607	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0608	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0609	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0610	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0611	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0612	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0613	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0614	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0615	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0616	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0618	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0619	0.4	0.2	<Null>	2023 A St Reconstruction	Yes	CR_0619.jpg
CR_0620	0.3	0	<Null>	2023 A St Reconstruction	Yes	CR_0620.jpg
CR_0621	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0622	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0623	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0624	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0630	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0631	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0632	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0633	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0634	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0635	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0636	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0637	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0638	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0639	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0640	<Null>	2.6	<Null>	2025 Systemic? replace 1 with 2	Yes	CR_0640.jpg
CR_0641	<Null>	<Null>	<Null>	2025 Systemic? replace 1 with 2, crack	Yes	CR_0641.jpg
CR_0642	1.2	0.8	7.7	2025 Systemic? DWS not full width of ramp	Yes	CR_0642.jpg
CR_0643	2.4	0.4	1.9	2025 Systemic? DWS not full width of ramp, curb lip	Yes	CR_0643.jpg
CR_0644	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0645	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0646	<Null>	<Null>	<Null>	Landing slopes	No	<Null>
CR_0647	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0648	0.9	0.6	<Null>	<Null>	Yes	CR_0648.jpg
CR_0649	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0650	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0651	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0652	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0653	0.5	1.7	<Null>	<Null>	Yes	CR_0653.jpg
CR_0654	0.4	1.6	8.9	<Null>	Yes	CR_0654.jpg
CR_0655	1.6	0.4	8.2	Slope	Yes	CR_0655.jpg
CR_0656	1.9	1	<Null>	<Null>	Yes	CR_0656.jpg
CR_0657	1.1	0.6	<Null>	<Null>	Yes	CR_0657.jpg
CR_0658	1.4	0.3	<Null>	<Null>	Yes	CR_0658.jpg
CR_0659	1.2	0.9	<Null>	Vegetation debris	Yes	CR_0659.jpg
CR_0661	1.3	0.8	4.9	Vegetation debris	Yes	CR_0661.jpg
CR_0662	1.5	0.4	10.6	Flare barely noncompliant	Yes	CR_0662.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0663	<Null>	<Null>	<Null>	2025 Systemic?	Yes	CR_0663.jpg
CR_0664	<Null>	<Null>	<Null>	2025 Systemic?	Yes	CR_0664.jpg
CR_0665	<Null>	<Null>	<Null>	2025 Systemic?	Yes	CR_0665.jpg
CR_0666	<Null>	<Null>	<Null>	2025 Systemic? Stamped aggregate	Yes	CR_0666.jpg
CR_0667	<Null>	<Null>	<Null>	2025 Systemic?	Yes	CR_0667.jpg
CR_0668	<Null>	<Null>	<Null>	2025 Systemic?	Yes	CR_0668.jpg
CR_0669	<Null>	<Null>	<Null>	2025 Systemic?	Yes	CR_0669.jpg
CR_0670	<Null>	<Null>	<Null>	2025 Systemic?	Yes	CR_0670.jpg
CR_0671	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0672	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0673	<Null>	<Null>	<Null>	<Null>	Yes	CR_0673.jpg
CR_0674	<Null>	<Null>	<Null>	<Null>	Yes	CR_0674.jpg
CR_0675	<Null>	<Null>	<Null>	<Null>	Yes	CR_0675.jpg
CR_0676	<Null>	<Null>	<Null>	<Null>	Yes	CR_0676.jpg
CR_0677	<Null>	<Null>	<Null>	<Null>	Yes	CR_0677.jpg
CR_0678	<Null>	<Null>	<Null>	<Null>	Yes	CR_0678.jpg
CR_0679	<Null>	<Null>	<Null>	Blended transition candidate	Yes	CR_0679.jpg
CR_068	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0680	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0681	<Null>	<Null>	<Null>	<Null>	Yes	CR_0681.jpg
CR_0682	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0683	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0684	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0685	0.9	2.1	<Null>	<Null>	Yes	CR_0685.jpg
CR_0686	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0687	0.3	1.6	<Null>	Minor curb lip, and Slope less than 5% after blended transition	Yes	CR_0687.jpg
CR_0688	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0689	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0690	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0691	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0692	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0693	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0693	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0694	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0695	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0696	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0697	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0698	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0700	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0701	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0702	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0703	1.5	0.5	<Null>	Measurements for South directional ramp	Yes	CR_0703.jpg
CR_0704	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0705	<Null>	<Null>	<Null>	<Null>	Yes	CR_0705.jpg
CR_0706	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0707	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0708	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0709	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0710	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0711	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0712	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0713	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0714	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0715	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0716	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0717	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0718	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0719	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0720	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0721	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0722	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0723	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0724	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0725	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0726	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0727	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0728	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0729	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0730	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0731	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0732	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0733	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0734	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0735	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0736	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0737	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0738	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0739	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0740	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0741	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0742	1.4	2.5	<Null>	Cross slope barely noncompliant	Yes	CR_0742.jpg
CR_0743	1.2	2.6	<Null>	Cross slopes, no DWS	Yes	CR_0743.jpg
CR_0744	3.6	1.7	<Null>	No DWS	Yes	CR_0744.jpg
CR_0745	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0746	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0747	1.8	1	<Null>	Vegetation debris	Yes	CR_0747.jpg
CR_0748	0.3	0.4	<Null>	DWS discoloration	Yes	CR_0748.jpg
CR_0749	1	0.6	<Null>	<Null>	Yes	CR_0749.jpg
CR_0750	0.9	0.7	<Null>	<Null>	Yes	CR_0750.jpg
CR_0751	1.3	2.5	<Null>	Slopes barely noncompliant	Yes	CR_0751.jpg
CR_0752	1.2	0	<Null>	<Null>	Yes	CR_0752.jpg
CR_0753	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0755	1.2	0.3	<Null>	One ramp replaced two	Yes	CR_0755.jpg
CR_0756	1	0.1	<Null>	<Null>	Yes	CR_0756.jpg
CR_0757	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0758	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0759	<Null>	<Null>	<Null>	Accidentally moved point End of PAR	Yes	CR_0759.jpg
CR_0760	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0761	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0762	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0763	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0764	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0765	1.1	0.5	<Null>	<Null>	Yes	CR_0765.jpg
CR_0766	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0767	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0768	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0769	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0770	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0771	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0772	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0773	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0774	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0775	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0776	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0777	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0778	<Null>	<Null>	<Null>	End of PAR - asphalt transition	Yes	CR_0778.jpg
CR_0779	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0780	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0781	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0782	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0783	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0784	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0785	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0786	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0787	1.4	0.9	<Null>	<Null>	Yes	CR_0787.jpg
CR_0788	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0789	<Null>	<Null>	<Null>	If N/S crossing intended, this is missing	No	<Null>
CR_0790	<Null>	<Null>	<Null>	If N/S crossing intended, this is missing	No	<Null>
CR_0791	0.5	1.6	<Null>	Vegetation debris	Yes	CR_0791.jpg
CR_0792	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0793	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0794	0.7	1	<Null>	<Null>	Yes	CR_0794.jpg
CR_0795	1	0.7	<Null>	<Null>	Yes	CR_0795.jpg
CR_0796	1.3	0.7	<Null>	<Null>	Yes	CR_0796.jpg
CR_0797	7	1.8	<Null>	Vegetation debris	Yes	CR_0797.jpg
CR_0798	1.7	0	<Null>	<Null>	Yes	CR_0798.jpg
CR_0799	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0800	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0801	2	0.3	<Null>	Vegetation	Yes	CR_0801.jpg
CR_0802	1.3	0.3	<Null>	Vegetation	Yes	CR_0802.jpg
CR_0803	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0804	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0805	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0806	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0807	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0808	<Null>	<Null>	<Null>	<Null>	Yes	CR_0808.jpg
CR_0809	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0810	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0811	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0812	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0813	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0814	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0815	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0816	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0817	1.5	1.4	<Null>	<Null>	Yes	CR_0817.jpg
CR_0818	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0819	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0820	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0821	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0822	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0823	0.2	0.4	<Null>	2022 Project?	Yes	CR_0823.jpg
CR_0824	0.9	0.2	<Null>	2022 Project?	Yes	CR_0824.jpg
CR_0825	1	0.9	<Null>	2022 Project?	Yes	CR_0825.jpg
CR_0826	1.7	<Null>	<Null>	2022 Project? PROWAG MEF candidate with private property.	Yes	CR_0826.jpg
CR_0827	1.5	0.3	<Null>	2022 Project?	Yes	CR_0827.jpg
CR_0828	0.6	0.4	<Null>	2022 Project?	Yes	CR_0828.jpg
CR_0829	1	0.9	<Null>	Vegetation and debris 2022 Project?	Yes	CR_0829.jpg
CR_0830	<Null>	0.1	<Null>	2022 Project?	Yes	CR_0830.jpg
CR_0831	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0832	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0833	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0834	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0835	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0836	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0837	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0838	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0839	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0840	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0841	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0842	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0843	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0844	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0845	<Null>	<Null>	<Null>	<Null>	Yes	CR_0845.jpg
CR_0846	<Null>	<Null>	<Null>	<Null>	Yes	CR_0846.jpg
CR_0847	<Null>	<Null>	<Null>	<Null>	Yes	CR_0847.jpg
CR_0848	<Null>	<Null>	<Null>	Blended transition candidate	Yes	CR_0848.jpg
CR_0849	<Null>	<Null>	<Null>	<Null>	Yes	CR_0849.jpg
CR_0850	<Null>	<Null>	<Null>	<Null>	Yes	CR_0850.jpg
CR_0851	<Null>	<Null>	<Null>	<Null>	Yes	CR_0851.jpg
CR_0852	<Null>	<Null>	<Null>	<Null>	Yes	CR_0852.jpg
CR_0853	<Null>	<Null>	<Null>	<Null>	Yes	CR_0853.jpg
CR_0854	<Null>	<Null>	<Null>	<Null>	Yes	CR_0854.jpg
CR_0855	<Null>	<Null>	<Null>	<Null>	Yes	CR_0855.jpg
CR_0856	<Null>	<Null>	<Null>	<Null>	Yes	CR_0856.jpg
CR_0857	1.9	1	1.3	<Null>	Yes	CR_0857.jpg
CR_0858	1	0.2	4.3	<Null>	Yes	CR_0858.jpg
CR_0859	1.7	0.3	7.1	<Null>	Yes	CR_0859.jpg
CR_0860	1.4	0.3	6.6	<Null>	Yes	CR_0860.jpg
CR_0861	1.2	0.5	7.2	<Null>	Yes	CR_0861.jpg
CR_0862	0.5	1.2	4.5	<Null>	Yes	CR_0862.jpg
CR_0863	1.2	1.7	3	<Null>	Yes	CR_0863.jpg
CR_0864	1.7	1.2	8.4	Slope	Yes	CR_0864.jpg
CR_0865	0	1.8	6.3	Slope	Yes	CR_0865.jpg
CR_0866	1.8	0	7.5	<Null>	Yes	CR_0866.jpg
CR_0867	0.4	0.3	6.2	<Null>	Yes	CR_0867.jpg
CR_0868	0.4	0.3	2.4	<Null>	Yes	CR_0868.jpg
CR_0869	1.5	3	<Null>	Landing slopes	Yes	CR_0869.jpg
CR_0870	3	1.5	<Null>	Landing slopes	Yes	CR_0870.jpg
CR_0871	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0872	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0873	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0874	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0875	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0876	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0877	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0878	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0879	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0880	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0881	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0882	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0883	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0884	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0885	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0886	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0887	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0888	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0889	0.5	2.1	<Null>	<Null>	Yes	CR_0889.jpg
CR_0890	2.1	0.5	<Null>	<Null>	Yes	CR_0890.jpg
CR_0891	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0892	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0893	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0894	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0895	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0896	0	2.7	<Null>	Slope	Yes	CR_0896.jpg
CR_0897	0.7	1.8	<Null>	<Null>	Yes	CR_0897.jpg
CR_0898	0.7	1.8	<Null>	<Null>	Yes	CR_0898.jpg
CR_0899	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0900	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0901	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0902	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0903	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0904	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0905	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0906	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0907	<Null>	<Null>	<Null>	<Null>	Yes	CR_0907.jpg
CR_0908	1.5	0.9	<Null>	<Null>	Yes	CR_0908.jpg
CR_0909	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0910	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0911	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0912	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0913	4	4	<Null>	Diagonal ramp with minor curb lip	Yes	CR_0913.jpg
CR_0914	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0915	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0916	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0917	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0918	<Null>	<Null>	<Null>	No DWS, steep slide slopes	Yes	CR_0918.jpg
CR_0919	3.2	0.6	12	Stamped aggregate, slopes	Yes	CR_0919.jpg
CR_0920	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0921	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0922	1.9	0.2	10	<Null>	Yes	CR_0922.jpg
CR_0923	1.8	0.8	10	<Null>	Yes	CR_0923.jpg
CR_0924	1.3	0.8	7	<Null>	Yes	CR_0924.jpg
CR_0925	0.1	0.5	10	<Null>	Yes	CR_0925.jpg
CR_0926	2.1	2.5	<Null>	Gap between panels and cracking	Yes	CR_0926.jpg
CR_0927	<Null>	<Null>	<Null>	No landing, cracks and garbage can in clear space	Yes	CR_0927.jpg
CR_0928	0.3	0.9	8.7	<Null>	Yes	CR_0928.jpg
CR_0929	0.9	0.3	10	<Null>	Yes	CR_0929.jpg
CR_0930	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0931	5	2	14	Slopes	Yes	CR_0931.jpg
CR_0932	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0933	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0934	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0935	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0936	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0937	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0938	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0939	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0940	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0941	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_0942	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0943	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0944	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0945	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0946	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0947	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0948	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0949	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0950	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0951	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0952	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0953	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0954	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0955	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0956	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0957	<Null>	<Null>	<Null>	<Null>	Yes	CR_0957.jpg
CR_0958	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0959	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0960	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0961	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0962	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0963	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0964	0.4	0.6	<Null>	2022 Project?	Yes	CR_0964.jpg
CR_0965	1.3	1.5	<Null>	2022 Project?	Yes	CR_0965.jpg
CR_0966	0.7	0.5	<Null>	2022 Project?	Yes	CR_0966.jpg
CR_0967	0.4	1.4	6	2022 Project?	Yes	CR_0967.jpg
CR_0968	1.1	1	<Null>	2022 Project?	Yes	CR_0968.jpg
CR_0969	1.1	1.1	<Null>	2022 Project?	Yes	CR_0969.jpg
CR_0971	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0972	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0973	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0974	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0975	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0976	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0977	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0978	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0979	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0980	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0981	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0982	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0983	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0984	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_0985	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0986	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0987	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_0988	1.2	0.3	0.3	<Null>	Yes	CR_0988.jpg
CR_0989	1.2	1.2	1.7	<Null>	Yes	CR_0989.jpg
CR_0990	1.5	1.2	4.8	<Null>	Yes	CR_0990.jpg
CR_0992	1.2	1.1	5.2	<Null>	Yes	CR_0992.jpg
CR_0993	0.4	0.6	6.9	Vegetation	Yes	CR_0993.jpg
CR_0994	0.6	0.4	5.7	Vegetation	Yes	CR_0994.jpg
CR_0995	1.9	1.2	5.2	Vegetation	Yes	CR_0995.jpg
CR_0996	1.2	1.9	8.3	Gap between DWS and Landing panel	Yes	CR_0996.jpg
CR_0997	1.2	0.8	9.5	<Null>	Yes	CR_0997.jpg
CR_0998	0.8	1.2	4.3	<Null>	Yes	CR_0998.jpg
CR_0999	1.1	1.2	5.2	<Null>	Yes	CR_0999.jpg
CR_1000	0.9	0.9	<Null>	<Null>	Yes	CR_1000.jpg
CR_1001	0.9	0.9	<Null>	<Null>	Yes	CR_1001.jpg
CR_1002	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1003	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1004	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1005	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1006	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1007	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1008	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1009	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1011	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1012	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1013	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1014	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1015	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1016	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1017	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1018	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1019	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1020	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1021	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1022	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1023	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1024	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1025	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1026	2	0.5	<Null>	Stamped aggregate, slope	Yes	CR_1026.jpg
CR_1027	0.5	1.8	<Null>	Stamped aggregate, slope	Yes	CR_1027.jpg
CR_1028	4	2.5	<Null>	Broken panels and vegetation in Landing	Yes	CR_1028.jpg
CR_1029	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1030	0.5	0.8	<Null>	Cracks in Landing	Yes	CR_1030.jpg
CR_1031	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1032	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1033	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1034	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1035	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1036	3.5	1.1	<Null>	Stamped aggregate, slope	Yes	CR_1036.jpg
CR_1037	1.2	2.1	<Null>	Slopes	Yes	CR_1037.jpg
CR_1038	1.9	1.7	<Null>	Stamped aggregate, slope	Yes	CR_1038.jpg
CR_1039	1.7	1	9.8	Steep side flares	Yes	CR_1039.jpg
CR_1040	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1041	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1044	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1045	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1046	3.2	0	<Null>	Slopes	Yes	CR_1046.jpg
CR_1047	5.3	3.4	<Null>	Major curb lip	Yes	CR_1047.jpg
CR_1048	5.7	3.5	<Null>	Curb lip, vegetation	Yes	CR_1048.jpg
CR_1049	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1050	1.7	1.2	9	Curb lip	No	<Null>
CR_1051	1	1.7	12	<Null>	Yes	CR_1051.jpg
CR_1052	1.9	0.8	10	<Null>	Yes	CR_1052.jpg
CR_1053	1.8	1.4	10	<Null>	Yes	CR_1053.jpg
CR_1054	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1055	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1056	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1057	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1058	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1059	2.1	0.7	3.4	<Null>	Yes	CR_1059.jpg
CR_1060	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1061	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1062	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1063	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1064	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1065	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1066	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1067	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1068	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1069	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1070	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1070	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1071	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1072	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1073	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1074	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1075	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1076	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1077	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1078	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1079	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1080	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1081	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1082	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1083	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1084	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1085	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1086	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1087	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1088	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1089	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1090	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1091	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1092	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1093	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1094	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1095	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1096	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1097	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1098	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1099	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1100	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1101	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1102	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1103	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1104	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1105	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1106	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1107	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1108	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1109	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1110	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1111	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1112	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1113	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1114	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1115	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1116	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1117	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1118	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1119	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1120	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1121	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1122	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1123	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1124	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1125	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1126	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1127	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1128	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1129	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1130	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1131	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1132	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1133	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1134	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1135	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1136	<Null>	<Null>	<Null>	<Null>	Yes	CR_1136.jpg
CR_1137	<Null>	<Null>	<Null>	<Null>	Yes	CR_1137.jpg
CR_1138	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1139	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1140	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1141	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1142	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1143	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1144	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1145	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1146	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1147	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1148	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1149	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1150	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1151	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1152	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1153	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1154	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1155	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1156	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1157	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1158	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1159	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1160	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1161	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1162	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1163	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1164	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1165	<Null>	<Null>	<Null>	<Null>	Yes	CR_1165.jpg
CR_1166	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1167	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1168	1.7	4.2	<Null>	One ramp became two ramps - see 2199	Yes	CR_1168.jpg
CR_1169	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1170	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1171	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1172	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1173	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1174	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1175	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1176	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1177	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1178	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1179	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1180	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1181	<Null>	<Null>	<Null>	<Null>	Yes	CR_1181.jpg
CR_1182	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1183	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1184	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1185	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1186	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1187	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1188	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1189	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1190	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1191	1.9	0.6	<Null>	Vegetation	Yes	CR_1191.jpg
CR_1192	1.2	2	<Null>	<Null>	Yes	CR_1192.jpg
CR_1193	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1194	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1195	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1196	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1197	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1198	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1199	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1200	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1201	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1202	0.5	2	<Null>	No DWS on other side of crosswalk	Yes	CR_1202.jpg
CR_1203	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1204	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1206	0	0.3	<Null>	<Null>	Yes	CR_1206.jpg
CR_1207	0.3	1	8.3	Gravel debris	Yes	CR_1207.jpg
CR_1208	1.7	1.1	6.3	<Null>	Yes	CR_1208.jpg
CR_1209	0	0.3	7.5	<Null>	Yes	CR_1209.jpg
CR_1210	1.4	1	5.1	<Null>	Yes	CR_1210.jpg
CR_1211	1	1.4	5.3	<Null>	Yes	CR_1211.jpg
CR_1212	0.3	0.4	7.3	<Null>	Yes	CR_1212.jpg
CR_1213	0.4	0.3	3.7	<Null>	Yes	CR_1213.jpg
CR_1214	0.4	0.5	3.1	<Null>	Yes	CR_1214.jpg
CR_1215	0.4	0.5	3.1	<Null>	Yes	CR_1215.jpg
CR_1216	1.9	0.4	3.9	<Null>	Yes	CR_1216.jpg
CR_1217	0.4	1.9	6.3	<Null>	Yes	CR_1217.jpg
CR_1218	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1219	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1220	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1221	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1222	<Null>	<Null>	<Null>	DWS not full width of ramp, vegetation	No	<Null>
CR_1223	<Null>	<Null>	<Null>	DWS not full width of ramp, vegetation	No	<Null>
CR_1224	<Null>	<Null>	<Null>	DWS not full width of ramp, vegetation	No	<Null>
CR_1225	<Null>	<Null>	<Null>	DWS not full width of ramp, vegetation	No	<Null>
CR_1226	1.3	1.3	<Null>	Minor curb lip	Yes	CR_1226.jpg
CR_1227	1.3	1.3	<Null>	Minor curb lip	Yes	CR_1227.jpg
CR_1228	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1229	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1231	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1232	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1233	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1234	<Null>	<Null>	<Null>	Crack and vegetation	Yes	CR_1234.jpg
CR_1235	<Null>	<Null>	<Null>	Curb lip	Yes	CR_1235.jpg
CR_1236	<Null>	<Null>	<Null>	<Null>	Yes	CR_1236.jpg
CR_1237	<Null>	<Null>	<Null>	<Null>	Yes	CR_1237.jpg
CR_1238	<Null>	<Null>	<Null>	<Null>	Yes	CR_1238.jpg
CR_1239	<Null>	<Null>	<Null>	<Null>	Yes	CR_1239.jpg
CR_1240	<Null>	<Null>	<Null>	Stamped aggregate	No	<Null>
CR_1241	<Null>	<Null>	<Null>	Stamped aggregate	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1242	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1243	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1244	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1245	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1246	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1247	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1248	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1249	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1250	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1251	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1252	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1253	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1254	0	<Null>	<Null>	DWS only candidate	Yes	CR_1254.jpg
CR_1255	1.3	0	<Null>	Stamped aggregate, slope	Yes	CR_1255.jpg
CR_1256	1	1.6	10	<Null>	Yes	CR_1256.jpg
CR_1257	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1258	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1259	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1260	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1261	2.8	1	10	<Null>	Yes	CR_1261.jpg
CR_1262	2.1	0.4	13	Flare slope	Yes	CR_1262.jpg
CR_1263	2.4	<Null>	<Null>	Slopes	Yes	CR_1263.jpg
CR_1264	6.4	7	<Null>	Slopes	Yes	CR_1264.jpg
CR_1265	9.5	0.3	<Null>	Slopes	Yes	CR_1265.jpg
CR_1266	3	3.3	12	<Null>	Yes	CR_1266.jpg
CR_1267	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1268	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1269	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1270	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1271	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1272	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1273	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1274	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1275	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1276	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1277	<Null>	<Null>	<Null>	<Null>	Yes	CR_1277.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1278	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1279	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1280	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1281	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1282	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1283	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1284	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1285	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1286	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1287	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1288	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1289	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1290	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1291	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1292	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1293	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1294	<Null>	<Null>	<Null>	Slope, steep side flares	Yes	CR_1294.jpg
CR_1295	<Null>	<Null>	<Null>	Width less than 36 inches	Yes	CR_1295.jpg
CR_1296	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1297	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1298	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1299	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1300	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1301	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1302	1.1	2	<Null>	DWS only candidate	Yes	CR_1302.jpg
CR_1303	1.1	2	<Null>	Vegetation. 2023 I St Reconstruction?	Yes	CR_1303.jpg
CR_1304	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1305	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1306	1.8	1	<Null>	<Null>	Yes	CR_1306.jpg
CR_1307	0.2	0.6	<Null>	<Null>	Yes	CR_1307.jpg
CR_1308	0.6	0.2	<Null>	<Null>	Yes	CR_1308.jpg
CR_1309	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1310	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1311	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1312	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1313	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1314	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1315	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1316	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1317	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1318	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1319	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1320	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1321	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1322	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1323	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1324	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1325	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1326	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1327	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1328	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1329	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1330	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1331	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1332	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1333	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1334	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1335	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1336	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1337	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1338	0.5	0.3	<Null>	<Null>	Yes	CR_1338.jpg
CR_1339	0.3	0.5	<Null>	<Null>	Yes	CR_1339.jpg
CR_1340	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1341	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1342	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1343	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1344	1.3	1	<Null>	<Null>	Yes	CR_1344.jpg
CR_1345	1.3	1	<Null>	<Null>	Yes	CR_1345.jpg
CR_1346	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1347	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1348	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1349	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1350	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1351	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1352	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1353	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1354	0	0.1	<Null>	<Null>	Yes	CR_1354.jpg
CR_1355	0.1	0	<Null>	<Null>	Yes	CR_1355.jpg
CR_1356	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1357	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1358	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1359	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1360	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1361	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1362	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1363	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1364	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1365	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1366	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1367	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1368	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1369	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1370	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1371	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1372	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1373	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1374	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1375	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1376	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1377	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1378	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1379	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1380	<Null>	<Null>	<Null>	<Null>	Yes	CR_1380.jpg
CR_1381	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1382	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1383	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1384	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1385	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1386	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1387	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1388	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1389	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1390	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1391	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1392	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1393	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1394	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1395	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1396	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1397	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1398	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1399	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1400	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1401	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1402	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1403	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1404	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1405	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1406	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1407	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1408	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1409	1	1.1	8.7	Minor curb, lip, vegetation, cracks, forming	Yes	CR_1409.jpg
CR_141	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1410	1.5	1	6.3	Stamped aggregate	Yes	CR_1410.jpg
CR_1411	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1412	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1413	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1415	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1416	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1417	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1418	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1419	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1420	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1421	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1422	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1423	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1424	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1425	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1426	1.9	1	<Null>	<Null>	Yes	CR_1426.jpg
CR_1427	1	1.9	4.7	Vegetation	Yes	CR_1427.jpg
CR_1428	1.5	0.4	8.4	<Null>	Yes	CR_1428.jpg
CR_1429	0.4	1.5	7	<Null>	Yes	CR_1429.jpg
CR_1430	1.4	0.3	6.6	<Null>	Yes	CR_1430.jpg
CR_1431	0.3	1.4	8.5	MEF candidate to match crossslope of PAR	Yes	CR_1431.jpg
CR_1432	1.8	0.8	7.2	<Null>	Yes	CR_1432.jpg
CR_1433	0.8	1.8	6.6	<Null>	Yes	CR_1433.jpg
CR_1434	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1435	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1436	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1437	<Null>	<Null>	<Null>	DWS not full width of ramp	No	<Null>
CR_1438	<Null>	<Null>	<Null>	DWS not full width of ramp	No	<Null>
CR_1439	<Null>	<Null>	<Null>	DWS not full width of ramp	No	<Null>
CR_1440	<Null>	<Null>	<Null>	Crack in ramp, DWS not full width of ramp	No	<Null>
CR_1441	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1442	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1443	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1444	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1445	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1446	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1447	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1448	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1449	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1450	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1451	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1452	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1453	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1454	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1455	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1456	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1457	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1458	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1459	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1460	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1461	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1462	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1463	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1464	<Null>	<Null>	<Null>	DWS not full width of ramp	No	<Null>
CR_1465	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1466	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1467	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1468	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1469	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1470	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1471	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1472	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1473	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1474	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1475	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1476	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1477	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1478	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1479	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1480	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1481	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1482	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1483	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1484	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1485	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1486	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1487	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1488	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1489	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1490	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1491	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_1492	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1493	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1494	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1495	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1496	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1497	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1498	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1499	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1500	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1501	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1502	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1503	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1504	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1505	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1506	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1507	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1508	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1509	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1510	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1511	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1512	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1513	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1514	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1515	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1516	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1517	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1518	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1519	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1520	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1521	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1522	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1523	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1524	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1525	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1526	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1527	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1528	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1529	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1530	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1531	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1532	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1533	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1534	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1535	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1536	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1537	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1538	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1539	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1540	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1541	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1542	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1543	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1544	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1545	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1546	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1547	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1548	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1549	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1550	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1551	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1552	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1553	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1554	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1555	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1556	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1557	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1558	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1559	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1560	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1561	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1562	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1563	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1564	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1565	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1566	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1567	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1568	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1569	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1570	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1571	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1572	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1573	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1574	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1575	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1576	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1577	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1578	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1579	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1580	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1581	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1582	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1583	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1584	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1585	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1586	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1587	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1588	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1589	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1590	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1591	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1592	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1593	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1594	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1595	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1596	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1597	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1598	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1599	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1600	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1601	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1602	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1603	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1604	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1605	2	0.3	<Null>	<Null>	Yes	CR_1605.jpg
CR_1606	1.9	1.7	<Null>	Debris	Yes	CR_1606.jpg
CR_1607	1.9	0.3	<Null>	<Null>	Yes	CR_1607.jpg
CR_1608	1.4	1.2	<Null>	Debris	Yes	CR_1608.jpg
CR_1609	1.2	0.8	<Null>	<Null>	Yes	CR_1609.jpg
CR_1610	1.5	1	<Null>	<Null>	Yes	CR_1610.jpg
CR_1611	0.9	1.7	<Null>	<Null>	Yes	CR_1611.jpg
CR_1612	1.5	0.8	<Null>	<Null>	Yes	CR_1612.jpg
CR_1613	1	0.9	<Null>	<Null>	Yes	CR_1613.jpg
CR_1614	0.7	1.7	<Null>	<Null>	Yes	CR_1614.jpg
CR_1615	0.3	0	5.2	<Null>	Yes	CR_1615.jpg
CR_1616	1.5	1	<Null>	Solid debris	Yes	CR_1616.jpg
CR_1617	1	0.1	<Null>	<Null>	Yes	CR_1617.jpg
CR_1618	0.7	0.4	<Null>	Gravel debris	Yes	CR_1618.jpg
CR_1619	1.5	1.4	<Null>	<Null>	Yes	CR_1619.jpg
CR_1620	1.7	1.7	<Null>	<Null>	Yes	CR_1620.jpg
CR_1621	0.5	0.9	<Null>	<Null>	Yes	CR_1621.jpg
CR_1622	1.6	0.2	<Null>	<Null>	Yes	CR_1622.jpg
CR_1623	1.3	1.1	<Null>	<Null>	Yes	CR_1623.jpg
CR_1624	1.1	1.9	7.6	<Null>	Yes	CR_1624.jpg
CR_1625	0	1.9	<Null>	Gravel debris	Yes	CR_1625.jpg
CR_1626	1.6	1.2	<Null>	<Null>	Yes	CR_1626.jpg
CR_1627	0.1	1.8	<Null>	<Null>	Yes	CR_1627.jpg
CR_1628	0.9	1	<Null>	West side adjacent PAR cracks at a people	Yes	CR_1628.jpg
CR_1629	0.5	1.5	<Null>	<Null>	Yes	CR_1629.jpg
CR_1630	0.5	1.5	<Null>	<Null>	Yes	CR_1630.jpg
CR_1631	0.2	0.4	<Null>	<Null>	Yes	CR_1631.jpg
CR_1632	0.4	0.1	<Null>	<Null>	Yes	CR_1632.jpg
CR_1633	0.9	0.9	<Null>	<Null>	Yes	CR_1633.jpg
CR_1634	0	0.7	<Null>	Gravel	Yes	CR_1634.jpg
CR_1635	2	1	10	<Null>	Yes	CR_1635.jpg
CR_1636	1.7	1.3	2.3	<Null>	Yes	CR_1636.jpg
CR_1637	1	0.2	4.2	<Null>	Yes	CR_1637.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1638	1.1	1.4	<Null>	<Null>	Yes	CR_1638.jpg
CR_1639	1.5	1.9	<Null>	Gravel	Yes	CR_1639.jpg
CR_1640	1	1.9	<Null>	<Null>	Yes	CR_1640.jpg
CR_1641	0.6	1.7	<Null>	<Null>	Yes	CR_1641.jpg
CR_1642	1.1	1.3	<Null>	<Null>	Yes	CR_1642.jpg
CR_1643	1.5	1.2	<Null>	<Null>	Yes	CR_1643.jpg
CR_1644	0.6	0.7	<Null>	<Null>	Yes	CR_1644.jpg
CR_1645	0.1	2	<Null>	<Null>	Yes	CR_1645.jpg
CR_1646	1.5	1.5	<Null>	<Null>	Yes	CR_1646.jpg
CR_1647	1	0.5	<Null>	<Null>	Yes	CR_1647.jpg
CR_1648	2	0.2	<Null>	<Null>	Yes	CR_1648.jpg
CR_1649	1	0.9	<Null>	<Null>	Yes	CR_1649.jpg
CR_1650	1	1.2	<Null>	<Null>	Yes	CR_1650.jpg
CR_1651	0.3	2	<Null>	<Null>	Yes	CR_1651.jpg
CR_1652	2	0.3	<Null>	<Null>	Yes	CR_1652.jpg
CR_1653	0	2	<Null>	<Null>	Yes	CR_1653.jpg
CR_1654	1.3	0.7	<Null>	<Null>	Yes	CR_1654.jpg
CR_1655	1	2	<Null>	<Null>	Yes	CR_1655.jpg
CR_1656	1.4	1.5	<Null>	<Null>	Yes	CR_1656.jpg
CR_1657	1.5	0.1	<Null>	<Null>	Yes	CR_1657.jpg
CR_1658	1.6	1.2	<Null>	<Null>	Yes	CR_1658.jpg
CR_1659	3.8	5	10	Stamped aggregate, slope	Yes	CR_1659.jpg
CR_1661	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1662	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1663	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1664	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1665	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1666	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1667	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1668	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1669	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1670	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1671	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1672	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1673	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1674	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1675	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1676	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1677	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1678	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1679	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1680	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1681	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1682	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1683	<Null>	<Null>	<Null>	<Null>	Yes	CR_1683.jpg
CR_1684	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1685	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1686	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_1687	1	0.6	<Null>	<Null>	Yes	CR_1687.jpg
CR_1688	1.4	0.7	<Null>	<Null>	Yes	CR_1688.jpg
CR_1689	<Null>	<Null>	<Null>	No landing	Yes	CR_1689.jpg
CR_1690	<Null>	<Null>	<Null>	No DWS, no landing	Yes	CR_1690.jpg
CR_1691	<Null>	<Null>	<Null>	No DWS, no landing	Yes	CR_1691.jpg
CR_1692	<Null>	<Null>	<Null>	Major curb lip, no landing	Yes	CR_1692.jpg
CR_1693	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1693.jpg
CR_1694	<Null>	<Null>	<Null>	No DWS, no landing	Yes	CR_1694.jpg
CR_1695	<Null>	<Null>	<Null>	DWS only candidate	Yes	CR_1695.jpg
CR_1696	<Null>	<Null>	<Null>	Steep side flares, no DWS	Yes	CR_1696.jpg
CR_1697	3	5.7	<Null>	Cross slope. Landing, upheaval and joints, utility pole	Yes	CR_1697.jpg
CR_1698	0.5	3	<Null>	Cross slopes. Landing defined as behind curb ramp on sidewalk	Yes	CR_1698.jpg
CR_1699	0.5	0.1	<Null>	Monitor vegetation	Yes	CR_1699.jpg
CR_1700	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1700.jpg
CR_1701	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1701.jpg
CR_1702	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1702.jpg
CR_1703	<Null>	<Null>	<Null>	Curb lip, No landing, steep side flares, no DWS	Yes	CR_1703.jpg
CR_1704	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1704.jpg
CR_1705	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1705.jpg
CR_1706	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1706.jpg
CR_1707	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS, cracks	Yes	CR_1707.jpg
CR_1708	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS, cracks	Yes	CR_1708.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1709	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1709.jpg
CR_1710	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS, cracks	Yes	CR_1710.jpg
CR_1711	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1711.jpg
CR_1712	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1712.jpg
CR_1713	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1713.jpg
CR_1714	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1714.jpg
CR_1715	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1715.jpg
CR_1716	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1716.jpg
CR_1717	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1717.jpg
CR_1718	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1718.jpg
CR_1719	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1719.jpg
CR_1720	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1720.jpg
CR_1721	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_1721.jpg
CR_1722	2.4	0.7	<Null>	<Null>	Yes	CR_1722.jpg
CR_1723	3.4	0.1	<Null>	<Null>	Yes	CR_1723.jpg
CR_1724	2.5	1.7	<Null>	<Null>	Yes	CR_1724.jpg
CR_1725	<Null>	<Null>	<Null>	No landing	Yes	CR_1725.jpg
CR_1726	<Null>	<Null>	<Null>	No landing	Yes	CR_1726.jpg
CR_1727	<Null>	<Null>	<Null>	No landing	Yes	CR_1727.jpg
CR_1728	<Null>	<Null>	<Null>	No landing	Yes	CR_1728.jpg
CR_1729	<Null>	<Null>	<Null>	No landing	Yes	CR_1729.jpg
CR_1730	<Null>	<Null>	<Null>	Curb lip, no landing	Yes	CR_1730.jpg
CR_1731	<Null>	<Null>	<Null>	No landing	Yes	CR_1731.jpg
CR_1732	0.2	0.1	7.7	<Null>	Yes	CR_1732.jpg
CR_1733	<Null>	<Null>	<Null>	<Null>	Yes	CR_1733.jpg
CR_1734	0.3	2	<Null>	DWS does not go full width of ramp	Yes	CR_1734.jpg
CR_1735	<Null>	<Null>	<Null>	Curb lip and degraded surface	Yes	CR_1735.jpg
CR_1736	2.7	3.9	<Null>	Landing slopes, vegetation	Yes	CR_1736.jpg
CR_1737	<Null>	<Null>	<Null>	No landing, vegetation	Yes	CR_1737.jpg
CR_1738	<Null>	<Null>	<Null>	No landing	Yes	CR_1738.jpg
CR_1739	1.7	0.4	<Null>	<Null>	Yes	CR_1739.jpg
CR_1740	0.5	1.7	<Null>	Vegetation	Yes	CR_1740.jpg
CR_1741	0.3	0	<Null>	Vegetation and degraded surface in street pavement	Yes	CR_1741.jpg
CR_1742	0.9	3	<Null>	<Null>	Yes	CR_1742.jpg
CR_1743	1.3	0.9	<Null>	Vegetation and curb lip	Yes	CR_1743.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1744	0.2	1.5	10	<Null>	Yes	CR_1744.jpg
CR_1745	2.4	1.5	<Null>	Cross slope	Yes	CR_1745.jpg
CR_1746	<Null>	<Null>	<Null>	<Null>	Yes	CR_1746.jpg
CR_1747	0.4	3.7	<Null>	Cross slope	Yes	CR_1747.jpg
CR_1748	1.7	0.1	<Null>	Cross slope, DWS not full width of ramp	Yes	CR_1748.jpg
CR_1749	2.8	0.7	<Null>	Cross slope, debris	Yes	CR_1749.jpg
CR_1750	1.3	0.4	<Null>	Ramp after DWS, debris	Yes	CR_1750.jpg
CR_1751	0.3	0.3	<Null>	<Null>	Yes	CR_1751.jpg
CR_1752	0.5	1.8	<Null>	Debris, DWS not full width of ramp	Yes	CR_1752.jpg
CR_1753	0	2.5	<Null>	Cross slope	Yes	CR_1753.jpg
CR_1754	3.1	0.6	<Null>	Minor asphalt lip where lower landing meets roadway	Yes	CR_1754.jpg
CR_1755	0.4	1.7	<Null>	Vegetation, monitor road transition	Yes	CR_1755.jpg
CR_1756	0.6	1.6	<Null>	Vegetation, monitor road transition	Yes	CR_1756.jpg
CR_1757	0.2	2.2	<Null>	Cross slope, DWS not full width of ramp	Yes	CR_1757.jpg
CR_1758	1.2	1.4	<Null>	Asphalt cracks and bumps in front of ramp, DWS not full width of ramp	Yes	CR_1758.jpg
CR_1759	1.8	0.9	<Null>	Vegetation, Debris	Yes	CR_1759.jpg
CR_1760	1.8	0.4	<Null>	Asphalt cracks and bumps in front of ramp, vegetation	Yes	CR_1760.jpg
CR_1761	0.5	2.5	<Null>	Cross slope, Asphalt cracks and bumps in front of ramp	Yes	CR_1761.jpg
CR_1762	1.3	1	<Null>	Vegetation, DWS creates bump, leads to grass	Yes	CR_1762.jpg
CR_1763	1.1	0.8	<Null>	<Null>	Yes	CR_1763.jpg
CR_1764	0.8	2	<Null>	<Null>	Yes	CR_1764.jpg
CR_1765	0.1	0.1	<Null>	Vegetation	Yes	CR_1765.jpg
CR_1766	0	0	<Null>	<Null>	Yes	CR_1766.jpg
CR_1767	0.2	0.7	<Null>	Vegetation, monitor roadway transition	Yes	CR_1767.jpg
CR_1768	0.7	1.9	<Null>	Asphalt bumps in front of ramp, vegetation, DWS not full width of ramp	Yes	CR_1768.jpg
CR_1769	1	1.7	<Null>	Monitor roadway transition	Yes	CR_1769.jpg
CR_1770	0.2	1.3	<Null>	Cross slope, Vegetation	Yes	CR_1770.jpg
CR_1771	0.1	2.1	<Null>	Cross slope, Vegetation, Debris	Yes	CR_1771.jpg
CR_1772	1	0.4	<Null>	<Null>	Yes	CR_1772.jpg
CR_1773	1.7	1	<Null>	<Null>	Yes	CR_1773.jpg
CR_1774	10	1.6	<Null>	Sidewalk to landing running slope	Yes	CR_1774.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1775	1.7	0.1	<Null>	Cross slope, debris	Yes	CR_1775.jpg
CR_1776	0	1.9	<Null>	Vegetation	Yes	CR_1776.jpg
CR_1777	0.1	1.2	<Null>	<Null>	Yes	CR_1777.jpg
CR_1778	4.7	1.3	<Null>	Landing running slope	Yes	CR_1778.jpg
CR_1779	1.8	2	<Null>	Crack in lower landing	Yes	CR_1779.jpg
CR_1780	0.5	2	<Null>	<Null>	Yes	CR_1780.jpg
CR_1781	0.7	0.2	<Null>	<Null>	Yes	CR_1781.jpg
CR_1782	2	2	<Null>	<Null>	Yes	CR_1782.jpg
CR_1783	1.2	2.5	<Null>	Cross slope	Yes	CR_1783.jpg
CR_1784	1.5	2.7	<Null>	<Null>	Yes	CR_1784.jpg
CR_1785	1.1	5.9	3	Cross slope	Yes	CR_1785.jpg
CR_1786	<Null>	<Null>	<Null>	<Null>	Yes	CR_1786.jpg
CR_1787	<Null>	<Null>	<Null>	<Null>	Yes	CR_1787.jpg
CR_1788	<Null>	<Null>	<Null>	<Null>	Yes	CR_1788.jpg
CR_1789	<Null>	<Null>	<Null>	<Null>	Yes	CR_1789.jpg
CR_1790	<Null>	<Null>	<Null>	Curb lip	Yes	CR_1790.jpg
CR_1791	<Null>	<Null>	<Null>	DWS only candidate	Yes	CR_1791.jpg
CR_1792	<Null>	<Null>	<Null>	<Null>	Yes	CR_1792.jpg
CR_1793	<Null>	<Null>	<Null>	<Null>	Yes	CR_1793.jpg
CR_1794	<Null>	<Null>	<Null>	<Null>	Yes	CR_1794.jpg
CR_1795	1.4	1.5	13.5	<Null>	Yes	CR_1795.jpg
CR_1796	<Null>	<Null>	<Null>	<Null>	Yes	CR_1796.jpg
CR_1797	<Null>	<Null>	<Null>	DWS Only Candidate?	Yes	CR_1797.jpg
CR_1798	<Null>	<Null>	<Null>	<Null>	Yes	CR_1798.jpg
CR_1799	<Null>	<Null>	<Null>	<Null>	Yes	CR_1799.jpg
CR_1800	<Null>	<Null>	<Null>	DWS Only Candidate?	Yes	CR_1800.jpg
CR_1801	<Null>	<Null>	<Null>	DWS Only Candidate?	Yes	CR_1801.jpg
CR_1802	<Null>	<Null>	<Null>	<Null>	Yes	CR_1802.jpg
CR_1803	<Null>	<Null>	<Null>	<Null>	Yes	CR_1803.jpg
CR_1804	<Null>	<Null>	<Null>	<Null>	Yes	CR_1804.jpg
CR_1805	<Null>	<Null>	<Null>	DWS Only Candidate?	Yes	CR_1805.jpg
CR_1806	<Null>	<Null>	<Null>	<Null>	Yes	CR_1806.jpg
CR_1807	<Null>	<Null>	<Null>	DWS Only Candidate?	Yes	CR_1807.jpg
CR_1808	<Null>	<Null>	<Null>	<Null>	Yes	CR_1808.jpg
CR_1809	<Null>	<Null>	<Null>	<Null>	Yes	CR_1809.jpg
CR_1810	<Null>	<Null>	<Null>	Sidewalk, overgrown	Yes	CR_1810.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_1811	<Null>	<Null>	<Null>	<Null>	Yes	CR_1811.jpg
CR_1812	<Null>	<Null>	<Null>	<Null>	Yes	CR_1812.jpg
CR_1813	<Null>	<Null>	<Null>	<Null>	Yes	CR_1813.jpg
CR_1814	1.6	3.1	10	<Null>	Yes	CR_1814.jpg
CR_1815	<Null>	<Null>	<Null>	Curve in PAR - currently no ramp	Yes	CR_1815.jpg
CR_1816	<Null>	<Null>	<Null>	<Null>	Yes	CR_1816.jpg
CR_1817	<Null>	<Null>	<Null>	<Null>	Yes	CR_1817.jpg
CR_1818	<Null>	<Null>	<Null>	<Null>	Yes	CR_1818.jpg
CR_1819	<Null>	<Null>	<Null>	<Null>	Yes	CR_1819.jpg
CR_1820	<Null>	<Null>	<Null>	<Null>	Yes	CR_1820.jpg
CR_1821	<Null>	<Null>	<Null>	<Null>	Yes	CR_1821.jpg
CR_1822	<Null>	<Null>	<Null>	<Null>	Yes	CR_1822.jpg
CR_1823	<Null>	<Null>	<Null>	<Null>	Yes	CR_1823.jpg
CR_1824	<Null>	<Null>	<Null>	<Null>	Yes	CR_1824.jpg
CR_1825	<Null>	<Null>	<Null>	<Null>	Yes	CR_1825.jpg
CR_1826	<Null>	<Null>	<Null>	<Null>	Yes	CR_1826.jpg
CR_1827	<Null>	<Null>	<Null>	DWS only candidate?	Yes	CR_1827.jpg
CR_1828	<Null>	<Null>	<Null>	DWS only candidate?	Yes	CR_1828.jpg
CR_1829	<Null>	<Null>	<Null>	<Null>	Yes	CR_1829.jpg
CR_1830	<Null>	<Null>	<Null>	<Null>	Yes	CR_1830.jpg
CR_1831	<Null>	<Null>	<Null>	<Null>	Yes	CR_1831.jpg
CR_1832	<Null>	<Null>	<Null>	<Null>	Yes	CR_1832.jpg
CR_1833	<Null>	<Null>	<Null>	<Null>	Yes	CR_1833.jpg
CR_1834	<Null>	<Null>	<Null>	<Null>	Yes	CR_1834.jpg
CR_1835	<Null>	<Null>	<Null>	<Null>	Yes	CR_1835.jpg
CR_1836	<Null>	<Null>	<Null>	<Null>	Yes	CR_1836.jpg
CR_1837	<Null>	<Null>	<Null>	<Null>	Yes	CR_1837.jpg
CR_1838	<Null>	<Null>	<Null>	<Null>	Yes	CR_1838.jpg
CR_1839	<Null>	<Null>	<Null>	<Null>	Yes	CR_1839.jpg
CR_1840	<Null>	<Null>	<Null>	<Null>	Yes	CR_1840.jpg
CR_1841	<Null>	<Null>	<Null>	<Null>	Yes	CR_1841.jpg
CR_1842	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2000	0.1	1.6	<Null>	2020 Project?	Yes	CR_2000.jpg
CR_2001	0.1	0.6	14	2020 Project? Flare slopes Exceeded the maximum	Yes	CR_2001.jpg
CR_2002	0.9	1.7	7.6	2020 Project?	Yes	CR_2002.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_2003	0.7	0.8	<Null>	2020 Project?	Yes	CR_2003.jpg
CR_2004	<Null>	<Null>	<Null>	No landing, steep side flares, no DWS	Yes	CR_2004.jpg
CR_2005	<Null>	<Null>	<Null>	No landing, no DWS	Yes	CR_2005.jpg
CR_2006	0	0.2	<Null>	<Null>	Yes	CR_2006.jpg
CR_2007	0.8	0.5	<Null>	2020 Project?	Yes	CR_2007.jpg
CR_2008	1.5	1	<Null>	2020 Project?	Yes	CR_2008.jpg
CR_2009	1.8	1.8	12	2020 Project? Flare slopes exceeded the maximum	Yes	CR_2009.jpg
CR_2010	0.3	1.2	10.6	2020 Project? Flare slopes Exceeded the maximum	Yes	CR_2010.jpg
CR_2011	<Null>	<Null>	<Null>	No DWS	Yes	CR_2011.jpg
CR_2012	1	0.9	<Null>	2020 Project?	Yes	CR_2012.jpg
CR_2013	1.5	0.4	<Null>	2020 Project?	Yes	CR_2013.jpg
CR_2014	<Null>	<Null>	<Null>	End of frontage PAR	Yes	CR_2014.jpg
CR_2015	<Null>	<Null>	<Null>	End of PAR - asphalt transition	Yes	CR_2015.jpg
CR_2016	<Null>	<Null>	<Null>	End of PAR - asphalt transition	Yes	CR_2016.jpg
CR_2017	<Null>	<Null>	<Null>	End of PAR - asphalt transition	Yes	CR_2017.jpg
CR_2018	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2018.jpg
CR_2019	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2019.jpg
CR_2020	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2020.jpg
CR_2021	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2021.jpg
CR_2022	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2022.jpg
CR_2023	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2023.jpg
CR_2024	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2024.jpg
CR_2025	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2025.jpg
CR_2026	<Null>	<Null>	<Null>	End of PAR - asphalt transition	Yes	CR_2026.jpg
CR_2027	0.4	1	<Null>	<Null>	Yes	CR_2027.jpg
CR_2028	1	1	<Null>	<Null>	Yes	CR_2028.jpg
CR_2029	0.3	0.7	<Null>	<Null>	Yes	CR_2029.jpg
CR_2030	0.3	0.7	<Null>	<Null>	Yes	CR_2030.jpg
CR_2031	1.6	1.1	<Null>	2021 Project? Vegetation	Yes	CR_2031.jpg
CR_2032	0.4	0.2	<Null>	2021 Project?	Yes	CR_2032.jpg
CR_2033	0.1	0.2	<Null>	2021 Project?	Yes	CR_2033.jpg
CR_2034	0	1.2	<Null>	2021 Project?	Yes	CR_2034.jpg
CR_2035	1.5	0.3	<Null>	2021 Project? Vegetation	Yes	CR_2035.jpg
CR_2036	0.3	1.5	<Null>	2021 Project? Vegetation	Yes	CR_2036.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_2037	0.4	0.9	<Null>	2021 Project? Vegetation	Yes	CR_2037.jpg
CR_2038	1.4	2	<Null>	<Null>	Yes	CR_2038.jpg
CR_2039	1	1	<Null>	Blended Transition not required at unsigned driveway	Yes	CR_2039.jpg
CR_2040	0.7	0.8	<Null>	Blended Transition not required at unsigned driveway	Yes	CR_2040.jpg
CR_2041	0.2	1.7	<Null>	<Null>	Yes	CR_2041.jpg
CR_2042	1.4	0.9	<Null>	<Null>	Yes	CR_2042.jpg
CR_2043	0.3	0.6	<Null>	<Null>	Yes	CR_2043.jpg
CR_2044	0.7	0.7	<Null>	<Null>	Yes	CR_2044.jpg
CR_2045	0	0.1	<Null>	Vegetation	Yes	CR_2045.jpg
CR_2046	0.5	0.5	<Null>	<Null>	Yes	CR_2046.jpg
CR_2047	0.1	1	<Null>	<Null>	Yes	CR_2047.jpg
CR_2048	1	0.2	<Null>	<Null>	Yes	CR_2048.jpg
CR_2049	1	0.3	<Null>	<Null>	Yes	CR_2049.jpg
CR_2050	0.3	1	<Null>	<Null>	Yes	CR_2050.jpg
CR_2051	0.9	1.1	<Null>	<Null>	Yes	CR_2051.jpg
CR_2052	1.3	0.5	<Null>	<Null>	Yes	CR_2052.jpg
CR_2053	0.7	2	<Null>	<Null>	Yes	CR_2053.jpg
CR_2054	0.6	0.1	<Null>	<Null>	Yes	CR_2054.jpg
CR_2055	1.5	0.9	<Null>	<Null>	Yes	CR_2055.jpg
CR_2056	1.8	0.3	<Null>	<Null>	Yes	CR_2056.jpg
CR_2057	1.9	1.4	<Null>	<Null>	Yes	CR_2057.jpg
CR_2058	4.9	2.7	<Null>	Panel upheaval and cracks	Yes	CR_2058.jpg
CR_2059	<Null>	<Null>	<Null>	<Null>	Yes	CR_2059.jpg
CR_2060	<Null>	<Null>	<Null>	<Null>	Yes	CR_2060.jpg
CR_2061	0.9	1	<Null>	<Null>	Yes	CR_2061.jpg
CR_2062	0.6	1	<Null>	<Null>	Yes	CR_2062.jpg
CR_2063	0.5	0.7	<Null>	<Null>	Yes	CR_2063.jpg
CR_2064	0.5	1	<Null>	<Null>	Yes	CR_2064.jpg
CR_2065	1.5	0.3	<Null>	<Null>	Yes	CR_2065.jpg
CR_2066	0.3	0.6	<Null>	<Null>	Yes	CR_2066.jpg
CR_2067	1.5	0.5	<Null>	<Null>	Yes	CR_2067.jpg
CR_2068	1.8	0	<Null>	<Null>	Yes	CR_2068.jpg
CR_2069	1.7	1.7	<Null>	<Null>	Yes	CR_2069.jpg
CR_2070	0.2	0.3	<Null>	<Null>	Yes	CR_2070.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_2071	2	0.3	<Null>	<Null>	Yes	CR_2071.jpg
CR_2072	0	1.3	<Null>	Blended transition, 6ft wide median island	Yes	CR_2072.jpg
CR_2073	0.7	0.2	<Null>	<Null>	Yes	CR_2073.jpg
CR_2074	0.6	0.9	<Null>	<Null>	Yes	CR_2074.jpg
CR_2075	0.6	1	<Null>	<Null>	Yes	CR_2075.jpg
CR_2076	1.3	1.3	<Null>	<Null>	Yes	CR_2076.jpg
CR_2077	2	1	<Null>	<Null>	Yes	CR_2077.jpg
CR_2078	0.9	1	8.4	<Null>	Yes	CR_2078.jpg
CR_2079	<Null>	<Null>	<Null>	End of new frontage PAR	Yes	CR_2079.jpg
CR_2080	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2080.jpg
CR_2081	<Null>	<Null>	<Null>	End of PAR with staircase	Yes	CR_2081.jpg
CR_2082	<Null>	<Null>	<Null>	<Null>	Yes	CR_2082.jpg
CR_2083	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2083.jpg
CR_2084	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2084.jpg
CR_2085	<Null>	<Null>	<Null>	<Null>	Yes	CR_2085.jpg
CR_2086	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2086.jpg
CR_2087	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2087.jpg
CR_2088	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2088.jpg
CR_2089	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2089.jpg
CR_2090	1.3	0.4	<Null>	<Null>	Yes	CR_2090.jpg
CR_2091	1.3	0.4	<Null>	<Null>	Yes	CR_2091.jpg
CR_2092	0.5	0.6	5.7	Crack forming	Yes	CR_2092.jpg
CR_2093	0.6	1.1	10	<Null>	Yes	CR_2093.jpg
CR_2094	1.5	0.4	<Null>	<Null>	Yes	CR_2094.jpg
CR_2095	1	1	3.2	<Null>	Yes	CR_2095.jpg
CR_2096	0.8	0.4	<Null>	<Null>	Yes	CR_2096.jpg
CR_2097	0.3	1.3	4.1	<Null>	Yes	CR_2097.jpg
CR_2098	1	0.8	<Null>	<Null>	Yes	CR_2098.jpg
CR_2099	0.9	0.2	<Null>	<Null>	Yes	CR_2099.jpg
CR_2100	2	1.7	<Null>	<Null>	Yes	CR_2100.jpg
CR_2101	2	2	<Null>	Minor curb lip	Yes	CR_2101.jpg
CR_2102	1.3	0.3	6.2	<Null>	Yes	CR_2102.jpg
CR_2103	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2104	0.8	0.9	<Null>	<Null>	Yes	CR_2104.jpg
CR_2105	8	0.3	11	Monitor panel, gaps and crack	Yes	CR_2105.jpg
CR_2106	0.7	0.1	4.6	Monitor panel, gaps and crack	Yes	CR_2106.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_2107	<Null>	<Null>	<Null>	DWS only candidate on SUP	Yes	CR_2107.jpg
CR_2108	<Null>	<Null>	<Null>	No landing	Yes	CR_2108.jpg
CR_2109	1.8	2.1	7.8	Cross slope, bumps	Yes	CR_2109.jpg
CR_2110	2.3	1.1	<Null>	Slanted DWS bridge to gravel parking lot	Yes	CR_2110.jpg
CR_2111	3.1	0.5	<Null>	Slanted DWS bridge to gravel parking lot	Yes	CR_2111.jpg
CR_2112	<Null>	<Null>	<Null>	<Null>	Yes	CR_2112.jpg
CR_2113	<Null>	<Null>	<Null>	<Null>	Yes	CR_2113.jpg
CR_2114	0.1	1.8	<Null>	DWS required at signed street crossings (Mead St)	Yes	CR_2114.jpg
CR_2115	0.4	1.4	<Null>	DWS required at signed street crossings (Mead St)	Yes	CR_2115.jpg
CR_2116	<Null>	<Null>	<Null>	<Null>	Yes	CR_2116.jpg
CR_2117	<Null>	<Null>	<Null>	<Null>	Yes	CR_2117.jpg
CR_2118	1	1.7	<Null>	Cross slope, DWS not full width of ramp, poor transition to pavement	Yes	CR_2118.jpg
CR_2119	<Null>	<Null>	<Null>	<Null>	Yes	CR_2119.jpg
CR_2120	<Null>	<Null>	<Null>	End of new frontage PAR	Yes	CR_2120.jpg
CR_2121	0.6	0.5	<Null>	Utility pole barrier in PAR/landing, debris	Yes	CR_2121.jpg
CR_2122	0.6	2.1	<Null>	<Null>	Yes	CR_2122.jpg
CR_2123	1.1	0.5	<Null>	<Null>	Yes	CR_2123.jpg
CR_2124	1	0.5	<Null>	Debris	Yes	CR_2124.jpg
CR_2125	1	1	<Null>	End of PAR - concrete, no DWS	Yes	CR_2125.jpg
CR_2126	<Null>	<Null>	<Null>	<Null>	<Null>	<Null>
CR_2129	<Null>	<Null>	<Null>	<Null>	Yes	CR_2129.jpg
CR_2130	<Null>	<Null>	<Null>	<Null>	Yes	CR_2130.jpg
CR_2131	<Null>	<Null>	<Null>	<Null>	Yes	CR_2131.jpg
CR_2132	<Null>	<Null>	<Null>	<Null>	Yes	CR_2132.jpg
CR_2133	<Null>	<Null>	<Null>	End of PAR - asphalt transition	Yes	CR_2133.jpg
CR_2134	<Null>	<Null>	<Null>	No landing	Yes	CR_2134.jpg
CR_2135	<Null>	<Null>	<Null>	End of PAR - asphalt transition	Yes	CR_2135.jpg
CR_2136	<Null>	<Null>	<Null>	End of PAR - asphalt transition	Yes	CR_2136.jpg
CR_2137	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2137.jpg
CR_2138	<Null>	<Null>	<Null>	End of new frontage PAR	Yes	CR_2138.jpg
CR_2139	<Null>	<Null>	<Null>	End of PAR - asphalt transition	Yes	CR_2139.jpg
CR_2140	<Null>	<Null>	<Null>	End of PAR - asphalt transition	Yes	CR_2140.jpg
CR_2141	1.9	0.2	<Null>	<Null>	Yes	CR_2141.jpg
CR_2142	1.7	0.2	<Null>	<Null>	Yes	CR_2142.jpg
CR_2143	<Null>	<Null>	<Null>	<Null>	Yes	CR_2143.jpg

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_2144	<Null>	<Null>	<Null>	<Null>	Yes	CR_2144.jpg
CR_2145	1.1	3.1	<Null>	Cross slope, Landing defined as behind curb ramp on sidewalk	Yes	CR_2145.jpg
CR_2146	<Null>	<Null>	<Null>	DWS only candidate on SUP	Yes	CR_2146.jpg
CR_2147	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2148	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2149	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2150	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2151	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2152	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2153	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2154	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2155	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2156	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2157	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2158	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2159	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2160	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2161	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2162	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2163	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2164	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2165	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2166	<Null>	<Null>	<Null>	End of PAR	No	<Null>
CR_2167	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2168	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2169	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2170	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2171	<Null>	<Null>	<Null>	End of PAR	Yes	CR_2171.jpg
CR_2172	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2173	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2174	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2175	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2176	<Null>	<Null>	<Null>	End of new frontage PAR	No	<Null>
CR_2177	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2178	<Null>	<Null>	<Null>	<Null>	No	<Null>

City of Aberdeen
2025 ADA Transition Plan

TSI_CurbRamp_ID	TSI_Landing_Running_Slope	TSI_Landing_Cross_Slope	TSI_Flare_Slope	TSI_Notes	TSI_Photo_Check	TSI_Photo_ID
CR_2179	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2180	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2181	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2182	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2183	<Null>	<Null>	<Null>	End of PAR	No	<Null>
CR_2184	<Null>	<Null>	<Null>	End of PAR	No	<Null>
CR_2185	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2186	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2187	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2188	<Null>	<Null>	<Null>	End of PAR	No	<Null>
CR_2189	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2190	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2191	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2192	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2193	<Null>	<Null>	<Null>	End of PAR	No	<Null>
CR_2195	<Null>	<Null>	<Null>	End of PAR	No	<Null>
CR_2196	<Null>	<Null>	<Null>	End of PAR	No	<Null>
CR_2197	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2198	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2199	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2200	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2201	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2202	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2203	<Null>	<Null>	<Null>	End of PAR	No	<Null>
CR_2204	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2205	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2206	<Null>	<Null>	<Null>	<Null>	No	<Null>
CR_2206	<Null>	<Null>	<Null>	DWS only candidate	No	<Null>
CR_2207	<Null>	<Null>	<Null>	End of PAR	No	<Null>
CR_2208	<Null>	<Null>	<Null>	End of PAR	No	<Null>
CR_2209	<Null>	<Null>	<Null>	End of PAR	No	<Null>
CR_2210	<Null>	<Null>	<Null>	End of PAR	No	<Null>
CR_2211	<Null>	<Null>	<Null>	End of PAR	No	<Null>
CR_2212	<Null>	<Null>	<Null>	End of PAR	No	<Null>

Public Right-of-Way Americans with Disabilities Act (ADA) Self-Evaluation and Transition Plan



Appendix C2

2025 ADA Driveway Inventory Documentation

Prepared by
Transportation Solutions, Inc



City of Aberdeen
2025 ADA Transition Plan

Attribute Field	Alias	Data Type	Number Format	Length	Data Source	Atribute Answer Options	Notes
FID *	FID	Object ID	Numeric		TSI 2025 ADA Transition Plan deliverable	Default ESRI value	
Shape*	Shape	Geometry			TSI 2025 ADA Transition Plan deliverable	Default ESRI value	
GlobalID*	GlobalID	Global ID			TSI 2025 ADA Transition Plan deliverable	Global ID needed for linking to photo	DO NOT DELETE
CreationDate	Creation Date	Date			TSI 2025 ADA Transition Plan deliverable	Date originally created	
Creator	Creator	Text		128	TSI 2025 ADA Transition Plan deliverable	ESRI default for TSI	
EditDate	EditDate	Date			TSI 2025 ADA Transition Plan deliverable	Date last edited	
Editor	Editor	Text		128	TSI 2025 ADA Transition Plan deliverable	ESRI default for TSI	
DW_ID_No	DW_ID_No	Double	Numeric		TSI 2025 ADA Transition Plan deliverable		DO NOT DELETE
DW_ID	DW_ID	Text		254	TSI 2025 ADA Transition Plan deliverable		
DW_Type	DW_Type	Text		254	TSI 2025 ADA Transition Plan deliverable	Diagonal PAR with Wings (WSDOT Type 2), Buffered PAR with Wings (WSDOT Type 3), Wings - Not ADA Accessible (WSDOT Type 4), Other, Null	
DW_Cross_SI	DW_Cross_SI	Double	Numeric		TSI 2025 ADA Transition Plan deliverable	Varies, percentage expressed to to tenth	Driveway Cross Slope
DW_PAR_Width	DW_PAR_Width	Long	Numeric		TSI 2025 ADA Transition Plan deliverable	Varies, integer	
Parallel_Cross_Slope	Parallel_Cross_Slope	Double	Numeric		TSI 2025 ADA Transition Plan deliverable	Varies, percentage expressed to to tenth	
Parallel_Running_Slope	Parallel_Running_Slope	Double	Numeric		TSI 2025 ADA Transition Plan deliverable	Varies, percentage expressed to to tenth	
TSI_Driveway_Photo_Present	TSI_Driveway_Photo_Present	Text		256	TSI 2025 ADA Transition Plan deliverable	Has Photo Attachment, No Photo Attachment	
TSI_DW_Photo_ID	TSI_DW_Photo_ID	Text		255	TSI 2025 ADA Transition Plan deliverable	DW_####.jpg	digits match DW_ID_No
DW_ADA_Compliance_2010	DW_ADA_Compliance_2010	Text		255	TSI 2025 ADA Transition Plan deliverable		
Notes	Notes	Text		254	TSI 2025 ADA Transition Plan deliverable		

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
464	Point	{8A02CB98-F431-4CD4-9B92-325728FECAE7}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	1	DW_0001
465	Point	{34117D3C-71DF-4B7F-BEF6-DFB6DB215D6C}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	2	DW_0002
466	Point	{66903C50-70EA-42B3-83FD-D986F405DC57}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	3	DW_0003
467	Point	{C4EF3FDC-C39D-46A5-B3F9-0B995A003577}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	4	DW_0004
468	Point	{0BA733C0-E463-46A8-9FA1-BD274558DD74}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	5	DW_0005
469	Point	{6143DE4B-884F-4EAA-95F0-B9E3FE8E3224}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	6	DW_0006
470	Point	{A4DBBBA7-2308-4D5F-A75B-A62213ED962D}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	7	DW_0007
471	Point	{4E3FA333-4281-45E9-827E-037900361EC4}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	8	DW_0008
472	Point	{D44C560A-E547-4F00-999C-FF5783FC0CD1}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	9	DW_0009
473	Point	{7C81EEA8-8564-4408-A2A4-9E94EAA3BB03}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	10	DW_0010
474	Point	{AC43B904-EC65-4B6B-ADE0-D4BE59419658}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	11	DW_0011
475	Point	{FF36007F-4855-4251-A9DD-0EC894FE3BB1}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	12	DW_0012
476	Point	{B7CC9D4C-A5EE-480B-A3C6-30122612992D}	4/22/2025 17:42	jennifers127	8/22/2025 21:31	JENNIFERSALEMANN	13	DW_0013
477	Point	{E0F264A6-D829-43B4-9842-A959F90F36FD}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	14	DW_0014
478	Point	{D9B8D93E-C6D3-4E44-85FD-E1C1AC891833}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	15	DW_0015
479	Point	{B97C2347-5AE9-4E73-92F7-D7FCC6106B45}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	16	DW_0016
480	Point	{04F26A74-4273-423D-8A4F-2F47A50D3E7C}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	17	DW_0017
481	Point	{F8F5712D-2A34-48B9-A1DA-27499E2B134D}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	18	DW_0018
482	Point	{B858D8E3-F8B8-4659-AE06-074C67408ADE}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	19	DW_0019
483	Point	{0759562A-C23A-4C1D-B2E0-8D64C7410700}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	20	DW_0020
484	Point	{99C2C173-B5B8-4C0D-97AD-D68E36FE76D7}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	21	DW_0021
485	Point	{B6CAA29-5217-4EBA-89B9-91B5399D962F}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	22	DW_0022
486	Point	{8FF1D169-511B-4016-A18F-6EB206CCF3AD}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	23	DW_0023
487	Point	{835BE67E-0429-450C-81CC-1510142F86DB}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	24	DW_0024
488	Point	{4F33791B-D894-4EA1-8E69-505E1A76373A}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	25	DW_0025
489	Point	{E21499C0-78A0-4B0C-80EA-D8B9FF0193B5}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	26	DW_0026
490	Point	{596FEBDF-917E-43DB-8AE0-4B819CA09D89}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	27	DW_0027
491	Point	{24C42D02-D02B-46A4-B261-5B0B4E814C0B}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	28	DW_0028
492	Point	{8713893A-18DE-4D2C-BC76-2908D2EE03B9}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	29	DW_0029
493	Point	{DC166B63-9254-473B-A4FE-F18D5E7A6B2A}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	30	DW_0030
494	Point	{98DF7EED-792A-4E5F-963C-9FA7A96A8519}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	31	DW_0031
495	Point	{8E07E2F7-6DC6-4D91-9AEB-0536E5447AC7}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	32	DW_0032
496	Point	{B3D81216-324C-40CF-9547-1F27A7B60422}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	33	DW_0033
497	Point	{26F14DF0-FA34-44A5-AB74-C8B8329C32B3}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	34	DW_0034
498	Point	{F0A20CF1-B0B6-4B65-ACBE-34DA7B05FFA4}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	35	DW_0035
499	Point	{E044F9BC-8278-4F8A-B712-1E91B135EA98}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	36	DW_0036

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
500	Point	{034B57C1-D5E4-47EE-8673-C5F13B4F0F1C}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	37	DW_0037
501	Point	{F5A3D919-ABA1-4A66-9A52-BA59B331D93A}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	38	DW_0038
502	Point	{55A8F047-BEE3-4F38-BA87-224C1124DE85}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	39	DW_0039
503	Point	{7EB908CB-4499-423F-9051-B598CD0ABF24}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	40	DW_0040
504	Point	{03C0FDBE-A1C7-4B48-B4DB-033EA0FA1BD3}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	41	DW_0041
505	Point	{97A09F13-56A5-47F8-973C-E9F290580B00}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	42	DW_0042
506	Point	{D2E17F03-B8A8-47B5-A984-56E727B3615E}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	43	DW_0043
507	Point	{34F4DD41-7573-43BC-8CC0-E69FEC725878}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	44	DW_0044
508	Point	{86076D23-E943-4433-ABD0-4D8E231884B2}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	45	DW_0045
509	Point	{8AB33B78-E9CD-4441-8F11-AFF5E76FFA69}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	46	DW_0046
510	Point	{D473B192-DB5B-4FAF-BC64-53D78D301A68}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	47	DW_0047
511	Point	{485DB93D-0882-46F9-BE8E-331C40B440D9}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	48	DW_0048
512	Point	{6351D9B1-9849-430E-92C0-E06398251D6B}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	49	DW_0049
513	Point	{91633285-5ED2-4C44-AA46-C278725ECF62}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	50	DW_0050
514	Point	{68DD6189-A4DD-4E8A-86ED-4FEA7361343D}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	51	DW_0051
515	Point	{22EA3290-D060-4D1D-8A54-93F2A56AA4AA}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	52	DW_0052
516	Point	{0C97861E-3313-4EB1-ADEF-655C2F5F9238}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	53	DW_0053
517	Point	{6458062E-9B63-4BBD-8863-48CF73272B22}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	54	DW_0054
518	Point	{EBD4218E-BD38-4E70-BF40-8260F3BE250E}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	55	DW_0055
519	Point	{D643D179-AC7A-4D8B-BCCB-A63C4E22D0D2}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	56	DW_0056
520	Point	{1011B90B-7822-4B9D-8641-C700E97483D6}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	57	DW_0057
521	Point	{BAD3B43E-8EA7-4EEC-98DA-D3B5DFBA8938}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	58	DW_0058
522	Point	{85D76489-D455-45B8-B8AB-E162EC3860ED}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	59	DW_0059
523	Point	{93013256-F4F9-4989-AA24-9352D8C296CF}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	60	DW_0060
524	Point	{B38D6CC2-F22B-4797-A029-B5F1C9179F9E}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	61	DW_0061
525	Point	{5428CC0B-C9E1-467E-96AF-60EC106BCA54}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	62	DW_0062
526	Point	{DBC2BBB3-4894-468F-8A39-9ABF9C1DDDC2}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	63	DW_0063
527	Point	{8B0A46FA-6442-4B60-BAB1-DF3150F0006D}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	64	DW_0064
528	Point	{7142E8D1-E670-4A0C-A6BC-7F40A9543DA2}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	65	DW_0065
529	Point	{BCBF7D6E-947E-4B3B-A90A-2CBB33F9B95B}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	66	DW_0066
530	Point	{FE53E0D5-41AA-4682-BBCD-AD72F0F8C593}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	67	DW_0067
531	Point	{1DF12FDA-A5D4-4B90-B3AB-6229301EDFA6}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	68	DW_0068
532	Point	{7C949A21-A7A8-47DA-86B0-59CE75046AA2}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	69	DW_0069
533	Point	{CD56E0D7-18CE-4D0C-B642-0A7138663F7D}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	70	DW_0070
534	Point	{D7CB3B15-D690-47E2-B30D-38A733BA7EEB}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	71	DW_0071
535	Point	{20EC779D-1A34-4BBC-9AE1-9B4A2A6D350E}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	72	DW_0072

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
536	Point	{51333193-7681-4B1C-BB76-396F3CB205CD}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	73	DW_0073
537	Point	{B37C861E-C57A-4C4F-84E8-609C678F6A3C}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	74	DW_0074
538	Point	{C6CC9380-7F5A-4199-9038-A6FB87F6B108}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	75	DW_0075
539	Point	{D3A894D2-55B5-45F1-B6CA-49CE7FA79339}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	76	DW_0076
540	Point	{07AF9C55-1C1C-4CE8-A3F2-6E5F01E2111A}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	77	DW_0077
541	Point	{BAA57C2E-9A22-48AC-B4B8-C2BA14EB15A4}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	78	DW_0078
542	Point	{601D2494-F0A1-4951-86F5-42339A255F05}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	79	DW_0079
543	Point	{F0D3C322-AB7F-4B2D-8480-CA030DE1A871}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	80	DW_0080
544	Point	{210AB59A-4243-4BDB-9253-CC8A214D3005}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	81	DW_0081
545	Point	{A68EFBD5-DC98-4468-A08B-9FA6C75758D2}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	82	DW_0082
546	Point	{F04B3A99-401A-4952-BBDC-5C25399A7DEA}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	83	DW_0083
547	Point	{ABF931CF-09E5-4440-A549-B52B42D72E39}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	84	DW_0084
548	Point	{577019CE-E4ED-4903-AFB0-96B50C1E9E6E}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	85	DW_0085
549	Point	{7324E388-1E5D-44D7-A870-AC6ADD40E78B}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	86	DW_0086
2467	Point	{D943528B-3994-4A4C-8127-A69F521DF1D6}	5/9/2025 20:46		5/28/2025 19:18	JENNIFERSALEMANN	87	DW_0087
550	Point	{587E16A0-05C7-404D-BB28-42FF18362C10}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	88	DW_0088
551	Point	{1AD5920C-9778-464D-B89D-8A3353087C6D}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	89	DW_0089
552	Point	{D9458E0B-7CD1-498B-86D6-C739310E0A53}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	90	DW_0090
553	Point	{2DEDC63E-829A-40E7-AF5B-91650FB99E84}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	91	DW_0091
554	Point	{2CBD2370-13E1-4CFE-8EF8-A02118C41E51}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	92	DW_0092
555	Point	{4F6F2A18-E306-4E03-9E39-A2E5737FFC37}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	93	DW_0093
556	Point	{EEDD9F30-5909-472A-A302-5B04A1D49A8F}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	94	DW_0094
557	Point	{796D159E-F50A-49D4-8BC6-DA8949046126}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	95	DW_0095
558	Point	{FFF4D948-9131-4887-899E-567CE3B3A7D4}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	96	DW_0096
559	Point	{54154AA1-C70B-4844-85CE-543FE0FF1156}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	97	DW_0097
560	Point	{3EFD3660-A984-474B-911E-05E9377319D2}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	98	DW_0098
561	Point	{78D7C800-4E00-4FAC-9DB1-5308DD6FB4A6}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	99	DW_0099
562	Point	{63D9F022-0F9D-4BA4-9B52-C38EECB2CDEA}	4/22/2025 17:42	jennifers127	5/28/2025 18:46	JENNIFERSALEMANN	100	DW_0100
563	Point	{EE842D39-2D41-41D6-AD33-7D88CAD497EE}	4/22/2025 17:42	jennifers127	5/28/2025 18:47	JENNIFERSALEMANN	101	DW_0101
564	Point	{C1ABB35C-4368-489F-B14D-67BBE530B9EC}	4/22/2025 17:42	jennifers127	5/28/2025 18:47	JENNIFERSALEMANN	102	DW_0102
565	Point	{4A01A16B-D1DE-498D-A73D-0A23A7104A45}	4/22/2025 17:42	jennifers127	5/28/2025 18:47	JENNIFERSALEMANN	103	DW_0103
566	Point	{DA50A7BB-38DD-4E20-B293-07A3382FBC21}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	104	DW_0104
567	Point	{2EC0A8AA-F210-42DC-9FF7-9FE210B1857D}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	105	DW_0105
568	Point	{4BFE716B-135A-4DFB-82D9-26AB126A7505}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	106	DW_0106
569	Point	{C766AB3F-DF92-42BD-90C4-F354828FBA00}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	107	DW_0107
570	Point	{84B3F0F6-0EBD-48D7-AFE8-611A769B9F43}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	108	DW_0108

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
571	Point	{0F73E2B9-A86E-4BB8-A48B-11FA36389380}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	109	DW_0109
572	Point	{5E8EF435-D0CB-458B-8801-701EC40C4359}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	110	DW_0110
573	Point	{D35E8CE9-FA33-4EE8-A572-B988A99B2373}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	111	DW_0111
574	Point	{7AA0047C-1F54-4B14-BC2F-1EECF2741DA4}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	112	DW_0112
575	Point	{206EC911-9A0D-4F94-8120-E516DDAF37CE}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	113	DW_0113
576	Point	{1E853F74-AF83-4841-82CD-0AF9EB9EB941}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	114	DW_0114
577	Point	{1FFEE38E-6490-42C2-A06C-7FC263CE7B38}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	115	DW_0115
578	Point	{35BB37B1-967C-4747-8776-27DA8635B79C}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	116	DW_0116
579	Point	{761866A1-19FD-4306-84B1-BF4FA869F4F2}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	117	DW_0117
580	Point	{DA2A2D7E-F37D-4787-B795-48965FFAFF53}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	118	DW_0118
581	Point	{262614C7-9876-4CA0-AD7A-E70A9855D55C}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	119	DW_0119
582	Point	{782B01EB-3374-4D9B-8639-26A0C3C0A64A}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	120	DW_0120
583	Point	{83794DCC-6C09-4801-A8F2-FB4E0D097663}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	121	DW_0121
584	Point	{A75676FF-C147-492B-B10A-198EEFF1FA3}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	122	DW_0122
585	Point	{01878F57-69CA-415A-A48B-E31435B43706}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	123	DW_0123
586	Point	{BD067A3D-B86B-414F-A2E5-D73BDE77A2EB}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	124	DW_0124
587	Point	{C000858C-3AD8-4D26-9EAC-1BA44239AFCC}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	125	DW_0125
588	Point	{220725FB-8258-4F5B-A306-6AAE1C9B8508}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	126	DW_0126
589	Point	{1D98F1FE-D835-4D7A-9422-48E76EF46B91}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	127	DW_0127
590	Point	{01B8ED80-633E-4DBF-87E6-125EFBE72989}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	128	DW_0128
591	Point	{E1604C35-ED09-4F5F-8EB5-E118E628CE50}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	129	DW_0129
592	Point	{65F5F52B-FA05-4897-BA6A-479E9D508E54}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	130	DW_0130
593	Point	{C5CE3081-F4CE-4968-BFA8-252E534AC1C8}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	131	DW_0131
594	Point	{8611FA5A-50B9-4BD4-BDB1-7CB596381B20}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	132	DW_0132
595	Point	{2FD7D530-FF32-4EC3-90F8-2C2B5C5144EF}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	133	DW_0133
596	Point	{C735062A-7F6B-483B-9D8B-B5ABE4865244}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	134	DW_0134
597	Point	{4A3EBCDB-0009-4E13-A7B2-9018CA042D63}	4/22/2025 17:42	jennifers127	5/28/2025 18:48	JENNIFERSALEMANN	135	DW_0135
598	Point	{F789DF8B-925C-4021-AD28-057DC9BDF1B5}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	136	DW_0136
599	Point	{2649BD62-CF2B-4D2F-AC80-6EC68DC9EA8F}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	137	DW_0137
600	Point	{17509C11-F2A1-4BF3-B673-6F52C21CD3F2}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	138	DW_0138
601	Point	{EEA77241-A499-41CB-A313-7916EC3CF031}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	139	DW_0139
602	Point	{492FF117-8DA6-4EA9-9B79-7949DAA1B33E}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	140	DW_0140
603	Point	{200EEF36-943B-408C-8324-EA427E6CDAC7}	4/22/2025 17:42	jennifers127	5/28/2025 20:56	JENNIFERSALEMANN	141	DW_0141
604	Point	{92BC244C-E132-45A5-94D6-D1CB97B609D8}	4/22/2025 17:42	jennifers127	5/28/2025 20:56	JENNIFERSALEMANN	142	DW_0142
605	Point	{DE7851A9-791E-4248-8B70-F5F28C68065A}	4/22/2025 17:42	jennifers127	5/28/2025 20:56	JENNIFERSALEMANN	143	DW_0143
606	Point	{364D475F-659C-473D-879A-4A70B3743521}	4/22/2025 17:42	jennifers127	5/28/2025 20:56	JENNIFERSALEMANN	144	DW_0144

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
607	Point	{4195FA1A-E9BB-4133-BF82-EFE18A778DDE}	4/22/2025 17:42	jennifers127	5/28/2025 20:57	JENNIFERSALEMANN	145	DW_0145
608	Point	{2CA8DA36-9312-4039-8175-B2AB70F4408D}	4/22/2025 17:42	jennifers127	5/28/2025 20:57	JENNIFERSALEMANN	146	DW_0146
609	Point	{C0766B13-7633-47B5-9809-6A5F569C29F1}	4/22/2025 17:42	jennifers127	5/28/2025 20:57	JENNIFERSALEMANN	147	DW_0147
610	Point	{28BA05EB-4E79-4D03-8E1B-6AC7B1FB1479}	4/22/2025 17:42	jennifers127	5/28/2025 20:58	JENNIFERSALEMANN	148	DW_0148
611	Point	{A820FF5D-D907-4A4E-BD34-8A508FF137A7}	4/22/2025 17:42	jennifers127	5/28/2025 20:58	JENNIFERSALEMANN	149	DW_0149
612	Point	{79612A81-9988-4258-9A5C-E4A023BA3138}	4/22/2025 17:42	jennifers127	5/28/2025 20:58	JENNIFERSALEMANN	150	DW_0150
613	Point	{D809B95A-4DD3-4767-9508-722F1A50F5A5}	4/22/2025 17:42	jennifers127	5/28/2025 20:58	JENNIFERSALEMANN	151	DW_0151
614	Point	{79AD6B09-FCAA-4A7E-8EE3-4DB4EA790E97}	4/22/2025 17:42	jennifers127	5/28/2025 20:59	JENNIFERSALEMANN	152	DW_0152
615	Point	{37EC86C3-CCF3-4900-9BCD-1779970C7DFA}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	153	DW_0153
616	Point	{8FBBFA46-F905-40C8-8BE0-54E77B780DD3}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	154	DW_0154
617	Point	{DE40613E-6E6F-433D-800C-18098076EAB4}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	155	DW_0155
618	Point	{0BB670C5-F38C-43EB-B9B2-F34173B50D68}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	156	DW_0156
619	Point	{40750EAA-0C74-40B3-89FC-45FD99E15AD2}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	157	DW_0157
620	Point	{6F198996-8A96-44F6-A7A8-1C1BB9D1A7DD}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	158	DW_0158
621	Point	{ABB797DF-C82F-4A35-B457-2B3567671F1D}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	159	DW_0159
622	Point	{81C13881-0CB9-4593-B1DD-2D158EF82887}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	160	DW_0160
623	Point	{D13D65F4-0CDE-4353-A0F7-77712F80DFB9}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	161	DW_0161
624	Point	{22D0CA98-B934-4464-A789-2E3EEBEE466A}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	162	DW_0162
625	Point	{6CB8B6AB-EB45-4792-A7FE-7ADB1AB30952}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	163	DW_0163
626	Point	{6C80798E-9A14-4D47-A860-DBBFEE8B9B43}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	164	DW_0164
627	Point	{E91783BC-A556-47C4-9AB6-EAD134C7B434}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	165	DW_0165
628	Point	{34F6A25D-68AE-407E-8B25-45355D8C243C}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	166	DW_0166
629	Point	{F54A9CE3-F6CA-4F76-8417-5093A1DCCA0A}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	167	DW_0167
630	Point	{39223E6D-8A9F-4C2E-91E5-6AC4272A2E2D}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	168	DW_0168
631	Point	{7C7FE368-3D29-423B-8356-DD45610713EC}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	169	DW_0169
632	Point	{9F215460-7788-4A81-8B3A-4BA0CBEFE77F}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	170	DW_0170
633	Point	{6ECC6E60-84C3-4457-A6F1-3C01D24C3791}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	171	DW_0171
634	Point	{FA5C2721-8D3B-4AEA-87EC-0C0BB37AC2DA}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	172	DW_0172
635	Point	{43CAF9C5-F1FA-4FB2-82C9-DF48DA9FBE3C}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	173	DW_0173
636	Point	{C39A1BD7-D331-46F9-8838-F55E26D15CE0}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	174	DW_0174
637	Point	{8607DAF2-3881-49AB-8BA1-5926E618538F}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	175	DW_0175
638	Point	{9508B0D9-AFD7-4154-B0BA-A0F690C831AB}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	176	DW_0176
639	Point	{7F3C2631-9D7B-4B43-BC13-9758BAEB7518}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	177	DW_0177
640	Point	{0652465B-F912-4168-919E-BC35EAB4BAC6}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	178	DW_0178
641	Point	{93FD9456-BFAE-47E7-83FC-4CA666A5719F}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	179	DW_0179
642	Point	{F148A7E8-6651-4E22-82A0-71603D304E40}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	180	DW_0180

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
643	Point	{6231C333-9638-4DFF-BD52-60E1B153ADF4}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	181	DW_0181
644	Point	{8A288562-79CF-46A7-84F7-409D3F8AA9E4}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	182	DW_0182
645	Point	{B9AFFAF0-D9D2-41E3-8664-598ACC17362F}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	183	DW_0183
646	Point	{2C645A08-2243-4505-9A57-89F036300783}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	184	DW_0184
647	Point	{1CF1FC2A-019B-4077-B80F-BC1008DC9FBB}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	185	DW_0185
648	Point	{0857D09F-822A-4AA5-BE6C-F39AC987A4CB}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	186	DW_0186
649	Point	{06283C2D-85A5-49AD-9763-230A3D77F657}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	187	DW_0187
650	Point	{74AE7FE8-CF03-4884-AD95-C943AE7EECA}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	188	DW_0188
651	Point	{8FFF4597-68F6-4147-A812-13195095CBB1}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	189	DW_0189
652	Point	{9133DC26-0BF1-4A16-BF13-F218CB3BEFE9}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	190	DW_0190
653	Point	{FC43B1E4-0BFA-45A6-B194-0BB5D7C232CD}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	191	DW_0191
654	Point	{E826523C-A15A-4F2C-AC67-7A5BD133DBBC}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	192	DW_0192
655	Point	{58BBDE5E-047B-41DA-ABAE-04477F914B3A}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	193	DW_0193
656	Point	{4C8F73B3-06E5-493D-A467-CD18FBAD4410}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	194	DW_0194
657	Point	{295269D0-C619-4925-BD52-B7F0CB052956}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	195	DW_0195
658	Point	{5FE834C2-A7F2-4EB0-929B-98A8E34037D1}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	196	DW_0196
659	Point	{9CBF5066-B29B-4894-880A-D0A7B97177C7}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	197	DW_0197
660	Point	{866CB56F-DE93-4A62-A27E-1F00F5D3FE04}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	198	DW_0198
661	Point	{23FDC242-C5F1-4447-BD31-CC335594A114}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	199	DW_0199
662	Point	{A79D15FC-3DDF-47DF-A2FE-A2A37D886999}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	200	DW_0200
663	Point	{2389897B-00A2-48B7-9978-FAA6013C216C}	4/22/2025 17:42	jennifers127	5/28/2025 19:18	JENNIFERSALEMANN	201	DW_0201
664	Point	{3F8424ED-1B94-41C5-98EC-5A6ECF78E216}	4/22/2025 17:42	jennifers127	5/28/2025 19:20	JENNIFERSALEMANN	202	DW_0202
665	Point	{3C25CAE6-922B-4C1E-90BF-A3AB91F5E61D}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	203	DW_0203
666	Point	{62DAA0E7-91C5-4CC9-A442-7CFF3439AC65}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	204	DW_0204
667	Point	{E4D3A07D-E108-410A-B433-1A985252FE18}	4/22/2025 17:42	jennifers127	5/28/2025 19:24	JENNIFERSALEMANN	205	DW_0205
668	Point	{CF44D799-98E1-4941-88B9-32CE478C190C}	4/22/2025 17:42	jennifers127	5/28/2025 19:26	JENNIFERSALEMANN	206	DW_0206
669	Point	{1801272F-8158-4179-95CF-36C38FFC26C9}	4/22/2025 17:42	jennifers127	5/28/2025 19:26	JENNIFERSALEMANN	207	DW_0207
670	Point	{8F5B6310-9B26-4904-B5FB-FA40304E728C}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	208	DW_0208
671	Point	{DEBD6889-3421-4F26-9D5A-254F98BDF4A6}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	209	DW_0209
672	Point	{E514D17C-9B1A-43F1-B57B-FE5EB5CD4A23}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	210	DW_0210
673	Point	{59E82011-09F5-41A2-9645-841AB6E0EF1E}	4/22/2025 17:42	jennifers127	5/28/2025 18:49	JENNIFERSALEMANN	211	DW_0211
674	Point	{EB525106-2C92-4785-8173-DA814A29C001}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	212	DW_0212
675	Point	{E5F14406-922A-48C0-B5D6-B93A03852568}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	213	DW_0213
676	Point	{D0106535-2C83-4B01-BC58-85BDADEB7D3D}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	214	DW_0214
677	Point	{E1447C10-42F7-41A9-B8B5-867260A4323F}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	215	DW_0215
678	Point	{CB046D8F-B57B-4A94-AE8C-A90510685098}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	216	DW_0216

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
679	Point	{5FFF58E7-5181-44CE-BAAF-4DB1718582DC}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	217	DW_0217
680	Point	{D1AD5C7E-1B0A-489F-B77B-08706C275988}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	218	DW_0218
681	Point	{A65ED157-5E64-421D-9E59-BE52CE7F0287}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	219	DW_0219
682	Point	{5CD538A3-5970-4984-9306-F948677D72C9}	4/22/2025 17:42	jennifers127	5/28/2025 19:26	JENNIFERSALEMANN	220	DW_0220
683	Point	{5CC91900-F38A-4490-BBC8-31A560D83CB6}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	221	DW_0221
684	Point	{3C823BC2-79D8-4D32-AB7A-46957B2AC0A8}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	222	DW_0222
685	Point	{8653C8ED-2347-4091-82FF-E95F50EB5E4F}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	223	DW_0223
686	Point	{C7B19EDF-8C13-451D-BDE4-4B4213C8CC34}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	224	DW_0224
687	Point	{15F6BF88-2F6B-4392-B319-D54539192E1A}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	225	DW_0225
688	Point	{365B5003-7FCD-4FFF-9BE4-110825154026}	4/22/2025 17:42	jennifers127	5/28/2025 19:38	JENNIFERSALEMANN	226	DW_0226
689	Point	{A8D16945-AC6B-4F42-9534-562CCEEE8F9C}	4/22/2025 17:42	jennifers127	5/28/2025 19:38	JENNIFERSALEMANN	227	DW_0227
690	Point	{C8A9FDE3-414F-4CA4-BB22-F6B941D2B82A}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	228	DW_0228
691	Point	{0F6B3E7E-D6F1-48B5-9950-97B29581D929}	4/22/2025 17:42	jennifers127	5/30/2025 19:30	JENNIFERSALEMANN	229	DW_0229
692	Point	{03548AD7-FA99-4A32-8470-E600B099E1FC}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	230	DW_0230
693	Point	{DB505023-4D75-417B-99F9-D94568A12E9A}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	231	DW_0231
694	Point	{4D89B4B0-6EE2-452D-85CF-CBCE2E3BBC13}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	232	DW_0232
695	Point	{9BF0349E-4CE8-4EFF-BB78-0941F699E78B}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	233	DW_0233
696	Point	{A7CAFC1C-31FB-4D41-8854-B641196E3327}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	234	DW_0234
697	Point	{C331B71C-348E-4A98-B072-02E640E4FCE8}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	235	DW_0235
698	Point	{50ED6C56-348C-451C-8DDE-1FCDA033E8F9}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	236	DW_0236
699	Point	{EB23BB2E-C9B3-4063-A79E-64BCD9FC5298}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	237	DW_0237
700	Point	{E0C85625-A007-4D18-90C3-6944757FD584}	4/22/2025 17:42	jennifers127	5/28/2025 19:56	JENNIFERSALEMANN	238	DW_0238
701	Point	{6527D823-18AF-47EE-87EF-56D090F8E179}	4/22/2025 17:42	jennifers127	5/28/2025 19:57	JENNIFERSALEMANN	239	DW_0239
702	Point	{52D3CFB5-B62C-4EF7-A8E1-C733375A7B2E}	4/22/2025 17:42	jennifers127	5/28/2025 19:58	JENNIFERSALEMANN	240	DW_0240
703	Point	{C3FC99FE-CB58-48C8-B315-619AA1B88A99}	4/22/2025 17:42	jennifers127	5/28/2025 19:58	JENNIFERSALEMANN	241	DW_0241
704	Point	{9708139C-E80D-44B1-9F6A-402A430E9125}	4/22/2025 17:42	jennifers127	5/28/2025 20:15	JENNIFERSALEMANN	242	DW_0242
705	Point	{91896850-CFF0-4A2E-9A38-4A851B30AB1F}	4/22/2025 17:42	jennifers127	5/28/2025 18:50	JENNIFERSALEMANN	243	DW_0243
706	Point	{0424AEF2-6211-4AB2-9EA3-97081EBEE7B4}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	244	DW_0244
707	Point	{F58EC7A8-DBB6-4AF4-9DCC-FCD0D0FB8552}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	245	DW_0245
708	Point	{211E773E-E16A-4EC0-B400-914BD369554A}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	246	DW_0246
709	Point	{5733EEC5-CB5D-4A4E-A6AB-3E623D10F7E8}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	247	DW_0247
710	Point	{CCDF4B06-756C-443E-B80E-B81D7C2EAD6E}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	248	DW_0248
711	Point	{BD0C6240-DD23-412E-953E-A417ACBE3849}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	249	DW_0249
712	Point	{C8552CFC-B92E-4131-873C-5A230EB99021}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	250	DW_0250
713	Point	{FD32BD32-33C7-489F-ACA8-7B7D14E68731}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	251	DW_0251
714	Point	{EE2E3CCE-8B97-4739-AABA-F54404C16816}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	252	DW_0252

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
715	Point	{D386717A-E2DE-4524-A4CE-25D437AC7B65}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	253	DW_0253
716	Point	{5100388E-619A-4122-B94D-A1EDEF918EF0}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	254	DW_0254
717	Point	{9CF2CA28-1C9A-493F-BC85-03CC2A4CF07C}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	255	DW_0255
718	Point	{33716909-4A4F-4016-9E96-13BD31EFAD32}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	256	DW_0256
719	Point	{CF799644-8660-4370-9473-331743479E14}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	257	DW_0257
720	Point	{16491D19-1650-4A45-BF03-C3443511901B}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	258	DW_0258
721	Point	{5FA8F3B5-5EE3-493C-841C-A4FC9623058B}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	259	DW_0259
722	Point	{D068EED3-1414-451F-A2F2-0A9A370F8EDA}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	260	DW_0260
723	Point	{B998EB88-1411-4AEC-BE8F-1BBE5C8AC600}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	261	DW_0261
724	Point	{B36681F8-47E3-4728-B5C1-A00DECED5575}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	262	DW_0262
725	Point	{6BC020E2-AAF7-4C22-94F0-6C7F79B7F304}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	263	DW_0263
726	Point	{7ABA7753-ACD5-4889-B230-7BAFB1CDDA1A}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	264	DW_0264
727	Point	{AB1D1ECA-E001-4F17-BED3-D7244335272B}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	265	DW_0265
728	Point	{761A39AC-731F-4A2A-90AE-21A9880D438F}	4/22/2025 17:42	jennifers127	5/28/2025 19:59	JENNIFERSALEMANN	266	DW_0266
729	Point	{F15519B0-D3C4-4BFF-9295-C1CC762D8E1F}	4/22/2025 17:42	jennifers127	5/28/2025 20:00	JENNIFERSALEMANN	267	DW_0267
730	Point	{FD7E32FA-B6C6-461A-AA4D-9395D048CA5B}	4/22/2025 17:42	jennifers127	5/28/2025 18:51	JENNIFERSALEMANN	268	DW_0268
731	Point	{447692C8-F4E8-470B-804C-192D73C902F2}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	269	DW_0269
732	Point	{4E57C4CB-8A7D-48EE-A07F-B00DE5409375}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	270	DW_0270
733	Point	{57072D95-8CD3-452C-90BE-6AE8955A6DEB}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	271	DW_0271
734	Point	{EEE744A0-10B9-487D-9F5A-D17F06A6CCCE}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	272	DW_0272
735	Point	{FE0BA171-CB72-4B61-B560-AA6FD2685767}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	273	DW_0273
736	Point	{096BE196-156A-4D3B-BB7C-BD99E4FD90E2}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	274	DW_0274
737	Point	{98530ECB-AF8F-48FD-B492-4FFF19E814FE}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	275	DW_0275
738	Point	{C9686FDC-9EB0-4AC1-8DB9-69FEA0038D0D}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	276	DW_0276
739	Point	{4F73645A-22B1-4C49-BCAB-952A226B9609}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	277	DW_0277
740	Point	{27215D8F-6DF7-4B53-951F-49A995626B5D}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	278	DW_0278
741	Point	{A5994F69-7419-4A93-856B-9C2CA55ED9B9}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	279	DW_0279
742	Point	{B16F93D3-502F-4359-81A4-CE42FEF41D94}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	280	DW_0280
743	Point	{77536C76-F2E1-41EA-A2F4-140449D679F6}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	281	DW_0281
744	Point	{CFD920B6-C7C4-4DB2-B21F-326CAD644C80}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	282	DW_0282
745	Point	{A063784E-80FD-444F-A169-F79F869CDD75}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	283	DW_0283
746	Point	{ACB6AB11-3D80-4A40-AE3B-97CDA827DEDD}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	284	DW_0284
747	Point	{6F5B29F7-2DC8-4DF5-93CC-DF11163E2D5A}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	285	DW_0285
748	Point	{DDF24E1A-EE5A-489A-94BE-0F8244DD180C}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	286	DW_0286
749	Point	{34112FE3-A42C-46E4-B5F5-170B16333139}	4/22/2025 17:42	jennifers127	5/28/2025 18:52	JENNIFERSALEMANN	287	DW_0287
750	Point	{BF88FEE6-1225-4BB3-8504-97F3722D6B00}	4/22/2025 17:42	jennifers127	5/28/2025 18:53	JENNIFERSALEMANN	288	DW_0288

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
751	Point	{F76F3D29-E80A-41C4-A86E-07B52AEF00D9}	4/22/2025 17:42	jennifers127	5/28/2025 18:53	JENNIFERSALEMANN	289	DW_0289
752	Point	{EF8034E2-962C-4B6E-B881-C06C7F3D3E21}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	290	DW_0290
753	Point	{5B55E2D4-FAFC-4611-81D1-6706BE695EFC}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	291	DW_0291
754	Point	{9292A2BA-D715-49F8-9911-C99D9D0A5431}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	292	DW_0292
755	Point	{B540A31A-2780-4ECE-98AF-C211C7C9198E}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	293	DW_0293
756	Point	{08FCE6D9-5566-4E17-8AB8-E4BAC071BD86}	4/22/2025 17:42	jennifers127	5/28/2025 20:00	JENNIFERSALEMANN	294	DW_0294
757	Point	{4792F7A0-5A2F-4532-827C-9ABF6A4AC2B8}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	295	DW_0295
758	Point	{43ECB599-1462-4F92-BB49-5483C041B08B}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	296	DW_0296
759	Point	{D7A2DE9D-0F60-41E8-B041-FEADE1D3954A}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	297	DW_0297
760	Point	{F36DEDA9-3E4F-4CDF-A200-9BE0EA277E5E}	4/22/2025 17:42	jennifers127	5/28/2025 20:01	JENNIFERSALEMANN	298	DW_0298
761	Point	{9D47F6E8-015A-4478-9D00-4D269F2FA876}	4/22/2025 17:42	jennifers127	5/28/2025 20:01	JENNIFERSALEMANN	299	DW_0299
762	Point	{36F34320-40FB-46AA-802F-E6B42F7A2C9A}	4/22/2025 17:42	jennifers127	5/28/2025 20:02	JENNIFERSALEMANN	300	DW_0300
763	Point	{9269FD9F-4705-4960-A379-7086AB26A230}	4/22/2025 17:42	jennifers127	5/28/2025 20:02	JENNIFERSALEMANN	301	DW_0301
764	Point	{B487384F-0DCD-4B27-8837-8A3773E1BB78}	4/22/2025 17:42	jennifers127	5/28/2025 20:02	JENNIFERSALEMANN	302	DW_0302
765	Point	{3BABC5F7-480C-42DC-87A5-B1B168B67B14}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	303	DW_0303
766	Point	{3D3B1BC8-0CED-4C37-BC4C-1F178CBFEFFF}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	304	DW_0304
767	Point	{F98A48A8-DE5D-46D9-B7F4-60CFD63B7C6D}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	305	DW_0305
768	Point	{30D5B5A0-B34F-4547-A773-D0D125E9C96A}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	306	DW_0306
769	Point	{F7DDFC8C-F059-41E0-9025-B8DCE2810679}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	307	DW_0307
770	Point	{0E314860-BE9D-4F6D-999C-5DBEE659FA6D}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	308	DW_0308
771	Point	{197641E5-BF39-4F16-996A-33172F19855B}	4/22/2025 17:42	jennifers127	5/28/2025 20:03	JENNIFERSALEMANN	309	DW_0309
772	Point	{F9865A55-B509-4ADC-AD0B-63BAEB427DB2}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	310	DW_0310
773	Point	{4EBE603D-D0CA-4519-83A6-C9F2063C8958}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	311	DW_0311
774	Point	{1BF94D0E-B066-4BF5-A69A-341B1883324F}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	312	DW_0312
775	Point	{ECA5A169-6DEA-442E-9C5A-5147DB29699A}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	313	DW_0313
776	Point	{0CD454F0-D143-461C-90FF-11F70FA3A32C}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	314	DW_0314
777	Point	{674FFFA5-3196-47A2-BB04-BFE3F2F39C2B}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	315	DW_0315
2461	Point	{14E9E56E-53D4-44D5-A7F9-7055A7885D00}	5/5/2025 23:22		5/28/2025 20:03	JENNIFERSALEMANN	316	DW_0316
778	Point	{E558852B-B0D9-4718-859F-896B106C3AC5}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	317	DW_0317
779	Point	{09AB8A17-785C-4A3B-A262-63557344D889}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	318	DW_0318
780	Point	{4DD6B4F3-13A5-465F-A9E2-5C953382E0A9}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	319	DW_0319
781	Point	{9CDA007D-E71E-4CC3-B666-C624A37308C9}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	320	DW_0320
782	Point	{E0B3C4EC-05CC-4AAA-81AF-9C3E341EF9CE}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	321	DW_0321
783	Point	{D2EEA543-F434-47CF-9F5B-D4B6FB1AC5FE}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	322	DW_0322
784	Point	{CCCDDED01-BF1C-4A2A-8C60-54692AC2B509}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	323	DW_0323
785	Point	{D1FDDDE3-F36B-44B3-8C00-58A78AC42CF2}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	324	DW_0324

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
786	Point	{21FA7EE3-69D0-4210-A083-F1F280B3749D}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	325	DW_0325
787	Point	{47F776C5-BA66-42AF-9658-8DA5F0C736AC}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	326	DW_0326
788	Point	{89614ECE-8A9E-4AC3-9DA5-6060377B1A4C}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	327	DW_0327
789	Point	{0A44756A-3D2F-484B-BEC9-558FC58E83BE}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	328	DW_0328
790	Point	{C10D97FC-2808-4107-A22C-73D20897758A}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	329	DW_0329
791	Point	{1D5258F7-8672-420E-8E8B-027FA5614B53}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	330	DW_0330
792	Point	{78A9D286-66D9-4DE0-B321-CB24B729FE20}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	331	DW_0331
793	Point	{0CDC592C-EE9C-4D42-AD85-3FC973BBEBF9}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	332	DW_0332
794	Point	{238D4614-EA75-4CBC-857E-1A440B3291D6}	4/22/2025 17:42	jennifers127	5/28/2025 18:54	JENNIFERSALEMANN	333	DW_0333
795	Point	{E9E7B9A0-25FE-428E-BC87-178E2AAD54FD}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	334	DW_0334
796	Point	{74795246-7273-4F4C-9D14-14D331240121}	4/22/2025 17:42	jennifers127	5/28/2025 20:03	JENNIFERSALEMANN	335	DW_0335
797	Point	{BE9D43AC-13F5-4F59-B2EF-5BA34ADBC8DF}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	336	DW_0336
798	Point	{C9AE413E-C192-4758-A542-C03D60B122E7}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	337	DW_0337
799	Point	{DB50E210-DE2A-49B7-A578-6C0E71924EB7}	4/22/2025 17:42	jennifers127	5/28/2025 20:04	JENNIFERSALEMANN	338	DW_0338
800	Point	{6F9DE5BD-E57D-4351-87BC-DC5084B38519}	4/22/2025 17:42	jennifers127	5/28/2025 20:04	JENNIFERSALEMANN	339	DW_0339
801	Point	{0A27D0F3-759C-4380-A86F-2F9FE99D181E}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	340	DW_0340
802	Point	{CBDB52B3-E01E-4E84-ABC4-27FA9148787C}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	341	DW_0341
803	Point	{E24AA0DF-319D-4451-AC1D-D9140EBC8CA3}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	342	DW_0342
804	Point	{5901BC66-AD15-4F37-85BC-9E64818BD97B}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	343	DW_0343
805	Point	{C14B0474-8D87-420B-9568-9091A22997EE}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	344	DW_0344
806	Point	{2F600D43-851E-4B35-A09D-BA929EBAC563}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	345	DW_0345
807	Point	{7BE56C6E-4A98-4B9B-BA06-4A9D19BC0869}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	346	DW_0346
808	Point	{B1276E7D-06E7-42AA-880B-6A8206C79FAA}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	347	DW_0347
809	Point	{FE3C272C-C3C9-4A34-AAD6-7E32178CA357}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	348	DW_0348
810	Point	{641F6324-E065-4A85-ACFE-C17652E61F8C}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	349	DW_0349
811	Point	{EAC82ED1-956B-44E9-A797-58AC5E001C08}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	350	DW_0350
812	Point	{F5179FC4-C2CA-4571-831A-9C9C864CA4F3}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	351	DW_0351
813	Point	{5A749DC4-BF57-4696-90A1-1D9F09FE44C9}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	352	DW_0352
814	Point	{ED46C5BF-1E00-4CAB-9757-63B825A0D69A}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	353	DW_0353
815	Point	{CF081CD7-662F-48B1-9931-369BF7F3D954}	4/22/2025 17:42	jennifers127	5/28/2025 20:05	JENNIFERSALEMANN	354	DW_0354
816	Point	{ED1E2BD7-575B-4707-B10C-28F5AAAA2FAE}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	355	DW_0355
817	Point	{22391A84-5D2B-420E-976A-0302BD80C2C7}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	356	DW_0356
818	Point	{9435C0D7-EEAB-4A4C-9AE1-223503C22E9C}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	357	DW_0357
819	Point	{C35CD155-2796-4423-B202-9C4929BC2C8A}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	358	DW_0358
820	Point	{2069ACB2-505E-4DBC-B454-20E0EC2DB900}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	359	DW_0359
821	Point	{B30832C7-D0B5-46F4-9EF8-65F59A36C9D6}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	360	DW_0360

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
822	Point	{8915C57D-6730-421A-ADD8-96C02F9F9247}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	361	DW_0361
823	Point	{73101A10-A492-4BB3-9C36-22BCE22A11A2}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	362	DW_0362
824	Point	{5D0F851B-AE0B-4D33-9757-419D091CB548}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	363	DW_0363
825	Point	{3AD4A6A1-1F5C-4D7D-AF6F-EE92AF464165}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	364	DW_0364
826	Point	{F672444A-9C89-4AB4-B62D-1C681C912CDE}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	365	DW_0365
827	Point	{44CFEB1F-582C-40B1-96B7-DC97705062BD}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	366	DW_0366
828	Point	{34598661-DC99-4D76-8C43-AE334F5E022D}	4/22/2025 17:42	jennifers127	5/28/2025 20:05	JENNIFERSALEMANN	367	DW_0367
829	Point	{6A902FA7-E1DF-46BD-9039-13BFEFD3BCC1}	4/22/2025 17:42	jennifers127	5/28/2025 20:06	JENNIFERSALEMANN	368	DW_0368
830	Point	{40CE4850-16E5-4811-ACC8-0EB3F576D4B2}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	369	DW_0369
831	Point	{01E4C271-FE3A-45A5-9DFD-6102E18E1A50}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	370	DW_0370
832	Point	{BC294E33-3F9F-4D07-A004-2883884FA716}	4/22/2025 17:42	jennifers127	5/28/2025 20:06	JENNIFERSALEMANN	371	DW_0371
833	Point	{188A1A6A-E1DE-4AF6-B3F3-7CDD1F9EA0FB}	4/22/2025 17:42	jennifers127	5/28/2025 20:06	JENNIFERSALEMANN	372	DW_0372
834	Point	{0F64EC50-5D6B-4516-A6FE-07520CA1D9C8}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	373	DW_0373
835	Point	{C39F78B5-1BF4-44AD-ADF0-3B1CC2CB0E11}	4/22/2025 17:42	jennifers127	5/28/2025 20:07	JENNIFERSALEMANN	374	DW_0374
836	Point	{969102AF-0C66-4FEB-A5DD-7DD009BCD318}	4/22/2025 17:42	jennifers127	5/28/2025 20:07	JENNIFERSALEMANN	375	DW_0375
837	Point	{19B4FE14-F21C-4CCA-853E-6F897D47A0A3}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	376	DW_0376
838	Point	{211A31B6-6629-480E-AAF8-808E136E2F69}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	377	DW_0377
839	Point	{0418F95D-5923-45A4-B41A-4074CBED5FE4}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	378	DW_0378
840	Point	{A4AC7CBC-C1C7-4D45-B8CD-F96EBCBD601F}	4/22/2025 17:42	jennifers127	5/28/2025 18:55	JENNIFERSALEMANN	379	DW_0379
841	Point	{FCDE0FF5-0D8C-4DC7-8D77-A07B56D2E7E9}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	380	DW_0380
842	Point	{C7B071E5-F0C7-4D94-ADD0-EB88493282D3}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	381	DW_0381
843	Point	{4B486A32-289D-486C-8019-505DA5322CB0}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	382	DW_0382
844	Point	{6D962ACE-085B-4BFF-A04E-FB0FCEB75380}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	383	DW_0383
845	Point	{14FA6086-75FE-4056-874C-70DF2A64319C}	4/22/2025 17:42	jennifers127	5/28/2025 20:07	JENNIFERSALEMANN	384	DW_0384
846	Point	{648D3AB8-F960-48CC-963A-CD5BD1DE6CA0}	4/22/2025 17:42	jennifers127	5/28/2025 20:08	JENNIFERSALEMANN	385	DW_0385
847	Point	{DB0B3C5E-0115-4111-A750-9A296EBE855D}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	386	DW_0386
848	Point	{76A3AC7A-1268-401D-BA9E-6EB87FC82819}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	387	DW_0387
849	Point	{B9A13101-E1B2-4752-9810-B29945707129}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	388	DW_0388
850	Point	{E6DAD2A2-3E18-4C57-8FEA-48929B82818E}	4/22/2025 17:42	jennifers127	5/28/2025 20:09	JENNIFERSALEMANN	389	DW_0389
851	Point	{ED965621-62AC-4B83-8EC2-9D6D063D1455}	4/22/2025 17:42	jennifers127	5/28/2025 20:14	JENNIFERSALEMANN	390	DW_0390
852	Point	{EE7B4EA7-48E3-4FBF-A66E-C4ED52C37000}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	391	DW_0391
853	Point	{A5E282A8-4B31-49CF-B2AA-4EC446ED5588}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	392	DW_0392
854	Point	{834E6CF4-01C0-4CE2-A45C-5871F5E62EF6}	4/22/2025 17:42	jennifers127	5/28/2025 20:14	JENNIFERSALEMANN	393	DW_0393
855	Point	{C3CC4655-9B87-4041-80BB-1CDC3124A4F0}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	394	DW_0394
856	Point	{E89947E2-DDD8-40E6-BE27-DACA1B19CA52}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	395	DW_0395
857	Point	{D4EF5F11-B50B-4356-A52F-46AF070BD834}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	396	DW_0396

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
858	Point	{B20C8657-EB48-45CC-AD28-D9CB854062D0}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	397	DW_0397
859	Point	{D36315E3-7874-4457-9637-78A7A49BF8DF}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	398	DW_0398
860	Point	{B5F360CD-D862-492C-896E-5BF4764DC3CB}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	399	DW_0399
861	Point	{6DEF5E47-C86D-4E6B-811D-D6AB5348D524}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	400	DW_0400
862	Point	{227962FA-ADBD-49B7-A213-B707E5AF8083}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	401	DW_0401
863	Point	{4F46FF87-298C-4DD8-B0F9-0C3D4FC31B32}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	402	DW_0402
864	Point	{94761482-DDB0-43F2-9891-BEEA4D80B04F}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	403	DW_0403
865	Point	{14CEF22A-1EB2-4568-AFAF-C198512BE00D}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	404	DW_0404
866	Point	{9C2EA64F-49DC-4D17-81AF-EDDF53C00E86}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	405	DW_0405
867	Point	{DC86A733-B96F-442E-9C41-DA5816DFF83E}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	406	DW_0406
868	Point	{F523EBEE-0717-438F-BF22-8107DA7BA7E1}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	407	DW_0407
869	Point	{A3840157-43C4-4296-AE60-D9B1AF86E3D6}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	408	DW_0408
870	Point	{C4424282-F7F6-4678-A30F-352A92813C1C}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	409	DW_0409
871	Point	{806C4FF4-8FEC-411F-918C-8D183B314305}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	410	DW_0410
872	Point	{7216EBEE-D502-4F73-B5FB-02296AE65563}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	411	DW_0411
873	Point	{6DE761F9-A6EA-4EE3-B378-8D5C438EB0F0}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	412	DW_0412
874	Point	{B5C63B06-4B3B-4C39-AD2F-F38D0CD1EB62}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	413	DW_0413
875	Point	{F94E912E-352D-4BAE-9431-07FDB2E4ECA3}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	414	DW_0414
876	Point	{0D6C334D-2AE5-42B2-89AC-02885CA538D6}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	415	DW_0415
877	Point	{60E1D3EF-AB6A-4F53-B599-6125E8B66045}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	416	DW_0416
878	Point	{E6B7E436-B28B-4A41-87BE-6D006014E8CA}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	417	DW_0417
879	Point	{2C5920DA-EBED-4307-AEAD-702B03C06E4E}	4/22/2025 17:42	jennifers127	5/28/2025 18:56	JENNIFERSALEMANN	418	DW_0418
880	Point	{B6458504-4B1D-4BE9-AD5F-B765C37CFBC7}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	419	DW_0419
881	Point	{F1DAAB16-097C-4B3F-B569-BBF1D91A811E}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	420	DW_0420
882	Point	{D158D568-2755-4AEC-B65D-BEBD69AC224B}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	421	DW_0421
883	Point	{E9BD460E-014B-49CD-AAED-266AC3F84267}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	422	DW_0422
884	Point	{CFE42B4D-62D1-4961-BB84-6BE45A6A1036}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	423	DW_0423
885	Point	{73BC0AE3-896B-4355-B90D-52C872AA70B9}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	424	DW_0424
886	Point	{8F6EC8BE-95F8-4ECC-93C7-2C5E87169376}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	425	DW_0425
887	Point	{C28E7E35-FF56-4434-A99B-AE5BCA42531C}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	426	DW_0426
888	Point	{DC2DD699-825B-441E-B34A-EA47B7184066}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	427	DW_0427
889	Point	{5978ED21-3B24-423F-AB53-7403E271037E}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	428	DW_0428
890	Point	{420ADB9C-C13B-47FA-8650-664B9B42933C}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	429	DW_0429
891	Point	{37C2A080-E52E-47FC-BFFD-6C411D8A0775}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	430	DW_0430
892	Point	{B64AAFEF-F707-4C22-A3CB-D205A02E0333}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	431	DW_0431
893	Point	{398FB939-A596-44B0-BCE0-B8F860EF54A8}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	432	DW_0432

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
894	Point	{598022E0-7197-4CF2-81A0-E6D4B82D37EE}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	433	DW_0433
895	Point	{9CCA418F-A345-4997-9A7C-5B397EF9A533}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	434	DW_0434
896	Point	{35897143-CE1D-435B-B3CA-B29E5F3486B4}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	435	DW_0435
897	Point	{190E63F9-9AFE-4BC3-ACF8-6EB032E7E0B8}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	436	DW_0436
898	Point	{C9B5C4BD-30EA-4FF7-8598-62E27AA5A06C}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	437	DW_0437
899	Point	{06880DFE-5955-4B11-8418-2F3C22C30F64}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	438	DW_0438
900	Point	{6BA1C216-647C-4FBC-B1BC-8EE442E4CE6F}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	439	DW_0439
901	Point	{2F9A988F-3F03-4D11-A28E-B11A8C37B588}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	440	DW_0440
902	Point	{4F3A78CB-04DC-4493-A053-34D8EB2A8043}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	441	DW_0441
903	Point	{A6BCA585-8C98-4248-9177-5FA534B78DCB}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	442	DW_0442
904	Point	{249C9FAE-09E1-4C10-AA63-D19EAFBC7C25}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	443	DW_0443
905	Point	{ECBB6532-D3C9-4493-B5E3-4C14AD4B5E7D}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	444	DW_0444
906	Point	{A48D2A71-97AF-488C-A3CF-E79ED5666E40}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	445	DW_0445
907	Point	{FA9FDB34-26D9-4CC6-AC79-1DF45D618B9B}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	446	DW_0446
908	Point	{C2755AC7-5960-4AB2-A433-A2B3F2F78C07}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	447	DW_0447
909	Point	{A8AA443B-0EA0-4F25-8308-CE5895AF9FA8}	4/22/2025 17:42	jennifers127	5/28/2025 18:57	JENNIFERSALEMANN	448	DW_0448
910	Point	{03745A03-F38A-4FB9-9D25-4462A7553CC8}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	449	DW_0449
911	Point	{1A799016-6680-45B1-B6E4-438657ED41B6}	4/22/2025 17:42	jennifers127	5/28/2025 20:15	JENNIFERSALEMANN	450	DW_0450
912	Point	{240232E9-F4D9-4DBB-8F4C-3F0C8D6F34B5}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	451	DW_0451
913	Point	{CE1FF14D-4433-4255-BC00-FD60EB05DF5A}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	452	DW_0452
914	Point	{1A7B3062-700A-42EC-ABF7-93F36DEC1B8C}	4/22/2025 17:42	jennifers127	5/28/2025 20:15	JENNIFERSALEMANN	453	DW_0453
915	Point	{00823754-3C14-48C4-987C-3100B2590F97}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	454	DW_0454
916	Point	{2D50E489-B82D-43D6-B98B-AA0DA38C371D}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	455	DW_0455
917	Point	{7E02F390-EADA-43D3-ACDD-EA7C6B630D6B}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	456	DW_0456
918	Point	{64266C77-73D0-445E-A765-6356EA1D743B}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	457	DW_0457
919	Point	{325F437E-9325-487C-BC9D-48536FA7D644}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	458	DW_0458
920	Point	{0118F02B-0D3A-4A17-B080-1A2710AA3197}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	459	DW_0459
921	Point	{C4C33C27-3CFD-45AE-BCCD-50E9A8D14EDE}	4/22/2025 17:42	jennifers127	5/28/2025 20:16	JENNIFERSALEMANN	460	DW_0460
922	Point	{DD2AEC62-11AE-4DA5-B0FE-D269149C7761}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	461	DW_0461
923	Point	{D4213803-F489-4246-90F8-F95C00B03C5D}	4/22/2025 17:42	jennifers127	5/28/2025 20:16	JENNIFERSALEMANN	462	DW_0462
924	Point	{18B1DDAA-3453-496F-92EA-B8D5054C3342}	4/22/2025 17:42	jennifers127	5/28/2025 20:16	JENNIFERSALEMANN	463	DW_0463
925	Point	{E233517F-A981-44F0-A446-A13B6EEA4DB1}	4/22/2025 17:42	jennifers127	5/28/2025 20:17	JENNIFERSALEMANN	464	DW_0464
926	Point	{CFACB349-78B3-4D2F-B954-D0407E09316C}	4/22/2025 17:42	jennifers127	5/28/2025 20:17	JENNIFERSALEMANN	465	DW_0465
927	Point	{4395F09A-D4CC-4CFA-90BF-0C24E26FC57E}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	466	DW_0466
928	Point	{20447775-6F6E-4F87-93F4-59D2229D5F60}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	467	DW_0467
929	Point	{5919ED82-EF7E-4D82-8D1D-7229550F293E}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	468	DW_0468

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
930	Point	{5C8CDFDA-1AC6-4708-8C81-4674D5AC56D8}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	469	DW_0469
931	Point	{ECA099B0-B471-4CAF-9B13-0DDD4F4294CE}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	470	DW_0470
932	Point	{4DBB920F-A273-4361-8384-10E019D1AC9C}	4/22/2025 17:42	jennifers127	5/28/2025 20:22	JENNIFERSALEMANN	471	DW_0471
933	Point	{2BD9394C-ECC5-4640-AE7D-86D74A7AB7E8}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	472	DW_0472
934	Point	{E523A3B3-BC77-4181-BBAD-CD9A6FB13211}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	473	DW_0473
935	Point	{BE7238C6-A90F-42B1-924F-1DABDEEDE957}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	474	DW_0474
936	Point	{00DB6E5A-0203-4045-AB75-3D15F41AA958}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	475	DW_0475
937	Point	{7573C3DC-3D3A-4BE9-A26A-6B8A60B59A3E}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	476	DW_0476
938	Point	{A38FA102-F1AA-4885-838C-03CE44F3BD01}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	477	DW_0477
939	Point	{B5996CA5-079C-4246-B63C-E8448925ACA6}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	478	DW_0478
940	Point	{4A4E562D-1158-456D-86C1-81F2617F7CC1}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	479	DW_0479
941	Point	{61DCBDDE-D4B7-4521-86E5-C48858BF60AF}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	480	DW_0480
942	Point	{D625DBED-70C4-405A-8883-C67BA5F1C124}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	481	DW_0481
943	Point	{43E5A6EF-94FE-4EA5-B101-5BECCAF643BD}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	482	DW_0482
944	Point	{C7F4BA8A-01FF-410A-AEE5-0EB1767A3669}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	483	DW_0483
945	Point	{0C63A384-BBF5-4AE8-AB2A-4D011A4799BB}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	484	DW_0484
946	Point	{E196C688-C5F6-43F4-BB4D-1581B1A80574}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	485	DW_0485
947	Point	{D5C2B165-7E57-4E5D-B936-C6AE88C10458}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	486	DW_0486
948	Point	{6B9CD7FF-3DA4-4A30-9BFA-5823E99751AA}	4/22/2025 17:42	jennifers127	5/28/2025 20:22	JENNIFERSALEMANN	487	DW_0487
949	Point	{2DCC0E31-5A13-4CD4-9865-D47E9FB74462}	4/22/2025 17:42	jennifers127	5/28/2025 20:23	JENNIFERSALEMANN	488	DW_0488
950	Point	{47179A98-4300-4146-B95D-B9FEA117C2A3}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	489	DW_0489
951	Point	{05F7C6FA-9755-4538-ADA5-A2F9843FC2F2}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	490	DW_0490
952	Point	{51F13DB9-0CBA-4AA2-B732-14254FD178EE}	4/22/2025 17:42	jennifers127	5/28/2025 18:58	JENNIFERSALEMANN	491	DW_0491
953	Point	{DE2DABB5-2928-4461-A15D-A5E2C1E82812}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	492	DW_0492
954	Point	{BFAFC477-AD78-4A58-9CC1-D45A6ECD4B24}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	493	DW_0493
955	Point	{9E3D2E33-D120-4585-A57A-53BD5FB272BF}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	494	DW_0494
956	Point	{202776BB-BDC1-40B1-A1D8-B881DB987028}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	495	DW_0495
957	Point	{13B92C18-3F43-4F67-81C2-A78EE146367D}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	496	DW_0496
958	Point	{38951766-ED0E-485A-BA0E-03114A3DD2FC}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	497	DW_0497
959	Point	{94DEFD56-A9BA-4941-8D75-72949B62A157}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	498	DW_0498
960	Point	{DF7E78B7-6E36-4467-B12D-4CC24658DAC4}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	499	DW_0499
961	Point	{20A284A7-2DB5-44EC-9AD9-170D01B03666}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	500	DW_0500
1460	Point	{8E83EBF7-39EA-4644-B681-D9DAEA4A67A8}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	501	DW_0501
1461	Point	{E0AC70B5-63B0-4F60-9220-2B997959FFFF}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	502	DW_0502
1462	Point	{A627B1FD-4251-44C7-B448-66F021F8FB8E}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	503	DW_0503
1463	Point	{76C53A3F-84DF-4A59-97D4-336B3D16BFC6}	4/22/2025 17:42	jennifers127	5/28/2025 20:23	JENNIFERSALEMANN	504	DW_0504

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1464	Point	{371D726C-256E-4C89-AA06-09E3A9EA2D68}	4/22/2025 17:42	jennifers127	5/28/2025 20:27	JENNIFERSALEMANN	505	DW_0505
1465	Point	{FB22EF94-A7A6-4B72-89F1-40658BED1BCA}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	506	DW_0506
1466	Point	{321FC5CC-6105-4C06-B951-BE9ABF71808B}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	507	DW_0507
1467	Point	{ACF082AA-E32E-42F6-A03C-239349D7954C}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	508	DW_0508
1468	Point	{EFC37405-2248-459E-BA90-F1A240C3B7BD}	4/22/2025 17:42	jennifers127	5/28/2025 20:28	JENNIFERSALEMANN	509	DW_0509
1469	Point	{FFBEFBA7-BF90-49A1-8EF4-08FD71DE2A00}	4/22/2025 17:42	jennifers127	5/28/2025 20:36	JENNIFERSALEMANN	510	DW_0510
1470	Point	{B3ECE9EB-D9D0-49E8-A607-9A2582A4A267}	4/22/2025 17:42	jennifers127	5/28/2025 20:36	JENNIFERSALEMANN	511	DW_0511
1471	Point	{FC62DCA1-5443-426D-90A2-8BEB8C15BBC1}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	512	DW_0512
1472	Point	{7B925460-F60A-4395-9F91-EAF6E24543C1}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	513	DW_0513
1473	Point	{15A06EEE-174F-4955-A608-C628C0645368}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	514	DW_0514
1474	Point	{43AFC1AC-5943-4209-BEDC-690230EB65D5}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	515	DW_0515
1475	Point	{466C4357-DD63-4015-8066-6A037896E39F}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	516	DW_0516
1476	Point	{D14A1584-D7ED-4FDC-B0D5-0101D91B3BB1}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	517	DW_0517
1477	Point	{B362FE78-E67A-4885-9573-B173BE93947B}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	518	DW_0518
1478	Point	{EF7C9BCA-D3D1-4C39-9AC1-164204F10125}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	519	DW_0519
1479	Point	{358B7ABC-8368-4340-9E50-D5D9FF623C00}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	520	DW_0520
1480	Point	{31FC8D62-7255-46CA-9114-9EC4888420C7}	4/22/2025 17:42	jennifers127	5/28/2025 18:59	JENNIFERSALEMANN	521	DW_0521
1481	Point	{2CF5FA26-91C1-4D8A-A835-1703B9384D99}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	522	DW_0522
1482	Point	{1BCC0D4B-3952-4E3B-AC9F-4D3E5FF0C8E0}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	523	DW_0523
1483	Point	{3D9F045E-CE42-4282-8C4A-4B9ADAC29D80}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	524	DW_0524
1484	Point	{8103E15B-F95D-4CBE-A4AA-29921AAA10B9}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	525	DW_0525
1485	Point	{5B8285BE-1FA1-4FD9-8A4A-3B40AED247CA}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	526	DW_0526
1486	Point	{212473D9-2717-42D6-B8EC-5DB1EC2D2203}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	527	DW_0527
1487	Point	{552CF7D4-30D5-4485-AE26-13C5DD78BD46}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	528	DW_0528
1488	Point	{59A9CDB6-703B-472C-A3A1-AFCDF39E55B2}	4/22/2025 17:42	jennifers127	5/28/2025 20:36	JENNIFERSALEMANN	529	DW_0529
1489	Point	{31D496F9-BF19-4A34-B6AB-213C5870DABF}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	530	DW_0530
1490	Point	{9DCD8F17-6C34-439B-AE13-A8F785B7B030}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	531	DW_0531
1491	Point	{CAEF493B-2293-4A3E-88D3-B3CA15782282}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	532	DW_0532
1492	Point	{60EEB3C7-4D72-44F5-A1CD-4330A789F479}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	533	DW_0533
1493	Point	{A5FB39BD-D730-4D5A-8BF7-4F2987780697}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	534	DW_0534
1494	Point	{0A9CAD33-0D5F-4A47-96D4-8B70C7114E4C}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	535	DW_0535
1495	Point	{B0E64A8D-E56B-40F7-8242-616D9F0A2BF9}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	536	DW_0536
1496	Point	{955387C0-317F-415A-A745-D2C62C1BCD5C}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	537	DW_0537
1497	Point	{77503705-916E-489D-8860-CFAEC03984D7}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	538	DW_0538
1498	Point	{287886C4-CECC-49E1-B643-4C13216062BC}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	539	DW_0539
1499	Point	{99E3633B-B230-46AA-BDEF-05A4AF45A12C}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	540	DW_0540

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1500	Point	{9C28946A-CD4C-4011-9736-F0F9A635097D}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	541	DW_0541
1501	Point	{360F28BC-EAFD-40C3-9B1B-9F269542FC4C}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	542	DW_0542
1502	Point	{3B4411A5-01C4-4ABF-9FB4-F5380A082AB5}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	543	DW_0543
1503	Point	{E507C750-DEE0-4AFF-B825-B0CCFF2078E9}	4/22/2025 17:42	jennifers127	5/28/2025 19:00	JENNIFERSALEMANN	544	DW_0544
1504	Point	{CB543301-8F47-4BEF-854F-9AE1DFC89DF7}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	545	DW_0545
1505	Point	{A228DE8F-ADE0-400C-8451-6CF62B8FBE7F}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	546	DW_0546
1506	Point	{E5C7B7E8-101F-48BA-B335-4315E351650F}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	547	DW_0547
1507	Point	{19DB894D-71D6-473D-AF8A-FBC005CDF744}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	548	DW_0548
1508	Point	{587F3072-9DE3-410E-BF7F-A187855ABDEC}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	549	DW_0549
1509	Point	{B1CDEFB6-0D60-4862-8B6D-8A02EC5CBFEE}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	550	DW_0550
1510	Point	{FDB50C5D-CCE5-4E1A-9D21-86EFD432CFAA}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	551	DW_0551
1511	Point	{FD6DFDAD-BD53-46AC-88E7-E852E0836A0D}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	552	DW_0552
1512	Point	{6CBB99E6-BDB3-4A37-836A-E577C0850BBD}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	553	DW_0553
1513	Point	{DC41BF18-26A6-47F2-B625-B9D075E91E79}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	554	DW_0554
1514	Point	{85F02485-8DA3-488F-A3C6-0C6388C4667B}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	555	DW_0555
1515	Point	{D205EC7A-CBEF-4D63-9436-AD36863B7753}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	556	DW_0556
1516	Point	{82735001-F247-4FC8-BBDC-5E6847FCC77C}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	557	DW_0557
1517	Point	{71DB000B-609C-4DCE-AD92-28025F23AAF7}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	558	DW_0558
1518	Point	{C6BF1A88-BE93-45E3-90CF-58F73C44738E}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	559	DW_0559
1519	Point	{845DAE00-56B1-4343-AD97-AC26A5605959}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	560	DW_0560
1520	Point	{788DED8C-03DF-4F4B-8AB8-96B27117D1B9}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	561	DW_0561
1521	Point	{A3CAA479-E491-46F0-95C0-F295FBA967A1}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	562	DW_0562
1522	Point	{48908EA0-661C-4BB7-97BB-A0061655C514}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	563	DW_0563
1523	Point	{2B87F5C4-D70C-4E30-ACB3-A67E52EB00DE}	4/22/2025 17:42	jennifers127	5/28/2025 20:37	JENNIFERSALEMANN	564	DW_0564
1524	Point	{A012E843-2790-411F-910D-79ADDF77161C}	4/22/2025 17:42	jennifers127	5/28/2025 20:37	JENNIFERSALEMANN	565	DW_0565
1525	Point	{31592D56-7EE6-4D1F-B3EF-F8F48FCC6CEA}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	566	DW_0566
1526	Point	{BADD3676-B977-4C7C-8D05-EE3F6588155F}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	567	DW_0567
1527	Point	{ADE720F2-C560-412B-9F2A-5C1DD5099D4B}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	568	DW_0568
1528	Point	{3C98F583-34F9-47D9-BF70-D52566B0C05D}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	569	DW_0569
1529	Point	{27E5ABD0-3225-4D4B-A7F2-825E942F472F}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	570	DW_0570
1530	Point	{92490609-3338-4587-8320-656610A67D6E}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	571	DW_0571
1531	Point	{FB93FD6A-CD70-452B-BCDA-A7C667EB15E4}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	572	DW_0572
1532	Point	{CBF3F549-32E7-4000-A73F-A450F5D6CAEF}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	573	DW_0573
1533	Point	{77F841A7-1C31-428E-9E34-F8DC23213386}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	574	DW_0574
1534	Point	{6626F1BB-287D-4942-ACA2-7BFFFA26C822}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	575	DW_0575
1535	Point	{5B2F66FD-DFAB-4A75-B693-03F2925D0A0F}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	576	DW_0576

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1536	Point	{C7C4B1FE-403E-4A34-8CF2-C78EBCE2F54B}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	577	DW_0577
1537	Point	{876D1E7E-D037-4799-9485-36768F4EA1FB}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	578	DW_0578
1538	Point	{B0DAE77C-A861-410E-8C6B-06CAFCFD48AE}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	579	DW_0579
1539	Point	{7E53613C-5DBC-439C-A027-D942AC6FA278}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	580	DW_0580
1540	Point	{F02BB097-4794-4242-877F-4FAB48581C96}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	581	DW_0581
1541	Point	{163322C3-A277-421E-9824-E1B74CE1E760}	4/22/2025 17:42	jennifers127	5/28/2025 19:01	JENNIFERSALEMANN	582	DW_0582
1542	Point	{E9977DBA-8939-4A37-812D-B8671A82E47C}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	583	DW_0583
1543	Point	{F21E658C-13E9-432F-A55A-8A6626B5780C}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	584	DW_0584
1544	Point	{1A399AAE-6BE3-40CA-9BF9-3EC6F3EB6CF4}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	585	DW_0585
1545	Point	{8EA361BD-8064-41E2-9357-B0BD4133FC30}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	586	DW_0586
1546	Point	{412A59EA-E20A-4637-A65F-E96E8C45971A}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	587	DW_0587
1547	Point	{15C51BD3-A0B9-4EF5-813A-34F72267A798}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	588	DW_0588
1548	Point	{2E8D4E69-C7A3-4148-AF08-32C7526E780B}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	589	DW_0589
1549	Point	{89496422-FEBA-4AEA-9CED-910C7882982A}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	590	DW_0590
1550	Point	{23D86E05-B305-41DA-8FCE-DA31FBC00867}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	591	DW_0591
1551	Point	{99691272-EE49-4EB0-A238-6A0DA8C60EBF}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	592	DW_0592
1552	Point	{53A221EF-AE8A-4030-A378-CF99CE736A39}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	593	DW_0593
1553	Point	{4AEAA9F9-FC99-4A1A-B7EA-D06471CAF5C8}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	594	DW_0594
1554	Point	{22CA4924-40E2-457D-8E34-D67572495ABD}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	595	DW_0595
1555	Point	{FE448E0A-2C5B-4EE5-84A3-A8CAC160491D}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	596	DW_0596
1556	Point	{69861F80-D33C-4230-82D1-6B20C227B1F0}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	597	DW_0597
1557	Point	{BF862C75-5B08-48C1-B9B2-A700D4B2CAF4}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	598	DW_0598
1558	Point	{555C3F00-3FC9-45A2-AF74-D1E5ED499685}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	599	DW_0599
1559	Point	{65DD8491-A164-491B-99A9-925F6362D691}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	600	DW_0600
1560	Point	{3AB92B4D-FD8B-44DE-9102-53D6FDE672EA}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	601	DW_0601
1561	Point	{4EFD5532-BFBD-43D3-A608-88DB4AB39C41}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	602	DW_0602
1562	Point	{8A31A469-8D12-4F85-B3C0-2A714E12A6A3}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	603	DW_0603
1563	Point	{3E6C198E-759C-4EFE-B04E-B6C938173F99}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	604	DW_0604
1564	Point	{51260AAF-53D1-4598-AB57-83919369E07D}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	605	DW_0605
1565	Point	{57C7CE01-B86B-44FC-9BA1-CB3F45949EA4}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	606	DW_0606
1566	Point	{EAE2903F-1CD0-42BB-8BE9-1EB75E0E7738}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	607	DW_0607
1567	Point	{507F1611-539F-449F-9F95-5F3AF84974FE}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	608	DW_0608
1568	Point	{25C4C68A-79B2-4C8E-ACEA-380C7D197266}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	609	DW_0609
1569	Point	{ECE89313-D3E8-408B-BCB3-5D3E3C79392D}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	610	DW_0610
1570	Point	{9F72C963-D1F8-4536-992E-D103A238D985}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	611	DW_0611
1571	Point	{EEB6A1D7-C534-46F9-B475-C82AD2627F71}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	612	DW_0612

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1572	Point	{1536A6E4-1D0E-4DED-AB86-B63765E195FC}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	613	DW_0613
1573	Point	{19418B94-CD2E-424C-B8FF-BC451619EBE5}	4/22/2025 17:42	jennifers127	5/28/2025 19:02	JENNIFERSALEMANN	614	DW_0614
1574	Point	{9B51E9BA-D598-4984-8DA8-A468CF2D6744}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	615	DW_0615
1575	Point	{53EE1B20-D5FF-4FA9-B903-ADAFEB60F136}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	616	DW_0616
1576	Point	{95F36CD2-0171-406C-9BB9-8974229256AA}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	617	DW_0617
1577	Point	{1D0A933C-C5BF-4B8B-B80A-CEF2B73B698E}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	618	DW_0618
1578	Point	{82DD4C17-DFA1-47C6-9C3D-C7BD09090E55}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	619	DW_0619
1579	Point	{53EA35AD-37CB-4CCF-97A1-06416FAAE32B}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	620	DW_0620
1580	Point	{66CEAAC3-C0D7-42BB-9690-2DA6F0F3FBA9}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	621	DW_0621
1581	Point	{E5E6A7FB-42BA-4783-A7CD-D98D94272F20}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	622	DW_0622
1582	Point	{E2B178AE-FD55-4F04-938D-326C9D3A5E86}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	623	DW_0623
1583	Point	{B2228FD9-DA25-4BCC-A3AD-8F911569292D}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	624	DW_0624
1584	Point	{1E6C11E8-7A4B-4E7A-B61D-13B6CF9C8DA8}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	625	DW_0625
1585	Point	{7C72834C-D563-4950-B0C3-2328AF947232}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	626	DW_0626
1586	Point	{32269B66-8449-466F-9508-38C35484B9D5}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	627	DW_0627
1587	Point	{922CB36F-EBF6-473B-8166-2238CE7E0DCE}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	628	DW_0628
1588	Point	{5274ACBF-C2E7-42DE-AD06-227A7FC9D5AE}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	629	DW_0629
1589	Point	{DE97AD54-EE3D-4376-AA8D-936B22EA3D82}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	630	DW_0630
1590	Point	{0F7CFF8D-50C6-4E21-8BC7-204C75B4DEA7}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	631	DW_0631
1591	Point	{E34CA6A6-A2BF-4157-8D95-CBA3D8C3487D}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	632	DW_0632
1592	Point	{6D0E62BC-513A-463B-A44F-7A859CAE0431}	4/22/2025 17:42	jennifers127	5/28/2025 20:38	JENNIFERSALEMANN	633	DW_0633
1593	Point	{50ED7408-B97D-423A-A9C1-73F7B814A1DA}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	634	DW_0634
1594	Point	{166B0C3A-CC64-47A8-9805-5DEDED932A0}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	635	DW_0635
1595	Point	{C073E8E9-FB31-4AF6-8274-5D6A3EDFD5AC}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	636	DW_0636
1596	Point	{A559789F-1FD7-4B4F-B5A8-D9738E3E5787}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	637	DW_0637
1597	Point	{19CDA6F1-393C-4097-A3C1-83D9D689199D}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	638	DW_0638
1598	Point	{87959F1D-B0D0-4317-9805-2E3125264772}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	639	DW_0639
1599	Point	{B34334BC-D3E3-4DFB-A9D1-02E42B887BE5}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	640	DW_0640
1600	Point	{327D0824-9577-40EF-96F2-9A545389055A}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	641	DW_0641
1601	Point	{A8156426-6BA1-4849-A0DD-A3EE71F6268D}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	642	DW_0642
1602	Point	{E2D58817-78C5-4C4B-9FE8-7A5D3A9EC478}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	643	DW_0643
1603	Point	{DE345DF6-6F3E-4219-8816-524643168786}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	644	DW_0644
1604	Point	{D7FDDE2E-4A4C-4E2E-BF42-F84E7F2FA158}	4/22/2025 17:42	jennifers127	5/28/2025 20:38	JENNIFERSALEMANN	645	DW_0645
1605	Point	{7BD77ADD-AA58-4FB6-B1D6-DA479223E373}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	646	DW_0646
1606	Point	{7B443666-69D0-454F-8C5F-DC0A3263C80D}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	647	DW_0647
1607	Point	{ABA6B6B2-57E8-4F11-A3BF-AA7E50FA195E}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	648	DW_0648

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1608	Point	{90BB712D-9479-4054-956B-D01CBFD7FE73}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	649	DW_0649
1609	Point	{B2A94D20-78AB-4B71-8502-C276ECF2713A}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	650	DW_0650
1610	Point	{DB490247-9D4C-4428-9720-259CF9A8E6F8}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	651	DW_0651
1611	Point	{A885D222-7FCE-4A36-BD6D-956F8F4571BC}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	652	DW_0652
1612	Point	{C3778197-F016-4C89-A449-B1B2FD4C6B66}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	653	DW_0653
1613	Point	{38AFF498-52A8-45A9-8073-546B14A09BC5}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	654	DW_0654
1614	Point	{09FDD955-7092-4279-9BD2-97BFE0850947}	4/22/2025 17:42	jennifers127	5/28/2025 19:03	JENNIFERSALEMANN	655	DW_0655
1615	Point	{E138016A-BE5C-4AD6-BE53-116E5F29BEF1}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	656	DW_0656
1616	Point	{FB1989BD-E784-4799-BBF6-76249AC44417}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	657	DW_0657
1617	Point	{F7E3A690-A273-457B-8E5D-801F4A547EA2}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	658	DW_0658
1618	Point	{F0D11ED0-78C5-4A77-87B1-56FEFD1DC39A}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	659	DW_0659
1619	Point	{699A1C72-4423-4792-A78F-43B54DC56C87}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	660	DW_0660
1620	Point	{8C338195-616A-49CB-93B0-F399D5133360}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	661	DW_0661
1621	Point	{24BE2B9A-D232-42EC-8068-E68C85355505}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	662	DW_0662
1622	Point	{56F8CD2E-6684-4DA7-B26B-A05F2076A821}	4/22/2025 17:42	jennifers127	5/28/2025 20:38	JENNIFERSALEMANN	663	DW_0663
1623	Point	{46DF3D5C-B473-49B9-BAC6-C75A0219EFCF}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	664	DW_0664
1624	Point	{1C825566-4AD6-447C-9895-E41438C9DA2F}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	665	DW_0665
1625	Point	{8AAED4B9-550D-43F9-97E5-8CC5A728D061}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	666	DW_0666
1626	Point	{9E8A8AEF-A431-446B-9FE6-8FA5CEEEAEF8}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	667	DW_0667
1627	Point	{EE3D3D43-8DF3-4B39-BC74-271D158B3CBD}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	668	DW_0668
1628	Point	{57A2ED4E-FDFF-4BCA-9588-6117D4A3B627}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	669	DW_0669
1629	Point	{B1222E98-3BFC-443A-814B-CD4E8A6B01E8}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	670	DW_0670
1630	Point	{E0EDB1C7-509B-411E-9698-7B3F98755D5F}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	671	DW_0671
1631	Point	{289C1357-E244-4A84-8AEB-160419DE98B2}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	672	DW_0672
1632	Point	{AFEFAEAD-2577-4922-B273-FC1BD2AD64DC}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	673	DW_0673
1633	Point	{B9C92FAB-D831-40D7-AE1A-F3620491BFA3}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	674	DW_0674
1634	Point	{8FF59087-ACA9-4428-837D-00700BC6457B}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	675	DW_0675
1635	Point	{E5CDC9AD-8137-4979-AE28-2A33810262CE}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	676	DW_0676
1636	Point	{E27D0D34-0104-46E1-9BA8-DB427BA29B5B}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	677	DW_0677
1637	Point	{2E2DD769-9230-4760-856B-7DF3EA6EACDB}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	678	DW_0678
1638	Point	{C3569DDD-67E4-4E1F-A3B5-DD38F2D9DB40}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	679	DW_0679
1639	Point	{A1E0729E-4119-49ED-902F-72DAC5CDDE67}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	680	DW_0680
1640	Point	{67235CF1-25DA-449A-A551-80F57241A32E}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	681	DW_0681
1641	Point	{54B60A61-3251-46A6-A590-9F85CAF0B372}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	682	DW_0682
1642	Point	{7740E33B-A626-41A3-A6D3-6F8F98C8F987}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	683	DW_0683
1643	Point	{B4DE557C-0A2C-4A21-99D7-53E572AD0B56}	4/22/2025 17:42	jennifers127	5/28/2025 19:04	JENNIFERSALEMANN	684	DW_0684

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1644	Point	{2CECC8F5-DED0-404F-A871-365348F3015C}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	685	DW_0685
1645	Point	{4E852757-4A50-4C4F-AC6B-9CC4201A0990}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	686	DW_0686
1646	Point	{07F22243-25C6-4D0E-94FC-EC57DBCDE0D2}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	687	DW_0687
1647	Point	{CEBD0238-AC9A-4570-BC6A-3C6F78EB9CD95}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	688	DW_0688
1648	Point	{77F1ECBA-5B9F-4E24-B286-15FE05B8A449}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	689	DW_0689
1649	Point	{DB906659-A92F-4F6B-9C59-0B52A5AFF4EC}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	690	DW_0690
1650	Point	{8D62D725-E582-449B-98CE-99539DE29C92}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	691	DW_0691
1651	Point	{404697CD-2247-4DCF-B705-8A89898D90F7}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	692	DW_0692
1652	Point	{3F83AA2E-9401-46B8-A9F5-4A60835B84A1}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	693	DW_0693
1653	Point	{AB666757-7DD1-4255-B95C-80E87C1AD2B4}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	694	DW_0694
1654	Point	{5D2C30AC-EB5E-4133-BBCF-5CE845D616AA}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	695	DW_0695
1655	Point	{F26ABFC6-636E-4FF9-8DB4-E204A00820C6}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	696	DW_0696
1656	Point	{C9A892E7-1D81-4658-9A58-832C338F55E9}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	697	DW_0697
1657	Point	{BF1C0AF4-2BFA-4215-8303-22FAE26259BC}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	698	DW_0698
1658	Point	{DA0A68E7-B556-42B2-8CBF-CDDC195FF75B}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	699	DW_0699
1659	Point	{8E33FC91-ECD3-43EF-A9B9-4FF96004138D}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	700	DW_0700
1660	Point	{B1A18F6E-A4A5-473D-BF8C-B220E15F845F}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	701	DW_0701
1661	Point	{7C9484A9-E41D-45BF-B02E-FD69CCC83474}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	702	DW_0702
1662	Point	{8B7ED898-88EA-4B82-BF46-81D54B09B707}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	703	DW_0703
1663	Point	{546C665E-053F-49BB-8E13-C6B020D852DA}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	704	DW_0704
1664	Point	{C38B17BF-C3C5-49D4-89B3-B687104BBB59}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	705	DW_0705
1665	Point	{065A8577-617E-40E4-A7C9-6D33DBE8A68C}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	706	DW_0706
1666	Point	{B3682D1C-F5A8-4470-8A60-AD8F83D6BB30}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	707	DW_0707
1667	Point	{E75EF405-6E3F-4EDF-89F7-375AFA031C58}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	708	DW_0708
1668	Point	{EFFB7B2E-81B6-4547-A106-6B0B1F19F353}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	709	DW_0709
1669	Point	{82B39268-9F55-4A71-86A0-CE4DF7FB98D2}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	710	DW_0710
1670	Point	{18E487D7-B6A9-4088-A7C5-DBFAAAC8CEF8}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	711	DW_0711
1671	Point	{7FEB8A3E-1D8C-4904-B1F7-52ACC1BD12C7}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	712	DW_0712
1672	Point	{F93FCE25-572C-40A6-8DCD-F5F04B316C9D}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	713	DW_0713
1673	Point	{56104CF2-34AE-48A8-AD85-18C5CCB2A6FA}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	714	DW_0714
1674	Point	{4F22331E-49E4-4930-A1DB-2DEC5C6781F7}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	715	DW_0715
1675	Point	{D739854D-62ED-4068-AE3F-00DF2616AC91}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	716	DW_0716
1676	Point	{3BFCA3E9-B7F9-4178-ADB2-21E5C4F0B41D}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	717	DW_0717
1677	Point	{973ED8FA-E29E-4E8E-8577-2400098959D1}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	718	DW_0718
1678	Point	{E7459128-2102-4419-A183-02882CE5BCD4}	4/22/2025 17:42	jennifers127	5/28/2025 19:05	JENNIFERSALEMANN	719	DW_0719
1679	Point	{CE7B1EE8-B4D5-4E24-9AE4-3099DDBBEE74}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	720	DW_0720

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1680	Point	{EFEA1E6B-CFA3-4C6F-B465-2B8D7DADB0EC}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	721	DW_0721
1681	Point	{F37E34A5-CBF2-4A69-8157-58486C751C65}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	722	DW_0722
1682	Point	{755EE60B-33F6-4CE4-8141-C1C66AFD98B0}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	723	DW_0723
1683	Point	{047A4B42-DDCC-476F-A712-CD90BF95AC69}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	724	DW_0724
1684	Point	{6D03A702-6E1F-4E4A-9B5E-7D3070D80403}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	725	DW_0725
1685	Point	{E56C0850-6017-4922-BDD9-41D32F4D7631}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	726	DW_0726
1686	Point	{BDEF8F21-102A-4407-A39B-67EC89BA4626}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	727	DW_0727
1687	Point	{6E56878D-BE9D-4B0E-8A13-4D521823CF8B}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	728	DW_0728
1688	Point	{680F56B9-5797-4C67-84E9-F4A42236C6D9}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	729	DW_0729
1689	Point	{8133736A-5D38-4BBB-994C-709AE9C84414}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	730	DW_0730
1690	Point	{82C4E8A8-ED0C-46AF-BE16-6FD254682B89}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	731	DW_0731
1691	Point	{D18297EF-E5F8-4BDB-A0D5-8FEE4D244A1A}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	732	DW_0732
1692	Point	{F5335639-E709-4A50-81BA-3E086FE2C17B}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	733	DW_0733
1693	Point	{14C6A0B9-87E3-4F64-A89B-208950C7414E}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	734	DW_0734
1694	Point	{6CC65A98-9985-450A-B26F-9F2B6A88E2B9}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	735	DW_0735
1695	Point	{DF52FD3C-32E6-4B4D-BEB9-067E4F01914C}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	736	DW_0736
1696	Point	{A7E54ECE-F0FB-4370-857A-ACD09FCD97E9}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	737	DW_0737
1697	Point	{7AE56F15-2800-4B38-9601-7CCCEABD589}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	738	DW_0738
1698	Point	{235B011B-C9F3-41C0-8465-8CC25DC9E6E9}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	739	DW_0739
1699	Point	{5192960D-0297-4691-B189-76FABA5527CB}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	740	DW_0740
1700	Point	{3B8C7FFA-D0CB-4CAB-92B3-E049351FF5D0}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	741	DW_0741
1701	Point	{1BE436CF-E60C-4A8C-A745-7D1FE4DAED59}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	742	DW_0742
1702	Point	{385CC059-2D6F-4C6D-9332-20641B794EBF}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	743	DW_0743
1703	Point	{C45C2B72-49DB-4BFD-BEBE-4F74CFE6B40B}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	744	DW_0744
1704	Point	{203BB7E9-44BD-4766-BDD5-FEE96B4270CD}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	745	DW_0745
1705	Point	{9DFB12C6-688F-42B8-ADE7-879BF8FC16D9}	4/22/2025 17:42	jennifers127	5/28/2025 20:39	JENNIFERSALEMANN	746	DW_0746
1706	Point	{143736E5-094C-4D9E-8BB9-1020C6EED38D}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	747	DW_0747
1707	Point	{6B935FC8-A430-4F40-9D37-3CFD222F3D8E}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	748	DW_0748
1708	Point	{6774DCEF-A1EE-4995-8F19-E0E61F759D20}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	749	DW_0749
1709	Point	{8ECD433-4AC9-4F75-BD21-782181FD3F22}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	750	DW_0750
1710	Point	{321C319D-4DCB-47B3-831C-6AA75C62AFA5}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	751	DW_0751
1711	Point	{143DB488-1E77-4855-9F49-0253646FE1EF}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	752	DW_0752
1712	Point	{F80D5431-ECAD-48AE-8C77-8EC1DEA8784B}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	753	DW_0753
1713	Point	{29ADA4B0-3536-4C5C-8145-99744996EDB9}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	754	DW_0754
1714	Point	{98926CE5-2BEF-42BC-AC2D-CDA99AF2D2B8}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	755	DW_0755
1715	Point	{44F6DF4F-A9E6-4360-A390-7822CF396D7D}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	756	DW_0756

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1716	Point	{AD5C7BE9-AEFC-4952-AB19-DA38FAE5EAB5}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	757	DW_0757
1717	Point	{42DBCFF5F-A23F-429C-BB82-BBC14025AFCB}	4/22/2025 17:42	jennifers127	5/28/2025 19:06	JENNIFERSALEMANN	758	DW_0758
1718	Point	{51BF235F-A4AD-4413-A9B5-413BB7B9582C}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	759	DW_0759
1719	Point	{09C734C3-61DF-40D7-9FBE-7C683C36BAC5}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	760	DW_0760
1720	Point	{E543C0E0-7D05-4470-8A29-C4D64240A94C}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	761	DW_0761
1721	Point	{9D58DD7F-FE5E-4C27-92CB-66FE226A91A3}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	762	DW_0762
1722	Point	{1D2C1B56-5F4F-4925-B30E-15F5EB660F72}	4/22/2025 17:42	jennifers127	5/28/2025 20:39	JENNIFERSALEMANN	763	DW_0763
1723	Point	{1A98320B-DCD3-4F4B-BD9F-4D367315847F}	4/22/2025 17:42	jennifers127	5/28/2025 20:39	JENNIFERSALEMANN	764	DW_0764
1724	Point	{B2D35FD2-FAE7-4A6F-B004-97A33F69209C}	4/22/2025 17:42	jennifers127	5/28/2025 20:40	JENNIFERSALEMANN	765	DW_0765
1725	Point	{EE170606-421F-4270-8163-6230CFBB12D0}	4/22/2025 17:42	jennifers127	5/28/2025 20:40	JENNIFERSALEMANN	766	DW_0766
1726	Point	{7E3BD46E-0994-48CF-80FA-3B1D2130A40E}	4/22/2025 17:42	jennifers127	5/28/2025 20:41	JENNIFERSALEMANN	767	DW_0767
1727	Point	{EB994946-27E9-41AB-A508-A82F1AB07539}	4/22/2025 17:42	jennifers127	5/28/2025 20:41	JENNIFERSALEMANN	768	DW_0768
1728	Point	{C95F6D9C-CD16-4047-945A-C4AB1B00BB2B}	4/22/2025 17:42	jennifers127	5/28/2025 20:41	JENNIFERSALEMANN	769	DW_0769
1729	Point	{14F8A096-55D8-42B7-8E1E-BC2934AF2503}	4/22/2025 17:42	jennifers127	5/28/2025 20:42	JENNIFERSALEMANN	770	DW_0770
1730	Point	{88C96DEE-8703-407A-B7D7-39E176419935}	4/22/2025 17:42	jennifers127	5/28/2025 20:42	JENNIFERSALEMANN	771	DW_0771
1731	Point	{FE898D47-5D8D-4FE7-B15E-4174429CBD6C}	4/22/2025 17:42	jennifers127	5/28/2025 20:43	JENNIFERSALEMANN	772	DW_0772
1732	Point	{17DD56C9-9B85-4158-88A1-6F211FFBD578}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	773	DW_0773
1733	Point	{EE584FB5-8D61-4E5C-8B4F-734B3A7ABD75}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	774	DW_0774
1734	Point	{B0D935DD-2DDA-4531-82B8-860922EF0A33}	4/22/2025 17:42	jennifers127	5/28/2025 20:43	JENNIFERSALEMANN	775	DW_0775
1735	Point	{F893DFFC-6434-4EBA-9B18-595677410A67}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	776	DW_0776
1736	Point	{4679C8AF-9EF5-4703-BF5A-991E03B23090}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	777	DW_0777
1737	Point	{3102CE0E-2FC3-4568-AB6A-514ECB847286}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	778	DW_0778
1738	Point	{8083683B-72F7-4BDE-BF91-EF5770B347FF}	4/22/2025 17:42	jennifers127	5/28/2025 20:43	JENNIFERSALEMANN	779	DW_0779
1739	Point	{571D8526-083B-4B52-BA86-CF7476125932}	4/22/2025 17:42	jennifers127	5/28/2025 20:44	JENNIFERSALEMANN	780	DW_0780
1740	Point	{90F356E0-7A72-4680-9757-8F7CC356372C}	4/22/2025 17:42	jennifers127	5/28/2025 20:44	JENNIFERSALEMANN	781	DW_0781
1741	Point	{F4B45A3D-6247-4F52-8523-04ED4050BB1F}	4/22/2025 17:42	jennifers127	5/28/2025 20:44	JENNIFERSALEMANN	782	DW_0782
1742	Point	{46B15764-D1EA-493F-9903-39029C3DBC48}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	783	DW_0783
1743	Point	{78660600-32A5-4907-857F-74F91C0842B8}	4/22/2025 17:42	jennifers127	5/28/2025 20:45	JENNIFERSALEMANN	784	DW_0784
1744	Point	{A03CCED5-497B-4C6E-ADBC-04CF37C9D381}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	785	DW_0785
1745	Point	{40578B8D-670F-44FB-8ABB-1E3083BD9CB5}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	786	DW_0786
1746	Point	{3CE18B52-2799-4AFD-A1D6-72E58FA6A335}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	787	DW_0787
1747	Point	{1A1BE10E-86A9-4E35-B11B-A1D2F5FFCA26}	4/22/2025 17:42	jennifers127	5/28/2025 20:45	JENNIFERSALEMANN	788	DW_0788
1748	Point	{70C946F9-C623-4F78-9AC6-FDC3EDB075C8}	4/22/2025 17:42	jennifers127	5/28/2025 20:46	JENNIFERSALEMANN	789	DW_0789
1749	Point	{A36ACB77-BF1D-446D-96C5-E7FB5305FE8D}	4/22/2025 17:42	jennifers127	5/28/2025 20:47	JENNIFERSALEMANN	790	DW_0790

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1750	Point	{07BD4668-5428-4815-B537-E3B03C5018A0}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	791	DW_0791
1751	Point	{7A8AA2B0-C119-44F0-9672-70D0255BC6B4}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	792	DW_0792
1752	Point	{A72ABC29-4E36-4B08-9D40-3B9312A59147}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	793	DW_0793
1753	Point	{B0D71117-BA71-4896-973E-8C57FA6B682F}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	794	DW_0794
1754	Point	{4433CAB9-8AB7-4C5F-99C6-08EC65DF3F04}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	795	DW_0795
1755	Point	{5D53F87A-9422-464A-BA84-6BBB4C04E57E}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	796	DW_0796
1756	Point	{EDD401ED-04AF-40A7-A649-27E89B9A3098}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	797	DW_0797
1757	Point	{EE2A18F1-0059-47E4-99A1-C19FDC02E603}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	798	DW_0798
1758	Point	{8A301202-C72B-4DC4-AB07-D6BF34E19F8E}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	799	DW_0799
1759	Point	{F28B6229-7267-4CFA-8725-59C799CC798F}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	800	DW_0800
1760	Point	{997EB925-D00B-49D9-B792-9CD783A97C8B}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	801	DW_0801
1761	Point	{6BB82EB7-86E2-431C-96C3-438198759EAC}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	802	DW_0802
1762	Point	{A5088C1B-251D-417B-95C2-12371A64A11A}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	803	DW_0803
1763	Point	{87D1CE97-6D5D-4320-952D-A0C633BF8909}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	804	DW_0804
1764	Point	{7918E1CE-28CE-4B2A-8445-9E11E434FE31}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	805	DW_0805
1765	Point	{46F9E1AA-A53A-46FA-A79D-7930B3DB1A56}	4/22/2025 17:42	jennifers127	5/28/2025 20:46	JENNIFERSALEMANN	806	DW_0806
1766	Point	{C720844D-3562-4509-90E0-56C0017E57B5}	4/22/2025 17:42	jennifers127	5/28/2025 20:48	JENNIFERSALEMANN	807	DW_0807
1767	Point	{46F0E086-5E55-4B41-BCA1-5EC652E3320A}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	808	DW_0808
1768	Point	{38EDA29D-8C62-40F4-89C6-EF5E8713AAE1}	4/22/2025 17:42	jennifers127	5/28/2025 20:49	JENNIFERSALEMANN	809	DW_0809
1769	Point	{B1866ACE-66C7-443F-99BD-E3181E0215C3}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	810	DW_0810
1770	Point	{FBC19811-AA59-48A4-A2D6-2D3AA2EFB811}	4/22/2025 17:42	jennifers127	5/28/2025 20:50	JENNIFERSALEMANN	811	DW_0811
1771	Point	{07482491-801F-4AD5-A755-E6C3A66C6F67}	4/22/2025 17:42	jennifers127	5/28/2025 20:51	JENNIFERSALEMANN	812	DW_0812
1772	Point	{32A709FF-50B5-41AD-84C0-B656CD1CE1FB}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	813	DW_0813
1773	Point	{BC111153-AB89-4C3C-BFAB-8EC2B5EBE833}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	814	DW_0814
1774	Point	{20E8A936-4E84-47F0-AC16-EDB4DC6FF62F}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	815	DW_0815
1775	Point	{D98522B9-AEBD-41B2-91DD-9785D8B51596}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	816	DW_0816
1776	Point	{C3AC4C44-47A8-4253-A1D1-5447970BF8E1}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	817	DW_0817
1777	Point	{52FF8A48-6E86-470A-89A2-5DAAC2B80471}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	818	DW_0818
1778	Point	{D4346A5C-5160-4453-A4AC-2CC95116B203}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	819	DW_0819
1779	Point	{793D8424-5027-42DD-AE78-AE2331D0C348}	4/22/2025 17:42	jennifers127	5/28/2025 19:07	JENNIFERSALEMANN	820	DW_0820
1780	Point	{170F8F3B-44A1-4786-B792-0BD21BE11976}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	821	DW_0821
1781	Point	{D8D52AC8-5AD5-433C-87F2-A8755326EFD3}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	822	DW_0822
1782	Point	{F5E8CAA5-ED7B-484C-B164-575BA634B5C3}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	823	DW_0823
1783	Point	{FD8BFCD9-D90A-46E0-8214-123FDA7027EC}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	824	DW_0824
1784	Point	{33B5C3A6-1751-4303-98B1-DDD1B5C44E39}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	825	DW_0825
1785	Point	{67243384-9140-45AC-820B-4DC2E88CED47}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	826	DW_0826

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1786	Point	{53E3343E-C35D-435A-ACE7-2CFD5AF17C14}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	827	DW_0827
1787	Point	{A522BE0D-2C2D-41C3-9E1F-3622D5309A8F}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	828	DW_0828
1788	Point	{AF450CAD-F294-4B97-841D-2569FDDD299E}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	829	DW_0829
1789	Point	{1B37DBAC-F724-425F-A7F6-7E011A966B30}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	830	DW_0830
1790	Point	{C751B937-2C44-4A51-A19A-80FF0B675338}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	831	DW_0831
1791	Point	{57C629C9-0AAF-45AC-A223-F8D53FC8131F}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	832	DW_0832
1792	Point	{D93096FB-CE3D-4674-87E2-B62D2F183514}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	833	DW_0833
1793	Point	{3F7DFEF7-88AA-480F-A0E5-8C0AFB44CACC}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	834	DW_0834
1794	Point	{66989EED-0F75-407A-8877-362D84006E00}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	835	DW_0835
1795	Point	{F7326E5B-0DDC-4091-923D-542C33497969}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	836	DW_0836
1796	Point	{14B5C08F-FF42-453D-B09C-9E783CA4BD3C}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	837	DW_0837
1797	Point	{EAFB70ED-65CF-4D86-9D14-3F2C52975E54}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	838	DW_0838
1798	Point	{433BD21E-A136-4B4E-BF7C-921EA093124E}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	839	DW_0839
1799	Point	{FF20183B-A78E-4B15-905D-C8B77840F4B2}	4/22/2025 17:42	jennifers127	5/28/2025 19:08	JENNIFERSALEMANN	840	DW_0840
1800	Point	{F34C58D1-75B3-4A13-AD5C-FCE35771CF2F}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	841	DW_0841
1801	Point	{D6C6A511-0F12-496D-9AAF-D229872680A1}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	842	DW_0842
1802	Point	{01041614-DAAD-4665-A99C-788F8247C6DB}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	843	DW_0843
1803	Point	{DD3B2C02-C912-47F9-990D-7DE5D146D32B}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	844	DW_0844
1804	Point	{6473E2D1-36CA-4A04-A5F9-DA1B28E7D508}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	845	DW_0845
1805	Point	{04BF0342-A558-458F-A25E-9F2A45A85ADC}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	846	DW_0846
1806	Point	{41BDDA0D-2B5D-427B-A71D-0635A961DEA4}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	847	DW_0847
1807	Point	{4CCB7DE6-0915-4289-9284-B439976A0D4D}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	848	DW_0848
1808	Point	{D2B7EB08-1BF8-4067-96D6-C9021DCD35A3}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	849	DW_0849
1809	Point	{7E5D9014-7393-4A1F-B9EF-B490D3F59FD7}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	850	DW_0850
1810	Point	{978E8732-9EE0-4286-BF39-F999C264D162}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	851	DW_0851
1811	Point	{C7522BF5-4CD4-4ADF-ABE1-2C052847BBE8}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	852	DW_0852
1812	Point	{922E1823-ED0A-4700-8C29-813D2D090700}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	853	DW_0853
1813	Point	{D3772A0B-17AE-46B7-A16C-6310FF38F6DE}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	854	DW_0854
1814	Point	{EC468281-9FEB-45A2-9F4C-0AAACC3F5514}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	855	DW_0855
1815	Point	{0047B727-4075-430B-8C02-98247FCBF404}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	856	DW_0856
1816	Point	{F11382E9-68A8-42E7-804E-8B089E87FE36}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	857	DW_0857
1817	Point	{E44F47A8-65DE-4910-95C2-CA579E77413E}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	858	DW_0858
1818	Point	{372B8664-6FFB-4C26-B657-111698C4D793}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	859	DW_0859
1819	Point	{656841F4-18A9-4690-B633-C03782683023}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	860	DW_0860
1820	Point	{27A7C1F9-E6D0-433E-B01B-5EEA435698A3}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	861	DW_0861
1821	Point	{F1D1B870-3F2A-4594-BBEC-0C9DA774AD83}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	862	DW_0862

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1822	Point	{492AD529-D51F-43C9-9423-74F32E168E90}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	863	DW_0863
1823	Point	{022D261F-497A-4803-888E-65B19899DA3E}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	864	DW_0864
1824	Point	{3CC6F72B-9983-49D6-810D-D30EF5FE9BB1}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	865	DW_0865
1825	Point	{421B8F6A-08C0-4B0A-84F0-C557AE8E4AF}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	866	DW_0866
1826	Point	{D2FDAE95-F01A-4A14-9A05-572CE5C9649E}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	867	DW_0867
1827	Point	{98554AC4-81FF-491E-80F5-3190D0A7EE71}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	868	DW_0868
1828	Point	{85DA445E-32A1-474C-A028-246DBE8520D4}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	869	DW_0869
1829	Point	{FB85469D-513A-4C8C-8935-29B56FAF9623}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	870	DW_0870
1830	Point	{0F301FC1-1025-4034-80F4-802C15997939}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	871	DW_0871
1831	Point	{4C710ABB-EBC1-4C54-961F-1E2A9035CA09}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	872	DW_0872
1832	Point	{E982CBC5-D40D-4BB8-951A-1D93319A1E00}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	873	DW_0873
1833	Point	{CA1E5307-C6FB-4F75-ACDC-13A0B8D08A00}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	874	DW_0874
1834	Point	{6230DB07-A0FF-4EF4-94D6-7A7DC37F2A23}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	875	DW_0875
1835	Point	{21A8639D-C5CB-483D-9ABB-C1EC6664CB40}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	876	DW_0876
1836	Point	{23899683-91FC-4B17-9F73-53BF6E991D15}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	877	DW_0877
1837	Point	{C664C17F-AE2D-40A6-9CCE-B0C0D1C28668}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	878	DW_0878
1838	Point	{DA6F8834-CB02-42C4-97E8-8E873E076F35}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	879	DW_0879
1839	Point	{F907346A-969A-41F0-98D8-312CA7D4E6ED}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	880	DW_0880
1840	Point	{73D8A520-F390-4283-9BD1-129AAEF0A0F4}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	881	DW_0881
1841	Point	{71F5F2C8-86CA-4FC1-8BE5-6427B0C4A37A}	4/22/2025 17:42	jennifers127	5/28/2025 19:09	JENNIFERSALEMANN	882	DW_0882
1842	Point	{1254E78D-343C-4691-AECC-40912E22E25C}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	883	DW_0883
1843	Point	{86D8CD44-8384-42A8-8C47-474459C2C29E}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	884	DW_0884
1844	Point	{A39BB57F-FCB2-4E0C-A8C7-E698E9974329}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	885	DW_0885
1845	Point	{59C69FBD-5DF1-42FF-AD18-01992B6A592A}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	886	DW_0886
1846	Point	{0FE45CF0-8344-436E-83CC-96F432FB475E}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	887	DW_0887
1847	Point	{DE42285F-4E6E-4D98-B6BF-AB4ED4ACF99F}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	888	DW_0888
1848	Point	{1736345E-0F3C-45DE-BAD0-19571281ED80}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	889	DW_0889
1849	Point	{B416A8E9-946B-40EF-AA1F-18E78CDF727C}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	890	DW_0890
1850	Point	{F1EC8CB8-D132-42C3-9BC5-C6DFC9FF0A80}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	891	DW_0891
1851	Point	{26C1C776-FF77-4131-99FF-074B9D6C1A7F}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	892	DW_0892
1852	Point	{5263BB2E-92FA-4086-A8DD-4302E31E02A0}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	893	DW_0893
1853	Point	{1FE13F0A-B104-4245-912F-72A9B0A37573}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	894	DW_0894
1854	Point	{80606DD6-86F0-48DC-8B89-081CCD535CAC}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	895	DW_0895
1855	Point	{5572729B-30BB-437F-B5AF-72CEE74AB727}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	896	DW_0896
1856	Point	{1C781C78-DC0B-4E40-80A0-D7563A354DC7}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	897	DW_0897
1857	Point	{A50E848A-FE74-4099-B14C-D537C7A0FE79}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	898	DW_0898

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1858	Point	{968710E2-1756-4E0B-8F57-07CA617C8F4C}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	899	DW_0899
1859	Point	{FDFDBC06-CEAB-4CBC-96A4-BBC2304C5728}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	900	DW_0900
1860	Point	{9DDBFFA1-0028-4AD8-B6D4-4795D099DE1B}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	901	DW_0901
1861	Point	{F4CBB9CB-62BD-482F-9A92-A2A2406ED256}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	902	DW_0902
1862	Point	{F68EF987-EB32-421D-B8C7-E08B09EBA578}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	903	DW_0903
1863	Point	{1ADB92FB-0908-4D72-867A-2FB22768EF6D}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	904	DW_0904
1864	Point	{A07CDF8E-FF14-4E4B-9CCA-C2A57BDC264F}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	905	DW_0905
1865	Point	{D77BEF0E-476A-4138-B37E-7234E654CAA3}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	906	DW_0906
1866	Point	{730F6EA4-35A5-4F76-B235-E440934FA880}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	907	DW_0907
1867	Point	{0F4AE068-CBC9-4196-87A2-4F50E3252C1F}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	908	DW_0908
1868	Point	{C50D2877-6764-4A75-8091-63F25AA8EAD0}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	909	DW_0909
1869	Point	{EDFEA3F2-D6D5-4951-8F1C-4A3B5A7E74CE}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	910	DW_0910
1870	Point	{34FC2E04-6C9B-4DC2-A2E5-6AA0291EEB14}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	911	DW_0911
1871	Point	{47F56A8B-A8FE-41CF-BEA6-A641D2FFDCC4}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	912	DW_0912
1872	Point	{F88AA9A0-A9B2-4E3D-A82D-613B04BF0746}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	913	DW_0913
1873	Point	{3F93BF0C-AED8-4DBB-8794-A73E61D7553F}	4/22/2025 17:42	jennifers127	5/28/2025 19:10	JENNIFERSALEMANN	914	DW_0914
1874	Point	{E9AFCB49-DD97-4E35-B731-1BFF8D8DCBE9}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	915	DW_0915
1875	Point	{07173CAF-24F2-4D62-A377-13D62ADA9F6F}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	916	DW_0916
1876	Point	{04F9D648-6636-4771-8B55-04ED0154B221}	4/22/2025 17:42	jennifers127	5/28/2025 20:51	JENNIFERSALEMANN	917	DW_0917
1877	Point	{3340F289-01C7-4424-AA98-5F2810DBF5FA}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	918	DW_0918
1878	Point	{C17D08C3-2124-48FE-ABF9-FA0C587CA68E}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	919	DW_0919
1879	Point	{E4CDB692-CAD7-478B-9BF3-67694F2DCF49}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	920	DW_0920
1880	Point	{29449A5E-D8C7-4765-93D9-7A62ABEB9C1E}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	921	DW_0921
1881	Point	{2C0A7667-6319-4039-B613-9AD4390A935D}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	922	DW_0922
1882	Point	{063EE7CD-65F6-41AD-9404-C18E3F559165}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	923	DW_0923
1883	Point	{33B52285-A1CE-4286-9BFA-B4AFDFAE1E62}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	924	DW_0924
1884	Point	{6278C789-616B-4694-9A0B-0840827BA06A}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	925	DW_0925
1885	Point	{A315F4EB-AE9A-4858-A61D-F32ED1DE11DF}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	926	DW_0926
1886	Point	{87DD2801-31FA-4989-958E-A5412D32C45A}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	927	DW_0927
1887	Point	{05D14C42-B392-43BE-A396-7DE523436445}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	928	DW_0928
1888	Point	{C7467CD3-D12A-4B6D-A450-931727D88909}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	929	DW_0929
1889	Point	{1043FA0D-AFEF-445B-9278-BB4B16C2BD84}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	930	DW_0930
1890	Point	{560A280B-0010-4A3F-BB21-B335B5721465}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	931	DW_0931
1891	Point	{0CC4E2AB-AF7D-4B08-93AD-D80ADDF9A98D5}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	932	DW_0932
1892	Point	{43825793-6954-4F76-AC4E-009A1F47C102}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	933	DW_0933
1893	Point	{BCC63E71-93D7-4A74-AFC6-F3AED698A18E}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	934	DW_0934

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1894	Point	{BE39ED43-7840-4615-A033-8883EF6452F7}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	935	DW_0935
1895	Point	{8CCC7A60-80FA-4091-A488-1131E6A583EB}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	936	DW_0936
1896	Point	{CEAE6FCE-FC16-4733-A6E7-F442D33322C4}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	937	DW_0937
1897	Point	{DD94E997-28A4-41F0-A729-0B5EC1991BA3}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	938	DW_0938
1898	Point	{6DD2440C-4F04-4569-B6AC-D1A98F88A518}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	939	DW_0939
1899	Point	{8B5B2586-1910-45E5-AEE5-4B94F4B77893}	4/22/2025 17:42	jennifers127	5/28/2025 20:52	JENNIFERSALEMANN	940	DW_0940
1900	Point	{44870959-CBA6-40B8-9E46-95B0534F1C63}	4/22/2025 17:42	jennifers127	5/28/2025 20:52	JENNIFERSALEMANN	941	DW_0941
1901	Point	{741ED341-5340-42DF-AD15-6574D19D83C1}	4/22/2025 17:42	jennifers127	5/28/2025 20:52	JENNIFERSALEMANN	942	DW_0942
1902	Point	{F3B22A9C-1EA9-420E-89A9-0CF2022CAD9A}	4/22/2025 17:42	jennifers127	5/28/2025 20:53	JENNIFERSALEMANN	943	DW_0943
1903	Point	{5F89B1A9-26C5-4928-AD58-7714FC58BDF7}	4/22/2025 17:42	jennifers127	5/28/2025 20:53	JENNIFERSALEMANN	944	DW_0944
1904	Point	{AD8EA0C7-A518-451A-95B0-D93D32D47DD9}	4/22/2025 17:42	jennifers127	5/28/2025 20:53	JENNIFERSALEMANN	945	DW_0945
1905	Point	{E3991103-DF1E-4ABE-9633-BBE8A778B4A1}	4/22/2025 17:42	jennifers127	5/28/2025 20:53	JENNIFERSALEMANN	946	DW_0946
1906	Point	{DDB317BD-A774-4382-AE48-5EA18FFDDDFE}	4/22/2025 17:42	jennifers127	5/28/2025 20:54	JENNIFERSALEMANN	947	DW_0947
1907	Point	{998B65E2-0F91-4EDC-9780-2A01F594F2C5}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	948	DW_0948
1908	Point	{31036297-EE24-4AEF-BE4C-71F3D7C331C5}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	949	DW_0949
1909	Point	{9E83EC23-4A51-4C3E-95AD-3BDB88E4C3B1}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	950	DW_0950
1910	Point	{D377CA29-BEE6-4054-A390-7657C3A15BD3}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	951	DW_0951
1911	Point	{F4161F36-1974-41D6-A1F3-6C8A02AB55AA}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	952	DW_0952
1912	Point	{1451FA2F-1C8F-473A-A457-F6F374F9B4E4}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	953	DW_0953
1913	Point	{7F8A3042-30D0-4C7C-84BB-2B17CCA6B495}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	954	DW_0954
1914	Point	{8250704E-B7AD-4863-B1C2-2F73497535B5}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	955	DW_0955
1915	Point	{1181EFDF-F547-41E3-8B5F-AC64A14A32C3}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	956	DW_0956
1916	Point	{66421FBB-07DB-4C30-A18D-4D7851D91D31}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	957	DW_0957
1917	Point	{1AE74D22-D919-4A3C-8BC2-3C88F9BF2C7E}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	958	DW_0958
1918	Point	{57981EEA-CD2E-43B8-A489-DDD5EB205669}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	959	DW_0959
1919	Point	{71A6500C-8C82-495F-A90B-CBBC73821457}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	960	DW_0960
1920	Point	{F72CAE7A-4810-4C1E-B8A4-D648FDE47915}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	961	DW_0961
1921	Point	{57CBA7E1-FA0B-4C94-824C-D95A9E608E49}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	962	DW_0962
1922	Point	{91B4B1E8-43A1-4CDE-8D0D-CB2A0B1106B2}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	963	DW_0963
1923	Point	{4CA24AF7-C77A-4F2E-9349-BE824D725739}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	964	DW_0964
1924	Point	{1F2D80B0-75A9-4EBA-8856-1B129384B13B}	4/22/2025 17:42	jennifers127	5/28/2025 19:11	JENNIFERSALEMANN	965	DW_0965
1925	Point	{E74FC98D-4A7C-4AE2-ABE2-35F6CC18B475}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	966	DW_0966
1926	Point	{32147618-3F9E-441C-BE79-1C1F8CEEABAB3}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	967	DW_0967
1927	Point	{CDFD651A-1528-48D7-A46C-30649191D8C4}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	968	DW_0968
1928	Point	{DAE04962-3928-48F7-9F34-C4FE0563C8EA}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	969	DW_0969
1929	Point	{6D1766A1-82EE-41C9-908E-C3A30B54388F}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	970	DW_0970

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1930	Point	{7824B255-72A5-467B-ADF5-9D5E5D3571E7}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	971	DW_0971
1931	Point	{07EC1CF0-EC8F-4188-A3CA-905522063C17}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	972	DW_0972
1932	Point	{B248FC1B-DE35-4D0C-AB27-6F377F704B5A}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	973	DW_0973
1933	Point	{146DEA3A-5C89-46D5-837B-5554A67BB0B4}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	974	DW_0974
1934	Point	{3E57C5EA-069A-42FC-9A7B-F5AAA60295BF}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	975	DW_0975
1935	Point	{643C9BFA-7E31-4372-B65D-6F45C5506DF3}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	976	DW_0976
1936	Point	{9CE08B94-BBFF-47D6-8ACD-BA642D068005}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	977	DW_0977
1937	Point	{C0A3FCE9-4705-4656-987C-97156EAD1F16}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	978	DW_0978
1938	Point	{5421991F-C704-4CA0-AD39-B2B778614D3D}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	979	DW_0979
1939	Point	{0ADE85A6-0A6E-42EC-8D77-1A6F5926EF9B}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	980	DW_0980
1940	Point	{DCF7F34C-A361-4C8F-B17A-B60D42C32BA4}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	981	DW_0981
1941	Point	{7FA01354-F599-4CC6-B818-120B7D4AD7E8}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	982	DW_0982
1942	Point	{D983A7FB-5B3B-449C-B917-056E3639E9B4}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	983	DW_0983
1943	Point	{5B13F38B-C3DD-4CA4-9F54-A0119C1BA50A}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	984	DW_0984
1944	Point	{30CD3C91-14D0-4CDE-B6CA-84B02227744A}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	985	DW_0985
1945	Point	{9F04FD04-6E00-4534-B1F1-A24241DEF0CC}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	986	DW_0986
1946	Point	{80F800F2-F61A-4776-9667-836CFD081CC3}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	987	DW_0987
1947	Point	{03324F63-AEA2-4531-B70E-964C32AC681D}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	988	DW_0988
1948	Point	{8DBB8E0F-BA2A-438A-B91F-40B59B75A426}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	989	DW_0989
1949	Point	{D9F49EEE-98F4-4015-B964-969B9582D34F}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	990	DW_0990
1950	Point	{1A93B6F8-97F3-4656-A1BD-A53ED317A142}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	991	DW_0991
1951	Point	{9DCF9A6A-9F70-4954-992F-EF642CDB01C0}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	992	DW_0992
1952	Point	{016A4475-C2D1-4E7B-9748-AED07B9C05D9}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	993	DW_0993
1953	Point	{5C66B72E-2E8B-4E7C-B22B-B53226DB617A}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	994	DW_0994
1954	Point	{6A5AC9AA-6A6A-47EE-BE63-BC6E463407FE}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	995	DW_0995
1955	Point	{DAA2EE08-2620-4713-8DF2-D13811AAEE98}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	996	DW_0996
1956	Point	{6C61DC37-C72B-42EC-ACB2-BB8B6ADA0ECC}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	997	DW_0997
1957	Point	{AB00FC0C-1A24-4008-8BDA-CE6BC87A4534}	4/22/2025 17:42	jennifers127	5/28/2025 19:12	JENNIFERSALEMANN	998	DW_0998
1958	Point	{E03773EA-7190-4D67-A9BD-6D7F1BDC1296}	4/22/2025 17:42	jennifers127	5/28/2025 20:54	JENNIFERSALEMANN	999	DW_0999
1959	Point	{97677952-35F2-4F27-B024-CEAC6D338FA7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1000	DW_1000
962	Point	{9288A632-8C22-4EE0-9E70-357E562F0FDD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1001	DW_1001
963	Point	{DA112D4B-A07F-40AC-9307-F2A5A3E729BC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1002	DW_1002
964	Point	{542080A9-6EB5-4686-9998-BCCA8159AA53}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1003	DW_1003
965	Point	{9EF87E18-B0F0-4017-AA43-2BDD82511844}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1004	DW_1004
966	Point	{C65174C9-971E-4E69-A12D-D3B21EEA21AF}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1005	DW_1005
967	Point	{AB777924-059F-4B87-90FE-AC37CF8D424F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1006	DW_1006

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
968	Point	{45C76745-F922-4548-974D-4EAE25D3E06B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1007	DW_1007
969	Point	{956980A9-6C94-4F43-97DE-72DF03A26A85}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1008	DW_1008
970	Point	{F1B99124-3B72-4C9E-AE90-78C4BEEC49F4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1009	DW_1009
971	Point	{BBBB208B-05B6-43E5-A7B7-0C943CD613AC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1010	DW_1010
972	Point	{D6693536-DF4C-44A0-9AD4-7ED408C1E8EC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1011	DW_1011
973	Point	{0F1B257C-FD92-4369-9075-FDAB44A531CC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1012	DW_1012
974	Point	{7ECC8549-A080-4D1C-8567-2E3602EA8011}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1013	DW_1013
975	Point	{B713E742-ABC9-418C-A797-CF27793FEAF9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1014	DW_1014
976	Point	{06A04BC4-D23B-48A1-B2E4-7005F35E7682}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1015	DW_1015
977	Point	{A65086AA-FE29-4D1F-BD78-DE158015D153}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1016	DW_1016
978	Point	{E1DCEFA9-21EC-4A84-A07C-1B057589B68E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1017	DW_1017
979	Point	{4992A8A8-85A3-4C5E-A147-B905D878FBBC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1018	DW_1018
980	Point	{C0E7BA22-9722-4826-A78B-AA1CAB8711D4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1019	DW_1019
981	Point	{80BE3F29-7C29-4BF6-8F95-9C1CB952AFF6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1020	DW_1020
982	Point	{6A0E472B-E760-428D-8FDC-3816A8718503}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1021	DW_1021
983	Point	{C3F0CD63-A653-4894-A8EF-F3DFD9C939A9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1022	DW_1022
984	Point	{D4CD38BA-54DA-46BB-BF29-4522BBB357}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1023	DW_1023
985	Point	{10E0D705-39AB-42B2-82FC-434011FC43F7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1024	DW_1024
986	Point	{53791AE3-11D7-49F0-8E8B-215CCA9A4EA6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1025	DW_1025
987	Point	{9102A5C4-A878-437D-AB5C-6FAE1C1D485C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1026	DW_1026
988	Point	{16E8679A-A5F7-4D46-92F9-69C6E85C1B67}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1027	DW_1027
989	Point	{92771205-40F6-43AA-A300-FB871411C4B0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1028	DW_1028
990	Point	{0274ECE0-D58C-4035-8436-69EE6C688100}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1029	DW_1029
991	Point	{59110E4B-F633-41DA-B9D9-091B61D99759}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1030	DW_1030
992	Point	{538A1E9B-39D4-4C53-9B76-C183168924A7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1031	DW_1031
993	Point	{38B838F8-39F4-477F-84F4-113C23410BBE}	4/22/2025 17:42	jennifers127	5/30/2025 17:15	JENNIFERSALEMANN	1032	DW_1032
994	Point	{6F3CD01C-8553-48BE-B1D9-CF14BC2AC2D8}	4/22/2025 17:42	jennifers127	5/30/2025 17:15	JENNIFERSALEMANN	1033	DW_1033
995	Point	{CD7927C6-2B29-4AAB-93FA-81FB0E7E8D34}	4/22/2025 17:42	jennifers127	5/30/2025 17:15	JENNIFERSALEMANN	1034	DW_1034
996	Point	{DF7797A8-DDD2-42E1-8ACB-DF617A91430A}	4/22/2025 17:42	jennifers127	5/30/2025 17:15	JENNIFERSALEMANN	1035	DW_1035
997	Point	{31E24022-E1EF-47D5-AC45-CC80B9913FF6}	4/22/2025 17:42	jennifers127	5/30/2025 17:15	JENNIFERSALEMANN	1036	DW_1036
998	Point	{1D06ED90-9255-4C01-9537-9708465CDCC1}	4/22/2025 17:42	jennifers127	5/30/2025 17:15	JENNIFERSALEMANN	1037	DW_1037
999	Point	{88C7CAFF-A961-4778-9E94-88D5F7A412B6}	4/22/2025 17:42	jennifers127	5/30/2025 17:15	JENNIFERSALEMANN	1038	DW_1038
1000	Point	{18A4EECF-B0D1-442D-818B-12307F921863}	4/22/2025 17:42	jennifers127	5/30/2025 17:15	JENNIFERSALEMANN	1039	DW_1039
1001	Point	{87787C92-7C7F-468E-BEA8-1B368DB23C48}	4/22/2025 17:42	jennifers127	5/30/2025 17:15	JENNIFERSALEMANN	1040	DW_1040
1002	Point	{7D5F7516-DD10-4B5A-BCC6-C78E6C6530E7}	4/22/2025 17:42	jennifers127	5/30/2025 17:15	JENNIFERSALEMANN	1041	DW_1041
1003	Point	{823BF483-CE63-48C4-A05D-66048A0F360C}	4/22/2025 17:42	jennifers127	5/30/2025 17:15	JENNIFERSALEMANN	1042	DW_1042

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1004	Point	{10C1CDE5-0041-4A73-8E9E-00A835B52113}	4/22/2025 17:42	jennifers127	5/30/2025 17:15	JENNIFERSALEMANN	1043	DW_1043
1005	Point	{7E8BA273-1328-4AAF-A66C-E97C3010E550}	4/22/2025 17:42	jennifers127	5/30/2025 17:15	JENNIFERSALEMANN	1044	DW_1044
1006	Point	{F7072C62-5AC5-4B77-86C2-CF8B817CDEFB}	4/22/2025 17:42	jennifers127	5/30/2025 17:15	JENNIFERSALEMANN	1045	DW_1045
1007	Point	{2E465385-1BA6-4079-8789-FDFC073184E3}	4/22/2025 17:42	jennifers127	5/30/2025 17:15	JENNIFERSALEMANN	1046	DW_1046
1008	Point	{EBE66552-28BD-4342-B01B-403EDD941B87}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1047	DW_1047
1009	Point	{8B25FBA4-BA4D-4BC9-AD0E-C3D6F167C7F0}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1048	DW_1048
1010	Point	{40B18241-0177-40D7-B262-B671C72C672E}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1049	DW_1049
1011	Point	{10ECDB13-9958-413E-B958-30008576CDC2}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1050	DW_1050
1012	Point	{57613494-0AA5-434B-A285-D870DE239134}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1051	DW_1051
1013	Point	{69E144A4-FD44-4A3A-8EBF-49F6DC7D3752}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1052	DW_1052
1014	Point	{84515840-C1BC-4239-B95D-A436EF14F52F}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1053	DW_1053
1015	Point	{1C5A721B-A63F-4825-8320-2EC380EDC3ED}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1054	DW_1054
1016	Point	{13D2453E-D250-4D32-9D83-DF1E6B51D559}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1055	DW_1055
1017	Point	{B8CB62FD-C0EC-4F79-ACF8-DE693E92CDFC}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1056	DW_1056
1018	Point	{6C535127-71B7-40E9-BA4C-742A4C6E3A43}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1057	DW_1057
1019	Point	{32FC6B66-64B7-4AC6-B49D-1757B0FAE3C5}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1058	DW_1058
1020	Point	{D68761FD-BCA7-48B0-956C-7B88638B24FB}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1059	DW_1059
1021	Point	{4CC40726-9EDA-47C9-844C-27F3B91EFB30}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1060	DW_1060
1022	Point	{EE1B6C3B-3094-4B3F-BA4E-293AEEA2E1BA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1061	DW_1061
1023	Point	{E2B9E650-4ED0-4D7B-9FAB-F57C51275B50}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1062	DW_1062
1024	Point	{5A855B9B-362C-4D53-8809-561254CE440F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1063	DW_1063
1025	Point	{7BFEEC34-6371-4D3E-9BD9-FC1E4445B179}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1064	DW_1064
1026	Point	{D47CF97D-06B5-4349-B6A3-9407F962AEB0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1065	DW_1065
1027	Point	{94F41125-7B03-45D0-ACE7-2AC165F0ABAC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1066	DW_1066
1028	Point	{098C2B2C-0C6A-468D-88CD-87310E1EDB9F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1067	DW_1067
1029	Point	{4A8CE9C7-6C80-4047-9818-75191D05CFD7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1068	DW_1068
1030	Point	{9392FC1E-6681-4FE1-923F-DEC2404F0D6E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1069	DW_1069
1031	Point	{8F0AFD27-3D2E-4008-BA37-428BA2214D1D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1070	DW_1070
1032	Point	{D9B7A6A4-FDC7-445C-8D0F-BB4E3FB53BFE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1071	DW_1071
1033	Point	{370801C9-69AA-4F37-BBE7-3246BD91EAD5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1072	DW_1072
1034	Point	{E0535CE6-F6AB-4032-B47E-043267875935}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1073	DW_1073
1035	Point	{74E37321-5354-463F-AC4F-09F3D6E045B3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1074	DW_1074
1036	Point	{43378D8C-1305-4DEB-8C70-833C6869B072}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1075	DW_1075
1037	Point	{00B6090B-982D-4FA8-8F60-DEE303FC18A9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1076	DW_1076
1038	Point	{FDCA3B81-F359-47EC-AE16-5548258EEFE9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1077	DW_1077
1039	Point	{3F45B703-F696-48EE-9479-36AFBC454724}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1078	DW_1078

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1040	Point	{752B2F96-E7C5-429E-9812-75F509389103}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1079	DW_1079
1041	Point	{3D2767DB-60CC-4076-B067-E762CFDF9A87}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1080	DW_1080
1042	Point	{DACD4BCF-6EEA-4BF1-AEF1-E02CAC24480F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1081	DW_1081
1043	Point	{F69350F5-AC7E-4C3F-B4FE-AA22D96739AE}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1082	DW_1082
1044	Point	{8D2B7225-7EFF-41EF-A38F-A303A76A44C3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1083	DW_1083
1045	Point	{929C1C7D-462C-4828-9E99-48482DE3FFA8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1084	DW_1084
1046	Point	{EF6D5C86-ECAD-4B22-90DA-8D7514B85B82}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1085	DW_1085
1047	Point	{A2317A2A-AB70-4F06-BCE4-420DDC5D7506}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1086	DW_1086
1048	Point	{D137FBBD-B27E-4905-AA34-62EB641AB4D4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1087	DW_1087
1049	Point	{26CF7D81-8C43-4191-A858-F07D3B0F6BE6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1088	DW_1088
1050	Point	{0E0407BB-330F-45D2-959A-9AC455901A1C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1089	DW_1089
1051	Point	{9EF86500-F486-4BED-BD7C-C38975B50F68}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1090	DW_1090
1052	Point	{9BAB4343-49AE-4734-BBC2-B8BA9BE91387}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1091	DW_1091
1053	Point	{51E67E59-2FFC-42CC-B39F-E091E4BE5483}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1092	DW_1092
1054	Point	{48FDF77D-F59A-415C-9515-860F1B834C0D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1093	DW_1093
1055	Point	{D5B66F62-2C20-4A52-ABB6-4A5F848C7020}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1094	DW_1094
1056	Point	{72C3E359-EDD0-4FC5-9630-A1C5C412BB7F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1095	DW_1095
1057	Point	{FBF6D35D-8236-47EE-9AA9-B09F86AA0C76}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1096	DW_1096
1058	Point	{9E334E0A-E7ED-4234-A7DB-A032A6C39E0E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1097	DW_1097
1059	Point	{A6D2302E-7A88-4BC8-A044-D8F9AB977393}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1098	DW_1098
1060	Point	{0974443B-1CB3-48BA-ABA5-319E1E353199}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1099	DW_1099
1061	Point	{AE26F4C6-36B2-45BA-A501-1A56795B7E15}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1100	DW_1100
1062	Point	{2EDD8029-68A4-4CF4-BE2C-A38FDD875F13}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1101	DW_1101
1063	Point	{FAAD9C8D-09C9-4829-A669-076A25AEC7F1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1102	DW_1102
1064	Point	{FB9A9506-1697-4539-8270-3F1929CE9C70}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1103	DW_1103
1065	Point	{4EC41F70-5C70-482A-9386-EF27B4B5565C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1104	DW_1104
1066	Point	{2DF92766-5DD9-4B91-807C-61949E4A95E4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1105	DW_1105
1067	Point	{FDB459C6-BE6C-43C2-9A4D-70261493BE2D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1106	DW_1106
1068	Point	{BDBBCE2A-D9A5-47BC-BA20-D989BD6872C2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1107	DW_1107
1069	Point	{A33BF318-C30E-48EB-8DA4-E611ED29A8FC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1108	DW_1108
1070	Point	{1B5F9BBA-2D9B-4DBA-88FD-F7FB8E284124}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1109	DW_1109
1071	Point	{FD629B72-043D-40F1-951A-27223CEEA927}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1110	DW_1110
1072	Point	{B68F5998-78F6-4902-A83F-624EBA7297C7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1111	DW_1111
1073	Point	{A68EF457-2DCC-41F7-8203-39112853C743}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1112	DW_1112
1074	Point	{A1664A0C-9016-424F-B48D-B7E2B38210CA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1113	DW_1113

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1075	Point	{8EBA9C14-0B74-471B-BA00-7C66FA5C978E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1114	DW_1114
1076	Point	{28B10E2B-E828-425E-8B92-5976965A360B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1115	DW_1115
1077	Point	{514C8F13-FC27-4B39-8CB8-AFB6ECC5F262}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1116	DW_1116
1078	Point	{96B32828-5CF2-4292-9FFD-C27F876EF5B1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1117	DW_1117
1079	Point	{C2E910A1-4782-4425-AF31-2401C091B49F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1118	DW_1118
1080	Point	{28A494BB-B44B-4AAC-B238-02C5BAF600B4}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1119	DW_1119
1081	Point	{6036E6B2-F277-424A-9B31-5363364E3572}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1120	DW_1120
1082	Point	{9DCCEF43-B083-4823-8E1D-B2C1FB33B0E8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1121	DW_1121
1083	Point	{56B072C1-A4E8-4E3A-B1B1-C78C42AA6BD3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1122	DW_1122
1084	Point	{538A75E1-1F81-468A-9C1D-08852B0C4F88}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1123	DW_1123
1085	Point	{B317B9EB-33D7-4D84-AE3E-D90CF417E78E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1124	DW_1124
1086	Point	{DE9D7657-1FFC-4626-8AD4-863351738C3F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1125	DW_1125
1087	Point	{9F1EC421-3C95-47C7-8CAA-7DEDA8B45BA3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1126	DW_1126
1088	Point	{37D333B5-548E-42A5-A1D4-9CF6C790E513}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1127	DW_1127
1089	Point	{68E312F0-366F-45C1-8445-8632D068EE56}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1128	DW_1128
1090	Point	{E113B79A-9460-47ED-8CE5-99205404D0D3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1129	DW_1129
1091	Point	{7A9BD231-2735-44DD-B9CE-9F66BAC4C0F1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1130	DW_1130
1092	Point	{5C2FB352-3126-4591-94A5-DA476D198925}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1131	DW_1131
1093	Point	{3990FDA6-8DD7-4FA6-9B76-1B228A3CA5D4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1132	DW_1132
1094	Point	{80CE7271-4867-47FC-8E50-EA64A66A5C11}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1133	DW_1133
1095	Point	{D2772051-601F-416C-9E4B-BDE7A6E05661}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1134	DW_1134
1096	Point	{7DA6A8C2-8D56-4C82-91D2-0F99ABA40BD9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1135	DW_1135
1097	Point	{7EE80E7B-6925-45C8-A876-49550E8368FE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1136	DW_1136
1098	Point	{CACF9008-876A-48D8-8A42-E8C9302E2E7B}	4/22/2025 17:42	jennifers127	5/30/2025 18:27	JENNIFERSALEMANN	1137	DW_1137
1099	Point	{F7CC7E11-DB4E-4F86-ACBF-783B1E92F39B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1138	DW_1138
1100	Point	{A61A8F26-5DEB-40BA-9381-82A4C8F9ADA7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1139	DW_1139
1101	Point	{05C4AD3A-30FA-46FC-ABDC-F3B9C1F28574}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1140	DW_1140
1102	Point	{264366B6-EC92-47FA-BDB2-8F8C9F98CD37}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1141	DW_1141
1103	Point	{28855651-88DF-4A1C-A4E9-39C5E02682ED}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1142	DW_1142
1104	Point	{7628580A-E8B1-4E41-AB90-D617990BC2E7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1143	DW_1143
1105	Point	{B4430033-62AE-4D03-AD88-3C98E3B12D4B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1144	DW_1144
1106	Point	{2B9A5FBD-6523-47D1-B768-3ED59BE75AC1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1145	DW_1145
1107	Point	{C104651B-68C9-4148-9532-EB11C63908F7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1146	DW_1146
1108	Point	{9B9328B4-2E7B-4B23-B87C-A6D13E202543}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1147	DW_1147
1109	Point	{902E85AD-9064-4EE3-8ACC-2F4D453749D9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1148	DW_1148
1110	Point	{1D635944-9254-4BFF-B3C2-447BAA9CC0CC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1149	DW_1149

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1111	Point	{1987AA0B-0733-4D28-A976-47E34B00DCD2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1150	DW_1150
1112	Point	{27FABAEC-738C-4BD4-93DC-F48FA8F778E8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1151	DW_1151
1113	Point	{1462B822-013A-4D70-956B-29BD0920931A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1152	DW_1152
1114	Point	{75156446-9715-495F-B998-D339751877FF}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1153	DW_1153
1115	Point	{249FDC31-E76F-4316-9DC0-8A051C2B0631}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1154	DW_1154
1116	Point	{FC1A05EC-2F37-497E-A5A6-474D0CE77925}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1155	DW_1155
1117	Point	{1C745855-4EF8-4F30-9F1F-20B84914E558}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1156	DW_1156
1118	Point	{2DB05ED0-CA5D-4653-9747-0F68B79C5428}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1157	DW_1157
1119	Point	{630ED4F1-85B8-43E6-9E4E-5E9340E26C21}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1158	DW_1158
1120	Point	{51190281-E43F-4288-920F-D8B81A8B6D1F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1159	DW_1159
1121	Point	{C82B6D84-442B-4C59-B993-0730736E71BB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1160	DW_1160
1122	Point	{FF06D993-D06A-4FE0-96CA-16AE93112E1B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1161	DW_1161
1123	Point	{36096584-F346-4842-B324-3E03D74354E4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1162	DW_1162
1124	Point	{9D141B88-03E9-467E-B71D-922D16DB8727}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1163	DW_1163
1125	Point	{5888C4C7-C1B3-45F3-A55D-43F4BDB28C7F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1164	DW_1164
1126	Point	{F9CD1557-A9B9-413D-9CD7-9BA150035B4E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1165	DW_1165
1127	Point	{AD07DDF1-4FB7-4CB3-8E67-4413BA95E3AC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1166	DW_1166
1128	Point	{8AF8BF29-D890-443D-80F5-3889AAE3681D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1167	DW_1167
1129	Point	{6679A70A-243E-4C05-9645-B48A884A531E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1168	DW_1168
1130	Point	{8EADFF6E-2349-4337-AD70-95303C280BB7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1169	DW_1169
1131	Point	{55D4BEE1-9D08-42FF-BEA4-D04930C4F272}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1170	DW_1170
1132	Point	{CAA7796B-EA38-4026-B487-D86D11A5F5DA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1171	DW_1171
1133	Point	{18399139-13C1-4D4E-96F6-A2E498C06ABB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1172	DW_1172
1134	Point	{C3FB28F6-DABB-4891-9191-1F07108C2827}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1173	DW_1173
1135	Point	{53DD6F03-3E14-48C5-BC98-FFEBEBEB54D0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1174	DW_1174
1136	Point	{821A66BB-ED0C-496C-8A90-205ECFAB45FD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1175	DW_1175
1137	Point	{765DF573-8A04-4C5D-889A-9DDEA4A83840}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1176	DW_1176
1138	Point	{EF7AED4F-059A-4DF6-B3EA-9A308F4115BF}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1177	DW_1177
1139	Point	{53262666-5A84-42A4-A7FC-0309F4D9C3B2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1178	DW_1178
1140	Point	{CC490259-9C49-4337-8C53-2B9D33E6DD8D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1179	DW_1179
1141	Point	{8E6AD430-B3E7-44AD-A2AF-B9E405D8EB59}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1180	DW_1180
1142	Point	{8B852A04-082D-4F36-8383-42DD30F2A0FB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1181	DW_1181
1143	Point	{1866CBBE-7A54-4DA0-9CA9-2FA4753DE02C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1182	DW_1182
1144	Point	{186A8920-50BE-4805-A01E-945C69707AE9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1183	DW_1183
1145	Point	{CE784C41-2797-4A21-B49B-048245E96265}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1184	DW_1184
1146	Point	{02D39298-E3CE-4963-A373-116720EEC7E0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1185	DW_1185

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID No	DW_ID
1147	Point	{9B94F34C-B4E9-40C0-8FB0-C91EA5BB9FD7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1186	DW_1186
1148	Point	{9C5522F2-314C-419F-BDDC-767BD721479B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1187	DW_1187
1149	Point	{3F67A41E-80E5-45EA-9C1D-CDD4B2BE9536}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1188	DW_1188
1150	Point	{D8BBAB99-793E-45D1-A3AA-14FA8E4AA394}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1189	DW_1189
1151	Point	{34E351F8-C8B3-4E85-8493-7130265BA4A1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1190	DW_1190
1152	Point	{B4F12591-4E8A-418A-BBA2-4129B7684059}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1191	DW_1191
1153	Point	{06CA1A88-E53F-413C-A55A-E1ABDF52A035}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1192	DW_1192
1154	Point	{3A9F13C8-61DE-450A-9049-D5490862422A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1193	DW_1193
1155	Point	{8DABAE5D-85EB-44D5-B3AC-1014E9BA79C5}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1194	DW_1194
1156	Point	{CBB24B64-B175-45B7-82F7-406B08BF19EA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1195	DW_1195
1157	Point	{ACA32202-E15E-43DC-AAAA-79725C59A311}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1196	DW_1196
1158	Point	{FDB5F96A-72CE-4EAE-8AAB-2F585EA4F7BD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1197	DW_1197
1159	Point	{C6591F4A-105A-4753-9304-28357BB3B019}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1198	DW_1198
1160	Point	{F99B22F8-9499-46DD-B94C-6BD8A8DB3E2D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1199	DW_1199
1161	Point	{81DB8254-33B4-40C9-853F-7086BE704253}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1200	DW_1200
1162	Point	{C8F04913-CF2C-4969-A37A-C92800EB1E5E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1201	DW_1201
1163	Point	{A3CABC05-3F06-4D00-820C-38FD7FC59639}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1202	DW_1202
1164	Point	{DB22EBC6-CC9E-443C-84F1-8DADF442D5A4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1203	DW_1203
1165	Point	{E8E26D76-32C0-4A92-B956-D79F0B0E7C49}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1204	DW_1204
1166	Point	{F51A0AF3-8F4C-48AA-A88A-4900E3CE22A4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1205	DW_1205
1167	Point	{6C58611D-C9A3-4471-BBB5-FF2B5229230A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1206	DW_1206
1168	Point	{BD4D908E-5DEB-43AD-840E-78FA4B1ADE64}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1207	DW_1207
1169	Point	{099F6CD5-FCA1-44CC-B24A-08D8D12667F8}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1208	DW_1208
1170	Point	{DF551582-DF48-4D39-B85E-A06F8347972B}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1209	DW_1209
1171	Point	{8D548BF5-1694-4848-B44A-BA9316FD6FA4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1210	DW_1210
1172	Point	{4EF3F2EC-CA3E-4B2B-B0ED-1ED5C8B295A4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1211	DW_1211
1173	Point	{807588C5-F7D1-4881-832E-1E91263BBBA7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1212	DW_1212
1174	Point	{F988BA55-ED6D-4D21-A30B-FADE46873BF9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1213	DW_1213
1175	Point	{24D497A9-6A75-4ECC-93C0-ED69AD467E2C}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1214	DW_1214
1176	Point	{229A2841-5BCA-48D0-9140-D03B966D3FD7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1215	DW_1215
1177	Point	{4A44D0F9-C6EF-4243-A4C9-37E931C3AECA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1216	DW_1216
1178	Point	{A6E08A05-8A11-49DA-B2F7-77F095B4AF4A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1217	DW_1217
1179	Point	{5D60B0A4-D8B3-458E-9769-0A133E8CDED7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1218	DW_1218
1180	Point	{F7C64DD9-C215-44D6-B6B0-39B422D43BAB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1219	DW_1219
1181	Point	{C127C821-2E4C-4DCB-A2AB-A43E8AC92CB6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1220	DW_1220

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID No	DW_ID
1182	Point	{FB4C811A-E3A4-42AD-A0BC-B3D923F73898}	4/22/2025 17:42	jennifers127	5/30/2025 17:16	JENNIFERSALEMANN	1221	DW_1221
1183	Point	{90A24780-4A00-46B6-9B4A-B67B93654093}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1222	DW_1222
1184	Point	{26BA9598-99E4-4D6E-9225-696186DE13B2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1223	DW_1223
1185	Point	{19E6F0F8-5E35-4C6D-A9AC-8D08C9D5F2DD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1224	DW_1224
1186	Point	{71F87AC2-5C87-4A6D-8B4C-4B6B69B272B5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1225	DW_1225
1187	Point	{4BB1109D-7E62-4B61-B110-EC0DAE6BA426}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1226	DW_1226
1188	Point	{BBBF9E7-3194-49D4-B24D-80698914C11E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1227	DW_1227
1189	Point	{E2FC12FA-C733-401F-8CBC-14F5E7748E45}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1228	DW_1228
1190	Point	{0ADA95AC-5487-484E-A2EB-F122E625082A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1229	DW_1229
1191	Point	{A5548E89-F8A3-465F-BA3D-1BE1CFC8DF7D}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1230	DW_1230
1192	Point	{20E098B9-71F3-43A3-A77E-EBAD8A205FEB}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1231	DW_1231
2466	Point	{BC4B2986-4173-409F-A5C7-D56C0787A769}	5/9/2025 20:44		5/30/2025 17:17	JENNIFERSALEMANN	1232	DW_1232
1193	Point	{86A35411-F713-432E-9DF5-6723FA2C1D4C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1233	DW_1233
1194	Point	{0AAE9BEC-FE33-4D46-BB70-0F8C93130E37}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1234	DW_1234
1195	Point	{1D0201EA-B354-4694-A69A-931D503B431D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1235	DW_1235
1196	Point	{8F467C8A-E346-4B0D-A64E-B4EC6707F57C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1236	DW_1236
1197	Point	{C9C75E0A-81E6-46E6-8413-C721456898C7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1237	DW_1237
1198	Point	{B9108911-5824-42D0-8E1E-97DF6A3CE4D0}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1238	DW_1238
1199	Point	{BE040CA4-7868-465A-83FF-120C50AF1A66}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1239	DW_1239
1200	Point	{CEFA472A-0379-4E48-932B-11CC240B92C0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1240	DW_1240
1201	Point	{2795EAE7-4693-4FD7-9B14-43163FB1446D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1241	DW_1241
1202	Point	{BB774564-C58D-4AF3-A324-BE8941AA1BA8}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1242	DW_1242
1203	Point	{176F90A5-BED7-46FD-BFD6-EBBB702FBF06}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1243	DW_1243
1204	Point	{A869D59C-B4E7-4505-8DE2-1EA57B31FFD6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1244	DW_1244
1205	Point	{1F78D8C9-26CB-4AD2-A9E0-6FF6DCDAB27A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1245	DW_1245
1206	Point	{1FA523E5-F510-4212-B5DE-3CEE8474D5BD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1246	DW_1246
1207	Point	{D0A3AB54-C37E-4B30-9302-5F18956B8958}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1247	DW_1247
1208	Point	{4D1097A4-EBDD-4EF3-ADF5-DEA19B7EC910}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1248	DW_1248
1209	Point	{E0EB8E2A-9E73-49B2-9819-47818FE43AA7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1249	DW_1249
1210	Point	{28280891-4F5B-4A3C-8E63-1CA1C76D6522}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1250	DW_1250
1211	Point	{BDDC7666-F939-46E5-9DC3-FE01A8A34E07}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1251	DW_1251
1212	Point	{46825D4F-3620-40BC-A579-624316CDC346}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1252	DW_1252
1213	Point	{2E495671-CFEA-4684-BB71-A77B9B2921DC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1253	DW_1253
1214	Point	{7A7E8150-B206-4D1B-B2C7-FBA544CDC4F3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1254	DW_1254
1215	Point	{2815E06D-1D2E-428C-AC09-7B1A5B170846}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1255	DW_1255
1216	Point	{511EB0A8-06F0-4AF6-926D-9FECDD8F8B2A8}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1256	DW_1256

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1217	Point	{DB0777D7-ADC7-41A1-884F-5D3E348A45E2}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1257	DW_1257
1218	Point	{47B5941E-6DA8-47E9-B6E4-C1067215C7CB}	4/22/2025 17:42	jennifers127	5/30/2025 19:32	JENNIFERSALEMANN	1258	DW_1258
1219	Point	{7471AACA-1BC4-44D0-A259-C1702E4672B3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1259	DW_1259
1220	Point	{142E50F2-ED57-44DC-8DF6-CB7CA28795A5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1260	DW_1260
1221	Point	{939DC9C1-0DCD-4E5A-954E-DF8EBFE02C39}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1261	DW_1261
1222	Point	{17F22DA9-F898-4552-A2C4-336A40FA0789}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1262	DW_1262
1223	Point	{0F392138-443F-4548-B49A-FEAF4EB6FCC8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1263	DW_1263
1224	Point	{ABC46334-FF93-4E7D-9CA6-F927D3900EDC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1264	DW_1264
1225	Point	{E2BA266D-DF00-43F8-B11A-A810797D6D88}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1265	DW_1265
1226	Point	{DA875609-0C89-48BC-AD6D-958F1C536F19}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1266	DW_1266
1227	Point	{4FF768B9-EB5E-4BC0-96A9-FBC7E41B9961}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1267	DW_1267
1228	Point	{C56EFEB9-2404-47E7-BBBC-96FB4163B44C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1268	DW_1268
1229	Point	{3F961EB6-3BD7-4925-B662-C5A4487D05C4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1269	DW_1269
1230	Point	{5F084D8E-10C8-45FA-A1F2-1530E01D73FB}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1270	DW_1270
2465	Point	{B5190E2D-EE5D-419D-9EBC-13AFA98C8BEF}	5/8/2025 20:06		5/30/2025 17:17	JENNIFERSALEMANN	1271	DW_1271
1231	Point	{691468AE-9108-4AED-9CAB-F459FF115E94}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1272	DW_1272
1232	Point	{5C7C0D3A-7DE4-47C6-87CE-14A9F097321A}	4/22/2025 17:42	jennifers127	5/30/2025 19:32	JENNIFERSALEMANN	1273	DW_1273
1233	Point	{B0120CE0-8798-455D-9057-F0319890BD62}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1274	DW_1274
1234	Point	{6BA19621-D41B-4DEC-9334-17C329899EC6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1275	DW_1275
1235	Point	{5FA3C2C1-CE00-4859-AE6E-926043A5CF09}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1276	DW_1276
1236	Point	{325B5455-FA45-45B9-BDEB-335DF1572414}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1277	DW_1277
1237	Point	{61763C47-C7EB-4A03-AFE9-DB1D7E6973BD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1278	DW_1278
1238	Point	{BA069FAE-E836-4423-8200-1EE0A27880A3}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1279	DW_1279
1239	Point	{9AC4C938-3E61-46FF-B52C-DDD25FDC068B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1280	DW_1280
1240	Point	{34F11401-BB23-4E41-8225-5ABD87407C1F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1281	DW_1281
1241	Point	{D1668407-191E-40AE-9C6F-A7C7C10B2378}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1282	DW_1282
1242	Point	{E41D2B50-C5A5-4B8D-B37D-3614667EE775}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1283	DW_1283
1243	Point	{66E02658-5976-4D26-AF0D-3D40C43D1BBC}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1284	DW_1284
1244	Point	{C4659878-FA07-4A22-B8BE-5400E8CBCD9F}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1285	DW_1285
1245	Point	{BC4EE35C-6466-4941-ABBB-83AD310F690F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1286	DW_1286
1246	Point	{D7F40D1A-DD94-4409-B297-2ADCC2B66059}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1287	DW_1287
1247	Point	{8F976BCD-8CDD-4657-90E6-873076899B5A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1288	DW_1288
1248	Point	{E63797EF-C3A1-48CD-A17A-E85D8F69593E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1289	DW_1289
1249	Point	{0971C686-E2CE-4563-8004-A8F150F3B80C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1290	DW_1290
1250	Point	{D5C187B7-8F96-4C95-BAB7-220AC3BA72BD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1291	DW_1291
1251	Point	{3F39F76B-9AFD-4FE3-B571-7797FF4D28BC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1292	DW_1292

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1252	Point	{23593F9D-C210-4A9D-8827-7742757EF236}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1293	DW_1293
1253	Point	{B044AB94-A90B-41D2-8371-5358A59B8976}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1294	DW_1294
1254	Point	{AF465529-5F9D-4C3D-A580-65167DC8470F}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1295	DW_1295
1255	Point	{A57B7D5C-CC32-4A60-82AE-7C7DE9251B40}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1296	DW_1296
1256	Point	{F8ACCD59-EB61-46EF-A602-9DD69EB75FBD}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1297	DW_1297
1257	Point	{33B4C8AB-3356-4359-A0EA-5337F21DE331}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1298	DW_1298
1258	Point	{B0158474-DC1E-4622-93CF-014A67A2E8DF}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1299	DW_1299
1259	Point	{1319D8E0-03EB-4A49-8067-97A916A3CFE7}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1300	DW_1300
1260	Point	{FCB8C0CA-7813-446A-8957-0ABB7874F23A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1301	DW_1301
1261	Point	{C2881FCC-B7A9-4E93-8E4C-4D314FFAD85D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1302	DW_1302
1262	Point	{75937CD3-B0A6-4CE1-B9A8-D7A6E7B1F344}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1303	DW_1303
1263	Point	{21D26030-335F-47EC-B300-4A1FAB002CAB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1304	DW_1304
1264	Point	{F3F5EDC5-0A54-4B1B-9545-77F2368BA418}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1305	DW_1305
1265	Point	{CFBE165B-4AE6-4568-AA66-743FD09343BF}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1306	DW_1306
1266	Point	{16889CB8-4B09-468A-9610-81DAF614A660}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1307	DW_1307
1267	Point	{F53A7A57-2C93-4E7C-B9EB-B8A727B2DACA}	4/22/2025 17:42	jennifers127	5/30/2025 17:17	JENNIFERSALEMANN	1308	DW_1308
1268	Point	{7190C138-9453-4924-945D-800C9682208C}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1309	DW_1309
1269	Point	{6E64FCD9-87A6-4C05-B260-9320B0F9CA50}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1310	DW_1310
1270	Point	{99775C7D-52D6-4615-8B4F-AC3087394035}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1311	DW_1311
1271	Point	{3AFDE748-1D90-4A11-8E1E-FB7219399607}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1312	DW_1312
1272	Point	{EB05540F-4D1E-48EF-AEBF-8ECC1D2B74D7}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1313	DW_1313
1273	Point	{294B085B-D061-4CEF-B8F8-38ACBDA58350}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1314	DW_1314
1274	Point	{D37234F4-9AC0-4E6F-85FE-64634E3F81C5}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1315	DW_1315
1275	Point	{96171A71-6307-47E8-A446-B426A9164FD2}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1316	DW_1316
1276	Point	{C495AA56-45B0-41D8-BE56-2052077881AF}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1317	DW_1317
1277	Point	{81445003-9307-4DF6-BB95-81876BD8E222}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1318	DW_1318
1278	Point	{E7B0C856-1B56-4C79-AEDD-65B4A2B83AF2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1319	DW_1319
1279	Point	{B3E2CA9B-10C3-49A2-9EB0-69599F5B0936}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1320	DW_1320
1280	Point	{1DFA6E34-792B-4DAA-BDBC-32F0B69F4AC5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1321	DW_1321
1281	Point	{F61655C8-8B5E-4255-AAEC-B449D74C47E9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1322	DW_1322
1282	Point	{A43E0A32-16F2-4B57-8B83-65A599FF109F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1323	DW_1323
1283	Point	{9E2528AF-E91C-45C8-9F6C-6DEFA4D3D524}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1324	DW_1324
1284	Point	{FD57BBBB-9B05-4BD3-AEED-6EA14AC52840}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1325	DW_1325
1285	Point	{CDD7C44B-77D3-4F5D-B76E-F894E9941B10}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1326	DW_1326
1286	Point	{EA4CCBBF-602B-413D-9560-EB8109C673BB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1327	DW_1327
1287	Point	{D89C9C59-BE8C-4CCB-8BCE-3941E54C5F1A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1328	DW_1328

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1288	Point	{8A7751B2-B186-4483-8F6A-E3001993BE4D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1329	DW_1329
1289	Point	{2011C5F0-CBAC-46FA-8830-004F843FD549}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1330	DW_1330
1290	Point	{E7A4395A-9A0D-495C-AAF9-204954848777}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1331	DW_1331
1291	Point	{2E186E3E-46C8-4344-943B-A7DFD41D9A92}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1332	DW_1332
1292	Point	{00179A0D-D8A5-4A65-A175-709B79F5DA7E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1333	DW_1333
1293	Point	{953209FC-B140-47F9-865E-B11E36A62778}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1334	DW_1334
1294	Point	{76887768-96B6-4EEE-9B86-83EFE8DDE6AE}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1335	DW_1335
1295	Point	{80048B16-306E-47EB-A287-2B8F57125915}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1336	DW_1336
1296	Point	{442056E2-8BB0-452E-8AD4-3A7D715101CC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1337	DW_1337
1297	Point	{0B8A7D3D-570B-420A-8027-7F6177DD0594}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1338	DW_1338
1298	Point	{EDD4C9B9-AF2D-4882-AF0B-0E0737ADA2C9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1339	DW_1339
1299	Point	{6AE0DA4E-2AC7-4880-875B-C048EDCE1FB0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1340	DW_1340
1300	Point	{B3A52A80-3582-4FE5-AC31-956FA410632D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1341	DW_1341
1301	Point	{136D72D0-F8A6-4D12-BEEA-C77E15293E1D}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1342	DW_1342
1302	Point	{5A0A8284-8F1C-4D05-950B-7EDB727D1B01}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1343	DW_1343
1303	Point	{2B240E08-AE88-4473-8EA8-190F15D22942}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1344	DW_1344
1304	Point	{ACFC1FC5-563E-49C2-A052-3EDD66079FED}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1345	DW_1345
1305	Point	{0B31023C-7F62-4B43-9EC9-ECCBF3B26EB6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1346	DW_1346
1306	Point	{65421114-59B9-49E2-B7AB-F49431253631}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1347	DW_1347
1307	Point	{3E3CC8CB-4D20-4A3C-AE6B-1104B62826BC}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1348	DW_1348
1308	Point	{FEEC8C3E-AFB5-4066-B3E5-D392D88B005B}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1349	DW_1349
1309	Point	{DE9F71FE-8F51-4A31-BE63-E0F8174336CA}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1350	DW_1350
1310	Point	{76DB397B-5E1A-4A82-83C1-9EE19410B44C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1351	DW_1351
1311	Point	{20240907-AA54-4425-9338-D0E5232288C5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1352	DW_1352
1312	Point	{BD234654-EF5E-4BF5-A30D-AFEF5B5A7777}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1353	DW_1353
1313	Point	{BC2016D7-4D29-4F64-8940-FD8FD537280D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1354	DW_1354
1314	Point	{52B3112F-740E-4B09-901C-A61A128BB91E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1355	DW_1355
1315	Point	{D4C51230-7C3A-4CA2-8086-D3F196068A21}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1356	DW_1356
1316	Point	{DF9E7FC5-BBB6-448C-A522-594318EA51D4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1357	DW_1357
1317	Point	{637681DB-EFFF-4623-B050-D48C7E8DD79B}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1358	DW_1358
1318	Point	{312B7A4F-B8DB-405A-B480-0A5773230176}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1359	DW_1359
1319	Point	{79F2AEDF-C602-4EC0-B075-9E58BBA59975}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1360	DW_1360
1320	Point	{D1873557-EE35-4B49-A5A6-9A03DD03E51E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1361	DW_1361
1321	Point	{B4D475A6-82CE-4A39-BF14-BB8DFE67385F}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1362	DW_1362
1322	Point	{23B6C6B7-5A5B-4648-8BAA-A3FA5B72315E}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1363	DW_1363
1323	Point	{BD0DFB33-C708-42CE-A565-D05F3CF33FE7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1364	DW_1364

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1324	Point	{D6C5E78F-15A5-41D1-B65D-B2228471E738}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1365	DW_1365
1325	Point	{DDFF9524-23B0-479D-BFAF-BA37CE78B060}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1366	DW_1366
1326	Point	{54EC764A-C538-419B-BEA3-F0DD45C1C616}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1367	DW_1367
1327	Point	{7CE4B78C-1D55-4232-9BA2-9C6625C80007}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1368	DW_1368
1328	Point	{C3074E1D-25CB-474A-8943-81B0D4C87940}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1369	DW_1369
1329	Point	{9592D8BD-A3EA-4327-A019-261F86A44F33}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1370	DW_1370
1330	Point	{78D48603-3ED1-4A17-B9D3-B4A662CD1DB4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1371	DW_1371
1331	Point	{61F1E947-B609-4FEC-A702-E19BC6ED9A1F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1372	DW_1372
1332	Point	{4BEB0CC2-2081-43D2-B579-8FFD35D07166}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1373	DW_1373
1333	Point	{63E75E9C-303D-42C8-9E48-8E698A9F8163}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1374	DW_1374
1334	Point	{313D0551-E1E1-4A42-9E52-D795A84E1950}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1375	DW_1375
1335	Point	{EE0280D5-408D-4E82-8169-74DFFB56751F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1376	DW_1376
1336	Point	{8FA0ED8B-EA59-4DF5-92EB-85712ADD4CE3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1377	DW_1377
1337	Point	{1A7EC1F0-2DDD-4446-A1C7-2568083CB084}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1378	DW_1378
1338	Point	{EA3CFA49-3F92-40C0-8E77-7494A48E2DEF}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1379	DW_1379
1339	Point	{280EC563-D678-4637-A663-2EBAF3206221}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1380	DW_1380
1340	Point	{11B6C65E-D2BC-4744-998F-B6A95261EC9F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1381	DW_1381
1341	Point	{E747D23A-C631-41D7-9922-295E95E62170}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1382	DW_1382
1342	Point	{5A5FF9B1-6D64-4474-A647-32320B09FF45}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1383	DW_1383
1343	Point	{F08500E8-52A0-4026-B24D-79958AA3B8D5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1384	DW_1384
1344	Point	{A13B5261-933B-4A10-9082-0D646D98FFD6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1385	DW_1385
1345	Point	{0F1FE7F9-6A5A-4C81-B866-2CF1C2D47233}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1386	DW_1386
1346	Point	{94F39055-A642-4A02-BF15-53394975DC80}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1387	DW_1387
1347	Point	{8E8332F8-E614-4C73-B6D3-9D4BF849C7CD}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1388	DW_1388
1348	Point	{6715136D-03AE-4279-8F42-1B95407136F3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1389	DW_1389
1349	Point	{2657B919-FB86-436E-9FE9-D2C9FDE1CFDC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1390	DW_1390
1350	Point	{BC19360F-503A-4C50-8C74-2FB793F2D452}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1391	DW_1391
1351	Point	{B86B8738-F67F-4166-AE20-863CF9C78BBF}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1392	DW_1392
1352	Point	{D20DBB96-F931-4EFB-B77A-FC4854B851FB}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1393	DW_1393
1353	Point	{851C99BE-31BF-44B8-8129-99EEED02238D}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1394	DW_1394
1354	Point	{4B29DB83-A952-4DEF-A38E-69606F800EC6}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1395	DW_1395
1355	Point	{7EA57BD2-D87B-484F-AF6C-9F56A1C7F9D7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1396	DW_1396
1356	Point	{E7FEFF8-C8DA-456F-BE61-053D3C11BB96}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1397	DW_1397
1357	Point	{C01CB9B8-D92D-430E-8DDD-6DD87DB25D66}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1398	DW_1398
1358	Point	{DA35BFA8-CE0E-4D87-A7ED-5643E224B448}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1399	DW_1399
1359	Point	{F843BD42-265C-4395-96BD-F9FE9AE5908F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1400	DW_1400

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1360	Point	{26D51DCC-37F1-4CEA-9C9D-35971E9C5D78}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1401	DW_1401
1361	Point	{3347068C-2462-46C6-B73B-BD4E3A297A56}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1402	DW_1402
1362	Point	{AEBA6C74-426A-4415-91F3-084724EECE72}	4/22/2025 17:42	jennifers127	5/30/2025 17:18	JENNIFERSALEMANN	1403	DW_1403
1363	Point	{A0B64DBE-8207-46AC-9DFB-72D6773B7E4F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1404	DW_1404
1364	Point	{95529C54-7175-43DF-9462-881BFF405C39}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1405	DW_1405
1365	Point	{16F354A6-604A-495A-8F4C-F1384FA47A2D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1406	DW_1406
1366	Point	{0C9A32D9-958A-4EA2-948A-23FBCC39AC0E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1407	DW_1407
1367	Point	{48C3BE60-555A-408D-AFFE-7D4127E8AF25}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1408	DW_1408
1368	Point	{35DF3E47-9D97-4F13-9773-12822E8CAF27}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1409	DW_1409
1369	Point	{9AABDC8F-6644-48FF-87BE-46D8999D310D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1410	DW_1410
1370	Point	{AE637E69-9B23-48C0-B6CB-C92E6E335CD2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1411	DW_1411
1371	Point	{D2BCE1F9-F58D-48E6-A04B-407EF860AFFD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1412	DW_1412
1372	Point	{B19F1422-E554-4310-95AE-44A522E61444}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1413	DW_1413
1373	Point	{8FCA4315-513C-4A34-AC3F-D29568A74D4A}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1414	DW_1414
1374	Point	{0AF08D3D-10F6-4CD5-AEC6-EB82222860D6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1415	DW_1415
1375	Point	{5D0E4A5C-06AA-4141-9DC0-1913E81A345F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1416	DW_1416
1376	Point	{3EB0FE78-75D0-44AE-B6AB-25C73C3BDA8A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1417	DW_1417
1377	Point	{3CF64F0C-7245-498C-A112-1E3220D5A893}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1418	DW_1418
1378	Point	{820791B7-DB3C-4E36-AFA9-67E868C0ED55}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1419	DW_1419
1379	Point	{9380F839-D4A0-40E4-8643-323E9D19EC5D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1420	DW_1420
1380	Point	{8CF44863-84A6-4879-ADFF-D3036EF36B7A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1421	DW_1421
1381	Point	{85078F49-7A4E-4280-B5DC-7316764015C3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1422	DW_1422
1382	Point	{356058FA-81B7-4B37-B57D-C98228A8FC76}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1423	DW_1423
1383	Point	{55799BE5-BD54-4F57-8BD8-E61BEDB8ED4F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1424	DW_1424
1384	Point	{8FE23C17-785C-47BB-949A-C6AE0CBEAB3E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1425	DW_1425
1385	Point	{ABEEABF4-6020-443A-9779-D3220EE28851}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1426	DW_1426
1386	Point	{4AB4C1E1-4D70-4820-9DF2-EC2AF5F931CA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1427	DW_1427
1387	Point	{8A421332-F9F7-4D46-8D2E-F38AB6D9273A}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1428	DW_1428
1388	Point	{AACC1984-D883-4CB7-A3C4-8C93F46E512F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1429	DW_1429
1389	Point	{D0CEFD2-E3CA-4802-8D87-510B9880B68C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1430	DW_1430
1390	Point	{B5BA9AAC-DDFE-4EBD-8DB7-BF2EEA9F480E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1431	DW_1431
1391	Point	{538C9032-5078-4BB6-B98D-1F94F90778E0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1432	DW_1432
1392	Point	{74358C79-41C8-4302-97B7-3025A943D1BD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1433	DW_1433
1393	Point	{28533CFD-431D-4641-855E-8D91FCBAC5CA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1434	DW_1434
1394	Point	{B6B5BD36-1056-4484-8B25-D3E069821983}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1435	DW_1435
1395	Point	{DDE4EF15-1237-4B25-B51D-086042952C81}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1436	DW_1436

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1396	Point	{C4EAA709-CCB2-41F4-A3D9-0815005F6DA4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1437	DW_1437
1397	Point	{5E5A6E78-2FF4-4116-A0CA-44D1C9AC2F41}	4/22/2025 17:42	jennifers127	6/5/2025 22:11	JENNIFERSALEMANN	1438	DW_1438
1398	Point	{A41096A8-2DD2-4809-BD31-B46B86E8AB92}	4/22/2025 17:42	jennifers127	6/5/2025 22:11	JENNIFERSALEMANN	1439	DW_1439
1399	Point	{74B86EA8-9632-425D-8D41-388A36917252}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1440	DW_1440
1400	Point	{ABCA99A9-095E-46F4-AA94-FAD64E864C30}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1441	DW_1441
1401	Point	{6899555B-2EE0-4E80-93A0-96C871BCBBC4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1442	DW_1442
1402	Point	{BA709676-CC94-4B18-8AC3-CC02CBD46A28}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1443	DW_1443
1403	Point	{80C41F2C-E139-43FA-994E-45DB2E7ABBA8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1444	DW_1444
1404	Point	{A38511D1-251D-475A-87D4-8BD0582F2859}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1445	DW_1445
1405	Point	{8B450816-9CF4-4071-8241-07C61FA85452}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1446	DW_1446
1406	Point	{F71A2EFA-5432-48BF-9313-BDF6635DF32C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1447	DW_1447
1407	Point	{AE259243-1186-4507-BB32-5A8BD8A447E6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1448	DW_1448
1408	Point	{4074C515-EEF6-4075-A89D-DF7B22573D30}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1449	DW_1449
1409	Point	{F7F8F2E7-9EE3-4D58-BD7C-E79360E8D36A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1450	DW_1450
1410	Point	{10DEE179-F922-4298-BCFA-C16575C7EE35}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1451	DW_1451
1411	Point	{FAC78961-C6AB-4ADA-A415-6FB76AF2018E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1452	DW_1452
1412	Point	{874A1FA5-1C35-4268-80FE-7252E7B0D7C2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1453	DW_1453
1413	Point	{DBFAF893-8305-4212-97B4-15B7ACABF76D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1454	DW_1454
1414	Point	{E907440E-E86F-4F6E-90DE-9629FF158B80}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1455	DW_1455
1415	Point	{F355283B-3F7D-4653-9D49-AAE335CFE414}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1456	DW_1456
1416	Point	{9B25C236-6C53-4C4F-ACCE-5266E09BD308}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1457	DW_1457
1417	Point	{46EA226D-650C-46DF-A2DA-E49B1E91892B}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1458	DW_1458
1418	Point	{159A9142-6DB8-4542-9ADE-8D8F51988D53}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1459	DW_1459
1419	Point	{3702711C-4769-4FE8-9835-78D458B63D0F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1460	DW_1460
1420	Point	{82335CB2-2895-49FD-B53D-C9F3C7442FA9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1461	DW_1461
1421	Point	{FCFFBFBD-BB58-400D-A4C1-CD999681D96F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1462	DW_1462
1422	Point	{9C114C10-2E9B-45BB-88E7-E740546B77FA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1463	DW_1463
1423	Point	{A2D1E42A-2983-4DD6-8A5D-FB8C82BA6326}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1464	DW_1464
1424	Point	{F05F1186-6F33-4E45-B403-CB1FF7D383F1}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1465	DW_1465
1425	Point	{7036689A-9ADD-449B-B239-068C5DFEBB6F}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1466	DW_1466
1426	Point	{40EE8351-8CCB-49C9-AE16-32E1F9D8AE15}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1467	DW_1467
1427	Point	{89A6452F-6C08-485A-A368-FBEB06289AAD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1468	DW_1468
1428	Point	{F370021D-43AD-4310-BE0E-74E44ACBAC11}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1469	DW_1469
1429	Point	{6EE2C451-15AB-499C-BF8B-952327FC57F7}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1470	DW_1470
1430	Point	{C1B19C28-EEE9-4A14-8949-38C64A46EDE3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1471	DW_1471
1431	Point	{2CC92C32-D973-495E-9A7C-D0EECB793729}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1472	DW_1472

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1432	Point	{F466EA3B-3EBC-4C7C-B010-8419ADEB4F0A}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1473	DW_1473
1433	Point	{E2D43A3B-A84F-4842-B777-553D29945E6D}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1474	DW_1474
1434	Point	{D5F590A0-8C18-4C3E-A5E9-230FEE5DCEC0}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1475	DW_1475
1435	Point	{C353BA49-1186-4438-BF56-CDBE42E04CDC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1476	DW_1476
1436	Point	{E23D4D1D-E235-42C6-896D-2D3A14D18AEE}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1477	DW_1477
1437	Point	{3084CA04-B390-42DD-9BAB-5646C9A58B9A}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1478	DW_1478
1438	Point	{7F27D127-B784-4B76-AEF6-F0EC0CF56849}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1479	DW_1479
1439	Point	{55EB64FA-74C0-4ACD-9EC5-78F84F61307E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1480	DW_1480
1440	Point	{B328CAC0-2C59-4A86-B049-747A15D04F55}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1481	DW_1481
1441	Point	{C8B38675-8DB9-4F99-95DC-13C3588A4A07}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1482	DW_1482
1442	Point	{D3B082EC-309B-47AE-B1DA-D5ADB97AD522}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1483	DW_1483
1443	Point	{5EEEFDB5-580E-4627-920E-27E2D413AB73}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1484	DW_1484
1444	Point	{0A59397B-9099-4F49-A57D-E56239F30385}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1485	DW_1485
1445	Point	{DD11401B-96B1-4CF6-B702-9CF3AF4F5B97}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1486	DW_1486
1446	Point	{81821BD7-5192-4B09-854B-2C20BDABF4F8}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1487	DW_1487
1447	Point	{27E1FD28-3009-4844-9361-9D43B722625F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1488	DW_1488
1448	Point	{BE1A473B-2FD5-4DB1-92C4-738E999DFAEA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1489	DW_1489
1449	Point	{8498896B-6888-410F-AA6C-B11C6DD2EC47}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1490	DW_1490
1450	Point	{859AB24F-36F2-4D17-9A83-E010B2CB0692}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1491	DW_1491
1451	Point	{478E62B9-1C7F-4EB9-ADC0-FBF5067653CD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1492	DW_1492
1452	Point	{1226CE33-B68B-4208-995B-C082FB2D8D54}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1493	DW_1493
1453	Point	{C07A8577-AB4A-443A-B7BE-66062788E5ED}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1494	DW_1494
1454	Point	{D3462D0F-8B39-411B-B3A5-E54EA13F9E68}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1495	DW_1495
1455	Point	{725FAE05-B5D4-4906-805F-D2C6BF59DF3B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1496	DW_1496
1456	Point	{1DE2D215-3C31-4607-9021-CB308C0E7204}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1497	DW_1497
1457	Point	{38BF0E32-5CFD-4FAF-AFD0-E67E862B584B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1498	DW_1498
1458	Point	{E5ED725F-FFCD-4089-9F27-7D5A5146F3FD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1499	DW_1499
1459	Point	{99B10876-CDBF-476F-9C9F-8E0EDC7779F9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1500	DW_1500
1960	Point	{B11E8E57-6D3C-4A5D-898F-338C16C89561}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1501	DW_1501
1961	Point	{CFC68A61-993A-45E4-AEFB-64E99E756F90}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1502	DW_1502
1962	Point	{5E824D64-A89C-43CC-A453-E1BEC8103F1A}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1503	DW_1503
1963	Point	{B38B0BE0-0C43-43A8-B4B6-4828C2E5E112}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1504	DW_1504
1964	Point	{C08209B8-8528-4DB5-AA88-FEBE54D5708C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1505	DW_1505
1965	Point	{378C27B5-48BD-496F-B4EE-39D9AB33EF40}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1506	DW_1506
1966	Point	{B76F4A91-38E8-4866-A063-0FE5A3F762E7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1507	DW_1507
1967	Point	{B48568AC-1D2A-4EC6-ABF4-7581EBE2C31B}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1508	DW_1508

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
1968	Point	{829405DE-BDBD-4998-BC EE-DAA767099E03}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1509	DW_1509
1969	Point	{3A5CD445-8675-4A1C-B1EB-0A34B8CB6022}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1510	DW_1510
1970	Point	{5AAB496A-42FA-4B90-B1EC-CC03A20A38CE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1511	DW_1511
1971	Point	{C7962499-0796-490A-A5A5-0F8921EF3C31}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1512	DW_1512
1972	Point	{A45151BA-C770-495E-B9D2-500563A1BBE5}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1513	DW_1513
1973	Point	{5E7B5D37-9A28-4810-B225-50C0AA14E057}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1514	DW_1514
1974	Point	{F484588B-3DD3-4D02-B4D1-96E266B8F291}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1515	DW_1515
1975	Point	{9F56DBBD-4EB2-4F2F-8FA9-FDB819321613}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1516	DW_1516
1976	Point	{8203EEAF-62AC-4C24-9104-33E18D1F5A04}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1517	DW_1517
1977	Point	{E3A3C56E-513B-4A6E-BED5-36F9FDB5FB2B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1518	DW_1518
1978	Point	{7DAC931B-B8A8-4276-B786-8D9D56597CE3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1519	DW_1519
1979	Point	{9508494D-36FB-45E3-BD3F-9D483E50B355}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1520	DW_1520
1980	Point	{3FFCB427-91A3-42EB-84D0-8D1EF3C32967}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1521	DW_1521
1981	Point	{E0089857-2B00-41A6-AE42-981CFF1BC07D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1522	DW_1522
1982	Point	{712C5465-7C23-41F2-BE10-DCAF0546AB93}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1523	DW_1523
1983	Point	{C415EAF8-D399-4F59-8E2C-96D159FF7B32}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1524	DW_1524
1984	Point	{1A245602-6333-49D9-9C56-ADC85E1EF832}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1525	DW_1525
1985	Point	{49A0381D-5294-4CBC-9E21-AA5938DE2556}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1526	DW_1526
1986	Point	{379DE4FE-7838-40E6-B5C1-4D0B4E4FE03B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1527	DW_1527
1987	Point	{D9E4538F-562D-4FCC-932A-80BE7D7979C1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1528	DW_1528
1988	Point	{5AF62513-F11B-4C14-88E4-8CAE4BFCDF85}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1529	DW_1529
1989	Point	{FAC99CF5-A14E-4EAE-9347-0C0C7B7DFEEE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1530	DW_1530
1990	Point	{ACA48BD6-19B5-4851-8895-D94DD542A17B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1531	DW_1531
1991	Point	{A1485BF9-09C2-45A6-BE25-2E7AAA07D7FB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1532	DW_1532
1992	Point	{1C4EA5CC-B316-4955-ACD8-9C456C387666}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1533	DW_1533
1993	Point	{940FDB6B-C55F-4970-A1B1-8921591276FE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1534	DW_1534
1994	Point	{0C47207F-F088-408E-B921-739D1A61B7FD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1535	DW_1535
1995	Point	{EC1D1580-E45D-4533-89F7-078FBE74D409}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1536	DW_1536
1996	Point	{48FA2373-15C6-4AB5-806D-17FFC5F56324}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1537	DW_1537
1997	Point	{58B99DF8-F4E4-43BB-870F-0055667BF555}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1538	DW_1538
1998	Point	{C39A5DCE-CF2A-4EE0-90CE-B0DFE9E5299B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1539	DW_1539
1999	Point	{33AF9E3D-7A99-4B28-AE4F-0B2DEA022EF7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1540	DW_1540
2000	Point	{6F8B9E93-34C5-434F-B6BF-965DB0BB25ED}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1541	DW_1541
2001	Point	{1FD202BD-66BC-4815-815E-BF9A4973A055}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1542	DW_1542
2002	Point	{EF0693CF-8363-4F3B-B170-3B85DD35833A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1543	DW_1543
2003	Point	{6FC112EE-AC07-4160-BDF9-050C35D7032A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1544	DW_1544

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
2004	Point	{96EEE2BF-A975-4348-80F2-A1025E54BB1C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1545	DW_1545
2005	Point	{E6254F07-5EF4-48D3-B952-060611193C2B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1546	DW_1546
2006	Point	{0535402B-6589-454C-9AE2-29982FC43C3F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1547	DW_1547
2007	Point	{9E1A13EC-73A1-4969-88D1-279C039FFAA3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1548	DW_1548
2008	Point	{4D702EE2-4AC2-4434-9A7D-002A0ABE190A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1549	DW_1549
2009	Point	{B58BE9EE-3AC1-4E53-9672-D98DD599FA97}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1550	DW_1550
2010	Point	{2F45DDDB-7819-47CF-B491-A608CAF316DD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1551	DW_1551
2011	Point	{39DADDE4-A4DC-42D0-8C17-5D0F8BDC5186}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1552	DW_1552
2012	Point	{0927FF3E-B8EE-492C-B5BB-6865325F37DB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1553	DW_1553
2013	Point	{B8DBE246-2308-4A69-A59C-4C28F23F678D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1554	DW_1554
2014	Point	{65CFEF80-F10E-469B-8239-90EEBB6ABCE5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1555	DW_1555
2015	Point	{8A7128FA-8E61-48B2-A9D6-DB033C78DE17}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1556	DW_1556
2016	Point	{BBB504EE-E048-4A12-90C3-B7A2013AD360}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1557	DW_1557
2017	Point	{FA679056-A0BB-4444-B3FE-968FEB8AD6FC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1558	DW_1558
2018	Point	{8C6D533A-C31A-48A5-A80D-D1BBB33D48A4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1559	DW_1559
2019	Point	{9CE0EDB0-3ACA-4191-B2D2-2B3424957868}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1560	DW_1560
2020	Point	{906B1E07-230E-4E8F-ADA3-BE8335074F9B}	4/22/2025 17:42	jennifers127	5/30/2025 17:19	JENNIFERSALEMANN	1561	DW_1561
2021	Point	{D1435DA2-F0AA-4DD1-831F-B9AD9270A05C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1562	DW_1562
2022	Point	{D3BD4E4F-12F7-419D-89E0-C9C9BE75515A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1563	DW_1563
2023	Point	{7A3AACBB-9192-4071-BBAA-CDCE6AD937BB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1564	DW_1564
2024	Point	{2DC8BA9F-BAEB-40BB-966B-556813DECCF0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1565	DW_1565
2025	Point	{0A731B03-57F8-4DA7-BBEF-93A08F381296}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1566	DW_1566
2026	Point	{47E4FBCF-2431-4BF9-A32F-8551DE121C51}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1567	DW_1567
2027	Point	{298E317B-5E3E-4038-A369-0E7EB54E6146}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1568	DW_1568
2028	Point	{C491B6FE-4DD4-4C97-B0A9-F14287911F82}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1569	DW_1569
2029	Point	{30A66B0B-9606-43E2-99B0-C4A100F99C39}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1570	DW_1570
2030	Point	{FB86CD5E-7412-4238-9248-6DE747B8DFB3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1571	DW_1571
2031	Point	{E32AC1AA-0F1D-4551-97B8-2D192F66FEB8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1572	DW_1572
2032	Point	{E007363D-B6EF-4492-8C7F-A414C4A48270}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1573	DW_1573
2033	Point	{725C42A5-8446-4BF3-A106-A46770C05AA6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1574	DW_1574
2034	Point	{DF38F203-0EAA-4015-A73D-BF217122BE45}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1575	DW_1575
2035	Point	{17AF9F02-C4AB-4431-AF19-B126D2A15316}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1576	DW_1576
2036	Point	{0778375F-96D3-431E-B52C-DCDBCE241F93}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1577	DW_1577
2037	Point	{DFEB81AF-5274-468A-958E-10F26A6F72D5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1578	DW_1578
2038	Point	{9F83D724-E9DD-484C-AC7D-F8D3CB01AFF8}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1579	DW_1579
2039	Point	{8D11F86E-5421-489C-9275-6ED449E1C06E}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1580	DW_1580

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
2040	Point	{85CA7CE2-6953-47BA-900F-73412920359F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1581	DW_1581
2041	Point	{7F5BD5DA-93DE-4B60-A636-F9AD5CCBAEE4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1582	DW_1582
2042	Point	{0EEC14DA-B7F5-4DCD-B40A-D8F6EE0A1FDA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1583	DW_1583
2043	Point	{4DE3250F-CD78-4FE7-8E0E-3359D6E7520C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1584	DW_1584
2044	Point	{2A989009-6DBC-4434-8467-87200F4FFFB8}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1585	DW_1585
2045	Point	{3BB4AE7B-6A3A-4376-852F-A8B25FEA6AEC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1586	DW_1586
2046	Point	{4D2A25D5-2A74-406F-BB37-2BA9C49C141F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1587	DW_1587
2047	Point	{F2629089-4DB7-4D00-9185-EBF8B1640F35}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1588	DW_1588
2048	Point	{B159ECCB-E5FF-4116-9065-B8B0B95F58B8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1589	DW_1589
2049	Point	{A9B6D22B-2CAF-4510-A808-435D0FD7BDBC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1590	DW_1590
2050	Point	{88A281F8-912A-4DD9-BC1C-0CFE21F6980C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1591	DW_1591
2051	Point	{2B48741F-5BCA-411E-889B-0665C4AB3DC2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1592	DW_1592
2052	Point	{80D22466-8FD3-4C17-99D1-58C59FA917A4}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1593	DW_1593
2053	Point	{8CDEC258-62F5-45F5-A9E0-760455C31FA2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1594	DW_1594
2054	Point	{6DE43A60-1383-4886-8C87-2DDF1D59BE6D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1595	DW_1595
2055	Point	{1BF0F4E5-A9B5-4CDF-BB2B-5323CBD7577E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1596	DW_1596
2056	Point	{28DAA6FB-8D22-4629-BFCB-2179C73B77BC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1597	DW_1597
2057	Point	{46936824-D0D7-41F1-A3D0-38F5DDA11A85}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1598	DW_1598
2058	Point	{52C0419B-1537-41A5-981D-BC8244F3AFB9}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1599	DW_1599
2059	Point	{6BE46DFC-4A6A-49C5-A637-C2931FA29FDF}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1600	DW_1600
2060	Point	{0DDA737D-AFED-4B76-A23B-5D9A928C86FB}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1601	DW_1601
2061	Point	{F8A57CED-9E37-4D3A-A65C-D663A84DC80C}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1602	DW_1602
2062	Point	{045557D5-B227-4BA5-AAF5-4E798D1D561E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1603	DW_1603
2063	Point	{F6DF4E1A-CB12-43EA-8DBD-1DD304F1D3C6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1604	DW_1604
2064	Point	{3F7DA7E6-60C0-4F83-9CA1-7539B8851E08}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1605	DW_1605
2065	Point	{67C4A625-F278-471F-AF3C-CACE9483E9BE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1606	DW_1606
2066	Point	{C88A5710-5DB3-4FFA-8A6D-118C3C14ADF7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1607	DW_1607
2067	Point	{5C8CC0C9-1976-4E2F-BE7D-94BB0973375D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1608	DW_1608
2068	Point	{0D35758C-CBBC-4C83-A4D5-CC984431C375}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1609	DW_1609
2069	Point	{BE864E84-478D-42A0-A655-1683E72B2242}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1610	DW_1610
2070	Point	{A8BB992E-1F77-45E8-8B78-56AB0ED7C651}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1611	DW_1611
2071	Point	{ECD24DA8-DC10-41BB-8341-81F72594E333}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1612	DW_1612
2072	Point	{D95AA509-C091-4ECF-B16D-EED232695391}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1613	DW_1613
2073	Point	{295ADA0B-4F7B-47F8-981F-02669B477EF7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1614	DW_1614
2074	Point	{47CF2C6B-4DAA-4E32-9209-C3477109F91F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1615	DW_1615
2075	Point	{4542FB94-FD89-444D-86D5-E85AC65D97F6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1616	DW_1616

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
2076	Point	{BFA4D89D-30ED-40FF-AAF7-2D3E9F8FF197}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1617	DW_1617
2077	Point	{5307439F-6B34-48E9-ACF1-EFA4B3A1DCF5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1618	DW_1618
2078	Point	{7E34B9A3-C813-4784-ADF1-5D82E5D0108B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1619	DW_1619
2079	Point	{202987CD-6B82-4E90-B54F-3FB7F353D825}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1620	DW_1620
2080	Point	{65FE8DDC-CD67-430E-8571-41393BE486D7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1621	DW_1621
2081	Point	{2B10295A-F10A-4CBF-B2C5-2CDD2FD4D3F8}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1622	DW_1622
2082	Point	{D88FA2F0-EBC2-4D7D-BFC7-9FEEE71C3AE1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1623	DW_1623
2083	Point	{F939E682-CA5C-4A21-B2F7-1EFCF79BDF25}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1624	DW_1624
2084	Point	{77605240-771B-423F-86BF-0DAA38DA553B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1625	DW_1625
2085	Point	{62CD0491-A112-4D87-915C-BC28C751B342}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1626	DW_1626
2086	Point	{7FA375D4-74E6-400B-988C-EE411D605722}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1627	DW_1627
2087	Point	{D91911C2-A4CA-4108-91B3-3F14D293D259}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1628	DW_1628
2088	Point	{949FC6CA-B328-4682-B1EE-E97093881619}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1629	DW_1629
2089	Point	{4F0101A9-3BF7-42F9-855E-308766832966}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1630	DW_1630
2090	Point	{83397689-8C80-4F9A-9ACE-7C8A0ACF5D40}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1631	DW_1631
2091	Point	{B4AAC8DD-4AF1-421E-ADBA-9274A7390A27}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1632	DW_1632
2092	Point	{A3558B5F-DF70-4CD5-8964-F11E94AE247B}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1633	DW_1633
2093	Point	{BFA7B802-EB4C-4667-B8AB-DDE9FA3F1AF6}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1634	DW_1634
2094	Point	{A4E0A1D5-D977-440E-BE64-C2D9A387D8CB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1635	DW_1635
2095	Point	{B8088F73-5435-43D9-A5D7-74304FB724AF}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1636	DW_1636
2096	Point	{A54FCE53-9736-4F10-BF58-361DEE8BE948}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1637	DW_1637
2097	Point	{D41A1C47-B7B9-4BF0-956F-71268FAA92E6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1638	DW_1638
2098	Point	{8D592E7C-964A-456F-BDF7-AC374828B9EC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1639	DW_1639
2099	Point	{C3832015-3695-4A93-8739-C51B1C718F95}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1640	DW_1640
2100	Point	{D4AFD99B-E62B-46B4-968A-9D69C691EBBB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1641	DW_1641
2101	Point	{9FCD08C7-31F9-478A-B13A-156CBE6C9CD1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1642	DW_1642
2102	Point	{4EA3D545-E269-47A1-8FD9-118A2E68214A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1643	DW_1643
2103	Point	{79AEF36C-E501-4226-A2AC-09D8FE905540}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1644	DW_1644
2104	Point	{1ED9F1D4-85A6-4EFC-9F68-E280356C8465}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1645	DW_1645
2105	Point	{B79BA453-C838-4722-B81D-EDC162BB7498}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1646	DW_1646
2106	Point	{5158771F-4713-4A8B-A8C9-75B8A8EA9016}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1647	DW_1647
2107	Point	{E244F53A-8E50-4BA7-88BA-7A50DEC55995}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1648	DW_1648
2108	Point	{C53E4AFC-A1BC-442D-BE8E-578E39BDA72B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1649	DW_1649
2109	Point	{ADA43A22-1B3C-49E0-9495-9AC84703849A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1650	DW_1650
2110	Point	{9EF2CA52-BB76-4134-AC37-39AFC618FF26}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1651	DW_1651
2111	Point	{D732741E-DA06-47C9-AFE5-EADFAD24A66B}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1652	DW_1652

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
2112	Point	{D0EB5032-CEC2-42D4-BCB7-E9BB136A566C}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1653	DW_1653
2113	Point	{89AE889A-3CF8-482E-8E5E-2D7AA41E2F14}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1654	DW_1654
2114	Point	{AD71C779-F6C5-4250-B06F-FBF07FB9BB7C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1655	DW_1655
2115	Point	{9A005227-C446-4570-9DF6-44C6ACA0F97A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1656	DW_1656
2116	Point	{5A240D24-5E04-48D0-AEF2-24105D3928D0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1657	DW_1657
2117	Point	{7047DDD2-7F2C-48DE-8650-80B41BB95006}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1658	DW_1658
2118	Point	{F80ABE7B-8030-44E2-BCF7-547F1FE45FB5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1659	DW_1659
2119	Point	{7A546B8A-DB77-4641-A26A-D64D056CDC96}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1660	DW_1660
2120	Point	{379A69CD-35FE-4D23-913E-FC78E0575AB7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1661	DW_1661
2121	Point	{335EB872-6336-4AF1-B699-D3A0B59E5AE0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1662	DW_1662
2122	Point	{BF55277E-A9B9-4685-AB83-F1A22DA45F6C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1663	DW_1663
2123	Point	{61B9B750-BB43-4C70-A416-EFBD73BC484}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1664	DW_1664
2124	Point	{C5A94975-A104-4BE7-81BC-AE7148B34C2D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1665	DW_1665
2125	Point	{0452F5BD-3F4F-4AD6-B88C-7281A38A41D1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1666	DW_1666
2126	Point	{1FAA5AF8-2E6B-4FC0-95CE-CF42BE3F46B6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1667	DW_1667
2127	Point	{78AFAF68-5D97-4217-8D5C-BCA304453526}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1668	DW_1668
2128	Point	{C62BFE54-898E-4A54-9185-3388968AFCFE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1669	DW_1669
2129	Point	{AABB6438-58B1-41F4-9E4F-DE4C40956723}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1670	DW_1670
2130	Point	{91AB9E53-2A39-468F-9A15-5A2387129C36}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1671	DW_1671
2131	Point	{1E02D14C-A2BD-4057-9F73-FDBE66EE11EA}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1672	DW_1672
2132	Point	{D2C5C999-12B6-4884-A9CC-E63874BEC438}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1673	DW_1673
2133	Point	{76D888FF-E064-4E0F-9BB9-8D6A5A5DDBD6}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1674	DW_1674
2134	Point	{6FCC9AA7-F7DB-4F42-9DA8-97E0E5DD804E}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1675	DW_1675
2135	Point	{9741B73A-9EEC-44CA-A1BD-FAD5682BEFE2}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1676	DW_1676
2136	Point	{A4FD882D-3574-4B23-9DAB-142535E98659}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1677	DW_1677
2137	Point	{59C0BD08-A4B9-4C69-98BE-C20EC2642EF9}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1678	DW_1678
2138	Point	{EE69CB9D-7C11-4902-931A-26460FDFA95}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1679	DW_1679
2139	Point	{8D519E0F-0030-4581-BBAA-B2799CCD36C1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1680	DW_1680
2140	Point	{B538E835-D36D-4A19-A2A4-510E8DCA3654}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1681	DW_1681
2141	Point	{AB4EBCE0-5BEB-4452-8262-157B3D1847C5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1682	DW_1682
2142	Point	{C694330F-291C-48AE-9E20-2796B7065B12}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1683	DW_1683
2143	Point	{3716FCE2-A6FA-47A1-A2E4-32CB1BA23A26}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1684	DW_1684
2144	Point	{0D5354D5-C2CF-4ADE-8DC6-06492456B319}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1685	DW_1685
2145	Point	{2CA948B2-7DA1-429E-AE5B-C011DC84E2C0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1686	DW_1686
2146	Point	{762807DE-3A78-4A1F-B1B4-B266AF20D385}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1687	DW_1687
2147	Point	{D9E1545C-5304-489F-B232-0F11FCEB6905}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1688	DW_1688

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID No	DW_ID
2148	Point	{8ED94298-27BA-4E5B-99D4-01777C5A92E4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1689	DW_1689
2149	Point	{CA5433A8-EC4E-4DE4-8CD5-2D4AAAF1AD66}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1690	DW_1690
2150	Point	{3DE3640F-ADD8-4AFA-8E40-B443C53202CB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1691	DW_1691
2151	Point	{FF12A2D2-F32D-4685-B1E5-02B25A9819F0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1692	DW_1692
2152	Point	{42838C5B-A7AD-4A89-9892-94B31D1142E3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1693	DW_1693
2153	Point	{5FAA6F86-187A-4B7A-9E00-AE63D08AE3AA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1694	DW_1694
2154	Point	{943DF1F9-93B2-4ADE-BEE0-58A783AD3EF0}	4/22/2025 17:42	jennifers127	5/30/2025 17:20	JENNIFERSALEMANN	1695	DW_1695
2155	Point	{EC0AC7B2-A507-4365-9367-C0A4813F6300}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1696	DW_1696
2156	Point	{BBE6A167-D961-438D-A23A-D40A0DF2AEF5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1697	DW_1697
2157	Point	{E9F70649-8FCD-4AD0-8C88-8CC400AE6DC8}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1698	DW_1698
2158	Point	{16096CE5-CF61-40C5-8064-BBDF3E60AA61}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1699	DW_1699
2159	Point	{CAD61D8F-4A8E-48CA-AE11-C90A791DD800}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1700	DW_1700
2160	Point	{3CBC4BE3-0A92-4FFA-8411-204701F3999E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1701	DW_1701
2161	Point	{41BCFFB4-C8C2-45BC-988A-F7703CD80EDA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1702	DW_1702
2162	Point	{392011CF-8250-4CB6-A2B6-89D979712635}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1703	DW_1703
2163	Point	{5D2ED54C-CD74-4FD0-A87B-4F03B0D99031}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1704	DW_1704
2164	Point	{B354A2AC-D33E-4B04-AF82-00A34EEB68E4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1705	DW_1705
2165	Point	{35A34EF6-DEA4-4485-8199-3A172C0BD800}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1706	DW_1706
2166	Point	{D6E8E27C-36C3-433B-8275-CDB03C679FA5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1707	DW_1707
2167	Point	{5BDE1084-6AB5-4CF9-8B0B-57F859B403A0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1708	DW_1708
2168	Point	{5D7F06D0-E46C-4F32-8053-D90D0849F317}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1709	DW_1709
2169	Point	{79AB2779-25AC-4F05-BE88-DA7622D6E9C4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1710	DW_1710
2170	Point	{3B843A73-BBC1-4A07-AAA7-B73DED48A8C9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1711	DW_1711
2171	Point	{7F5FCEEC-83AE-4613-B1BF-9950EA221B14}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1712	DW_1712
2172	Point	{5A6E6090-9F98-4E09-B386-F5DCE3AA0631}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1713	DW_1713
2173	Point	{55DBBE25-8F69-4FB5-93D3-277BFB14B383}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1714	DW_1714
2174	Point	{330FAD79-4BBC-4137-9D13-E736ED45EBB3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1715	DW_1715
2175	Point	{E30DB485-CB09-43BF-8EE8-4EF126491D94}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1716	DW_1716
2176	Point	{2F477AEC-6C2A-4154-9665-C02D281585BA}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1717	DW_1717
2177	Point	{E267251E-BF49-497B-B03D-B627A8977874}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1718	DW_1718
2178	Point	{07E0F807-5666-4362-94A4-8846ADC67A03}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1719	DW_1719
2179	Point	{C896F65B-9D57-4BDF-8260-1179A055E709}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1720	DW_1720
2180	Point	{CFB45934-758B-479C-A28C-5C1B5202D37A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1721	DW_1721
2181	Point	{BD2B5E48-6E9C-49D7-BF87-C2F9DA6F6CDA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1722	DW_1722
2182	Point	{235628EF-B9FE-4D90-B703-DFBC33048BE7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1723	DW_1723

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID No	DW_ID
2183	Point	{577644BC-B083-445B-A0E9-01C0379E3A5F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1724	DW_1724
2184	Point	{4C1E7BA7-90E9-4F24-89E8-E65D955B5C56}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1725	DW_1725
2185	Point	{81665260-A70E-440F-8E59-181BDE4E24A1}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1726	DW_1726
2186	Point	{FDD7DBBA-5B2B-4AB0-A631-D672A86B941B}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1727	DW_1727
2187	Point	{B625821C-D1D0-4306-A64F-7E018864C1B9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1728	DW_1728
2188	Point	{716E33F9-B132-4669-A6A9-27ED680A17F1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1729	DW_1729
2189	Point	{87B456A1-5DC9-4A95-BA1F-553B8C319A6C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1730	DW_1730
2190	Point	{0BDC3DD1-A756-4E42-AF32-36BA30CE5C41}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1731	DW_1731
2191	Point	{2114EB08-1B1F-465B-93F7-2C664A60A880}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1732	DW_1732
2192	Point	{B9BC4217-B7A1-491F-A25B-4C6B689432EB}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1733	DW_1733
2193	Point	{40F82175-4716-422C-A2AE-5FEE9E928F05}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1734	DW_1734
2194	Point	{076DE2DB-DDA4-431F-8C7B-17EB5B4133F1}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1735	DW_1735
2195	Point	{BEF05761-866E-49E7-A05A-E8A3E207ADCE}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1736	DW_1736
2196	Point	{CC254AA8-776B-4323-9C18-6BFF522E02B9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1737	DW_1737
2197	Point	{0C310126-B781-4F08-82BE-CE0A3EFE2E73}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1738	DW_1738
2198	Point	{1DD210FE-4C52-4E3A-B4D8-B9192500FD36}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1739	DW_1739
2199	Point	{526E1A5F-E5D3-4755-96E2-C43CCB06D316}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1740	DW_1740
2200	Point	{6D82CB0E-250D-40DA-A30F-55E6CEF795BD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1741	DW_1741
2201	Point	{0FFEEA1A-CFAB-4726-8F75-E8AAF16DF4FF}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1742	DW_1742
2202	Point	{0D02928B-6C31-47FF-961F-388F6F08F71D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1743	DW_1743
2203	Point	{BF49A0C5-D580-48C8-9EBB-F939D373AAC1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1744	DW_1744
2204	Point	{CE850D17-ADCF-4B52-A556-A7783A9F34E7}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1745	DW_1745
2205	Point	{40261BC8-B263-444B-ADE7-C3AE3B22EEB6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1746	DW_1746
2206	Point	{02F92CC3-CD66-4977-BDF6-AF2E9E3580E4}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1747	DW_1747
2207	Point	{9F07FF14-AF5D-4060-83DC-DCF325FE17AE}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1748	DW_1748
2208	Point	{A46A24D5-4B0C-45DC-8FDB-109FDEB28C1C}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1749	DW_1749
2209	Point	{98276BC9-21A7-475C-B440-55633DF66585}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1750	DW_1750
2210	Point	{3AB02108-02DF-4B08-81B1-6CA292E86628}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1751	DW_1751
2211	Point	{ED925C4B-CA16-435A-AA4F-7990816EC4B0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1752	DW_1752
2212	Point	{79AA46E4-D4C5-4894-835B-162A39F923AF}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1753	DW_1753
2213	Point	{3014E2D7-F1F8-4159-8E45-89C5B8E31A8F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1754	DW_1754
2214	Point	{7C6B6BF6-A442-4C99-BE83-2F98C346EA15}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1755	DW_1755
2215	Point	{82BCD337-2D39-4848-9B9F-B90C147DF7EB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1756	DW_1756
2216	Point	{A5E798FF-AD41-4A0B-8B56-A8E0F0D47AA8}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1757	DW_1757
2217	Point	{4BE4EB76-4DE8-482C-AE94-DCF0971C4080}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1758	DW_1758
2218	Point	{469CE5CC-3AA2-4A6A-A6BB-AF4427ADB6E5}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1759	DW_1759

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
2219	Point	{CB503937-187A-471D-B60F-987BAC4A1E03}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1760	DW_1760
2220	Point	{CEA0062E-5F3F-4836-A004-3E5EE1F03EAE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1761	DW_1761
2221	Point	{ED021317-6160-4BF1-AEBB-AF2BD282132F}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1762	DW_1762
2222	Point	{1CFD6336-0469-46B5-AD4C-AB9C8A4C4428}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1763	DW_1763
2223	Point	{71D0F06A-9939-4243-858C-BB9B1638A028}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1764	DW_1764
2224	Point	{D922B842-99A4-42F5-B96E-497C38142010}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1765	DW_1765
2225	Point	{E89EF831-093F-4922-83F2-844BDC45FB20}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1766	DW_1766
2226	Point	{E9C9454C-306F-4DF4-960B-A764794A127A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1767	DW_1767
2227	Point	{5D6D9000-DC1C-4B41-9785-AFEBE2DFB555}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1768	DW_1768
2228	Point	{4F9E0F72-9A64-4CFB-ABBD-52BEFD9F2B61}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1769	DW_1769
2229	Point	{22D189C3-E8EB-47AC-894E-9D249694DDDF}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1770	DW_1770
2230	Point	{F345FFC7-B01D-407C-BD73-089D94DD7E8D}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1771	DW_1771
2231	Point	{1BEF574D-DAE7-4BFC-94A2-E274603A9844}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1772	DW_1772
2232	Point	{5BC68C93-E7EC-459C-A5BA-A3419F147D42}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1773	DW_1773
2233	Point	{6A9FC5A1-CCC2-4A39-AAFD-0ED366F35244}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1774	DW_1774
2234	Point	{7CA54996-1EEE-4534-B7FC-9372FCD40CE9}	4/22/2025 17:42	jennifers127	5/30/2025 17:21	JENNIFERSALEMANN	1775	DW_1775
2235	Point	{24A31DC9-FC25-4515-A1CD-EC28EF1AB610}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1776	DW_1776
2236	Point	{CAEBC96C-D3F4-4BEB-A402-039B3EF1621D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1777	DW_1777
2237	Point	{5D0A7991-C632-470F-950D-9602A5FD29C5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1778	DW_1778
2238	Point	{28D2F4C9-48E1-4115-86C8-1D790BE4C622}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1779	DW_1779
2239	Point	{609C3474-59C8-4778-BB3A-49989366FBD8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1780	DW_1780
2240	Point	{6E96C0F5-23B3-4520-956A-DA23BC296AEB}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1781	DW_1781
2241	Point	{881348B9-70DB-490A-95EF-364F5BB21055}	4/22/2025 17:42	jennifers127	5/30/2025 19:30	JENNIFERSALEMANN	1782	DW_1782
2242	Point	{436B7332-A766-4857-A87B-78072B0D4C8F}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1783	DW_1783
2243	Point	{B0FEAD57-20DA-46C8-9E5D-33F2B8AFF918}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1784	DW_1784
2244	Point	{160BCB0C-1616-4D36-91DB-E1AE641C661E}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1785	DW_1785
2245	Point	{2FE194AE-2255-4A9A-BAED-003FA917077A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1786	DW_1786
2246	Point	{580DC1B9-5074-4357-8F69-EE0CD31B8069}	4/22/2025 17:42	jennifers127	6/5/2025 21:59	JENNIFERSALEMANN	1787	DW_1787
2468	Point	{9EFE765A-FEA0-43C9-8716-FC0F418553D3}	5/9/2025 20:49		6/5/2025 22:06	JENNIFERSALEMANN	1788	DW_1788
2462	Point	{5A892F4B-3B78-46EA-9C44-4365ED89F8F8}	5/6/2025 19:38		6/5/2025 22:06	JENNIFERSALEMANN	1789	DW_1789
2247	Point	{0DCBF680-6ACF-4958-AF4A-B863ADC13B99}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1790	DW_1790
2248	Point	{7BB5AEA6-CEA7-4553-9A7F-6988E68928B2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1791	DW_1791
2249	Point	{B4179C1D-1325-4B17-A6CE-CB8DFD638207}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1792	DW_1792
2250	Point	{FBEA2A5B-FA72-4CA8-A8AB-9330561B023F}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1793	DW_1793
2251	Point	{AC29982E-B199-4D06-B0A0-20CF5BBCAEE0}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1794	DW_1794
2252	Point	{F1E12C6F-335D-4037-A7FF-F9B9E665686A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1795	DW_1795

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
2253	Point	{EE6E06A2-853A-4362-B8CE-2293B00D6FD3}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1796	DW_1796
2254	Point	{F9EE968B-02A1-4712-88BF-A30960DF857C}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1797	DW_1797
2255	Point	{2BA4D1B5-414E-4DF0-B9DF-99BA8A0B1654}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1798	DW_1798
2256	Point	{6C87E04D-C4A9-46DE-91F3-1E2861B9DDAD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1799	DW_1799
2257	Point	{5847C9A5-DEB4-4066-8DCF-620B3DB783A1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1800	DW_1800
2258	Point	{0E435821-B6A1-4194-8F46-C0CB9691F969}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1801	DW_1801
2259	Point	{6B2A36A4-DEFD-4144-B08B-9B2067BAE3C8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1802	DW_1802
2260	Point	{1EFF9450-0F22-487C-82CA-A12263DE3F2C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1803	DW_1803
2261	Point	{D1B74EAA-4230-49F7-8DAE-C9179641828A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1804	DW_1804
2262	Point	{C3C74467-5C36-4EF9-A70D-350B31F413A7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1805	DW_1805
2263	Point	{AD4D2321-40BD-4D14-915B-356A5A81F504}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1806	DW_1806
2264	Point	{17028070-70F4-4E4D-938D-B4BEC20C4EE0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1807	DW_1807
2265	Point	{7EC9F9C4-9069-4992-AD43-5794E2C780BB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1808	DW_1808
2266	Point	{08A06FC3-18C5-4038-AF6F-9864C439BCD1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1809	DW_1809
2267	Point	{3DF5DC32-B228-4ADC-B917-6EF5CDD9F9BD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1810	DW_1810
2268	Point	{78D8D5A1-D694-4ABB-90E0-DBE2A932EC3C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1811	DW_1811
2269	Point	{88F8D232-E2E2-4FD3-97B2-F4FFC8185970}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1812	DW_1812
2270	Point	{A6F3E689-D1BF-4BFA-AED5-7CD07045A821}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1813	DW_1813
2271	Point	{94786DBC-B969-4341-BBD5-1DBAEF1BA46F}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1814	DW_1814
2272	Point	{492686F8-A282-4854-9E5B-3A4EB6478697}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1815	DW_1815
2273	Point	{C01E7534-4EBC-49A9-967F-E3271A91BF0C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1816	DW_1816
2274	Point	{5AC2E640-74E9-4631-BCA5-0E874C2C70B4}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1817	DW_1817
2275	Point	{DF2E09D5-AE5E-42B5-8AC8-2A4780DB83DF}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1818	DW_1818
2276	Point	{86BBC74D-A07C-4493-B822-29B2A1F13F9A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1819	DW_1819
2277	Point	{3137A38F-760D-42E6-A20A-810E09BD696A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1820	DW_1820
2278	Point	{CB046C08-08C8-4932-AC43-D5813750D5EE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1821	DW_1821
2279	Point	{6E41FB90-F161-4243-A8A0-A914FE8865CC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1822	DW_1822
2280	Point	{05404ABA-D4D4-4BF7-BDDD-82498CAE9475}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1823	DW_1823
2281	Point	{B6E3429F-206A-4D34-93FF-69E13667C18B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1824	DW_1824
2282	Point	{F312233E-90DF-4089-9573-AC81C0A0517C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1825	DW_1825
2283	Point	{D76C471B-F2AF-4501-9A2D-48A26BB36FA2}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1826	DW_1826
2284	Point	{7434BB3B-DB09-4FE8-B8BE-73E230AA066E}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1827	DW_1827
2285	Point	{AA78789A-63EB-4BC2-B6D1-3E6DAAD175D6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1828	DW_1828
2286	Point	{78951407-0CEF-4061-99D7-3597142B5371}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1829	DW_1829
2287	Point	{1B7BAA81-67A0-43DF-A1BD-D9DD40EF2607}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1830	DW_1830
2288	Point	{97955BDA-2251-4A44-AEB0-6E7BF1BE85DC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1831	DW_1831

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
2289	Point	{28C6E42D-FC2A-4BBF-A6C5-C923BEBBB499}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1832	DW_1832
2290	Point	{F26FEC76-E1EF-4FED-968C-BD399BBAB3B4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1833	DW_1833
2291	Point	{1D08FF99-AFEB-43C9-A83C-73599B41A439}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1834	DW_1834
2292	Point	{B329B23C-4F88-4882-AA6C-3FD2119516E0}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1835	DW_1835
2293	Point	{CFB0E206-9A6F-4C99-840F-64362DEDDAB6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1836	DW_1836
2294	Point	{FD7DB692-5036-4641-820F-2FEFF88BECE8}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1837	DW_1837
2295	Point	{84D8339D-C7FA-46F9-A625-037561B86C9E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1838	DW_1838
2296	Point	{DC1324BB-D0F6-4208-B592-16A2F3AED18A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1839	DW_1839
2297	Point	{E19474BF-4A39-4CF5-92D4-602EB0F1505B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1840	DW_1840
2298	Point	{D19DA30D-E406-4F86-898B-FB6588E6BAE7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1841	DW_1841
2299	Point	{D96D4B43-5ECE-4C34-8CDE-CF363B3D27F1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1842	DW_1842
2300	Point	{A31FEBF2-A8F9-4A97-A9DE-5ACFEA564557}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1843	DW_1843
2301	Point	{15A70403-C096-4C0B-B214-B079DEDA5CE4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1844	DW_1844
2302	Point	{82E84CCF-0F50-49E5-A273-D3F0770FF6DF}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1845	DW_1845
2303	Point	{A03C76AD-A55C-4820-B0BD-3D49F9366E15}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1846	DW_1846
2304	Point	{3363D52D-BC51-4C96-AE42-020047B7BDDE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1847	DW_1847
2305	Point	{841D1E0E-55B5-4104-BF79-685F5777C128}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1848	DW_1848
2306	Point	{776A7F48-AD1D-460E-B8E9-695F6CAC2F26}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1849	DW_1849
2307	Point	{028C8AFA-669E-4198-9CB4-4E7530FD33B8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1850	DW_1850
2308	Point	{7D70A404-FF74-44FF-BA5B-F3B4499658B3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1851	DW_1851
2309	Point	{F484E06F-5E5E-4E78-A7C2-E03657F886BF}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1852	DW_1852
2310	Point	{CD8B43CD-1A0C-411A-8635-EDA39B8AC198}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1853	DW_1853
2311	Point	{C36F1B9C-E96D-48D9-9E3D-FC50AAB2AFC9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1854	DW_1854
2312	Point	{77A046EC-EBA7-47EC-BEA9-D9FDABD28329}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1855	DW_1855
2313	Point	{E6DE4A30-C1F5-4541-976E-ADF4972A2A7A}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1856	DW_1856
2314	Point	{D1F15E34-3ED7-441C-A7DC-3246D03D0C57}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1857	DW_1857
2315	Point	{6A36EA49-BE0E-407F-BFA0-83786FE78847}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1858	DW_1858
2316	Point	{ABDB80DD-5930-4459-896C-4446BD07777F}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1859	DW_1859
2317	Point	{F5950CC6-81B3-4143-8F69-63FE4F01AF02}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1860	DW_1860
2318	Point	{56470442-44A8-4174-9288-5C19186B599D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1861	DW_1861
2319	Point	{2E474EF9-50EC-469D-8A9E-2D449ED13AC0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1862	DW_1862
2320	Point	{388EAF53-B5F6-46DE-AD7E-872FC6E0D37F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1863	DW_1863
2321	Point	{A4A7D8FC-50AD-4684-A13B-C97409ADF70D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1864	DW_1864
2322	Point	{EBFD30F8-70AE-467F-B885-F9CF3B4064ED}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1865	DW_1865
2323	Point	{A9318955-AF72-4171-90DE-870D179CA799}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1866	DW_1866
2324	Point	{D7CAC816-E56A-4636-A5AF-0997EB3A6F3D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1867	DW_1867

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID No	DW_ID
2325	Point	{EE282F9E-7E7B-415C-B1E5-165C48463476}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1868	DW_1868
2326	Point	{C6AB1479-6CF1-47BC-84A6-DA9657EC11CE}	4/22/2025 17:42	jennifers127	5/30/2025 17:22	JENNIFERSALEMANN	1869	DW_1869
2327	Point	{FABCF87E-5A96-46BA-9E50-9710722C04B9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1870	DW_1870
2328	Point	{CCC1C806-5B46-4D22-8413-588A10DD826C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1871	DW_1871
2329	Point	{80F94B63-4FC4-4E5B-908D-6492DA943D7A}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1872	DW_1872
2330	Point	{714B8652-1A2F-49F4-B546-55AAAA32FD3C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1873	DW_1873
2331	Point	{C333F906-1C49-4F1D-8ACE-A6AAB429CF3C}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1874	DW_1874
2332	Point	{EF5D5C51-E85C-44B2-8234-40469065BE54}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1875	DW_1875
2333	Point	{CD288897-C394-4AFA-A5BD-1709F044F421}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1876	DW_1876
2334	Point	{50FBE94E-A6F7-4806-929B-38B41C4569D7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1877	DW_1877
2335	Point	{29D5F45B-8ED4-4365-9B23-074ED6F44386}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1878	DW_1878
2336	Point	{88ECA403-ACF1-4E7F-BADD-B356FACC597A}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1879	DW_1879
2337	Point	{A31F3063-1981-4A4B-BCDE-02A4D1A413C3}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1880	DW_1880
2338	Point	{0F46C95F-F8A2-44DA-BCC0-C68728554245}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1881	DW_1881
2339	Point	{9B3409E0-B087-4CA1-BF42-D6CF30351C58}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1882	DW_1882
2340	Point	{4574E6F6-D05F-433C-B829-10E05902F3CF}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1883	DW_1883
2464	Point	{353B4147-23C0-4EB5-B916-B7CBD62AEC6E}	5/8/2025 18:31		5/30/2025 17:23	JENNIFERSALEMANN	1884	DW_1884
2341	Point	{670F89D9-376F-4C09-BD56-BCC3CA5C9953}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1885	DW_1885
2342	Point	{3ABEB484-1442-43D7-A9F7-BCAE5ABD5B12}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1886	DW_1886
2343	Point	{2A2CE8E6-440A-40F0-9E85-EA8B42FCE94E}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1887	DW_1887
2344	Point	{B4CE199E-AD24-48B4-B75F-B6246C1CEEE3}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1888	DW_1888
2345	Point	{B458E088-1158-4EE5-96E9-21606A152FBD}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1889	DW_1889
2346	Point	{79E12119-DD6A-415E-90B2-793491C3FA9D}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1890	DW_1890
2347	Point	{E9695BBF-C5D6-4813-9BEC-150FE513E2F2}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1891	DW_1891
2348	Point	{D3F3FF41-E6BA-4BDF-AF57-FFD77CB82BCF}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1892	DW_1892
2349	Point	{DAAB47BE-4841-4323-8900-342778FA83F7}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1893	DW_1893
2350	Point	{5FDF5C17-0338-44D5-8182-ADD60F6B64A3}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1894	DW_1894
2351	Point	{AB15A28F-23F4-4DBA-839F-5DAB3F0664E2}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1895	DW_1895
2352	Point	{61B9B1BB-887A-4339-9774-D7697FC67C48}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1896	DW_1896
2353	Point	{C33301D5-3084-476F-A4AD-1F951F45DA13}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1897	DW_1897
2354	Point	{CBCA1F9A-B509-4F93-BAE0-F6DAAD07F3CE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1898	DW_1898
2355	Point	{F06FC022-EC46-4F5A-BB7B-D398610515F0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1899	DW_1899
2356	Point	{03614498-E87E-4821-8FB8-624CD14C6126}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1900	DW_1900
2357	Point	{9DB87EE4-C75F-49B0-A248-EF2083D6217F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1901	DW_1901
2358	Point	{37F54A92-34D9-4571-9A6D-EAEB13F6F1CF}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1902	DW_1902
2359	Point	{8B215686-2CAD-45EA-ABAE-DB1E24C94DCE}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1903	DW_1903

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
2360	Point	{54215E43-D5EB-40AA-8D8D-D7654403E7FC}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1904	DW_1904
2361	Point	{8E4CEEA1-8861-42D0-8B2A-84B23F6AA91F}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1905	DW_1905
2362	Point	{F38F883E-F105-4835-B3CD-C00CA2AC5CBA}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1906	DW_1906
2363	Point	{7B4A398A-DB29-4F81-89B7-69B345278075}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1907	DW_1907
2364	Point	{BC77D279-76ED-4B02-B969-448CE01E99CE}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1908	DW_1908
2365	Point	{A6F4F971-89E1-4B9F-9E95-376AEF1E46B7}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1909	DW_1909
2366	Point	{031326D2-FEA5-492D-9773-F83027555517}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1910	DW_1910
2367	Point	{3B9A1A76-5706-4B40-8459-AF36E2BB472E}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1911	DW_1911
2368	Point	{8DD41DCC-E293-4814-BE59-9771B8F2AB74}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1912	DW_1912
2369	Point	{7EC055A0-7D9D-4194-B2ED-0798C909C0E6}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1913	DW_1913
2370	Point	{33B573E9-7C44-493C-8A69-937303C3CE52}	4/22/2025 17:42	jennifers127	5/30/2025 17:23	JENNIFERSALEMANN	1914	DW_1914
2371	Point	{7EFE6E94-F166-4C78-9938-781824344133}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1915	DW_1915
2372	Point	{869B8E67-A20D-48C3-9535-5C3FAC14C7D3}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1916	DW_1916
2373	Point	{A1DE1864-28FD-4AA8-B816-88DBD9894080}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1917	DW_1917
2374	Point	{6D37CEAA-7154-432E-8ED6-15EA4B8C61E1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1918	DW_1918
2375	Point	{94C1A17C-7542-4B82-B168-B04D823B4992}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1919	DW_1919
2376	Point	{225CBB62-6E81-42B4-B78E-1E80C882AEE2}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1920	DW_1920
2377	Point	{17E80331-D653-491B-9965-75527A398EE7}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1921	DW_1921
2378	Point	{71C9027F-29A6-4516-B837-BFAF0B584F78}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1922	DW_1922
2379	Point	{CEA76EAA-DA1C-44A5-BA86-9D8C717EEF4E}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1923	DW_1923
2380	Point	{2E8AE799-F3E5-4BA6-A5B8-729DB066AD14}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1924	DW_1924
2381	Point	{E10EE616-72B9-4205-9752-EC1645E240C8}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1925	DW_1925
2382	Point	{C8EEBFA1-B5BB-4626-9EF4-68A16CE3759A}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1926	DW_1926
2383	Point	{44EAF93A-B2C4-4289-B7C3-C02027472546}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1927	DW_1927
2384	Point	{4EDF70C5-BD44-4690-B2D9-3E81A686BB71}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1928	DW_1928
2385	Point	{C4396C1A-2EF7-467F-8397-5D5A2492D589}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1929	DW_1929
2386	Point	{755D9654-85AA-475D-B7F3-7B61B14BCEF2}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1930	DW_1930
2387	Point	{922E7418-432F-4E28-8E2B-E0190DFDD96D}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1931	DW_1931
2388	Point	{3B721604-E894-46E2-BB40-DC6C507DE317}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1932	DW_1932
2389	Point	{F13BFC98-8C07-4CCD-81D9-08CB1B458C91}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1933	DW_1933
2390	Point	{74FCE91B-F94E-4084-8A76-DB18F07196A6}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1934	DW_1934
2391	Point	{A6323FC8-79AA-4C9B-8502-1DD2198A53F6}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1935	DW_1935
2392	Point	{53B0099A-1FDE-4289-8333-8B8C0212D31E}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1936	DW_1936
2393	Point	{5665902C-91CB-454B-895E-237A0BBB6EC8}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1937	DW_1937
2394	Point	{0855C9EF-8F0E-4331-A34C-7B81424F2051}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1938	DW_1938
2395	Point	{17B81BB4-1392-4E5A-88D3-68DA62222DB4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1939	DW_1939

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
2396	Point	{3D4DDEEA-C5CA-4F73-A51C-B06CCAB1F921}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1940	DW_1940
2397	Point	{151BCB64-0031-4B12-BEC5-BD505C42403C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1941	DW_1941
2398	Point	{53074348-2B95-4BF7-8E62-A81BB2191AEA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1942	DW_1942
2399	Point	{29BA2D05-4A17-4831-8479-6B5294C3A64E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1943	DW_1943
2400	Point	{7216ADC0-E74B-402F-A1F6-1170F450427E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1944	DW_1944
2401	Point	{4C6F0219-6902-4E65-9AD2-BAB2CBC63364}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1945	DW_1945
2402	Point	{91545A61-F754-4994-8A73-0B8B821141FC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1946	DW_1946
2403	Point	{C74B5018-E086-4863-AFFF-803FF328907E}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1947	DW_1947
2404	Point	{417AFA62-5AAC-46A5-96AC-387D016F6C0B}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1948	DW_1948
2405	Point	{F259A69A-3163-41C7-9943-B782A1719842}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1949	DW_1949
2406	Point	{174DAF3D-9038-4B19-A430-5DA8BBEB1C84}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1950	DW_1950
2407	Point	{21E99641-A4E9-4C72-A8F7-70541CB9F210}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1951	DW_1951
2408	Point	{51E075AF-39FA-4CF2-9A88-08B6F6C9D59A}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1952	DW_1952
2409	Point	{A22D3458-88BC-4FAD-A429-439B9706825E}	4/22/2025 17:42	jennifers127	5/30/2025 17:24	JENNIFERSALEMANN	1953	DW_1953
2410	Point	{B1B6024A-BAD6-4713-A9BD-951C40DCEC3E}	4/22/2025 17:42	jennifers127	5/30/2025 17:25	JENNIFERSALEMANN	1954	DW_1954
2411	Point	{774B9CFB-981F-41B5-93D6-CAB2B357EF0F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1955	DW_1955
2412	Point	{99C101F9-8C62-4044-9C06-0852178B8A23}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1956	DW_1956
2413	Point	{C4A75A04-4F4A-48E2-901D-7FE9B68ADC40}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1957	DW_1957
2414	Point	{F0E22BA4-5C1D-4792-BF31-ABEC2BB30D6E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1958	DW_1958
2415	Point	{BEC36AE1-45C1-46B7-B5C3-889E907B8F73}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1959	DW_1959
2416	Point	{024D0314-EB52-450E-8B36-158B76FEE7C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1960	DW_1960
2417	Point	{F572DC34-561C-4766-BBD0-77FB824F5229}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1961	DW_1961
2418	Point	{0CB8C843-6F0E-4350-9F1F-06FA411C39CB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1962	DW_1962
2419	Point	{ABAC80E8-84C4-4C58-8C96-2C17D31DCE3C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1963	DW_1963
2420	Point	{3C5EE111-2D2A-412B-9B5E-44618CEE1D40}	4/22/2025 17:42	jennifers127	5/30/2025 17:25	JENNIFERSALEMANN	1964	DW_1964
2421	Point	{EE4EE54A-B434-49E8-9D9D-A7BEA3E28894}	4/22/2025 17:42	jennifers127	5/30/2025 17:25	JENNIFERSALEMANN	1965	DW_1965
2422	Point	{7973857F-15D4-4F07-AFD6-B58410288486}	4/22/2025 17:42	jennifers127	5/30/2025 17:25	JENNIFERSALEMANN	1966	DW_1966
2460	Point	{A6A35EB1-EFAE-4057-87F1-730B3B63EAAE}	5/5/2025 22:55		5/30/2025 17:26	JENNIFERSALEMANN	1967	DW_1967
2423	Point	{9FC58DE1-7D8D-4260-8AAD-FD42C219EDA1}	4/22/2025 17:42	jennifers127	8/20/2025 22:55	JENNIFERSALEMANN	1968	DW_1968
2424	Point	{7746041B-10BA-4B8D-A995-D59F4053EFE0}	4/22/2025 17:42	jennifers127	5/30/2025 17:26	JENNIFERSALEMANN	1969	DW_1969
2425	Point	{E04E27F6-5C5D-4D3B-9211-51C91F42B27E}	4/22/2025 17:42	jennifers127	5/30/2025 17:26	JENNIFERSALEMANN	1970	DW_1970
2426	Point	{C7E3F98C-6A83-4653-9D7E-DF7B15AD02CC}	4/22/2025 17:42	jennifers127	5/30/2025 17:26	JENNIFERSALEMANN	1971	DW_1971
2427	Point	{15A26387-B9CD-4468-92C3-7C877222400C}	4/22/2025 17:42	jennifers127	5/30/2025 17:27	JENNIFERSALEMANN	1972	DW_1972
2428	Point	{FF6FBFD9-BA33-442F-987B-1D716D8EDA01}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1973	DW_1973
2429	Point	{CE974B2E-EEBD-4567-9D27-077D902A00F9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1974	DW_1974
2430	Point	{2175750E-79B6-4FCD-B563-BCF55740978C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1975	DW_1975

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
2431	Point	{BCEE9830-F1CF-4646-8C78-FB76EEFF7DAD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1976	DW_1976
2432	Point	{00D31542-57BE-495E-99B9-80BF952FD76B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1977	DW_1977
2433	Point	{39F28F1E-2974-4484-B967-3608BC3AEA44}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1978	DW_1978
2434	Point	{DECAD729-4C99-4F42-B09D-67E0C8C96A54}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1979	DW_1979
2435	Point	{33A6B814-96C0-4B0F-9F14-6ABCF644B07C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1980	DW_1980
2436	Point	{110FA070-1189-4F0E-AB96-F3DE5709B25D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1981	DW_1981
2437	Point	{EFBCB4BB-F013-4282-9206-700775D34327}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1982	DW_1982
2438	Point	{71BD4F3C-6578-4141-BDEC-B52E9F35E6FB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1983	DW_1983
2439	Point	{247245BD-7394-4684-ADF4-2544E0ACAE72}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1984	DW_1984
2440	Point	{C8F2CBE5-EA41-41DE-8F30-607C155F5A20}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1985	DW_1985
2441	Point	{0A55B84A-7B80-45A1-9367-7F91EC7B05D7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1986	DW_1986
2442	Point	{5B5BC547-341D-4178-BFF4-F5A5F85B4DD9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1987	DW_1987
2443	Point	{278558E6-13C4-4312-9391-04501384624C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1988	DW_1988
2444	Point	{FBBC2021-8437-4888-B8AD-89038B12D888}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1989	DW_1989
2445	Point	{658F1067-78E3-4D7D-9495-93C664507492}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1990	DW_1990
2446	Point	{FBC1CA6C-6181-40BB-8219-D243AF72F3A8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1991	DW_1991
2447	Point	{24E80B51-8EB7-44B9-81E6-D8D2C9D390A1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1992	DW_1992
2448	Point	{91937359-A6AB-471E-BE85-13129D3F3A25}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1993	DW_1993
2449	Point	{8A2F6B7D-0E53-4497-B9AF-0AAE2F246EC0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1994	DW_1994
2450	Point	{A05B88FA-6358-4F87-8BEE-8119549B5C34}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1995	DW_1995
2451	Point	{FE904621-D56E-477B-A7EB-714FBEDB7B2E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1996	DW_1996
2452	Point	{7C66922B-F3C0-4C4E-AAC7-0E91C66B2E44}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1997	DW_1997
2453	Point	{2219E886-C639-4120-82A3-7CB1E322C628}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1998	DW_1998
2454	Point	{FD65D85B-ED89-429E-9926-5B291767407F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	1999	DW_1999
2455	Point	{D5EDD621-D919-4FA6-AE44-FBB6F20AA586}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2000	DW_2000
1	Point	{E6E0C5EB-30A9-4074-A5E2-1FDEE3E39D65}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2001	DW_2001
2	Point	{2A967373-6190-4400-9709-F60EB91B0438}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2002	DW_2002
3	Point	{45817225-1F22-4EF9-AFA0-9E2A521AB317}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2003	DW_2003
4	Point	{270D316E-033D-4BEC-B196-A4959C8897FB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2004	DW_2004
5	Point	{5C446F0C-4E1F-4567-B357-EC5CEA39A6FA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2005	DW_2005
6	Point	{56FB695E-9AC8-4963-A873-5D13A36A434A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2006	DW_2006
7	Point	{BBE4BAC0-EB01-4811-9997-5878C1474345}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2007	DW_2007
8	Point	{7B88CA52-2AC6-4AD1-83DC-E583FE7F933A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2008	DW_2008
9	Point	{3AE17A19-0DBD-4A79-9F77-10F42AD98BA9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2009	DW_2009
10	Point	{4D8E6EAA-4EC8-4B96-9D7C-47D87CD7135B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2010	DW_2010
11	Point	{108FA151-3449-4231-A104-B2FCE66D8715}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2011	DW_2011

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
12	Point	{9724B4F7-91A3-44D1-AE41-F7D360044697}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2012	DW_2012
13	Point	{F233FFE0-D54E-42CE-ABA1-FFDD7988B208}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2013	DW_2013
14	Point	{27CA011D-AE14-4DC4-8A9F-66C3B729E9C4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2014	DW_2014
15	Point	{8ADF6637-5BDA-4205-A239-B77EF23EF4FB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2015	DW_2015
16	Point	{3C039EAB-BAA8-4E2A-9C98-5B351AA11D76}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2016	DW_2016
17	Point	{CD20FDA9-7E2E-49CD-A44F-07A76C20A985}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2017	DW_2017
18	Point	{B6BB3DA8-BFFD-483C-BED3-40F3988A7ACC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2018	DW_2018
19	Point	{99CAF638-61B3-44FD-8728-F5D209C5171E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2019	DW_2019
20	Point	{AC63B975-AF17-46E7-B3E5-EFD3B1939ED8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2020	DW_2020
21	Point	{29E426C4-75A8-47F1-92D4-A5CEBC94718E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2021	DW_2021
22	Point	{575995CE-BA6A-4CFF-8632-3145FAD54F8B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2022	DW_2022
23	Point	{0D53DAEF-69A9-4D64-81B6-1AD4369D7DA7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2023	DW_2023
24	Point	{73E2E03C-FEB3-49FA-B51D-ABED62E63922}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2024	DW_2024
25	Point	{680E57C9-BFB5-4727-B018-EF451714778D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2025	DW_2025
26	Point	{62B55048-6F9C-40BA-866E-91D14765093B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2026	DW_2026
27	Point	{737E6010-793B-428D-8498-6822A990C74C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2027	DW_2027
28	Point	{15BC547C-BB18-4ACD-80A7-78923C6FE7C0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2028	DW_2028
29	Point	{CA87E0F6-C601-4F75-ADF9-D224577830DE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2029	DW_2029
30	Point	{53C33B3D-0662-46B6-B83A-1EF67FF8B02F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2030	DW_2030
31	Point	{5932373E-28AB-4DD7-B012-CD14FA0BE2AF}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2031	DW_2031
32	Point	{D2D09752-0FCC-4C00-9DC6-EAC127FCD6B9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2032	DW_2032
33	Point	{E719C728-84AE-40B9-A0CE-2F03254A63C3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2033	DW_2033
34	Point	{431841D8-2648-41AA-ADCD-DAD58C3A538C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2034	DW_2034
35	Point	{9CC3B6A0-6958-4EF1-B4D3-4CAF2B90720B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2035	DW_2035
36	Point	{FF105D6B-148B-4433-B70F-AE5C8DAD7705}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2036	DW_2036
37	Point	{8ED78F3D-3361-42C2-8BA5-2DE909B24C69}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2037	DW_2037
38	Point	{8CA6CE7E-1040-480D-9531-407A1B7407FE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2038	DW_2038
39	Point	{8FFA1D21-D47D-4B11-9029-F3F692B8F0EE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2039	DW_2039
40	Point	{1AEE8B54-34EE-4A4A-AD6C-0A150EF834B0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2040	DW_2040
41	Point	{DB30573F-F553-4686-91C8-CFD228648375}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2041	DW_2041
42	Point	{85300779-1D3A-41AC-BA13-42DCDB93BC2F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2042	DW_2042
43	Point	{563D9CF1-2ED1-49D1-8F5E-DCE06B546C40}	4/22/2025 17:42	jennifers127	5/30/2025 19:29	JENNIFERSALEMANN	2043	DW_2043
44	Point	{46EAB640-A64B-4507-91C8-B526813723C7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2044	DW_2044
45	Point	{92278EF9-DE3C-41C9-803A-9893213117AC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2045	DW_2045
46	Point	{5A56B21F-EB58-49E6-9C3F-2F67681602B0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2046	DW_2046
47	Point	{DDCB49F9-3376-4D78-B37C-2BBDB831C788}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2047	DW_2047

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
48	Point	{56244B80-B5A5-49D3-93A3-E30D7FB372B9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2048	DW_2048
49	Point	{A2A1BB2A-0533-439D-8983-FC1E259FA0F6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2049	DW_2049
50	Point	{8ECF8633-CDEB-40C4-838D-D7E972396018}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2050	DW_2050
51	Point	{E9757453-E8A4-4BBF-9920-D01D45B7B723}	4/22/2025 17:42	jennifers127	5/30/2025 17:39	JENNIFERSALEMANN	2051	DW_2051
52	Point	{97EBB0DD-D483-47BC-B1C8-0E23C827BA64}	4/22/2025 17:42	jennifers127	5/30/2025 17:40	JENNIFERSALEMANN	2052	DW_2052
53	Point	{0BECC04E-9F29-48F8-ADBC-6632172DB1F1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2053	DW_2053
54	Point	{0104D235-6224-408F-AB3D-90366C70823D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2054	DW_2054
55	Point	{F483F0F1-2631-46C2-BA0E-FFAD31354B36}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2055	DW_2055
56	Point	{FF27122C-66E7-4A02-944D-9C9AD4813A18}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2056	DW_2056
57	Point	{4A0D2CEE-DD41-41D7-B635-9EAAD283B309}	4/22/2025 17:42	jennifers127	5/30/2025 17:40	JENNIFERSALEMANN	2057	DW_2057
58	Point	{04F708CB-1ED1-4684-B966-AE5F23DBB00D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2058	DW_2058
59	Point	{7EB07744-9178-486B-9303-3C35BE146780}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2059	DW_2059
60	Point	{CCFA9F9B-FD6D-4BE0-BECF-768FB58E6877}	4/22/2025 17:42	jennifers127	5/30/2025 17:40	JENNIFERSALEMANN	2060	DW_2060
61	Point	{26D4B014-15F8-4622-A013-D49AF83CBB80}	4/22/2025 17:42	jennifers127	5/30/2025 17:41	JENNIFERSALEMANN	2061	DW_2061
62	Point	{9F6D1951-86D2-4A1E-8C0D-84D39FBAD344}	4/22/2025 17:42	jennifers127	5/30/2025 17:42	JENNIFERSALEMANN	2062	DW_2062
63	Point	{25BE80B6-0185-4EDF-8A2A-FA82450AC93F}	4/22/2025 17:42	jennifers127	5/30/2025 17:42	JENNIFERSALEMANN	2063	DW_2063
64	Point	{BF3E427C-35D3-4FBE-BC25-1D4B8A9D94B5}	4/22/2025 17:42	jennifers127	5/30/2025 19:29	JENNIFERSALEMANN	2064	DW_2064
65	Point	{B966D862-6325-4DDF-85FB-27EFAE8FF0F9}	4/22/2025 17:42	jennifers127	5/30/2025 17:43	JENNIFERSALEMANN	2065	DW_2065
66	Point	{F3ECC565-ECA4-4DA4-B2E7-BBB7A47ECBE7}	4/22/2025 17:42	jennifers127	5/30/2025 17:43	JENNIFERSALEMANN	2066	DW_2066
67	Point	{38A62704-1C21-4FDB-A06C-2B951E4F62D3}	4/22/2025 17:42	jennifers127	5/30/2025 17:43	JENNIFERSALEMANN	2067	DW_2067
68	Point	{05B7E4FE-F2F1-4B5A-922F-5C331FD46915}	4/22/2025 17:42	jennifers127	5/30/2025 17:44	JENNIFERSALEMANN	2068	DW_2068
69	Point	{13C943CA-E687-4F07-ABA6-757A78C45751}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2069	DW_2069
70	Point	{BF8EA11E-3602-4B2E-B1E5-45B12BB171A0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2070	DW_2070
71	Point	{6F609955-ABAC-4955-99AA-DE3A41402BEE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2071	DW_2071
72	Point	{5884F100-0929-4592-850A-6747F1D3254B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2072	DW_2072
73	Point	{31C28E17-779D-4600-B358-54ACE364C5FE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2073	DW_2073
74	Point	{427E8395-423D-4AC0-935F-AE180F044A21}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2074	DW_2074
75	Point	{225D942A-77B3-4385-8930-16F339A3F5F7}	4/22/2025 17:42	jennifers127	5/30/2025 17:44	JENNIFERSALEMANN	2075	DW_2075
76	Point	{018FAF28-18C9-4E40-9223-608EA75EB425}	4/22/2025 17:42	jennifers127	5/30/2025 17:44	JENNIFERSALEMANN	2076	DW_2076
77	Point	{6578C5BB-3955-4D68-AA42-C23F25EED9D5}	4/22/2025 17:42	jennifers127	5/30/2025 17:44	JENNIFERSALEMANN	2077	DW_2077
78	Point	{66F3EE32-3D55-46F3-9D6D-E0B656204124}	4/22/2025 17:42	jennifers127	5/30/2025 17:45	JENNIFERSALEMANN	2078	DW_2078
79	Point	{C87E05EF-1872-4AFC-8F0F-6D8B1CDB9154}	4/22/2025 17:42	jennifers127	5/30/2025 17:46	JENNIFERSALEMANN	2079	DW_2079
80	Point	{5665EA62-873A-4822-9273-7EBA2A7B5D6F}	4/22/2025 17:42	jennifers127	5/30/2025 17:46	JENNIFERSALEMANN	2080	DW_2080
81	Point	{E04537D1-A0D3-4C3E-BB39-9BAEC1806D83}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2081	DW_2081
82	Point	{AAFA0754-CB48-4A93-8394-87F9DC5078B5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2082	DW_2082
83	Point	{279067EE-73BF-4021-B4C9-A3380E9A67ED}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2083	DW_2083

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
84	Point	{39C19443-84D8-4306-9CE3-3F8615504BCC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2084	DW_2084
85	Point	{5CFD8455-6B0F-4ECE-A95A-4CDFF70C73A3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2085	DW_2085
86	Point	{EB0AEFF2-3BCF-4BF8-8AB1-72BCE3A19AF8}	4/22/2025 17:42	jennifers127	5/30/2025 17:46	JENNIFERSALEMANN	2086	DW_2086
87	Point	{86F04052-7970-4F88-AD2C-4A10B029AB75}	4/22/2025 17:42	jennifers127	5/30/2025 17:47	JENNIFERSALEMANN	2087	DW_2087
88	Point	{F40FA0D5-82A6-4254-B2CF-5EBF148E083C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2088	DW_2088
89	Point	{16745D95-7ECF-4A7E-B583-23FF445056C3}	4/22/2025 17:42	jennifers127	5/30/2025 17:47	JENNIFERSALEMANN	2089	DW_2089
90	Point	{F371527A-5879-4DAA-82C8-DE9718B1AD82}	4/22/2025 17:42	jennifers127	5/30/2025 17:47	JENNIFERSALEMANN	2090	DW_2090
91	Point	{2D5E61DB-5768-40FF-B013-FF419C715A10}	4/22/2025 17:42	jennifers127	5/30/2025 17:48	JENNIFERSALEMANN	2091	DW_2091
92	Point	{311676ED-00D9-418C-93A2-230D8DE05081}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2092	DW_2092
93	Point	{41214610-E7CE-49D5-9B23-E6B8AFDB68F2}	4/22/2025 17:42	jennifers127	5/30/2025 17:48	JENNIFERSALEMANN	2093	DW_2093
94	Point	{993BB724-7B3C-4839-B7CC-612E5700AC00}	4/22/2025 17:42	jennifers127	5/30/2025 17:48	JENNIFERSALEMANN	2094	DW_2094
95	Point	{B2E9C272-8A27-4F66-B122-3F3BEF85697A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2095	DW_2095
96	Point	{73B924D8-C815-4E23-9DF0-09D281A517C9}	4/22/2025 17:42	jennifers127	5/30/2025 17:50	JENNIFERSALEMANN	2096	DW_2096
97	Point	{4EFCC06B-0272-4587-B74D-97D189BDDE1B}	4/22/2025 17:42	jennifers127	5/30/2025 17:51	JENNIFERSALEMANN	2097	DW_2097
98	Point	{AA317934-8089-466A-A6E9-AC7C5DFA614F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2098	DW_2098
99	Point	{A14E5AA3-CABE-4692-BB38-2C9107E4E15C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2099	DW_2099
100	Point	{758D0BB4-CA4C-4FD1-B452-66A6B4A04397}	4/22/2025 17:42	jennifers127	5/30/2025 17:51	JENNIFERSALEMANN	2100	DW_2100
101	Point	{15374FD1-6582-44CA-BA81-88554C5D559F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2101	DW_2101
102	Point	{99FA8A5C-C8A8-4905-AFE6-A11A19DA6729}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2102	DW_2102
103	Point	{BEB2A934-8108-4DEC-B980-E0236F5CCE19}	4/22/2025 17:42	jennifers127	5/30/2025 17:51	JENNIFERSALEMANN	2103	DW_2103
104	Point	{25420ACE-D4BD-4847-9C2A-E5A0F63F12E8}	4/22/2025 17:42	jennifers127	5/30/2025 17:51	JENNIFERSALEMANN	2104	DW_2104
105	Point	{7EA3A0E4-BFEB-4BCA-B19B-061F02ACC9ED}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2105	DW_2105
106	Point	{39A68C5B-B2FD-4B11-AD80-1F9A4DBCA06A}	4/22/2025 17:42	jennifers127	5/30/2025 17:52	JENNIFERSALEMANN	2106	DW_2106
107	Point	{32F80CAF-DE40-43ED-972F-D12DDC96B8AB}	4/22/2025 17:42	jennifers127	5/30/2025 17:53	JENNIFERSALEMANN	2107	DW_2107
108	Point	{6921579C-5963-4D2A-B25B-051F3C534743}	4/22/2025 17:42	jennifers127	5/30/2025 17:53	JENNIFERSALEMANN	2108	DW_2108
109	Point	{0C65F2F8-5A65-4BF3-B413-C38C3C4AC468}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2109	DW_2109
110	Point	{5AFD6AF3-55A3-4B08-898E-2B231957EB87}	4/22/2025 17:42	jennifers127	5/30/2025 17:53	JENNIFERSALEMANN	2110	DW_2110
111	Point	{CED0316F-B300-448B-9AAB-F9BB38FE7C62}	4/22/2025 17:42	jennifers127	5/30/2025 17:53	JENNIFERSALEMANN	2111	DW_2111
112	Point	{44661BC9-3F74-4155-A21E-E16B310C2B6D}	4/22/2025 17:42	jennifers127	5/30/2025 17:54	JENNIFERSALEMANN	2112	DW_2112
113	Point	{44DB06D4-85A6-497B-A7B0-17D22AEC9E94}	4/22/2025 17:42	jennifers127	5/30/2025 17:54	JENNIFERSALEMANN	2113	DW_2113
114	Point	{CDEFB696-BA57-4866-9EE7-E989F35A1637}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2114	DW_2114
115	Point	{0907CACF-2616-4B61-9CD3-B9D9F6D3175C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2115	DW_2115
116	Point	{95598484-49F8-49D2-86ED-AD9B576A9B16}	4/22/2025 17:42	jennifers127	5/30/2025 17:55	JENNIFERSALEMANN	2116	DW_2116
117	Point	{80F4F16F-EE8F-467C-8E15-F2F4D41EA935}	4/22/2025 17:42	jennifers127	5/30/2025 17:55	JENNIFERSALEMANN	2117	DW_2117
118	Point	{2A3F1D18-A7F3-40C1-B0BE-5C69D5608FEE}	4/22/2025 17:42	jennifers127	5/30/2025 17:55	JENNIFERSALEMANN	2118	DW_2118
119	Point	{DBB5FBD1-B342-41DF-A8F2-03040E3A6E03}	4/22/2025 17:42	jennifers127	5/30/2025 17:55	JENNIFERSALEMANN	2119	DW_2119

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
120	Point	{903E8D4A-4DF9-4951-B24B-AC86AC3A3080}	4/22/2025 17:42	jennifers127	5/30/2025 17:56	JENNIFERSALEMANN	2120	DW_2120
121	Point	{BD39B391-C309-46F1-97AB-2C38E757B3E0}	4/22/2025 17:42	jennifers127	5/30/2025 17:56	JENNIFERSALEMANN	2121	DW_2121
122	Point	{EC0ACCD4-AB2B-45B7-9938-B536D7030667}	4/22/2025 17:42	jennifers127	5/30/2025 17:56	JENNIFERSALEMANN	2122	DW_2122
123	Point	{CBD62313-9106-4F8A-8FC1-EA2D9EC76D97}	4/22/2025 17:42	jennifers127	5/30/2025 17:57	JENNIFERSALEMANN	2123	DW_2123
124	Point	{2EB4C110-5CB1-44F0-B9E9-21DB3D231941}	4/22/2025 17:42	jennifers127	5/30/2025 17:57	JENNIFERSALEMANN	2124	DW_2124
125	Point	{A9658B00-0206-4CF7-B537-0948924F51B0}	4/22/2025 17:42	jennifers127	5/30/2025 17:57	JENNIFERSALEMANN	2125	DW_2125
126	Point	{62D9B5F2-18BC-4624-806F-F99604ED973D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2126	DW_2126
127	Point	{AC3AA7D5-82B4-454C-942B-33A6918F50B0}	4/22/2025 17:42	jennifers127	5/30/2025 17:58	JENNIFERSALEMANN	2127	DW_2127
128	Point	{D783F7E2-3DF0-4080-A4F5-0BBAED4CC667}	4/22/2025 17:42	jennifers127	5/30/2025 17:58	JENNIFERSALEMANN	2128	DW_2128
129	Point	{257B0A30-9B01-44F1-A490-D1590853B77C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2129	DW_2129
130	Point	{719E01FA-46EC-4B0A-B037-F0A646DDE729}	4/22/2025 17:42	jennifers127	5/30/2025 17:58	JENNIFERSALEMANN	2130	DW_2130
131	Point	{85462783-A1FD-4797-B964-F28FCB223ABD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2131	DW_2131
132	Point	{6F9EFED3-4512-4F88-B562-8AC930984BC0}	4/22/2025 17:42	jennifers127	5/30/2025 17:59	JENNIFERSALEMANN	2132	DW_2132
133	Point	{E5FB3D4D-FD6C-40F6-835F-347244BAD883}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2133	DW_2133
134	Point	{5D275982-4635-4329-B44C-774E1E6E3369}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2134	DW_2134
135	Point	{6620A150-98F8-479A-8365-C7EFD16A6510}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2135	DW_2135
136	Point	{FD262E02-30B3-43E7-94F6-A9602735FA10}	4/22/2025 17:42	jennifers127	5/30/2025 17:59	JENNIFERSALEMANN	2136	DW_2136
137	Point	{6D0E405E-62C5-4DA7-8524-170D2A40623B}	4/22/2025 17:42	jennifers127	5/30/2025 17:59	JENNIFERSALEMANN	2137	DW_2137
138	Point	{9EA90D2A-53A0-43C7-B49C-0574C1F1FECC}	4/22/2025 17:42	jennifers127	5/30/2025 17:59	JENNIFERSALEMANN	2138	DW_2138
139	Point	{7E628A97-19F7-4810-8C8C-BB77D9D3ACE4}	4/22/2025 17:42	jennifers127	5/30/2025 18:00	JENNIFERSALEMANN	2139	DW_2139
140	Point	{B1ED8EA7-399A-4652-A703-DDB0FE706028}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2140	DW_2140
141	Point	{41A8B634-41F7-48C1-8F21-67287661F67B}	4/22/2025 17:42	jennifers127	5/30/2025 18:00	JENNIFERSALEMANN	2141	DW_2141
142	Point	{0A5D7C2D-6160-40B9-B5C2-505CD1F1CE85}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2142	DW_2142
143	Point	{36371795-B78A-43F5-AC5D-55D8690C9671}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2143	DW_2143
144	Point	{72DD0B13-50D2-4509-987B-102F1E89FC6C}	4/22/2025 17:42	jennifers127	5/30/2025 18:00	JENNIFERSALEMANN	2144	DW_2144
145	Point	{7D739C72-483C-49B2-818D-97083C4405F5}	4/22/2025 17:42	jennifers127	5/30/2025 18:01	JENNIFERSALEMANN	2145	DW_2145
146	Point	{B7F59993-2006-46FD-8FE3-6E9328CA6E93}	4/22/2025 17:42	jennifers127	5/30/2025 18:01	JENNIFERSALEMANN	2146	DW_2146
147	Point	{9856650C-3774-4B11-A4FA-E095D41862F0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2147	DW_2147
148	Point	{CEFD9779-F03F-4836-9D9E-3EC7717F6991}	4/22/2025 17:42	jennifers127	5/30/2025 18:03	JENNIFERSALEMANN	2148	DW_2148
149	Point	{990731E7-A9B1-4D15-92A4-8527DCB618DF}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2149	DW_2149
150	Point	{EE16C8E1-D2CB-4DDC-95B4-4C6FF4B48EC1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2150	DW_2150
151	Point	{1318DBB3-81A2-49D8-83C8-8178E2228682}	4/22/2025 17:42	jennifers127	5/30/2025 18:18	JENNIFERSALEMANN	2151	DW_2151
152	Point	{8F4E2435-E886-48E4-AC70-AB0CD1010565}	4/22/2025 17:42	jennifers127	5/30/2025 18:19	JENNIFERSALEMANN	2152	DW_2152
153	Point	{34574469-8C11-40FA-B42E-BD7D353CEFFD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2153	DW_2153
154	Point	{1125B44A-AA89-4DE3-8FCD-8138532B8CBD}	4/22/2025 17:42	jennifers127	5/30/2025 18:19	JENNIFERSALEMANN	2154	DW_2154
155	Point	{8A4D4606-BA4C-450B-ABB6-467782C200BF}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2155	DW_2155

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
156	Point	{763828A1-BEA5-45A6-BD2B-E1AC87D23194}	4/22/2025 17:42	jennifers127	5/30/2025 18:19	JENNIFERSALEMANN	2156	DW_2156
157	Point	{955D4249-A470-4C83-94C7-DC99C43F430B}	4/22/2025 17:42	jennifers127	5/30/2025 18:22	JENNIFERSALEMANN	2157	DW_2157
158	Point	{6FD233F6-5668-46DF-9165-578A21F6722F}	4/22/2025 17:42	jennifers127	5/30/2025 18:24	JENNIFERSALEMANN	2158	DW_2158
159	Point	{55EE5948-3AB3-47E1-93B5-6A88C726D5AF}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2159	DW_2159
160	Point	{D7F45D5D-7A5D-4638-8B4E-DFA0CB988390}	4/22/2025 17:42	jennifers127	5/30/2025 18:25	JENNIFERSALEMANN	2160	DW_2160
161	Point	{B2D773B8-2C0D-4887-9125-1534281ECEBD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2161	DW_2161
162	Point	{A54BA409-913A-492C-BAD3-3273B2D58763}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2162	DW_2162
163	Point	{B27E938D-08A7-4E7C-84C0-D963636DE3F4}	4/22/2025 17:42	jennifers127	5/30/2025 18:25	JENNIFERSALEMANN	2163	DW_2163
164	Point	{E0A20177-BC88-400B-9E73-C97B412A249C}	4/22/2025 17:42	jennifers127	5/30/2025 18:25	JENNIFERSALEMANN	2164	DW_2164
165	Point	{51557FD1-1ABB-4B09-9B0A-90B72174905D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2165	DW_2165
166	Point	{4C7C9731-7981-4868-96E7-D9F42FBC36CD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2166	DW_2166
167	Point	{DC1F8206-65A5-4888-A9AA-B52B371F2DE0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2167	DW_2167
2463	Point	{7E4BDF5A-AA70-48C4-8657-CC54B9898A03}	5/7/2025 1:04		5/30/2025 18:29	JENNIFERSALEMANN	2168	DW_2168
168	Point	{6DBE4241-E881-4388-B651-A7770F686533}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2169	DW_2169
169	Point	{26BF2CF7-D6BB-4731-B28A-2DFA665A677C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2170	DW_2170
170	Point	{B4F8D572-AF87-407D-8907-925EE01194F9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2171	DW_2171
171	Point	{BA78A33A-AB7F-40BE-B6A7-D920A79EF18D}	4/22/2025 17:42	jennifers127	5/30/2025 18:29	JENNIFERSALEMANN	2172	DW_2172
172	Point	{04278438-E3AA-4F13-82F0-192E93CFAEF8}	4/22/2025 17:42	jennifers127	5/30/2025 18:29	JENNIFERSALEMANN	2173	DW_2173
173	Point	{B421CA4E-0DFF-476C-BC9B-114BE32204D0}	4/22/2025 17:42	jennifers127	5/30/2025 18:30	JENNIFERSALEMANN	2174	DW_2174
174	Point	{94B939B7-9B81-45D6-A3F7-C306EC31EB16}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2175	DW_2175
175	Point	{F7543572-FABF-4F8D-AD39-91C4426D50B1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2176	DW_2176
176	Point	{04D62744-8284-4893-89C4-DF482C2B60C2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2177	DW_2177
177	Point	{7AC3665B-9F5C-4F0C-A304-15E3AFD7938D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2178	DW_2178
178	Point	{7885DB61-9545-4F84-B986-EFE06B426B88}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2179	DW_2179
179	Point	{735361F1-7C75-4CB9-A81B-291141FB0971}	4/22/2025 17:42	jennifers127	5/30/2025 18:30	JENNIFERSALEMANN	2180	DW_2180
180	Point	{C1D3C77B-3544-47CE-977B-5060E4C9525A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2181	DW_2181
181	Point	{81D40843-3B01-4938-8856-FD93A5894411}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2182	DW_2182
182	Point	{E543D036-698E-4DDD-B357-A404CED06B1C}	4/22/2025 17:42	jennifers127	5/30/2025 18:30	JENNIFERSALEMANN	2183	DW_2183
183	Point	{F8B03A20-086C-407B-8DBF-21491DD576B}	4/22/2025 17:42	jennifers127	5/30/2025 18:31	JENNIFERSALEMANN	2184	DW_2184
184	Point	{B2E26159-F994-450B-8BB3-521062FB73A5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2185	DW_2185
185	Point	{99C0D7F6-2934-4A3C-BB42-3FE9DE115C52}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2186	DW_2186
186	Point	{862A5E83-C6A9-479D-AC57-CA1ACDC9BD2D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2187	DW_2187
187	Point	{6F13EED3-27C5-4634-975A-70C06520CC01}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2188	DW_2188
188	Point	{11036727-0295-4904-BBCA-16DA16EC4A80}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2189	DW_2189
189	Point	{E6DA0BFE-BD38-4B97-997F-F532CFE4B94B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2190	DW_2190
190	Point	{D19A3614-A2A0-44A9-A774-54538DAF537A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2191	DW_2191

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
191	Point	{0C9A707D-2C8D-433B-866A-218E957EF74D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2192	DW_2192
192	Point	{07F835B8-7C9E-49AC-839E-B76512393A49}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2193	DW_2193
193	Point	{56C35F5C-7116-4791-87FA-629E621A7D84}	4/22/2025 17:42	jennifers127	5/30/2025 18:31	JENNIFERSALEMANN	2194	DW_2194
194	Point	{0B61E26A-31C7-4C80-A402-7D10F565534E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2195	DW_2195
195	Point	{C99FE862-C17E-40DF-BFE1-78FC4752B361}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2196	DW_2196
196	Point	{45A7F366-A1E3-437B-9F02-1CBD846130AC}	4/22/2025 17:42	jennifers127	5/30/2025 18:31	JENNIFERSALEMANN	2197	DW_2197
197	Point	{DB068A7A-291C-4A71-820F-047E3F39CA69}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2198	DW_2198
198	Point	{58A23097-A20A-469E-9CA9-467ACCC1E954}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2199	DW_2199
199	Point	{D818AFCB-160D-431E-9F31-EF0280999664}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2200	DW_2200
200	Point	{CE18143A-645C-40DA-9EAA-96CAE87AC80A}	4/22/2025 17:42	jennifers127	5/30/2025 18:32	JENNIFERSALEMANN	2201	DW_2201
201	Point	{898D20A4-54B6-4D79-A87B-FFC65B31648C}	4/22/2025 17:42	jennifers127	5/30/2025 18:32	JENNIFERSALEMANN	2202	DW_2202
202	Point	{59C01458-7258-49B5-A0F1-4C535395BE2E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2203	DW_2203
203	Point	{CDC5B207-7DAD-49EB-A664-9C4146A4BD1E}	4/22/2025 17:42	jennifers127	5/30/2025 18:32	JENNIFERSALEMANN	2204	DW_2204
204	Point	{FA1ECD5F-A673-42FA-A39D-BD1EF1A7A8B2}	4/22/2025 17:42	jennifers127	5/30/2025 18:33	JENNIFERSALEMANN	2205	DW_2205
205	Point	{80850FBF-6F02-4F52-BF56-F1A6847E8EE6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2206	DW_2206
206	Point	{C46CE48B-2B86-4E39-BF8F-32C5D07E03A3}	4/22/2025 17:42	jennifers127	5/30/2025 18:33	JENNIFERSALEMANN	2207	DW_2207
207	Point	{07401EE3-D264-4ADA-AB06-39CB929639B1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2208	DW_2208
208	Point	{76D91C06-37A9-4503-A2BB-216B752C9BD7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2209	DW_2209
209	Point	{0EB37637-99DD-4261-BDEC-772797852E94}	4/22/2025 17:42	jennifers127	5/30/2025 18:33	JENNIFERSALEMANN	2210	DW_2210
210	Point	{572C723B-4753-4303-B231-9E8AC2B12623}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2211	DW_2211
211	Point	{77135444-3D3B-4FC2-82D7-0D8081076954}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2212	DW_2212
212	Point	{A35CF075-7564-4C0C-9729-10EF4F22487D}	4/22/2025 17:42	jennifers127	5/30/2025 18:34	JENNIFERSALEMANN	2213	DW_2213
213	Point	{94D77D0E-2EAD-4C4A-B3D3-2AF9EC06AF9F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2214	DW_2214
214	Point	{771A3BAB-F80C-48CE-809A-846770696087}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2215	DW_2215
215	Point	{5A64146F-3946-45A5-9A8B-A3BFB81E16CF}	4/22/2025 17:42	jennifers127	5/30/2025 18:34	JENNIFERSALEMANN	2216	DW_2216
216	Point	{774BD3D2-8647-4706-85DF-3612CB13044B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2217	DW_2217
217	Point	{66BB778D-ED3A-4D37-B44E-295A32B0FA73}	4/22/2025 17:42	jennifers127	5/30/2025 18:34	JENNIFERSALEMANN	2218	DW_2218
218	Point	{660DD67D-6690-471A-AFA8-F3D041EFAD78}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2219	DW_2219
219	Point	{B1C4E268-809B-41F6-A592-AD554A960C34}	4/22/2025 17:42	jennifers127	5/30/2025 18:34	JENNIFERSALEMANN	2220	DW_2220
220	Point	{64F46E35-2A91-41C6-8162-2B3E39EFA555}	4/22/2025 17:42	jennifers127	5/30/2025 18:35	JENNIFERSALEMANN	2221	DW_2221
221	Point	{3260C914-B06E-4304-9066-D874FC89D499}	4/22/2025 17:42	jennifers127	5/30/2025 18:35	JENNIFERSALEMANN	2222	DW_2222
222	Point	{97ED38D9-68F8-48A2-A152-5B4CFF2C5C95}	4/22/2025 17:42	jennifers127	5/30/2025 18:35	JENNIFERSALEMANN	2223	DW_2223
223	Point	{437F4762-A7EF-481D-940B-7387C87DFB39}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2224	DW_2224
224	Point	{176F5545-4844-488A-BF42-61CB30592B32}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2225	DW_2225
225	Point	{945C2D1C-F730-408B-A610-A1CBCCDC225D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2226	DW_2226
226	Point	{B00E128E-1B07-44D6-8317-E5B5BD4E6990}	4/22/2025 17:42	jennifers127	5/30/2025 18:36	JENNIFERSALEMANN	2227	DW_2227

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
227	Point	{3289FD75-59B8-4DDA-92BB-ECE004DAF64F}	4/22/2025 17:42	jennifers127	5/30/2025 18:36	JENNIFERSALEMANN	2228	DW_2228
228	Point	{8A85496B-F48F-4651-AD4A-6ECD37604510}	4/22/2025 17:42	jennifers127	5/30/2025 18:36	JENNIFERSALEMANN	2229	DW_2229
229	Point	{2F950883-6062-4BF8-AC7C-B577FF762E76}	4/22/2025 17:42	jennifers127	5/30/2025 18:38	JENNIFERSALEMANN	2230	DW_2230
230	Point	{7EA6B083-ABE1-4650-8452-5D083022FB53}	4/22/2025 17:42	jennifers127	5/30/2025 18:37	JENNIFERSALEMANN	2231	DW_2231
231	Point	{4868A87D-5748-416A-A2FA-E8AF6552EC81}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2232	DW_2232
232	Point	{67ECF239-313F-4776-962F-9770137AADF2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2233	DW_2233
233	Point	{6048985B-3A31-4F49-A9FE-BCEDAA4D9CB6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2234	DW_2234
234	Point	{E4CF48CB-482E-477A-BD93-DFCAED4B4FC6}	4/22/2025 17:42	jennifers127	5/30/2025 18:39	JENNIFERSALEMANN	2235	DW_2235
235	Point	{47D72670-7DDC-4DD0-86F3-76D271257FEE}	4/22/2025 17:42	jennifers127	5/30/2025 18:39	JENNIFERSALEMANN	2236	DW_2236
236	Point	{0DC61794-1053-494E-A3F5-CAD0362423BE}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2237	DW_2237
237	Point	{B87586FA-7E7B-4CD7-8A7E-49B8DB4774D2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2238	DW_2238
238	Point	{4CE9D3E6-508E-4203-8F0C-22E0488580BA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2239	DW_2239
239	Point	{9B219EEC-7923-47FB-99DA-FC1F09A99353}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2240	DW_2240
240	Point	{0C5D7149-7B6F-46DC-B267-6B9D8940B7AC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2241	DW_2241
241	Point	{4B38173E-3617-4F47-AF8F-496FFFCD4633}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2242	DW_2242
242	Point	{D3945E3B-5684-4FF0-8D87-8477A78BF7CD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2243	DW_2243
243	Point	{B37E4D64-8B30-4684-8EA2-A8FD5E03FDB9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2244	DW_2244
244	Point	{96DE1462-0300-4FAB-91BF-193E517F94F3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2245	DW_2245
245	Point	{A965C2F3-6675-42CB-9FA2-3177D53C55FA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2246	DW_2246
246	Point	{D567EBB1-7371-4BA6-97FE-9E78FC028340}	4/22/2025 17:42	jennifers127	5/30/2025 18:40	JENNIFERSALEMANN	2247	DW_2247
247	Point	{0A33DC05-30C4-469D-971A-FC682334F3C3}	4/22/2025 17:42	jennifers127	5/30/2025 18:40	JENNIFERSALEMANN	2248	DW_2248
248	Point	{04FCDEF8-8F82-4017-B9D2-3C6A5EDF9AFA}	4/22/2025 17:42	jennifers127	5/30/2025 18:40	JENNIFERSALEMANN	2249	DW_2249
249	Point	{54B07FD7-AAD2-4FDB-8671-99D0FFA653F4}	4/22/2025 17:42	jennifers127	8/20/2025 22:59	JENNIFERSALEMANN	2250	DW_2250
250	Point	{357C66DF-ED75-4A04-9937-64743FC9BD6E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2251	DW_2251
251	Point	{BC30118C-C4C6-467B-A904-E502AAA20FA4}	4/22/2025 17:42	jennifers127	5/30/2025 18:44	JENNIFERSALEMANN	2252	DW_2252
252	Point	{7D44CC43-87A7-483C-8F5E-08293C6EA94E}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2253	DW_2253
253	Point	{A429705A-1751-4701-9977-AE451D1F34EE}	4/22/2025 17:42	jennifers127	5/30/2025 18:44	JENNIFERSALEMANN	2254	DW_2254
254	Point	{7A4E7AD9-7AFE-479C-9CC6-C7F79E2EEE4F}	4/22/2025 17:42	jennifers127	5/30/2025 18:44	JENNIFERSALEMANN	2255	DW_2255
255	Point	{69986234-4F30-4914-B8EE-BD12DFA2BC18}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2256	DW_2256
256	Point	{3AAD4F62-167C-4153-A190-1A403CBC097A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2257	DW_2257
257	Point	{78D3B571-72F2-4A3C-8850-FF7882894B47}	4/22/2025 17:42	jennifers127	5/30/2025 18:45	JENNIFERSALEMANN	2258	DW_2258
258	Point	{31A5FACA-3E1D-4EAB-BCDD-D30DA6671C75}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2259	DW_2259
259	Point	{8392B343-A956-4A17-913C-46CB903097BA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2260	DW_2260
260	Point	{839955DA-A265-4389-8566-5CDE216AE2E3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2261	DW_2261
261	Point	{981E9351-6EAC-4D8E-A8CD-80124ABC9559}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2262	DW_2262

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
262	Point	{C58F8A66-E081-430F-A169-CE93A2668D4C}	4/22/2025 17:42	jennifers127	5/30/2025 18:45	JENNIFERSALEMANN	2263	DW_2263
263	Point	{01B08769-5CC4-401B-8678-00BC83AE04A4}	4/22/2025 17:42	jennifers127	5/30/2025 18:45	JENNIFERSALEMANN	2264	DW_2264
264	Point	{E182B711-8265-484C-9ED3-326E93FF99F9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2265	DW_2265
265	Point	{4B241B39-C37B-4DB9-8262-94A06087A2F3}	4/22/2025 17:42	jennifers127	5/30/2025 18:46	JENNIFERSALEMANN	2266	DW_2266
266	Point	{D2500C1C-0EF2-47CE-9C5F-031AD0332B24}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2267	DW_2267
267	Point	{853F234E-B53C-49E1-82AF-109899C919E6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2268	DW_2268
268	Point	{508822F2-12B3-48CF-9A2B-A60DADFC595D}	4/22/2025 17:42	jennifers127	5/30/2025 18:46	JENNIFERSALEMANN	2269	DW_2269
269	Point	{66D2F0E3-0637-4EF0-97B7-D1888BF28C47}	4/22/2025 17:42	jennifers127	5/30/2025 18:46	JENNIFERSALEMANN	2270	DW_2270
270	Point	{C08BE37F-E5C9-4B8C-9A75-6B94D63CE3E7}	4/22/2025 17:42	jennifers127	5/30/2025 18:47	JENNIFERSALEMANN	2271	DW_2271
271	Point	{C6B15599-52CC-45EC-9379-57CE3F92EC61}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2272	DW_2272
272	Point	{6C7F7A7E-9511-453E-A8A0-9147799796B6}	4/22/2025 17:42	jennifers127	5/30/2025 18:47	JENNIFERSALEMANN	2273	DW_2273
273	Point	{6D689017-0B16-4770-B738-B34ACF8FE71C}	4/22/2025 17:42	jennifers127	5/30/2025 18:47	JENNIFERSALEMANN	2274	DW_2274
274	Point	{6D443788-43A9-4009-ACF3-BD6E42384847}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2275	DW_2275
275	Point	{87BCFA13-D17A-468B-A4C4-3634F2544E61}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2276	DW_2276
276	Point	{763F1F42-E9BE-4E49-8157-C052054980D8}	4/22/2025 17:42	jennifers127	5/30/2025 18:48	JENNIFERSALEMANN	2277	DW_2277
277	Point	{5AA1D764-16BB-4796-B6C4-FBB306609FDB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2278	DW_2278
278	Point	{6119CF49-10E5-42F9-BEF1-944670852CC3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2279	DW_2279
279	Point	{49DFE24E-041D-4D1E-9976-C09BC48DFDA8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2280	DW_2280
280	Point	{C14EF506-3EF1-4775-B964-4875ECF4F41B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2281	DW_2281
281	Point	{D3E63C26-0403-40D4-AC47-793CB021AD4D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2282	DW_2282
282	Point	{B3FC7233-9A92-43E0-A6C3-69803326DEE4}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2283	DW_2283
283	Point	{F87FEB1D-FC09-4D67-AE08-1A3922C93E02}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2284	DW_2284
284	Point	{F1F6B682-BD25-4707-A600-AB7EF5CAB975}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2285	DW_2285
285	Point	{4F3D0E25-C8FE-4CD4-860B-92F0546037D8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2286	DW_2286
286	Point	{7CD5C428-635E-436A-91E1-BF034D45EB93}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2287	DW_2287
287	Point	{FE7FC64C-1E76-45F6-A8DB-ED111C0A0701}	4/22/2025 17:42	jennifers127	5/30/2025 18:48	JENNIFERSALEMANN	2288	DW_2288
288	Point	{5F563D9D-1AF1-410C-BB1E-5AEAA7988AA7}	4/22/2025 17:42	jennifers127	5/30/2025 18:48	JENNIFERSALEMANN	2289	DW_2289
289	Point	{C93775FF-110A-42CA-9119-754695228E22}	4/22/2025 17:42	jennifers127	5/30/2025 18:48	JENNIFERSALEMANN	2290	DW_2290
290	Point	{FDDCD596-58B1-424B-BB49-7FC3047A2DE9}	4/22/2025 17:42	jennifers127	5/30/2025 18:49	JENNIFERSALEMANN	2291	DW_2291
291	Point	{792A5972-7D4A-4BAB-909B-AC450E993255}	4/22/2025 17:42	jennifers127	5/30/2025 18:49	JENNIFERSALEMANN	2292	DW_2292
292	Point	{EF9F4C49-E635-40F6-B421-A6954A91AD4E}	4/22/2025 17:42	jennifers127	5/30/2025 18:49	JENNIFERSALEMANN	2293	DW_2293
293	Point	{7E6460DF-5F7A-4098-B090-136426E10320}	4/22/2025 17:42	jennifers127	5/30/2025 18:50	JENNIFERSALEMANN	2294	DW_2294
294	Point	{58588AC2-9E2F-41FF-B3C3-48BD1ACD9FDA}	4/22/2025 17:42	jennifers127	5/30/2025 18:50	JENNIFERSALEMANN	2295	DW_2295
295	Point	{6E90D0ED-0407-4044-95D8-8374484BAE58}	4/22/2025 17:42	jennifers127	5/30/2025 18:50	JENNIFERSALEMANN	2296	DW_2296
296	Point	{951D8FC1-4377-4B85-B56D-8373AB9D5AA3}	4/22/2025 17:42	jennifers127	5/30/2025 18:51	JENNIFERSALEMANN	2297	DW_2297
297	Point	{2B337F8B-626B-4365-B4DC-E2060B3395FF}	4/22/2025 17:42	jennifers127	5/30/2025 18:51	JENNIFERSALEMANN	2298	DW_2298

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
298	Point	{7CC1AB6A-BF75-4B80-8811-F5F32F5421C8}	4/22/2025 17:42	jennifers127	5/30/2025 18:53	JENNIFERSALEMANN	2299	DW_2299
299	Point	{1E2EC9F8-245B-4DD0-825D-288322CDBE96}	4/22/2025 17:42	jennifers127	5/30/2025 18:53	JENNIFERSALEMANN	2300	DW_2300
300	Point	{EBC2BC93-B63B-4DE8-873B-990BD9E46BA1}	4/22/2025 17:42	jennifers127	5/30/2025 18:54	JENNIFERSALEMANN	2301	DW_2301
301	Point	{4660AA08-14A5-409C-B4DE-B6183E279A1C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2302	DW_2302
302	Point	{468D5961-22D7-459D-9E99-58595F492324}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2303	DW_2303
303	Point	{C160A300-E2F3-4640-98CE-47A10EB608A2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2304	DW_2304
304	Point	{E381BACB-0784-451C-8D46-5EDA6CBBE950}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2305	DW_2305
305	Point	{FF9B1C01-1BD9-4F15-954E-5B73563780B5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2306	DW_2306
306	Point	{A92E6BF7-BF46-4490-85FC-7F5754608FF8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2307	DW_2307
307	Point	{1F556971-B4B8-41BE-AB1D-7530169695FB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2308	DW_2308
308	Point	{ED139CC8-8C4C-4EBF-9591-267150B25065}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2309	DW_2309
309	Point	{FC554D01-55AB-460D-A00B-7F059FD727C3}	4/22/2025 17:42	jennifers127	5/30/2025 18:54	JENNIFERSALEMANN	2310	DW_2310
310	Point	{739A40D5-548C-49FC-8FEB-3E665507F419}	4/22/2025 17:42	jennifers127	5/30/2025 18:55	JENNIFERSALEMANN	2311	DW_2311
311	Point	{E42DE985-3A42-4347-8EC0-D860F8CFEF70}	4/22/2025 17:42	jennifers127	5/30/2025 18:55	JENNIFERSALEMANN	2312	DW_2312
312	Point	{33E88B40-23A3-43CF-AB66-8FC9073DE46F}	4/22/2025 17:42	jennifers127	5/30/2025 18:55	JENNIFERSALEMANN	2313	DW_2313
2469	Point	{CEFEA557-769C-4CE7-983A-2AE9E89480C8}	5/23/2025 19:16	jennifers127	5/30/2025 18:56	JENNIFERSALEMANN	2314	DW_2314
313	Point	{1F4E6BBE-1D47-47F8-B0EA-C8E756366951}	4/22/2025 17:42	jennifers127	5/30/2025 18:56	JENNIFERSALEMANN	2315	DW_2315
314	Point	{4C581959-65BA-42A8-80B7-298486B39BE3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2316	DW_2316
315	Point	{4853FFC0-13E0-4D87-AD5A-B18717604B14}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2317	DW_2317
316	Point	{58560D36-A21D-4A05-BE5A-BD7E20B62832}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2318	DW_2318
317	Point	{E8CE0307-0E58-4AB7-BE12-D1A7A6FB8CCD}	4/22/2025 17:42	jennifers127	5/30/2025 18:56	JENNIFERSALEMANN	2319	DW_2319
318	Point	{4A7807FE-B7C4-4B1E-817B-EB5D86165443}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2320	DW_2320
319	Point	{4A374805-E1A8-4B0F-BB88-5F52C7F5E2C0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2321	DW_2321
320	Point	{84939842-DE65-4126-BA43-9EF1554B730A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2322	DW_2322
321	Point	{2FF93233-C01A-4B37-8920-C5C1B07C4182}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2323	DW_2323
322	Point	{DA7DD636-2CF9-4780-AC01-A853B10A4873}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2324	DW_2324
323	Point	{17BFD10E-324D-418F-B549-E3D763CBA692}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2325	DW_2325
324	Point	{7D5D4091-5DBA-4637-862D-2E6290D236F8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2326	DW_2326
325	Point	{6AE0FC5F-810B-42FD-8564-798EC5CC52D2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2327	DW_2327
326	Point	{90381740-AD93-4DCB-A404-C7FAE02371AF}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2328	DW_2328
327	Point	{7F5A4540-B704-41C9-81BF-DC4B1B76EAF}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2329	DW_2329
328	Point	{C77D29EC-24E5-4A46-B929-58E8FF466D4B}	4/22/2025 17:42	jennifers127	5/30/2025 18:58	JENNIFERSALEMANN	2330	DW_2330
329	Point	{17E4213F-18E7-44AB-B2E7-138853FA3D68}	4/22/2025 17:42	jennifers127	5/30/2025 18:58	JENNIFERSALEMANN	2331	DW_2331
330	Point	{69353D87-75F0-41D9-9565-AC8FCAC6D187}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2332	DW_2332
331	Point	{B0747CDB-2189-452C-BB0A-9635BEC4C303}	4/22/2025 17:42	jennifers127	5/30/2025 18:58	JENNIFERSALEMANN	2333	DW_2333
332	Point	{4306C865-AC9C-4C02-AF17-CBE97479856D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2334	DW_2334

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
333	Point	{FE8DD3F7-99B5-4DBF-8022-21A76953049C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2335	DW_2335
334	Point	{24E0A6C9-37B3-4DB7-BCE4-EA40D98C5A2A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2336	DW_2336
335	Point	{ED503114-C1F0-4535-98DA-04439B2A4AFB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2337	DW_2337
336	Point	{7044C84F-F4A7-4EEC-A33F-8B77CC44D2EA}	4/22/2025 17:42	jennifers127	5/30/2025 18:58	JENNIFERSALEMANN	2338	DW_2338
337	Point	{C956422B-5401-45AB-A68C-8EEED4D9EDF2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2339	DW_2339
338	Point	{AEFAB235-62DA-4204-9941-4B8973716B41}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2340	DW_2340
339	Point	{3BA53730-FF8A-4BF0-B4F1-559043783753}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2341	DW_2341
340	Point	{42CC06F0-A7B9-4960-A458-C47D9D81B3D6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2342	DW_2342
341	Point	{F4064F55-CF18-4312-BEC2-D5EE068ABBB8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2343	DW_2343
342	Point	{26FE051C-1B20-4A28-9188-CFC440B76DA1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2344	DW_2344
343	Point	{46645324-3168-438D-B1D1-F3BB0CDD8E4D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2345	DW_2345
344	Point	{49BD34F5-442C-4885-AD37-6A1B16A1F914}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2346	DW_2346
345	Point	{16A7CF9D-05BF-4786-A4C7-EE9C8A61997F}	4/22/2025 17:42	jennifers127	5/30/2025 18:59	JENNIFERSALEMANN	2347	DW_2347
346	Point	{F87C5100-E47A-4F7C-8650-81B7573DB3C4}	4/22/2025 17:42	jennifers127	5/30/2025 18:59	JENNIFERSALEMANN	2348	DW_2348
347	Point	{F080EA45-C6F4-490B-8150-6E03F3E7DC9B}	4/22/2025 17:42	jennifers127	5/30/2025 18:59	JENNIFERSALEMANN	2349	DW_2349
348	Point	{E6F55684-892B-41B0-B00F-F80373C749D8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2350	DW_2350
349	Point	{E01509E0-DB38-40E1-AEC7-8FFA65D05579}	4/22/2025 17:42	jennifers127	5/30/2025 19:00	JENNIFERSALEMANN	2351	DW_2351
350	Point	{49B73361-4D6E-4BE6-97DA-EADFB32D1386}	4/22/2025 17:42	jennifers127	5/30/2025 19:00	JENNIFERSALEMANN	2352	DW_2352
351	Point	{3D02F3FF-4DFA-4AEF-9EDC-2331BE2F8F2E}	4/22/2025 17:42	jennifers127	5/30/2025 19:00	JENNIFERSALEMANN	2353	DW_2353
352	Point	{275C5C0C-6658-4997-B87A-FD3E78085A3F}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2354	DW_2354
353	Point	{F94309A8-F0A4-4897-B70F-24F9BF62CCE8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2355	DW_2355
354	Point	{4CECBEB2-B486-41E1-9460-2E9C564BA6A3}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2356	DW_2356
355	Point	{5B123BFF-C202-4E15-9316-8DFB6B01FA11}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2357	DW_2357
356	Point	{9419B825-85D1-4E74-97EC-18DA793AFA4C}	4/22/2025 17:42	jennifers127	5/30/2025 19:00	JENNIFERSALEMANN	2358	DW_2358
357	Point	{B4396EE1-461A-4206-87B2-1F46667AA400}	4/22/2025 17:42	jennifers127	5/30/2025 19:01	JENNIFERSALEMANN	2359	DW_2359
358	Point	{E05E512F-DFB4-49BB-98A5-292528C24F51}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2360	DW_2360
359	Point	{66A947F0-682D-4316-AB37-32F777215B6B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2361	DW_2361
360	Point	{0354AC45-E115-46D6-AE42-828F6FB18833}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2362	DW_2362
361	Point	{C52B67D9-D6CF-42C1-B3A5-6C06FFA3DF19}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2363	DW_2363
362	Point	{65E8F6E4-86E1-4A6F-8EF0-EBAA4876117A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2364	DW_2364
363	Point	{38F4791E-4870-4A4A-B2C3-C3819603EF71}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2365	DW_2365
364	Point	{C71822E2-E721-4B7C-9BB5-BA994B1B9796}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2366	DW_2366
365	Point	{7143DB8A-8D77-469F-87D8-2AC506FFD1F7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2367	DW_2367
366	Point	{9AB7C4A2-DAB1-41A4-AF29-9ED4F075627D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2368	DW_2368
367	Point	{DE10744E-EF89-4D5A-9854-522DF391ED82}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2369	DW_2369
368	Point	{9AC8BEF1-7249-41F5-9C33-DF356F45DF1A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2370	DW_2370

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
369	Point	{DF1491CB-A029-4FCC-A787-1F4F55CD3C9C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2371	DW_2371
370	Point	{E43880FD-B461-43DA-B4B9-BA4AF84A9847}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2372	DW_2372
371	Point	{FE5EB08F-661C-4057-BF33-48B27F56EEC1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2373	DW_2373
372	Point	{93B72AED-AC06-4F30-B8AB-E4B6889F4F92}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2374	DW_2374
373	Point	{6A727440-3241-4547-AA25-BFB206BF4F1}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2375	DW_2375
374	Point	{2B6A8720-F874-4493-82FB-3F8CCA500BA1}	4/22/2025 17:42	jennifers127	5/30/2025 19:01	JENNIFERSALEMANN	2376	DW_2376
375	Point	{E9ADF9E6-6D8E-44DF-80EB-7CD58B5E216C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2377	DW_2377
376	Point	{DBF710F9-BC39-409A-AD1C-0B8BD6D8D3BB}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2378	DW_2378
377	Point	{BF591648-1DE2-45F9-991E-CD09940C9A46}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2379	DW_2379
378	Point	{BD14C444-F285-4D06-94AB-C3DD28F0C492}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2380	DW_2380
379	Point	{13051036-58A6-44F7-A9D0-1CA6E73B4A2B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2381	DW_2381
380	Point	{7AAD25C7-2071-4279-93DE-07F9AC98238B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2382	DW_2382
381	Point	{7109899C-F214-4873-A569-E10AE067DDED}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2383	DW_2383
382	Point	{24C0FBE5-B39B-455D-83F0-2888A6C59E3D}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2384	DW_2384
383	Point	{7681695C-663D-4DA1-A741-F2B40320B0B5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2385	DW_2385
384	Point	{7D140C25-5510-422C-98F8-EE6C3EE95A9E}	4/22/2025 17:42	jennifers127	5/30/2025 19:01	JENNIFERSALEMANN	2386	DW_2386
385	Point	{CA6AA573-CCF1-4DC9-A0B5-B22DBC07C391}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2387	DW_2387
386	Point	{A9F3E1DF-F55C-4F74-BF91-742724DBA401}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2388	DW_2388
387	Point	{AB832029-2287-4F9E-AE90-B39F489AF9C8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2389	DW_2389
388	Point	{725864FB-D1CC-47BB-B014-F884FB4CEBAC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2390	DW_2390
389	Point	{A8ADBCDC-8B71-4DD2-97B3-8DB8FEAC29C4}	4/22/2025 17:42	jennifers127	5/30/2025 19:02	JENNIFERSALEMANN	2391	DW_2391
390	Point	{60126A93-472A-4B98-AD1E-5EA6DB55C53C}	4/22/2025 17:42	jennifers127	5/30/2025 19:02	JENNIFERSALEMANN	2392	DW_2392
391	Point	{7DF589B1-09D8-4AE3-86A9-0142678FF627}	4/22/2025 17:42	jennifers127	5/30/2025 19:02	JENNIFERSALEMANN	2393	DW_2393
392	Point	{B91C99BD-A24E-4E2E-A816-93B9D9821690}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2394	DW_2394
393	Point	{5293EEAE-F6F8-49B6-A889-3479F437515C}	4/22/2025 17:42	jennifers127	5/30/2025 19:03	JENNIFERSALEMANN	2395	DW_2395
394	Point	{861EDD9D-BA80-409F-A77C-A4657099BA9D}	4/22/2025 17:42	jennifers127	5/30/2025 19:03	JENNIFERSALEMANN	2396	DW_2396
395	Point	{C1C22BEE-901A-4E26-88A4-E0D914E894E2}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2397	DW_2397
396	Point	{C3C420A4-5FF1-4C43-B00E-D70B9DD41656}	4/22/2025 17:42	jennifers127	5/30/2025 19:03	JENNIFERSALEMANN	2398	DW_2398
397	Point	{2CC4A2C7-F505-46EE-B9B2-266C5B8E50AC}	4/22/2025 17:42	jennifers127	5/30/2025 19:04	JENNIFERSALEMANN	2399	DW_2399
398	Point	{45B9E70D-083B-4ABE-9679-FC731E929687}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2400	DW_2400
399	Point	{8A841D03-B9EE-422E-A85E-1E819DCB00C4}	4/22/2025 17:42	jennifers127	5/30/2025 19:04	JENNIFERSALEMANN	2401	DW_2401
400	Point	{E73F5275-FDA1-4F27-B110-1D9EBEB5F010}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2402	DW_2402
401	Point	{EF8A0786-A443-4DDF-AD76-6A9E97287E4A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2403	DW_2403
402	Point	{18F75ED1-0F37-4810-BEBB-CFB8BE01F65C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2404	DW_2404
403	Point	{55A743DD-E36F-464D-9F70-006CE6A328B0}	4/22/2025 17:42	jennifers127	5/30/2025 19:05	JENNIFERSALEMANN	2405	DW_2405
404	Point	{6B82582B-2CBB-4195-8251-4EDC9200F587}	4/22/2025 17:42	jennifers127	5/30/2025 19:05	JENNIFERSALEMANN	2406	DW_2406

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
405	Point	{9B54024F-E0F5-4B15-A578-676114090974}	4/22/2025 17:42	jennifers127	5/30/2025 19:05	JENNIFERSALEMANN	2407	DW_2407
406	Point	{B1786A52-1D7D-46AE-A939-ED175D37B42B}	4/22/2025 17:42	jennifers127	5/30/2025 19:06	JENNIFERSALEMANN	2408	DW_2408
407	Point	{C98AF7AD-33F1-4A82-A541-3E94185EDD5A}	4/22/2025 17:42	jennifers127	5/30/2025 19:06	JENNIFERSALEMANN	2409	DW_2409
408	Point	{614E09F0-9866-43BA-A401-D604EF004478}	4/22/2025 17:42	jennifers127	5/30/2025 19:06	JENNIFERSALEMANN	2410	DW_2410
409	Point	{1C374B0A-B804-453E-897A-2B6DA7B41CB6}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2411	DW_2411
410	Point	{CD77CAEA-ADC8-4A04-8A19-A699BDA3412D}	4/22/2025 17:42	jennifers127	5/30/2025 19:07	JENNIFERSALEMANN	2412	DW_2412
411	Point	{92C8D8AA-080C-4129-B71E-2BCB46D54879}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2413	DW_2413
412	Point	{F07BA9FA-C856-43AE-8E01-AA685750EC6D}	4/22/2025 17:42	jennifers127	5/30/2025 19:07	JENNIFERSALEMANN	2414	DW_2414
413	Point	{006F718C-1290-43FC-877F-96ECAB869B59}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2415	DW_2415
414	Point	{DDDAF811-A6FE-43DB-8F6B-633E16722BAD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2416	DW_2416
415	Point	{8C81707B-347D-4679-90A4-0B33EC734A9B}	4/22/2025 17:42	jennifers127	5/30/2025 19:08	JENNIFERSALEMANN	2417	DW_2417
416	Point	{C00D63BF-1B67-45FD-86DB-55056012A370}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2418	DW_2418
417	Point	{D1067A47-E6E5-4B49-A090-4358447D245E}	4/22/2025 17:42	jennifers127	5/30/2025 19:09	JENNIFERSALEMANN	2419	DW_2419
418	Point	{AA26AABC-652A-44B2-94CC-B5B19AE9848F}	4/22/2025 17:42	jennifers127	5/30/2025 19:09	JENNIFERSALEMANN	2420	DW_2420
419	Point	{400C5B57-D902-4B58-8B9D-88277D9575AE}	4/22/2025 17:42	jennifers127	5/30/2025 19:21	JENNIFERSALEMANN	2421	DW_2421
420	Point	{8872F5D7-3217-474F-83B4-1FF604BC4986}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2422	DW_2422
421	Point	{B3B1AE7B-EA6D-4AE3-8EF8-1A084481F1E7}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2423	DW_2423
422	Point	{A0CCE72E-DFA9-4A05-A9E4-E12DBA1A6AFE}	4/22/2025 17:42	jennifers127	5/30/2025 19:11	JENNIFERSALEMANN	2424	DW_2424
423	Point	{11499ADB-E919-4D8B-9854-9ED1EBDA9FFA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2425	DW_2425
424	Point	{5D3871B3-EF64-43FA-A9C9-603279B94883}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2426	DW_2426
425	Point	{89CCBCC1-7D75-46C8-BD94-DA87EC140787}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2427	DW_2427
426	Point	{8F20C48C-A64C-4E54-AAC2-4D3D27EF89FA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2428	DW_2428
427	Point	{4C9501C2-F794-47DF-BA62-295AE976D94A}	4/22/2025 17:42	jennifers127	5/30/2025 19:11	JENNIFERSALEMANN	2429	DW_2429
428	Point	{0905B49B-D6A6-4EDB-855B-E3DE0F670426}	4/22/2025 17:42	jennifers127	5/30/2025 19:11	JENNIFERSALEMANN	2430	DW_2430
429	Point	{1778DFFD-5EDF-49C4-9D5B-3B5256EB5031}	4/22/2025 17:42	jennifers127	5/30/2025 19:12	JENNIFERSALEMANN	2431	DW_2431
430	Point	{B2BB8466-EF2F-45F4-8FE9-924940B6AFBF}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2432	DW_2432
431	Point	{173C4FA5-9D91-49D0-957F-3600DBA38B97}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2433	DW_2433
432	Point	{F6D0B168-EEEE-4D45-A7F3-528FF877F553}	4/22/2025 17:42	jennifers127	5/30/2025 19:12	JENNIFERSALEMANN	2434	DW_2434
433	Point	{5945912E-8546-4BAC-A999-60F97551F089}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2435	DW_2435
434	Point	{6FCDE5D1-733D-49A7-8E73-357D90DAB05C}	4/22/2025 17:42	jennifers127	5/30/2025 19:12	JENNIFERSALEMANN	2436	DW_2436
435	Point	{ECB67359-96E8-40D4-BA1C-92A489E0F1B3}	4/22/2025 17:42	jennifers127	5/30/2025 19:13	JENNIFERSALEMANN	2437	DW_2437
436	Point	{E3E2D5DA-D3EA-49E1-8582-AEE214AF29EC}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2438	DW_2438
437	Point	{D4E0D686-9288-4F2D-AB6B-C5342EC48437}	4/22/2025 17:42	jennifers127	5/30/2025 19:13	JENNIFERSALEMANN	2439	DW_2439
438	Point	{CF1EE211-6C4F-4C78-8672-A40C09704CF8}	4/22/2025 17:42	jennifers127	5/30/2025 19:14	JENNIFERSALEMANN	2440	DW_2440
439	Point	{72D9EE7B-6050-40BD-81BA-A2D750887722}	4/22/2025 17:42	jennifers127	5/30/2025 19:14	JENNIFERSALEMANN	2441	DW_2441
440	Point	{D44AA8B0-4C0C-4573-B24F-B620701A5780}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2442	DW_2442

City of Aberdeen
2025 ADA Transition Plan

FID *	Shape *	GlobalID *	CreationDate	Creator	EditDate	Editor	DW_ID_No	DW_ID
441	Point	{6875CA4A-9F8A-420D-840C-435ADAC2F772}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2443	DW_2443
442	Point	{E3EDBF03-6A73-4025-888C-5EF7D940F9E8}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2444	DW_2444
443	Point	{4F5E5485-6E80-4437-B926-D77E82FEC569}	4/22/2025 17:42	jennifers127	5/30/2025 19:14	JENNIFERSALEMANN	2445	DW_2445
444	Point	{F95674C6-077A-449F-8ED2-20D45F52A20A}	4/22/2025 17:42	jennifers127	5/30/2025 19:15	JENNIFERSALEMANN	2446	DW_2446
445	Point	{4E28B70E-D4D1-4B1A-B976-9CAED9719647}	4/22/2025 17:42	jennifers127	5/30/2025 19:15	JENNIFERSALEMANN	2447	DW_2447
446	Point	{3CDFD0EE-D32A-4F0F-A748-AF52F7BEE8BA}	4/22/2025 17:42	jennifers127	5/30/2025 19:15	JENNIFERSALEMANN	2448	DW_2448
447	Point	{F951CEE3-9FC1-4965-98DC-DBD0AAD600ED}	4/22/2025 17:42	jennifers127	5/30/2025 19:15	JENNIFERSALEMANN	2449	DW_2449
448	Point	{10279957-61E9-4E53-A1B0-A4866377FC14}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2450	DW_2450
449	Point	{7246AD52-7B04-42B9-A220-8D6A3102D1B5}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2451	DW_2451
450	Point	{1B49E903-CCF7-4840-A3B9-A61CB2764FB4}	4/22/2025 17:42	jennifers127	5/30/2025 19:16	JENNIFERSALEMANN	2452	DW_2452
451	Point	{2AA039CD-077E-4FCD-B753-6300ACD6A3AD}	4/22/2025 17:42	jennifers127	5/30/2025 19:16	JENNIFERSALEMANN	2453	DW_2453
452	Point	{C911AFFE-D6B6-4ED7-B339-6CDCB62F3909}	4/22/2025 17:42	jennifers127	5/30/2025 19:16	JENNIFERSALEMANN	2454	DW_2454
453	Point	{C202B83E-976D-4358-B950-2D421BF9BCBE}	4/22/2025 17:42	jennifers127	5/30/2025 19:17	JENNIFERSALEMANN	2455	DW_2455
454	Point	{F917E6CE-084C-49F9-A987-9253A2524D44}	4/22/2025 17:42	jennifers127	5/30/2025 19:17	JENNIFERSALEMANN	2456	DW_2456
455	Point	{21B6560D-58AD-4A34-B8F7-0364EE8B538F}	4/22/2025 17:42	jennifers127	5/30/2025 19:18	JENNIFERSALEMANN	2457	DW_2457
456	Point	{437B1754-61B1-48A5-B391-22B7F49E093B}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2458	DW_2458
457	Point	{C1694B70-708A-4065-ACAA-7DE6A57FC6A0}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2459	DW_2459
458	Point	{1AFE34A9-6D96-4678-954F-4739A29E147C}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2460	DW_2460
459	Point	{27AA2C4A-EF09-4638-B927-04E1C1F6FBFA}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2461	DW_2461
460	Point	{1B861EF2-6824-4DC4-93C3-B3F61BD436DD}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2462	DW_2462
461	Point	{3A3FA181-FB81-4736-B372-3C966C4E01A9}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2463	DW_2463
462	Point	{2F5482BE-C02C-4CC9-A27D-96F70D56A82A}	4/22/2025 17:42	jennifers127	5/28/2025 19:14	JENNIFERSALEMANN	2464	DW_2464
463	Point	{B8298A63-D54E-455A-9B35-264E78EB3A0F}	4/22/2025 17:42	jennifers127	5/30/2025 19:18	JENNIFERSALEMANN	2465	DW_2465
2457	Point	{353E9BFE-C977-4226-A04D-C4E0B7779EED}	4/25/2025 17:07		5/30/2025 19:19	JENNIFERSALEMANN	2466	DW_2466
2458	Point	{0BCFD477-F223-4100-A53E-133348C14FA6}	4/25/2025 17:10		5/30/2025 19:19	JENNIFERSALEMANN	2467	DW_2467
2459	Point	{02C8238D-7EE2-4A4B-ADF0-0D5B8E59681A}	4/25/2025 17:25		5/30/2025 19:19	JENNIFERSALEMANN	2468	DW_2468
2456	Point	{769A3D7D-2E7E-4FF6-9AA3-3215B9736A99}	4/24/2025 18:13		5/30/2025 19:20	JENNIFERSALEMANN	2469	DW_2469

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0001		0	0	<Null>	<Null>	No Photo Attachment
DW_0002		0	0	<Null>	<Null>	No Photo Attachment
DW_0003		0	0	<Null>	<Null>	No Photo Attachment
DW_0004		0	0	<Null>	<Null>	No Photo Attachment
DW_0005		0	0	<Null>	<Null>	No Photo Attachment
DW_0006		0	0	<Null>	<Null>	No Photo Attachment
DW_0007		0	0	<Null>	<Null>	No Photo Attachment
DW_0008		0	0	<Null>	<Null>	No Photo Attachment
DW_0009	Buffered PAR with Wings (WSDOT Type 3)	0	70	<Null>	<Null>	Has Photo Attachment
DW_0010	Other	2	72	<Null>	<Null>	Has Photo Attachment
DW_0011	Other	1.7	72	<Null>	<Null>	Has Photo Attachment
DW_0012		0	0	<Null>	<Null>	No Photo Attachment
DW_0013	Other	2.7	72	<Null>	<Null>	Has Photo Attachment
DW_0014		0	0	<Null>	<Null>	No Photo Attachment
DW_0015		0	0	<Null>	<Null>	No Photo Attachment
DW_0016	Other	1	72	<Null>	<Null>	Has Photo Attachment
DW_0017	Buffered PAR with Wings (WSDOT Type 3)	3.6	69	<Null>	<Null>	Has Photo Attachment
DW_0018	Buffered PAR with Wings (WSDOT Type 3)	2	71	<Null>	<Null>	Has Photo Attachment
DW_0019		0	0	<Null>	<Null>	No Photo Attachment
DW_0020	Buffered PAR with Wings (WSDOT Type 3)	2	56	<Null>	<Null>	Has Photo Attachment
DW_0021		0	0	<Null>	<Null>	No Photo Attachment
DW_0022		0	0	<Null>	<Null>	No Photo Attachment
DW_0023	Buffered PAR with Wings (WSDOT Type 3)	1.6	72	<Null>	<Null>	Has Photo Attachment
DW_0024	Buffered PAR with Wings (WSDOT Type 3)	2.5	70	<Null>	<Null>	Has Photo Attachment
DW_0025		0	0	<Null>	<Null>	No Photo Attachment
DW_0026		0	0	<Null>	<Null>	No Photo Attachment
DW_0027		0	0	<Null>	<Null>	No Photo Attachment
DW_0028	Buffered PAR with Wings (WSDOT Type 3)	2	72	<Null>	<Null>	Has Photo Attachment
DW_0029	Other	2	72	<Null>	<Null>	Has Photo Attachment
DW_0030		0	0	<Null>	<Null>	No Photo Attachment
DW_0031		0	0	<Null>	<Null>	No Photo Attachment
DW_0032		0	0	<Null>	<Null>	No Photo Attachment
DW_0033	Other	5	72	<Null>	<Null>	Has Photo Attachment
DW_0034	Other	3.8	72	<Null>	<Null>	Has Photo Attachment
DW_0035		0	0	<Null>	<Null>	No Photo Attachment
DW_0036		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0037		0	0	<Null>	<Null>	No Photo Attachment
DW_0038		0	0	<Null>	<Null>	No Photo Attachment
DW_0039		0	0	<Null>	<Null>	No Photo Attachment
DW_0040	Other	4.1	72	<Null>	<Null>	Has Photo Attachment
DW_0041	Other	1.5	48	<Null>	<Null>	Has Photo Attachment
DW_0042		0	0	<Null>	<Null>	No Photo Attachment
DW_0043	Buffered PAR with Wings (WSDOT Type 3)	1.4	71	<Null>	<Null>	Has Photo Attachment
DW_0044		0	0	<Null>	<Null>	No Photo Attachment
DW_0045		0	0	<Null>	<Null>	No Photo Attachment
DW_0046	Other	1.5	60	<Null>	<Null>	Has Photo Attachment
DW_0047	Buffered PAR with Wings (WSDOT Type 3)	0.9	66	<Null>	<Null>	Has Photo Attachment
DW_0048	Buffered PAR with Wings (WSDOT Type 3)	2	72	<Null>	<Null>	Has Photo Attachment
DW_0049		0	0	<Null>	<Null>	No Photo Attachment
DW_0050	Buffered PAR with Wings (WSDOT Type 3)	1.2	72	<Null>	<Null>	Has Photo Attachment
DW_0051		0	0	<Null>	<Null>	No Photo Attachment
DW_0052		0	0	<Null>	<Null>	No Photo Attachment
DW_0053		0	0	<Null>	<Null>	No Photo Attachment
DW_0054		0	0	<Null>	<Null>	No Photo Attachment
DW_0055		0	0	<Null>	<Null>	No Photo Attachment
DW_0056	Parallel Ramp Approach (WSDOT Type 1)	1.2	96	1.4	1.7	Has Photo Attachment
DW_0057	Parallel Ramp Approach (WSDOT Type 1)	1.8	96	<Null>	<Null>	Has Photo Attachment
DW_0058		0	0	<Null>	<Null>	No Photo Attachment
DW_0059	Buffered PAR with Wings (WSDOT Type 3)	1.8	63	<Null>	<Null>	Has Photo Attachment
DW_0060	Buffered PAR with Wings (WSDOT Type 3)	1.5	63	<Null>	<Null>	Has Photo Attachment
DW_0061		0	0	<Null>	<Null>	No Photo Attachment
DW_0062		0	0	<Null>	<Null>	No Photo Attachment
DW_0063	Buffered PAR with Wings (WSDOT Type 3)	0.9	71	<Null>	<Null>	Has Photo Attachment
DW_0064	Buffered PAR with Wings (WSDOT Type 3)	0.3	71	<Null>	<Null>	Has Photo Attachment
DW_0065		0	0	<Null>	<Null>	No Photo Attachment
DW_0066		0	0	<Null>	<Null>	No Photo Attachment
DW_0067		0	0	<Null>	<Null>	No Photo Attachment
DW_0068	Buffered PAR with Wings (WSDOT Type 3)	1.7	70	<Null>	<Null>	Has Photo Attachment
DW_0069	Buffered PAR with Wings (WSDOT Type 3)	1.1	66	<Null>	<Null>	Has Photo Attachment
DW_0070		0	0	<Null>	<Null>	No Photo Attachment
DW_0071		0	0	<Null>	<Null>	No Photo Attachment
DW_0072		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0073		0	0	<Null>	<Null>	No Photo Attachment
DW_0074	Buffered PAR with Wings (WSDOT Type 3)	3.2	70	<Null>	<Null>	Has Photo Attachment
DW_0075		2.4	70	<Null>	<Null>	Has Photo Attachment
DW_0076	Buffered PAR with Wings (WSDOT Type 3)	3.4	70	<Null>	<Null>	Has Photo Attachment
DW_0077	Buffered PAR with Wings (WSDOT Type 3)	3.5	71	<Null>	<Null>	Has Photo Attachment
DW_0078	Buffered PAR with Wings (WSDOT Type 3)	1.1	71	<Null>	<Null>	Has Photo Attachment
DW_0079		0	0	<Null>	<Null>	No Photo Attachment
DW_0080		0	0	<Null>	<Null>	No Photo Attachment
DW_0081	Buffered PAR with Wings (WSDOT Type 3)	0.8	72	<Null>	<Null>	Has Photo Attachment
DW_0082		0	0	<Null>	<Null>	No Photo Attachment
DW_0083	Buffered PAR with Wings (WSDOT Type 3)	1.3	71	<Null>	<Null>	Has Photo Attachment
DW_0084	Buffered PAR with Wings (WSDOT Type 3)	1.1	71	<Null>	<Null>	Has Photo Attachment
DW_0085	Buffered PAR with Wings (WSDOT Type 3)	0.6	71	<Null>	<Null>	Has Photo Attachment
DW_0086	Buffered PAR with Wings (WSDOT Type 3)	2.7	71	<Null>	<Null>	Has Photo Attachment
DW_0087	Other	6.2	94	<Null>	<Null>	Has Photo Attachment
DW_0088		0	0	<Null>	<Null>	No Photo Attachment
DW_0089		0	0	<Null>	<Null>	No Photo Attachment
DW_0090		0	0	<Null>	<Null>	No Photo Attachment
DW_0091		0	0	<Null>	<Null>	No Photo Attachment
DW_0092		0	0	<Null>	<Null>	No Photo Attachment
DW_0093		0	0	<Null>	<Null>	No Photo Attachment
DW_0094		0	0	<Null>	<Null>	No Photo Attachment
DW_0095		0	0	<Null>	<Null>	No Photo Attachment
DW_0096	Buffered PAR with Wings (WSDOT Type 3)	3.8	71	<Null>	<Null>	Has Photo Attachment
DW_0097	Buffered PAR with Wings (WSDOT Type 3)	2	70	<Null>	<Null>	Has Photo Attachment
DW_0098		0	0	<Null>	<Null>	No Photo Attachment
DW_0099		0	0	<Null>	<Null>	No Photo Attachment
DW_0100		0	0	<Null>	<Null>	No Photo Attachment
DW_0101		0	0	<Null>	<Null>	No Photo Attachment
DW_0102		0	0	<Null>	<Null>	No Photo Attachment
DW_0103		0	0	<Null>	<Null>	No Photo Attachment
DW_0104	Buffered PAR with Wings (WSDOT Type 3)	0.7	68	<Null>	<Null>	Has Photo Attachment
DW_0105		0	0	<Null>	<Null>	No Photo Attachment
DW_0106	Buffered PAR with Wings (WSDOT Type 3)	0.3	68	<Null>	<Null>	Has Photo Attachment
DW_0107	Buffered PAR with Wings (WSDOT Type 3)	2	68	<Null>	<Null>	Has Photo Attachment
DW_0108	Buffered PAR with Wings (WSDOT Type 3)	1.1	68	<Null>	<Null>	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0109	Parallel Ramp Approach (WSDOT Type 1)	1.2	89	1.2	1.8	Has Photo Attachment
DW_0110		0	0	<Null>	<Null>	No Photo Attachment
DW_0111		0	0	<Null>	<Null>	No Photo Attachment
DW_0112		0	0	<Null>	<Null>	No Photo Attachment
DW_0113		0	0	<Null>	<Null>	No Photo Attachment
DW_0114		0	0	<Null>	<Null>	No Photo Attachment
DW_0115		0	0	<Null>	<Null>	No Photo Attachment
DW_0116		0	0	<Null>	<Null>	No Photo Attachment
DW_0117		0	0	<Null>	<Null>	No Photo Attachment
DW_0118	Buffered PAR with Wings (WSDOT Type 3)	1.6	75	<Null>	<Null>	Has Photo Attachment
DW_0119		0	0	<Null>	<Null>	No Photo Attachment
DW_0120		0	0	<Null>	<Null>	No Photo Attachment
DW_0121		0	0	<Null>	<Null>	No Photo Attachment
DW_0122		0	0	<Null>	<Null>	No Photo Attachment
DW_0123		0	0	<Null>	<Null>	No Photo Attachment
DW_0124		0	0	<Null>	<Null>	No Photo Attachment
DW_0125		0	0	<Null>	<Null>	No Photo Attachment
DW_0126		0	0	<Null>	<Null>	No Photo Attachment
DW_0127		0	0	<Null>	<Null>	No Photo Attachment
DW_0128		0	0	<Null>	<Null>	No Photo Attachment
DW_0129		0	0	<Null>	<Null>	No Photo Attachment
DW_0130	Other	0.9	68	<Null>	<Null>	Has Photo Attachment
DW_0131	Other	1.7	68	<Null>	<Null>	Has Photo Attachment
DW_0132		0	0	<Null>	<Null>	No Photo Attachment
DW_0133		0	0	<Null>	<Null>	No Photo Attachment
DW_0134		0	0	<Null>	<Null>	No Photo Attachment
DW_0135		0	0	<Null>	<Null>	No Photo Attachment
DW_0136	Other	2.4	60	<Null>	<Null>	Has Photo Attachment
DW_0137	Other	0	54	<Null>	<Null>	Has Photo Attachment
DW_0138		0	0	<Null>	<Null>	No Photo Attachment
DW_0139		0	0	<Null>	<Null>	No Photo Attachment
DW_0140		0	0	<Null>	<Null>	No Photo Attachment
DW_0141	Other	1.3	72	<Null>	<Null>	Has Photo Attachment
DW_0142	Other	2.2	72	<Null>	<Null>	Has Photo Attachment
DW_0143	Other	0.6	72	<Null>	<Null>	Has Photo Attachment
DW_0144	Other	1.2	72	<Null>	<Null>	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0145	Other	1.1	72	<Null>	<Null>	Has Photo Attachment
DW_0146	Other	0.7	72	<Null>	<Null>	Has Photo Attachment
DW_0147	Other	2.6	72	<Null>	<Null>	Has Photo Attachment
DW_0148	Buffered PAR with Wings (WSDOT Type 3)	0.9	72	<Null>	<Null>	Has Photo Attachment
DW_0149	Buffered PAR with Wings (WSDOT Type 3)	1.7	72	<Null>	<Null>	Has Photo Attachment
DW_0150	Buffered PAR with Wings (WSDOT Type 3)	1.8	71	<Null>	<Null>	Has Photo Attachment
DW_0151	Buffered PAR with Wings (WSDOT Type 3)	1	71	<Null>	<Null>	Has Photo Attachment
DW_0152	Buffered PAR with Wings (WSDOT Type 3)	0.9	72	<Null>	<Null>	Has Photo Attachment
DW_0153		0	0	<Null>	<Null>	No Photo Attachment
DW_0154		0	0	<Null>	<Null>	No Photo Attachment
DW_0155		0	0	<Null>	<Null>	No Photo Attachment
DW_0156		0	0	<Null>	<Null>	No Photo Attachment
DW_0157	Other	1.2	66	<Null>	<Null>	Has Photo Attachment
DW_0158	Other	1.5	66	<Null>	<Null>	Has Photo Attachment
DW_0159	Other	0.9	66	<Null>	<Null>	Has Photo Attachment
DW_0160	Other	2	68	<Null>	<Null>	Has Photo Attachment
DW_0161	Other	0	66	<Null>	<Null>	Has Photo Attachment
DW_0162		0	0	<Null>	<Null>	No Photo Attachment
DW_0163		0	0	<Null>	<Null>	No Photo Attachment
DW_0164	Buffered PAR with Wings (WSDOT Type 3)	1.6	48	<Null>	<Null>	Has Photo Attachment
DW_0165		0	0	<Null>	<Null>	No Photo Attachment
DW_0166	Buffered PAR with Wings (WSDOT Type 3)	1.5	68	<Null>	<Null>	Has Photo Attachment
DW_0167		0	0	<Null>	<Null>	No Photo Attachment
DW_0168	Buffered PAR with Wings (WSDOT Type 3)	1.7	68	<Null>	<Null>	Has Photo Attachment
DW_0169	Wings - Not ADA Accessible (WSDOT Type 4)	6.5	68	<Null>	<Null>	Has Photo Attachment
DW_0170	Wings - Not ADA Accessible (WSDOT Type 4)	6.7	68	<Null>	<Null>	Has Photo Attachment
DW_0171		0	0	<Null>	<Null>	No Photo Attachment
DW_0172	Buffered PAR with Wings (WSDOT Type 3)	2.4	66	<Null>	<Null>	Has Photo Attachment
DW_0173	Buffered PAR with Wings (WSDOT Type 3)	2.6	66	<Null>	<Null>	Has Photo Attachment
DW_0174		0	0	<Null>	<Null>	No Photo Attachment
DW_0175		0	0	<Null>	<Null>	No Photo Attachment
DW_0176		0	0	<Null>	<Null>	No Photo Attachment
DW_0177		0	0	<Null>	<Null>	No Photo Attachment
DW_0178	Buffered PAR with Wings (WSDOT Type 3)	1.7	54	<Null>	<Null>	Has Photo Attachment
DW_0179	Buffered PAR with Wings (WSDOT Type 3)	1.1	54	<Null>	<Null>	Has Photo Attachment
DW_0180	Buffered PAR with Wings (WSDOT Type 3)	1.8	54	<Null>	<Null>	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0181	Buffered PAR with Wings (WSDOT Type 3)	0.9	54	<Null>	<Null>	Has Photo Attachment
DW_0182		0	0	<Null>	<Null>	No Photo Attachment
DW_0183		0	0	<Null>	<Null>	No Photo Attachment
DW_0184		0	0	<Null>	<Null>	No Photo Attachment
DW_0185		0	0	<Null>	<Null>	No Photo Attachment
DW_0186	Buffered PAR with Wings (WSDOT Type 3)	1	60	<Null>	<Null>	Has Photo Attachment
DW_0187		0	0	<Null>	<Null>	No Photo Attachment
DW_0188	Buffered PAR with Wings (WSDOT Type 3)	0	60	<Null>	<Null>	Has Photo Attachment
DW_0189	Buffered PAR with Wings (WSDOT Type 3)	1.8	53	<Null>	<Null>	Has Photo Attachment
DW_0190	Buffered PAR with Wings (WSDOT Type 3)	1.7	53	<Null>	<Null>	Has Photo Attachment
DW_0191		0	0	<Null>	<Null>	No Photo Attachment
DW_0192		0	0	<Null>	<Null>	No Photo Attachment
DW_0193		0	0	<Null>	<Null>	No Photo Attachment
DW_0194		0	0	<Null>	<Null>	No Photo Attachment
DW_0195		0	0	<Null>	<Null>	No Photo Attachment
DW_0196		0	0	<Null>	<Null>	No Photo Attachment
DW_0197		0	0	<Null>	<Null>	No Photo Attachment
DW_0198		0	0	<Null>	<Null>	No Photo Attachment
DW_0199	Buffered PAR with Wings (WSDOT Type 3)	1.3	72	<Null>	<Null>	Has Photo Attachment
DW_0200		0	0	<Null>	<Null>	No Photo Attachment
DW_0201	Buffered PAR with Wings (WSDOT Type 3)	2.7	70	<Null>	<Null>	Has Photo Attachment
DW_0202	Buffered PAR with Wings (WSDOT Type 3)	4.1	70	<Null>	<Null>	Has Photo Attachment
DW_0203		0	0	<Null>	<Null>	No Photo Attachment
DW_0204		0	0	<Null>	<Null>	No Photo Attachment
DW_0205	Buffered PAR with Wings (WSDOT Type 3)	1.3	70	<Null>	<Null>	Has Photo Attachment
DW_0206	Wings - Not ADA Accessible (WSDOT Type 4)	4.7	70	<Null>	<Null>	Has Photo Attachment
DW_0207	Other	1.1	66	<Null>	<Null>	Has Photo Attachment
DW_0208		0	0	<Null>	<Null>	No Photo Attachment
DW_0209		0	0	<Null>	<Null>	No Photo Attachment
DW_0210		0	0	<Null>	<Null>	No Photo Attachment
DW_0211		0	0	<Null>	<Null>	No Photo Attachment
DW_0212		0	0	<Null>	<Null>	No Photo Attachment
DW_0213		0	0	<Null>	<Null>	No Photo Attachment
DW_0214		0	0	<Null>	<Null>	No Photo Attachment
DW_0215		0	0	<Null>	<Null>	No Photo Attachment
DW_0216		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0217		0	0	<Null>	<Null>	No Photo Attachment
DW_0218		0	0	<Null>	<Null>	No Photo Attachment
DW_0219		0	0	<Null>	<Null>	No Photo Attachment
DW_0220	Buffered PAR with Wings (WSDOT Type 3)	0.2	59	<Null>	<Null>	Has Photo Attachment
DW_0221		0	0	<Null>	<Null>	No Photo Attachment
DW_0222		0	0	<Null>	<Null>	No Photo Attachment
DW_0223		0	0	<Null>	<Null>	No Photo Attachment
DW_0224		0	0	<Null>	<Null>	No Photo Attachment
DW_0225		0	0	<Null>	<Null>	No Photo Attachment
DW_0226	Other	9.3	60	<Null>	<Null>	Has Photo Attachment
DW_0227	Other	8.3	54	<Null>	<Null>	Has Photo Attachment
DW_0228		0	0	<Null>	<Null>	No Photo Attachment
DW_0229	<Null>	2	60	<Null>	<Null>	Has Photo Attachment
DW_0230		0	0	<Null>	<Null>	No Photo Attachment
DW_0231		0	0	<Null>	<Null>	No Photo Attachment
DW_0232		0	0	<Null>	<Null>	No Photo Attachment
DW_0233		0	0	<Null>	<Null>	No Photo Attachment
DW_0234		0	0	<Null>	<Null>	No Photo Attachment
DW_0235		0	0	<Null>	<Null>	No Photo Attachment
DW_0236		0	0	<Null>	<Null>	No Photo Attachment
DW_0237		0	0	<Null>	<Null>	No Photo Attachment
DW_0238	Parallel Ramp Approach (WSDOT Type 1)	2	60	2	5.8	Has Photo Attachment
DW_0239	Other	3.4	48	<Null>	<Null>	Has Photo Attachment
DW_0240	Other	2	60	<Null>	<Null>	Has Photo Attachment
DW_0241	Other	0.5	48	<Null>	<Null>	Has Photo Attachment
DW_0242	Other	4.2	48	<Null>	<Null>	Has Photo Attachment
DW_0243		0	0	<Null>	<Null>	No Photo Attachment
DW_0244		0	0	<Null>	<Null>	No Photo Attachment
DW_0245		0	0	<Null>	<Null>	No Photo Attachment
DW_0246		0	0	<Null>	<Null>	No Photo Attachment
DW_0247		0	0	<Null>	<Null>	No Photo Attachment
DW_0248		0	0	<Null>	<Null>	No Photo Attachment
DW_0249		0	0	<Null>	<Null>	No Photo Attachment
DW_0250		0	0	<Null>	<Null>	No Photo Attachment
DW_0251		0	0	<Null>	<Null>	No Photo Attachment
DW_0252		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0253		0	0	<Null>	<Null>	No Photo Attachment
DW_0254		0	0	<Null>	<Null>	No Photo Attachment
DW_0255		0	0	<Null>	<Null>	No Photo Attachment
DW_0256		0	0	<Null>	<Null>	No Photo Attachment
DW_0257		0	0	<Null>	<Null>	No Photo Attachment
DW_0258		0	0	<Null>	<Null>	No Photo Attachment
DW_0259		0	0	<Null>	<Null>	No Photo Attachment
DW_0260		0	0	<Null>	<Null>	No Photo Attachment
DW_0261		0	0	<Null>	<Null>	No Photo Attachment
DW_0262		0	0	<Null>	<Null>	No Photo Attachment
DW_0263		0	0	<Null>	<Null>	No Photo Attachment
DW_0264		0	0	<Null>	<Null>	No Photo Attachment
DW_0265		0	0	<Null>	<Null>	No Photo Attachment
DW_0266	Parallel Ramp Approach (WSDOT Type 1)	1.7	60	1.9	5.9	Has Photo Attachment
DW_0267	Other	2.7	60	0.3	0.1	Has Photo Attachment
DW_0268		0	0	<Null>	<Null>	No Photo Attachment
DW_0269		0	0	<Null>	<Null>	No Photo Attachment
DW_0270		0	0	<Null>	<Null>	No Photo Attachment
DW_0271		0	0	<Null>	<Null>	No Photo Attachment
DW_0272		0	0	<Null>	<Null>	No Photo Attachment
DW_0273		0	0	<Null>	<Null>	No Photo Attachment
DW_0274		0	0	<Null>	<Null>	No Photo Attachment
DW_0275		0	0	<Null>	<Null>	No Photo Attachment
DW_0276		0	0	<Null>	<Null>	No Photo Attachment
DW_0277		0	0	<Null>	<Null>	No Photo Attachment
DW_0278		0	0	<Null>	<Null>	No Photo Attachment
DW_0279		0	0	<Null>	<Null>	No Photo Attachment
DW_0280		0	0	<Null>	<Null>	No Photo Attachment
DW_0281		0	0	<Null>	<Null>	No Photo Attachment
DW_0282		0	0	<Null>	<Null>	No Photo Attachment
DW_0283		0	0	<Null>	<Null>	No Photo Attachment
DW_0284		0	0	<Null>	<Null>	No Photo Attachment
DW_0285		0	0	<Null>	<Null>	No Photo Attachment
DW_0286		0	0	<Null>	<Null>	No Photo Attachment
DW_0287		0	0	<Null>	<Null>	No Photo Attachment
DW_0288		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0289		0	0	<Null>	<Null>	No Photo Attachment
DW_0290		0	0	<Null>	<Null>	No Photo Attachment
DW_0291		0	0	<Null>	<Null>	No Photo Attachment
DW_0292		0	0	<Null>	<Null>	No Photo Attachment
DW_0293		0	0	<Null>	<Null>	No Photo Attachment
DW_0294	Parallel Ramp Approach (WSDOT Type 1)	1.5	60	1.3	7.2	Has Photo Attachment
DW_0295		0	0	<Null>	<Null>	No Photo Attachment
DW_0296		0	0	<Null>	<Null>	No Photo Attachment
DW_0297		0	0	<Null>	<Null>	No Photo Attachment
DW_0298	Parallel Ramp Approach (WSDOT Type 1)	0.8	60	2.1	8.3	Has Photo Attachment
DW_0299	Other	4.5	54	1.2	0.5	Has Photo Attachment
DW_0300	Other	6.2	54	4.9	2.5	Has Photo Attachment
DW_0301	Other	6.3	53	3.7	2.6	Has Photo Attachment
DW_0302	Other	5.5	53	6	3.2	Has Photo Attachment
DW_0303		0	0	<Null>	<Null>	No Photo Attachment
DW_0304		0	0	<Null>	<Null>	No Photo Attachment
DW_0305		0	0	<Null>	<Null>	No Photo Attachment
DW_0306		0	0	<Null>	<Null>	No Photo Attachment
DW_0307		0	0	<Null>	<Null>	No Photo Attachment
DW_0308		0	0	<Null>	<Null>	No Photo Attachment
DW_0309	Parallel Ramp Approach (WSDOT Type 1)	1.2	60	0.4	5.9	Has Photo Attachment
DW_0310		0	0	<Null>	<Null>	No Photo Attachment
DW_0311		0	0	<Null>	<Null>	No Photo Attachment
DW_0312		0	0	<Null>	<Null>	No Photo Attachment
DW_0313		0	0	<Null>	<Null>	No Photo Attachment
DW_0314		0	0	<Null>	<Null>	No Photo Attachment
DW_0315		0	0	<Null>	<Null>	No Photo Attachment
DW_0316	Wings - Not ADA Accessible (WSDOT Type 4)	10	60	<Null>	<Null>	Has Photo Attachment
DW_0317		0	0	<Null>	<Null>	No Photo Attachment
DW_0318		0	0	<Null>	<Null>	No Photo Attachment
DW_0319		0	0	<Null>	<Null>	No Photo Attachment
DW_0320		0	0	<Null>	<Null>	No Photo Attachment
DW_0321		0	0	<Null>	<Null>	No Photo Attachment
DW_0322		0	0	<Null>	<Null>	No Photo Attachment
DW_0323		0	0	<Null>	<Null>	No Photo Attachment
DW_0324		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0325		0	0	<Null>	<Null>	No Photo Attachment
DW_0326		0	0	<Null>	<Null>	No Photo Attachment
DW_0327		0	0	<Null>	<Null>	No Photo Attachment
DW_0328		0	0	<Null>	<Null>	No Photo Attachment
DW_0329		0	0	<Null>	<Null>	No Photo Attachment
DW_0330		0	0	<Null>	<Null>	No Photo Attachment
DW_0331		0	0	<Null>	<Null>	No Photo Attachment
DW_0332		0	0	<Null>	<Null>	No Photo Attachment
DW_0333		0	0	<Null>	<Null>	No Photo Attachment
DW_0334		0	0	<Null>	<Null>	No Photo Attachment
DW_0335	Buffered PAR with Wings (WSDOT Type 3)	5.4	72	<Null>	<Null>	Has Photo Attachment
DW_0336		0	0	<Null>	<Null>	No Photo Attachment
DW_0337		0	0	<Null>	<Null>	No Photo Attachment
DW_0338	Parallel Ramp Approach (WSDOT Type 1)	1.1	70	2.1	1.4	Has Photo Attachment
DW_0339	Parallel Ramp Approach (WSDOT Type 1)	0.7	70	2.1	2.5	Has Photo Attachment
DW_0340		0	0	<Null>	<Null>	No Photo Attachment
DW_0341		0	0	<Null>	<Null>	No Photo Attachment
DW_0342		0	0	<Null>	<Null>	No Photo Attachment
DW_0343		0	0	<Null>	<Null>	No Photo Attachment
DW_0344		0	0	<Null>	<Null>	No Photo Attachment
DW_0345		0	0	<Null>	<Null>	No Photo Attachment
DW_0346		0	0	<Null>	<Null>	No Photo Attachment
DW_0347		0	0	<Null>	<Null>	No Photo Attachment
DW_0348		0	0	<Null>	<Null>	No Photo Attachment
DW_0349		0	0	<Null>	<Null>	No Photo Attachment
DW_0350		0	0	<Null>	<Null>	No Photo Attachment
DW_0351		0	0	<Null>	<Null>	No Photo Attachment
DW_0352		0	0	<Null>	<Null>	No Photo Attachment
DW_0353		0	0	<Null>	<Null>	No Photo Attachment
DW_0354	Parallel Ramp Approach (WSDOT Type 1)	0.9	60	2	5.9	Has Photo Attachment
DW_0355		0	0	<Null>	<Null>	No Photo Attachment
DW_0356		0	0	<Null>	<Null>	No Photo Attachment
DW_0357		0	0	<Null>	<Null>	No Photo Attachment
DW_0358		0	0	<Null>	<Null>	No Photo Attachment
DW_0359		0	0	<Null>	<Null>	No Photo Attachment
DW_0360		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0361		0	0	<Null>	<Null>	No Photo Attachment
DW_0362		0	0	<Null>	<Null>	No Photo Attachment
DW_0363		0	0	<Null>	<Null>	No Photo Attachment
DW_0364		0	0	<Null>	<Null>	No Photo Attachment
DW_0365		0	0	<Null>	<Null>	No Photo Attachment
DW_0366		0	0	<Null>	<Null>	No Photo Attachment
DW_0367	Buffered PAR with Wings (WSDOT Type 3)	1.2	67	<Null>	<Null>	Has Photo Attachment
DW_0368	Buffered PAR with Wings (WSDOT Type 3)	1.2	71	<Null>	<Null>	Has Photo Attachment
DW_0369		0	0	<Null>	<Null>	No Photo Attachment
DW_0370		0	0	<Null>	<Null>	No Photo Attachment
DW_0371	Buffered PAR with Wings (WSDOT Type 3)	3	70	<Null>	<Null>	Has Photo Attachment
DW_0372	Buffered PAR with Wings (WSDOT Type 3)	1.8	72	<Null>	<Null>	Has Photo Attachment
DW_0373		0	0	<Null>	<Null>	No Photo Attachment
DW_0374	Buffered PAR with Wings (WSDOT Type 3)	1.3	71	<Null>	<Null>	Has Photo Attachment
DW_0375	Buffered PAR with Wings (WSDOT Type 3)	1.3	71	<Null>	<Null>	Has Photo Attachment
DW_0376		0	0	<Null>	<Null>	No Photo Attachment
DW_0377		0	0	<Null>	<Null>	No Photo Attachment
DW_0378		0	0	<Null>	<Null>	No Photo Attachment
DW_0379		0	0	<Null>	<Null>	No Photo Attachment
DW_0380		0	0	<Null>	<Null>	No Photo Attachment
DW_0381		0	0	<Null>	<Null>	No Photo Attachment
DW_0382		0	0	<Null>	<Null>	No Photo Attachment
DW_0383		0	0	<Null>	<Null>	No Photo Attachment
DW_0384	Parallel Ramp Approach (WSDOT Type 1)	1.6	54	1.304	7.3	Has Photo Attachment
DW_0385	Parallel Ramp Approach (WSDOT Type 1)	1.8	48	2	8	Has Photo Attachment
DW_0386		0	0	<Null>	<Null>	No Photo Attachment
DW_0387		0	0	<Null>	<Null>	No Photo Attachment
DW_0388		0	0	<Null>	<Null>	No Photo Attachment
DW_0389	Parallel Ramp Approach (WSDOT Type 1)	0.9	48	1.5	5.8	Has Photo Attachment
DW_0390	Parallel Ramp Approach (WSDOT Type 1)	0.1	72	0.5	6	Has Photo Attachment
DW_0391		0	0	<Null>	<Null>	No Photo Attachment
DW_0392		0	0	<Null>	<Null>	No Photo Attachment
DW_0393	Parallel Ramp Approach (WSDOT Type 1)	0.6	72	0.6	5.5	Has Photo Attachment
DW_0394		0	0	<Null>	<Null>	No Photo Attachment
DW_0395		0	0	<Null>	<Null>	No Photo Attachment
DW_0396		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0397		0	0	<Null>	<Null>	No Photo Attachment
DW_0398		0	0	<Null>	<Null>	No Photo Attachment
DW_0399		0	0	<Null>	<Null>	No Photo Attachment
DW_0400		0	0	<Null>	<Null>	No Photo Attachment
DW_0401		0	0	<Null>	<Null>	No Photo Attachment
DW_0402		0	0	<Null>	<Null>	No Photo Attachment
DW_0403		0	0	<Null>	<Null>	No Photo Attachment
DW_0404		0	0	<Null>	<Null>	No Photo Attachment
DW_0405		0	0	<Null>	<Null>	No Photo Attachment
DW_0406		0	0	<Null>	<Null>	No Photo Attachment
DW_0407		0	0	<Null>	<Null>	No Photo Attachment
DW_0408		0	0	<Null>	<Null>	No Photo Attachment
DW_0409		0	0	<Null>	<Null>	No Photo Attachment
DW_0410		0	0	<Null>	<Null>	No Photo Attachment
DW_0411		0	0	<Null>	<Null>	No Photo Attachment
DW_0412		0	0	<Null>	<Null>	No Photo Attachment
DW_0413		0	0	<Null>	<Null>	No Photo Attachment
DW_0414		0	0	<Null>	<Null>	No Photo Attachment
DW_0415		0	0	<Null>	<Null>	No Photo Attachment
DW_0416		0	0	<Null>	<Null>	No Photo Attachment
DW_0417		0	0	<Null>	<Null>	No Photo Attachment
DW_0418		0	0	<Null>	<Null>	No Photo Attachment
DW_0419		0	0	<Null>	<Null>	No Photo Attachment
DW_0420		0	0	<Null>	<Null>	No Photo Attachment
DW_0421		0	0	<Null>	<Null>	No Photo Attachment
DW_0422		0	0	<Null>	<Null>	No Photo Attachment
DW_0423		0	0	<Null>	<Null>	No Photo Attachment
DW_0424		0	0	<Null>	<Null>	No Photo Attachment
DW_0425		0	0	<Null>	<Null>	No Photo Attachment
DW_0426		0	0	<Null>	<Null>	No Photo Attachment
DW_0427		0	0	<Null>	<Null>	No Photo Attachment
DW_0428		0	0	<Null>	<Null>	No Photo Attachment
DW_0429		0	0	<Null>	<Null>	No Photo Attachment
DW_0430		0	0	<Null>	<Null>	No Photo Attachment
DW_0431		0	0	<Null>	<Null>	No Photo Attachment
DW_0432		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0433		0	0	<Null>	<Null>	No Photo Attachment
DW_0434		0	0	<Null>	<Null>	No Photo Attachment
DW_0435		0	0	<Null>	<Null>	No Photo Attachment
DW_0436		0	0	<Null>	<Null>	No Photo Attachment
DW_0437		0	0	<Null>	<Null>	No Photo Attachment
DW_0438		0	0	<Null>	<Null>	No Photo Attachment
DW_0439		0	0	<Null>	<Null>	No Photo Attachment
DW_0440		0	0	<Null>	<Null>	No Photo Attachment
DW_0441		0	0	<Null>	<Null>	No Photo Attachment
DW_0442		0	0	<Null>	<Null>	No Photo Attachment
DW_0443		0	0	<Null>	<Null>	No Photo Attachment
DW_0444		0	0	<Null>	<Null>	No Photo Attachment
DW_0445		0	0	<Null>	<Null>	No Photo Attachment
DW_0446		0	0	<Null>	<Null>	No Photo Attachment
DW_0447		0	0	<Null>	<Null>	No Photo Attachment
DW_0448		0	0	<Null>	<Null>	No Photo Attachment
DW_0449		0	0	<Null>	<Null>	No Photo Attachment
DW_0450	Parallel Ramp Approach (WSDOT Type 1)	2	60	2.7	5.5	Has Photo Attachment
DW_0451		0	0	<Null>	<Null>	No Photo Attachment
DW_0452		0	0	<Null>	<Null>	No Photo Attachment
DW_0453	Parallel Ramp Approach (WSDOT Type 1)	0.6	60	2	6.6	Has Photo Attachment
DW_0454		0	0	<Null>	<Null>	No Photo Attachment
DW_0455		0	0	<Null>	<Null>	No Photo Attachment
DW_0456		0	0	<Null>	<Null>	No Photo Attachment
DW_0457		0	0	<Null>	<Null>	No Photo Attachment
DW_0458		0	0	<Null>	<Null>	No Photo Attachment
DW_0459		0	0	<Null>	<Null>	No Photo Attachment
DW_0460	Wings - Not ADA Accessible (WSDOT Type 4)	8.1	0	<Null>	<Null>	Has Photo Attachment
DW_0461		0	0	<Null>	<Null>	No Photo Attachment
DW_0462	Parallel Ramp Approach (WSDOT Type 1)	3.3	60	2.4	3.3	Has Photo Attachment
DW_0463	Parallel Ramp Approach (WSDOT Type 1)	2	60	2	5.8	Has Photo Attachment
DW_0464	Parallel Ramp Approach (WSDOT Type 1)	1.5	60	1.7	8	Has Photo Attachment
DW_0465	Parallel Ramp Approach (WSDOT Type 1)	1.7	60	2.7	8.3	Has Photo Attachment
DW_0466		0	0	<Null>	<Null>	No Photo Attachment
DW_0467		0	0	<Null>	<Null>	No Photo Attachment
DW_0468		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0469		0	0	<Null>	<Null>	No Photo Attachment
DW_0470		0	0	<Null>	<Null>	No Photo Attachment
DW_0471	Wings - Not ADA Accessible (WSDOT Type 4)	2	54	2.2	5	Has Photo Attachment
DW_0472		0	0	<Null>	<Null>	No Photo Attachment
DW_0473		0	0	<Null>	<Null>	No Photo Attachment
DW_0474		0	0	<Null>	<Null>	No Photo Attachment
DW_0475		0	0	<Null>	<Null>	No Photo Attachment
DW_0476		0	0	<Null>	<Null>	No Photo Attachment
DW_0477		0	0	<Null>	<Null>	No Photo Attachment
DW_0478		0	0	<Null>	<Null>	No Photo Attachment
DW_0479		0	0	<Null>	<Null>	No Photo Attachment
DW_0480		0	0	<Null>	<Null>	No Photo Attachment
DW_0481		0	0	<Null>	<Null>	No Photo Attachment
DW_0482		0	0	<Null>	<Null>	No Photo Attachment
DW_0483		0	0	<Null>	<Null>	No Photo Attachment
DW_0484		0	0	<Null>	<Null>	No Photo Attachment
DW_0485		0	0	<Null>	<Null>	No Photo Attachment
DW_0486		0	0	<Null>	<Null>	No Photo Attachment
DW_0487	Other	3.1	48	<Null>	<Null>	Has Photo Attachment
DW_0488		1	60	<Null>	<Null>	Has Photo Attachment
DW_0489		0	0	<Null>	<Null>	No Photo Attachment
DW_0490		0	0	<Null>	<Null>	No Photo Attachment
DW_0491		0	0	<Null>	<Null>	No Photo Attachment
DW_0492		0	0	<Null>	<Null>	No Photo Attachment
DW_0493		0	0	<Null>	<Null>	No Photo Attachment
DW_0494		0	0	<Null>	<Null>	No Photo Attachment
DW_0495		0	0	<Null>	<Null>	No Photo Attachment
DW_0496		0	0	<Null>	<Null>	No Photo Attachment
DW_0497		0	0	<Null>	<Null>	No Photo Attachment
DW_0498		0	0	<Null>	<Null>	No Photo Attachment
DW_0499		0	0	<Null>	<Null>	No Photo Attachment
DW_0500		0	0	<Null>	<Null>	No Photo Attachment
DW_0501		0	0	<Null>	<Null>	No Photo Attachment
DW_0502		0	0	<Null>	<Null>	No Photo Attachment
DW_0503		0	0	<Null>	<Null>	No Photo Attachment
DW_0504	Parallel Ramp Approach (WSDOT Type 1)	1.5	48	1.7	8.3	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0505	Parallel Ramp Approach (WSDOT Type 1)	1.9	48	2.1	8	Has Photo Attachment
DW_0506		0	0	<Null>	<Null>	No Photo Attachment
DW_0507		0	0	<Null>	<Null>	No Photo Attachment
DW_0508		0	0	<Null>	<Null>	No Photo Attachment
DW_0509	Parallel Ramp Approach (WSDOT Type 1)	1.9	48	2	6.6	Has Photo Attachment
DW_0510	Parallel Ramp Approach (WSDOT Type 1)	1.6	48	1.7	6.7	Has Photo Attachment
DW_0511	Parallel Ramp Approach (WSDOT Type 1)	1.7	48	2	6.7	Has Photo Attachment
DW_0512		0	0	<Null>	<Null>	No Photo Attachment
DW_0513		0	0	<Null>	<Null>	No Photo Attachment
DW_0514		0	0	<Null>	<Null>	No Photo Attachment
DW_0515		0	0	<Null>	<Null>	No Photo Attachment
DW_0516		0	0	<Null>	<Null>	No Photo Attachment
DW_0517		0	0	<Null>	<Null>	No Photo Attachment
DW_0518		0	0	<Null>	<Null>	No Photo Attachment
DW_0519		0	0	<Null>	<Null>	No Photo Attachment
DW_0520		0	0	<Null>	<Null>	No Photo Attachment
DW_0521		0	0	<Null>	<Null>	No Photo Attachment
DW_0522		0	0	<Null>	<Null>	No Photo Attachment
DW_0523		0	0	<Null>	<Null>	No Photo Attachment
DW_0524		0	0	<Null>	<Null>	No Photo Attachment
DW_0525		0	0	<Null>	<Null>	No Photo Attachment
DW_0526		0	0	<Null>	<Null>	No Photo Attachment
DW_0527		0	0	<Null>	<Null>	No Photo Attachment
DW_0528		0	0	<Null>	<Null>	No Photo Attachment
DW_0529	Parallel Ramp Approach (WSDOT Type 1)	1.1	60	1.1	7.4	Has Photo Attachment
DW_0530		0	0	<Null>	<Null>	No Photo Attachment
DW_0531		0	0	<Null>	<Null>	No Photo Attachment
DW_0532		0	0	<Null>	<Null>	No Photo Attachment
DW_0533		0	0	<Null>	<Null>	No Photo Attachment
DW_0534		0	0	<Null>	<Null>	No Photo Attachment
DW_0535		0	0	<Null>	<Null>	No Photo Attachment
DW_0536		0	0	<Null>	<Null>	No Photo Attachment
DW_0537		0	0	<Null>	<Null>	No Photo Attachment
DW_0538		0	0	<Null>	<Null>	No Photo Attachment
DW_0539		0	0	<Null>	<Null>	No Photo Attachment
DW_0540		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0541		0	0	<Null>	<Null>	No Photo Attachment
DW_0542		0	0	<Null>	<Null>	No Photo Attachment
DW_0543		0	0	<Null>	<Null>	No Photo Attachment
DW_0544		0	0	<Null>	<Null>	No Photo Attachment
DW_0545		0	0	<Null>	<Null>	No Photo Attachment
DW_0546		0	0	<Null>	<Null>	No Photo Attachment
DW_0547		0	0	<Null>	<Null>	No Photo Attachment
DW_0548		0	0	<Null>	<Null>	No Photo Attachment
DW_0549		0	0	<Null>	<Null>	No Photo Attachment
DW_0550		0	0	<Null>	<Null>	No Photo Attachment
DW_0551		0	0	<Null>	<Null>	No Photo Attachment
DW_0552		0	0	<Null>	<Null>	No Photo Attachment
DW_0553		0	0	<Null>	<Null>	No Photo Attachment
DW_0554		0	0	<Null>	<Null>	No Photo Attachment
DW_0555		0	0	<Null>	<Null>	No Photo Attachment
DW_0556		0	0	<Null>	<Null>	No Photo Attachment
DW_0557		0	0	<Null>	<Null>	No Photo Attachment
DW_0558		0	0	<Null>	<Null>	No Photo Attachment
DW_0559		0	0	<Null>	<Null>	No Photo Attachment
DW_0560		0	0	<Null>	<Null>	No Photo Attachment
DW_0561		0	0	<Null>	<Null>	No Photo Attachment
DW_0562		0	0	<Null>	<Null>	No Photo Attachment
DW_0563		0	0	<Null>	<Null>	No Photo Attachment
DW_0564	Parallel Ramp Approach (WSDOT Type 1)	1	64	1.3	8.9	Has Photo Attachment
DW_0565	Parallel Ramp Approach (WSDOT Type 1)	1.3	64	0.7	8	Has Photo Attachment
DW_0566		0	0	<Null>	<Null>	No Photo Attachment
DW_0567		0	0	<Null>	<Null>	No Photo Attachment
DW_0568		0	0	<Null>	<Null>	No Photo Attachment
DW_0569		0	0	<Null>	<Null>	No Photo Attachment
DW_0570		0	0	<Null>	<Null>	No Photo Attachment
DW_0571		0	0	<Null>	<Null>	No Photo Attachment
DW_0572		0	0	<Null>	<Null>	No Photo Attachment
DW_0573		0	0	<Null>	<Null>	No Photo Attachment
DW_0574		0	0	<Null>	<Null>	No Photo Attachment
DW_0575		0	0	<Null>	<Null>	No Photo Attachment
DW_0576		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0577		0	0	<Null>	<Null>	No Photo Attachment
DW_0578		0	0	<Null>	<Null>	No Photo Attachment
DW_0579		0	0	<Null>	<Null>	No Photo Attachment
DW_0580		0	0	<Null>	<Null>	No Photo Attachment
DW_0581		0	0	<Null>	<Null>	No Photo Attachment
DW_0582		0	0	<Null>	<Null>	No Photo Attachment
DW_0583		0	0	<Null>	<Null>	No Photo Attachment
DW_0584		0	0	<Null>	<Null>	No Photo Attachment
DW_0585		0	0	<Null>	<Null>	No Photo Attachment
DW_0586		0	0	<Null>	<Null>	No Photo Attachment
DW_0587		0	0	<Null>	<Null>	No Photo Attachment
DW_0588		0	0	<Null>	<Null>	No Photo Attachment
DW_0589		0	0	<Null>	<Null>	No Photo Attachment
DW_0590		0	0	<Null>	<Null>	No Photo Attachment
DW_0591		0	0	<Null>	<Null>	No Photo Attachment
DW_0592		0	0	<Null>	<Null>	No Photo Attachment
DW_0593		0	0	<Null>	<Null>	No Photo Attachment
DW_0594		0	0	<Null>	<Null>	No Photo Attachment
DW_0595		0	0	<Null>	<Null>	No Photo Attachment
DW_0596		0	0	<Null>	<Null>	No Photo Attachment
DW_0597		0	0	<Null>	<Null>	No Photo Attachment
DW_0598		0	0	<Null>	<Null>	No Photo Attachment
DW_0599		0	0	<Null>	<Null>	No Photo Attachment
DW_0600		0	0	<Null>	<Null>	No Photo Attachment
DW_0601		0	0	<Null>	<Null>	No Photo Attachment
DW_0602		0	0	<Null>	<Null>	No Photo Attachment
DW_0603		0	0	<Null>	<Null>	No Photo Attachment
DW_0604		0	0	<Null>	<Null>	No Photo Attachment
DW_0605		0	0	<Null>	<Null>	No Photo Attachment
DW_0606		0	0	<Null>	<Null>	No Photo Attachment
DW_0607		0	0	<Null>	<Null>	No Photo Attachment
DW_0608		0	0	<Null>	<Null>	No Photo Attachment
DW_0609		0	0	<Null>	<Null>	No Photo Attachment
DW_0610		0	0	<Null>	<Null>	No Photo Attachment
DW_0611		0	0	<Null>	<Null>	No Photo Attachment
DW_0612		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0613		0	0	<Null>	<Null>	No Photo Attachment
DW_0614		0	0	<Null>	<Null>	No Photo Attachment
DW_0615		0	0	<Null>	<Null>	No Photo Attachment
DW_0616		0	0	<Null>	<Null>	No Photo Attachment
DW_0617		0	0	<Null>	<Null>	No Photo Attachment
DW_0618		0	0	<Null>	<Null>	No Photo Attachment
DW_0619		0	0	<Null>	<Null>	No Photo Attachment
DW_0620		0	0	<Null>	<Null>	No Photo Attachment
DW_0621		0	0	<Null>	<Null>	No Photo Attachment
DW_0622		0	0	<Null>	<Null>	No Photo Attachment
DW_0623		0	0	<Null>	<Null>	No Photo Attachment
DW_0624		0	0	<Null>	<Null>	No Photo Attachment
DW_0625		0	0	<Null>	<Null>	No Photo Attachment
DW_0626		0	0	<Null>	<Null>	No Photo Attachment
DW_0627		0	0	<Null>	<Null>	No Photo Attachment
DW_0628		0	0	<Null>	<Null>	No Photo Attachment
DW_0629		0	0	<Null>	<Null>	No Photo Attachment
DW_0630		0	0	<Null>	<Null>	No Photo Attachment
DW_0631		0	0	<Null>	<Null>	No Photo Attachment
DW_0632		0	0	<Null>	<Null>	No Photo Attachment
DW_0633	Parallel Ramp Approach (WSDOT Type 1)	2	60	1.8	6.5	Has Photo Attachment
DW_0634		0	0	<Null>	<Null>	No Photo Attachment
DW_0635		0	0	<Null>	<Null>	No Photo Attachment
DW_0636		0	0	<Null>	<Null>	No Photo Attachment
DW_0637		0	0	<Null>	<Null>	No Photo Attachment
DW_0638		0	0	<Null>	<Null>	No Photo Attachment
DW_0639		0	0	<Null>	<Null>	No Photo Attachment
DW_0640		0	0	<Null>	<Null>	No Photo Attachment
DW_0641		0	0	<Null>	<Null>	No Photo Attachment
DW_0642		0	0	<Null>	<Null>	No Photo Attachment
DW_0643		0	0	<Null>	<Null>	No Photo Attachment
DW_0644		0	0	<Null>	<Null>	No Photo Attachment
DW_0645	Parallel Ramp Approach (WSDOT Type 1)	1.8	60	1.5	6.4	Has Photo Attachment
DW_0646		0	0	<Null>	<Null>	No Photo Attachment
DW_0647		0	0	<Null>	<Null>	No Photo Attachment
DW_0648		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0649		0	0	<Null>	<Null>	No Photo Attachment
DW_0650		0	0	<Null>	<Null>	No Photo Attachment
DW_0651		0	0	<Null>	<Null>	No Photo Attachment
DW_0652		0	0	<Null>	<Null>	No Photo Attachment
DW_0653		0	0	<Null>	<Null>	No Photo Attachment
DW_0654		0	0	<Null>	<Null>	No Photo Attachment
DW_0655		0	0	<Null>	<Null>	No Photo Attachment
DW_0656		0	0	<Null>	<Null>	No Photo Attachment
DW_0657		0	0	<Null>	<Null>	No Photo Attachment
DW_0658		0	0	<Null>	<Null>	No Photo Attachment
DW_0659		0	0	<Null>	<Null>	No Photo Attachment
DW_0660		0	0	<Null>	<Null>	No Photo Attachment
DW_0661		0	0	<Null>	<Null>	No Photo Attachment
DW_0662		0	0	<Null>	<Null>	No Photo Attachment
DW_0663	Other	6.1	60	<Null>	<Null>	Has Photo Attachment
DW_0664		0	0	<Null>	<Null>	No Photo Attachment
DW_0665		0	0	<Null>	<Null>	No Photo Attachment
DW_0666		0	0	<Null>	<Null>	No Photo Attachment
DW_0667		0	0	<Null>	<Null>	No Photo Attachment
DW_0668		0	0	<Null>	<Null>	No Photo Attachment
DW_0669		0	0	<Null>	<Null>	No Photo Attachment
DW_0670		0	0	<Null>	<Null>	No Photo Attachment
DW_0671		0	0	<Null>	<Null>	No Photo Attachment
DW_0672		0	0	<Null>	<Null>	No Photo Attachment
DW_0673		0	0	<Null>	<Null>	No Photo Attachment
DW_0674		0	0	<Null>	<Null>	No Photo Attachment
DW_0675		0	0	<Null>	<Null>	No Photo Attachment
DW_0676		0	0	<Null>	<Null>	No Photo Attachment
DW_0677		0	0	<Null>	<Null>	No Photo Attachment
DW_0678		0	0	<Null>	<Null>	No Photo Attachment
DW_0679		0	0	<Null>	<Null>	No Photo Attachment
DW_0680		0	0	<Null>	<Null>	No Photo Attachment
DW_0681		0	0	<Null>	<Null>	No Photo Attachment
DW_0682		0	0	<Null>	<Null>	No Photo Attachment
DW_0683		0	0	<Null>	<Null>	No Photo Attachment
DW_0684		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0685		0	0	<Null>	<Null>	No Photo Attachment
DW_0686		0	0	<Null>	<Null>	No Photo Attachment
DW_0687		0	0	<Null>	<Null>	No Photo Attachment
DW_0688		0	0	<Null>	<Null>	No Photo Attachment
DW_0689		0	0	<Null>	<Null>	No Photo Attachment
DW_0690		0	0	<Null>	<Null>	No Photo Attachment
DW_0691		0	0	<Null>	<Null>	No Photo Attachment
DW_0692		0	0	<Null>	<Null>	No Photo Attachment
DW_0693		0	0	<Null>	<Null>	No Photo Attachment
DW_0694		0	0	<Null>	<Null>	No Photo Attachment
DW_0695		0	0	<Null>	<Null>	No Photo Attachment
DW_0696		0	0	<Null>	<Null>	No Photo Attachment
DW_0697		0	0	<Null>	<Null>	No Photo Attachment
DW_0698		0	0	<Null>	<Null>	No Photo Attachment
DW_0699		0	0	<Null>	<Null>	No Photo Attachment
DW_0700		0	0	<Null>	<Null>	No Photo Attachment
DW_0701		0	0	<Null>	<Null>	No Photo Attachment
DW_0702		0	0	<Null>	<Null>	No Photo Attachment
DW_0703		0	0	<Null>	<Null>	No Photo Attachment
DW_0704		0	0	<Null>	<Null>	No Photo Attachment
DW_0705		0	0	<Null>	<Null>	No Photo Attachment
DW_0706		0	0	<Null>	<Null>	No Photo Attachment
DW_0707		0	0	<Null>	<Null>	No Photo Attachment
DW_0708		0	0	<Null>	<Null>	No Photo Attachment
DW_0709		0	0	<Null>	<Null>	No Photo Attachment
DW_0710		0	0	<Null>	<Null>	No Photo Attachment
DW_0711		0	0	<Null>	<Null>	No Photo Attachment
DW_0712		0	0	<Null>	<Null>	No Photo Attachment
DW_0713		0	0	<Null>	<Null>	No Photo Attachment
DW_0714		0	0	<Null>	<Null>	No Photo Attachment
DW_0715		0	0	<Null>	<Null>	No Photo Attachment
DW_0716		0	0	<Null>	<Null>	No Photo Attachment
DW_0717		0	0	<Null>	<Null>	No Photo Attachment
DW_0718		0	0	<Null>	<Null>	No Photo Attachment
DW_0719		0	0	<Null>	<Null>	No Photo Attachment
DW_0720		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0721		0	0	<Null>	<Null>	No Photo Attachment
DW_0722		0	0	<Null>	<Null>	No Photo Attachment
DW_0723		0	0	<Null>	<Null>	No Photo Attachment
DW_0724		0	0	<Null>	<Null>	No Photo Attachment
DW_0725		0	0	<Null>	<Null>	No Photo Attachment
DW_0726		0	0	<Null>	<Null>	No Photo Attachment
DW_0727		0	0	<Null>	<Null>	No Photo Attachment
DW_0728		0	0	<Null>	<Null>	No Photo Attachment
DW_0729		0	0	<Null>	<Null>	No Photo Attachment
DW_0730		0	0	<Null>	<Null>	No Photo Attachment
DW_0731		0	0	<Null>	<Null>	No Photo Attachment
DW_0732		0	0	<Null>	<Null>	No Photo Attachment
DW_0733		0	0	<Null>	<Null>	No Photo Attachment
DW_0734		0	0	<Null>	<Null>	No Photo Attachment
DW_0735		0	0	<Null>	<Null>	No Photo Attachment
DW_0736		0	0	<Null>	<Null>	No Photo Attachment
DW_0737		0	0	<Null>	<Null>	No Photo Attachment
DW_0738		0	0	<Null>	<Null>	No Photo Attachment
DW_0739		0	0	<Null>	<Null>	No Photo Attachment
DW_0740		0	0	<Null>	<Null>	No Photo Attachment
DW_0741		0	0	<Null>	<Null>	No Photo Attachment
DW_0742		0	0	<Null>	<Null>	No Photo Attachment
DW_0743		0	0	<Null>	<Null>	No Photo Attachment
DW_0744		0	0	<Null>	<Null>	No Photo Attachment
DW_0745		0	0	<Null>	<Null>	No Photo Attachment
DW_0746	Wings - Not ADA Accessible (WSDOT Type 4)	7.4	60	<Null>	<Null>	Has Photo Attachment
DW_0747		0	0	<Null>	<Null>	No Photo Attachment
DW_0748		0	0	<Null>	<Null>	No Photo Attachment
DW_0749		0	0	<Null>	<Null>	No Photo Attachment
DW_0750		0	0	<Null>	<Null>	No Photo Attachment
DW_0751		0	0	<Null>	<Null>	No Photo Attachment
DW_0752		0	0	<Null>	<Null>	No Photo Attachment
DW_0753		0	0	<Null>	<Null>	No Photo Attachment
DW_0754		0	0	<Null>	<Null>	No Photo Attachment
DW_0755		0	0	<Null>	<Null>	No Photo Attachment
DW_0756		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0757		0	0	<Null>	<Null>	No Photo Attachment
DW_0758		0	0	<Null>	<Null>	No Photo Attachment
DW_0759		0	0	<Null>	<Null>	No Photo Attachment
DW_0760		0	0	<Null>	<Null>	No Photo Attachment
DW_0761		0	0	<Null>	<Null>	No Photo Attachment
DW_0762		0	0	<Null>	<Null>	No Photo Attachment
DW_0763	Parallel Ramp Approach (WSDOT Type 1)	7.9	59	7.1	4.1	Has Photo Attachment
DW_0764	Parallel Ramp Approach (WSDOT Type 1)	4.2	59	4.8	8.1	Has Photo Attachment
DW_0765	Parallel Ramp Approach (WSDOT Type 1)	2.3	59	2.3	7.5	Has Photo Attachment
DW_0766	Parallel Ramp Approach (WSDOT Type 1)	3.4	59	3.4	5.9	Has Photo Attachment
DW_0767	Parallel Ramp Approach (WSDOT Type 1)	4.7	59	4.2	8.2	Has Photo Attachment
DW_0768	Parallel Ramp Approach (WSDOT Type 1)	4	59	3.6	7.3	Has Photo Attachment
DW_0769	Wings - Not ADA Accessible (WSDOT Type 4)	3.6	59	3.9	6.6	Has Photo Attachment
DW_0770	Wings - Not ADA Accessible (WSDOT Type 4)	8	59	<Null>	<Null>	Has Photo Attachment
DW_0771	Parallel Ramp Approach (WSDOT Type 1)	7.6	59	3.6	4.4	Has Photo Attachment
DW_0772	Parallel Ramp Approach (WSDOT Type 1)	4.1	59	3.1	5.5	Has Photo Attachment
DW_0773		0	0	<Null>	<Null>	No Photo Attachment
DW_0774		0	0	<Null>	<Null>	No Photo Attachment
DW_0775	Parallel Ramp Approach (WSDOT Type 1)	1.6	59	2	7.1	Has Photo Attachment
DW_0776		0	0	<Null>	<Null>	No Photo Attachment
DW_0777		0	0	<Null>	<Null>	No Photo Attachment
DW_0778		0	0	<Null>	<Null>	No Photo Attachment
DW_0779	Parallel Ramp Approach (WSDOT Type 1)	1.2	60	1.9	4.8	Has Photo Attachment
DW_0780	Parallel Ramp Approach (WSDOT Type 1)	1.3	60	1.7	7.7	Has Photo Attachment
DW_0781	Parallel Ramp Approach (WSDOT Type 1)	0.7	60	3.5	14.5	Has Photo Attachment
DW_0782	Parallel Ramp Approach (WSDOT Type 1)	2	60	<Null>	<Null>	Has Photo Attachment
DW_0783		0	0	<Null>	<Null>	No Photo Attachment
DW_0784	Wings - Not ADA Accessible (WSDOT Type 4)	1	60	<Null>	<Null>	Has Photo Attachment
DW_0785		0	0	<Null>	<Null>	No Photo Attachment
DW_0786		0	0	<Null>	<Null>	No Photo Attachment
DW_0787		0	0	<Null>	<Null>	No Photo Attachment
DW_0788	Wings - Not ADA Accessible (WSDOT Type 4)	8.1	59	4.4	10	Has Photo Attachment
DW_0789	Parallel Ramp Approach (WSDOT Type 1)	1.7	60	1.8	1.6	Has Photo Attachment
DW_0790	Parallel Ramp Approach (WSDOT Type 1)	1	60	2.1	6.2	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0791		0	0	<Null>	<Null>	No Photo Attachment
DW_0792		0	0	<Null>	<Null>	No Photo Attachment
DW_0793		0	0	<Null>	<Null>	No Photo Attachment
DW_0794		0	0	<Null>	<Null>	No Photo Attachment
DW_0795		0	0	<Null>	<Null>	No Photo Attachment
DW_0796		0	0	<Null>	<Null>	No Photo Attachment
DW_0797		0	0	<Null>	<Null>	No Photo Attachment
DW_0798		0	0	<Null>	<Null>	No Photo Attachment
DW_0799		0	0	<Null>	<Null>	No Photo Attachment
DW_0800		0	0	<Null>	<Null>	No Photo Attachment
DW_0801		0	0	<Null>	<Null>	No Photo Attachment
DW_0802		0	0	<Null>	<Null>	No Photo Attachment
DW_0803		0	0	<Null>	<Null>	No Photo Attachment
DW_0804		0	0	<Null>	<Null>	No Photo Attachment
DW_0805		0	0	<Null>	<Null>	No Photo Attachment
DW_0806	Parallel Ramp Approach (WSDOT Type 1)	1.7	48	0.7	1.6	Has Photo Attachment
DW_0807	Parallel Ramp Approach (WSDOT Type 1)	2	45	0.3	1.3	Has Photo Attachment
DW_0808		0	0	<Null>	<Null>	No Photo Attachment
DW_0809	Parallel Ramp Approach (WSDOT Type 1)	5.8	45	2.8	3.7	Has Photo Attachment
DW_0810		0	0	<Null>	<Null>	No Photo Attachment
DW_0811	Buffered PAR with Wings (WSDOT Type 3)	6	60	<Null>	<Null>	Has Photo Attachment
DW_0812	Buffered PAR with Wings (WSDOT Type 3)	6	60	<Null>	<Null>	Has Photo Attachment
DW_0813		0	0	<Null>	<Null>	No Photo Attachment
DW_0814		0	0	<Null>	<Null>	No Photo Attachment
DW_0815		0	0	<Null>	<Null>	No Photo Attachment
DW_0816		0	0	<Null>	<Null>	No Photo Attachment
DW_0817		0	0	<Null>	<Null>	No Photo Attachment
DW_0818		0	0	<Null>	<Null>	No Photo Attachment
DW_0819		0	0	<Null>	<Null>	No Photo Attachment
DW_0820		0	0	<Null>	<Null>	No Photo Attachment
DW_0821		0	0	<Null>	<Null>	No Photo Attachment
DW_0822		0	0	<Null>	<Null>	No Photo Attachment
DW_0823		0	0	<Null>	<Null>	No Photo Attachment
DW_0824		0	0	<Null>	<Null>	No Photo Attachment
DW_0825		0	0	<Null>	<Null>	No Photo Attachment
DW_0826		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0827		0	0	<Null>	<Null>	No Photo Attachment
DW_0828		0	0	<Null>	<Null>	No Photo Attachment
DW_0829		0	0	<Null>	<Null>	No Photo Attachment
DW_0830		0	0	<Null>	<Null>	No Photo Attachment
DW_0831		0	0	<Null>	<Null>	No Photo Attachment
DW_0832		0	0	<Null>	<Null>	No Photo Attachment
DW_0833		0	0	<Null>	<Null>	No Photo Attachment
DW_0834		0	0	<Null>	<Null>	No Photo Attachment
DW_0835		0	0	<Null>	<Null>	No Photo Attachment
DW_0836		0	0	<Null>	<Null>	No Photo Attachment
DW_0837		0	0	<Null>	<Null>	No Photo Attachment
DW_0838		0	0	<Null>	<Null>	No Photo Attachment
DW_0839		0	0	<Null>	<Null>	No Photo Attachment
DW_0840		0	0	<Null>	<Null>	No Photo Attachment
DW_0841		0	0	<Null>	<Null>	No Photo Attachment
DW_0842		0	0	<Null>	<Null>	No Photo Attachment
DW_0843		0	0	<Null>	<Null>	No Photo Attachment
DW_0844		0	0	<Null>	<Null>	No Photo Attachment
DW_0845		0	0	<Null>	<Null>	No Photo Attachment
DW_0846		0	0	<Null>	<Null>	No Photo Attachment
DW_0847		0	0	<Null>	<Null>	No Photo Attachment
DW_0848		0	0	<Null>	<Null>	No Photo Attachment
DW_0849		0	0	<Null>	<Null>	No Photo Attachment
DW_0850		0	0	<Null>	<Null>	No Photo Attachment
DW_0851		0	0	<Null>	<Null>	No Photo Attachment
DW_0852		0	0	<Null>	<Null>	No Photo Attachment
DW_0853		0	0	<Null>	<Null>	No Photo Attachment
DW_0854		0	0	<Null>	<Null>	No Photo Attachment
DW_0855		0	0	<Null>	<Null>	No Photo Attachment
DW_0856		0	0	<Null>	<Null>	No Photo Attachment
DW_0857		0	0	<Null>	<Null>	No Photo Attachment
DW_0858		0	0	<Null>	<Null>	No Photo Attachment
DW_0859		0	0	<Null>	<Null>	No Photo Attachment
DW_0860		0	0	<Null>	<Null>	No Photo Attachment
DW_0861		0	0	<Null>	<Null>	No Photo Attachment
DW_0862		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0863		0	0	<Null>	<Null>	No Photo Attachment
DW_0864		0	0	<Null>	<Null>	No Photo Attachment
DW_0865		0	0	<Null>	<Null>	No Photo Attachment
DW_0866		0	0	<Null>	<Null>	No Photo Attachment
DW_0867		0	0	<Null>	<Null>	No Photo Attachment
DW_0868		0	0	<Null>	<Null>	No Photo Attachment
DW_0869		0	0	<Null>	<Null>	No Photo Attachment
DW_0870		0	0	<Null>	<Null>	No Photo Attachment
DW_0871		0	0	<Null>	<Null>	No Photo Attachment
DW_0872		0	0	<Null>	<Null>	No Photo Attachment
DW_0873		0	0	<Null>	<Null>	No Photo Attachment
DW_0874		0	0	<Null>	<Null>	No Photo Attachment
DW_0875		0	0	<Null>	<Null>	No Photo Attachment
DW_0876		0	0	<Null>	<Null>	No Photo Attachment
DW_0877		0	0	<Null>	<Null>	No Photo Attachment
DW_0878		0	0	<Null>	<Null>	No Photo Attachment
DW_0879		0	0	<Null>	<Null>	No Photo Attachment
DW_0880		0	0	<Null>	<Null>	No Photo Attachment
DW_0881		0	0	<Null>	<Null>	No Photo Attachment
DW_0882		0	0	<Null>	<Null>	No Photo Attachment
DW_0883		0	0	<Null>	<Null>	No Photo Attachment
DW_0884		0	0	<Null>	<Null>	No Photo Attachment
DW_0885		0	0	<Null>	<Null>	No Photo Attachment
DW_0886		0	0	<Null>	<Null>	No Photo Attachment
DW_0887		0	0	<Null>	<Null>	No Photo Attachment
DW_0888		0	0	<Null>	<Null>	No Photo Attachment
DW_0889		0	0	<Null>	<Null>	No Photo Attachment
DW_0890		0	0	<Null>	<Null>	No Photo Attachment
DW_0891		0	0	<Null>	<Null>	No Photo Attachment
DW_0892		0	0	<Null>	<Null>	No Photo Attachment
DW_0893		0	0	<Null>	<Null>	No Photo Attachment
DW_0894		0	0	<Null>	<Null>	No Photo Attachment
DW_0895		0	0	<Null>	<Null>	No Photo Attachment
DW_0896		0	0	<Null>	<Null>	No Photo Attachment
DW_0897		0	0	<Null>	<Null>	No Photo Attachment
DW_0898		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0899		0	0	<Null>	<Null>	No Photo Attachment
DW_0900		0	0	<Null>	<Null>	No Photo Attachment
DW_0901		0	0	<Null>	<Null>	No Photo Attachment
DW_0902		0	0	<Null>	<Null>	No Photo Attachment
DW_0903		0	0	<Null>	<Null>	No Photo Attachment
DW_0904		0	0	<Null>	<Null>	No Photo Attachment
DW_0905		0	0	<Null>	<Null>	No Photo Attachment
DW_0906		0	0	<Null>	<Null>	No Photo Attachment
DW_0907		0	0	<Null>	<Null>	No Photo Attachment
DW_0908		0	0	<Null>	<Null>	No Photo Attachment
DW_0909		0	0	<Null>	<Null>	No Photo Attachment
DW_0910		0	0	<Null>	<Null>	No Photo Attachment
DW_0911		0	0	<Null>	<Null>	No Photo Attachment
DW_0912		0	0	<Null>	<Null>	No Photo Attachment
DW_0913		0	0	<Null>	<Null>	No Photo Attachment
DW_0914		0	0	<Null>	<Null>	No Photo Attachment
DW_0915		0	0	<Null>	<Null>	No Photo Attachment
DW_0916		0	0	<Null>	<Null>	No Photo Attachment
DW_0917	Buffered PAR with Wings (WSDOT Type 3)	0.2	48	<Null>	<Null>	Has Photo Attachment
DW_0918		0	0	<Null>	<Null>	No Photo Attachment
DW_0919		0	0	<Null>	<Null>	No Photo Attachment
DW_0920		0	0	<Null>	<Null>	No Photo Attachment
DW_0921		0	0	<Null>	<Null>	No Photo Attachment
DW_0922		0	0	<Null>	<Null>	No Photo Attachment
DW_0923		0	0	<Null>	<Null>	No Photo Attachment
DW_0924		0	0	<Null>	<Null>	No Photo Attachment
DW_0925		0	0	<Null>	<Null>	No Photo Attachment
DW_0926		0	0	<Null>	<Null>	No Photo Attachment
DW_0927		0	0	<Null>	<Null>	No Photo Attachment
DW_0928		0	0	<Null>	<Null>	No Photo Attachment
DW_0929		0	0	<Null>	<Null>	No Photo Attachment
DW_0930		0	0	<Null>	<Null>	No Photo Attachment
DW_0931		0	0	<Null>	<Null>	No Photo Attachment
DW_0932		0	0	<Null>	<Null>	No Photo Attachment
DW_0933		0	0	<Null>	<Null>	No Photo Attachment
DW_0934		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0935		0	0	<Null>	<Null>	No Photo Attachment
DW_0936		0	0	<Null>	<Null>	No Photo Attachment
DW_0937		0	0	<Null>	<Null>	No Photo Attachment
DW_0938		0	0	<Null>	<Null>	No Photo Attachment
DW_0939		0	0	<Null>	<Null>	No Photo Attachment
DW_0940	Buffered PAR with Wings (WSDOT Type 3)	1.8	60	<Null>	<Null>	Has Photo Attachment
DW_0941	Buffered PAR with Wings (WSDOT Type 3)	1.5	60	<Null>	<Null>	Has Photo Attachment
DW_0942	Buffered PAR with Wings (WSDOT Type 3)	1.9	60	<Null>	<Null>	Has Photo Attachment
DW_0943	Buffered PAR with Wings (WSDOT Type 3)	1.2	60	<Null>	<Null>	Has Photo Attachment
DW_0944	Buffered PAR with Wings (WSDOT Type 3)	0.6	60	<Null>	<Null>	Has Photo Attachment
DW_0945	Buffered PAR with Wings (WSDOT Type 3)	0.3	60	<Null>	<Null>	Has Photo Attachment
DW_0946	Parallel Ramp Approach (WSDOT Type 1)	2	103	2.1	3.3	Has Photo Attachment
DW_0947	Parallel Ramp Approach (WSDOT Type 1)	2	103	2.7	0.1	Has Photo Attachment
DW_0948		0	0	<Null>	<Null>	No Photo Attachment
DW_0949		0	0	<Null>	<Null>	No Photo Attachment
DW_0950		0	0	<Null>	<Null>	No Photo Attachment
DW_0951		0	0	<Null>	<Null>	No Photo Attachment
DW_0952		0	0	<Null>	<Null>	No Photo Attachment
DW_0953		0	0	<Null>	<Null>	No Photo Attachment
DW_0954		0	0	<Null>	<Null>	No Photo Attachment
DW_0955		0	0	<Null>	<Null>	No Photo Attachment
DW_0956		0	0	<Null>	<Null>	No Photo Attachment
DW_0957		0	0	<Null>	<Null>	No Photo Attachment
DW_0958		0	0	<Null>	<Null>	No Photo Attachment
DW_0959		0	0	<Null>	<Null>	No Photo Attachment
DW_0960		0	0	<Null>	<Null>	No Photo Attachment
DW_0961		0	0	<Null>	<Null>	No Photo Attachment
DW_0962		0	0	<Null>	<Null>	No Photo Attachment
DW_0963		0	0	<Null>	<Null>	No Photo Attachment
DW_0964		0	0	<Null>	<Null>	No Photo Attachment
DW_0965		0	0	<Null>	<Null>	No Photo Attachment
DW_0966		0	0	<Null>	<Null>	No Photo Attachment
DW_0967		0	0	<Null>	<Null>	No Photo Attachment
DW_0968		0	0	<Null>	<Null>	No Photo Attachment
DW_0969		0	0	<Null>	<Null>	No Photo Attachment
DW_0970		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_0971		0	0	<Null>	<Null>	No Photo Attachment
DW_0972		0	0	<Null>	<Null>	No Photo Attachment
DW_0973		0	0	<Null>	<Null>	No Photo Attachment
DW_0974		0	0	<Null>	<Null>	No Photo Attachment
DW_0975		0	0	<Null>	<Null>	No Photo Attachment
DW_0976		0	0	<Null>	<Null>	No Photo Attachment
DW_0977		0	0	<Null>	<Null>	No Photo Attachment
DW_0978		0	0	<Null>	<Null>	No Photo Attachment
DW_0979		0	0	<Null>	<Null>	No Photo Attachment
DW_0980		0	0	<Null>	<Null>	No Photo Attachment
DW_0981		0	0	<Null>	<Null>	No Photo Attachment
DW_0982		0	0	<Null>	<Null>	No Photo Attachment
DW_0983		0	0	<Null>	<Null>	No Photo Attachment
DW_0984		0	0	<Null>	<Null>	No Photo Attachment
DW_0985		0	0	<Null>	<Null>	No Photo Attachment
DW_0986		0	0	<Null>	<Null>	No Photo Attachment
DW_0987		0	0	<Null>	<Null>	No Photo Attachment
DW_0988		0	0	<Null>	<Null>	No Photo Attachment
DW_0989		0	0	<Null>	<Null>	No Photo Attachment
DW_0990		0	0	<Null>	<Null>	No Photo Attachment
DW_0991		0	0	<Null>	<Null>	No Photo Attachment
DW_0992		0	0	<Null>	<Null>	No Photo Attachment
DW_0993		0	0	<Null>	<Null>	No Photo Attachment
DW_0994		0	0	<Null>	<Null>	No Photo Attachment
DW_0995		0	0	<Null>	<Null>	No Photo Attachment
DW_0996		0	0	<Null>	<Null>	No Photo Attachment
DW_0997		0	0	<Null>	<Null>	No Photo Attachment
DW_0998		0	0	<Null>	<Null>	No Photo Attachment
DW_0999	Parallel Ramp Approach (WSDOT Type 1)	0.6	47	1	2.3	Has Photo Attachment
DW_1000		0	0	<Null>	<Null>	No Photo Attachment
DW_1001		0	0	<Null>	<Null>	No Photo Attachment
DW_1002		0	0	<Null>	<Null>	No Photo Attachment
DW_1003		0	0	<Null>	<Null>	No Photo Attachment
DW_1004		0	0	<Null>	<Null>	No Photo Attachment
DW_1005		0	0	<Null>	<Null>	No Photo Attachment
DW_1006		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1007		0	0	<Null>	<Null>	No Photo Attachment
DW_1008		0	0	<Null>	<Null>	No Photo Attachment
DW_1009		0	0	<Null>	<Null>	No Photo Attachment
DW_1010		0	0	<Null>	<Null>	No Photo Attachment
DW_1011		0	0	<Null>	<Null>	No Photo Attachment
DW_1012		0	0	<Null>	<Null>	No Photo Attachment
DW_1013		0	0	<Null>	<Null>	No Photo Attachment
DW_1014		0	0	<Null>	<Null>	No Photo Attachment
DW_1015		0	0	<Null>	<Null>	No Photo Attachment
DW_1016		0	0	<Null>	<Null>	No Photo Attachment
DW_1017		0	0	<Null>	<Null>	No Photo Attachment
DW_1018		0	0	<Null>	<Null>	No Photo Attachment
DW_1019		0	0	<Null>	<Null>	No Photo Attachment
DW_1020		0	0	<Null>	<Null>	No Photo Attachment
DW_1021		0	0	<Null>	<Null>	No Photo Attachment
DW_1022		0	0	<Null>	<Null>	No Photo Attachment
DW_1023		0	0	<Null>	<Null>	No Photo Attachment
DW_1024		0	0	<Null>	<Null>	No Photo Attachment
DW_1025		0	0	<Null>	<Null>	No Photo Attachment
DW_1026		0	0	<Null>	<Null>	No Photo Attachment
DW_1027		0	0	<Null>	<Null>	No Photo Attachment
DW_1028		0	0	<Null>	<Null>	No Photo Attachment
DW_1029		0	0	<Null>	<Null>	No Photo Attachment
DW_1030		0	0	<Null>	<Null>	No Photo Attachment
DW_1031		0	0	<Null>	<Null>	No Photo Attachment
DW_1032	Buffered PAR with Wings (WSDOT Type 3)	1	59	<Null>	<Null>	Has Photo Attachment
DW_1033	Buffered PAR with Wings (WSDOT Type 3)	1.4	59	<Null>	<Null>	Has Photo Attachment
DW_1034	Buffered PAR with Wings (WSDOT Type 3)	1.4	59	<Null>	<Null>	Has Photo Attachment
DW_1035	Buffered PAR with Wings (WSDOT Type 3)	1.5	59	<Null>	<Null>	Has Photo Attachment
DW_1036	Buffered PAR with Wings (WSDOT Type 3)	0.3	59	<Null>	<Null>	Has Photo Attachment
DW_1037	Buffered PAR with Wings (WSDOT Type 3)	1.3	59	<Null>	<Null>	Has Photo Attachment
DW_1038	Buffered PAR with Wings (WSDOT Type 3)	1.8	59	<Null>	<Null>	Has Photo Attachment
DW_1039	Buffered PAR with Wings (WSDOT Type 3)	1.3	59	<Null>	<Null>	Has Photo Attachment
DW_1040	Buffered PAR with Wings (WSDOT Type 3)	1.3	59	<Null>	<Null>	Has Photo Attachment
DW_1041	Buffered PAR with Wings (WSDOT Type 3)	1.4	59	<Null>	<Null>	Has Photo Attachment
DW_1042	Buffered PAR with Wings (WSDOT Type 3)	1.6	59	<Null>	<Null>	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1043	Buffered PAR with Wings (WSDOT Type 3)	1	59	<Null>	<Null>	Has Photo Attachment
DW_1044	Buffered PAR with Wings (WSDOT Type 3)	1.7	59	<Null>	<Null>	Has Photo Attachment
DW_1045	Buffered PAR with Wings (WSDOT Type 3)	0.5	59	<Null>	<Null>	Has Photo Attachment
DW_1046	Buffered PAR with Wings (WSDOT Type 3)	1.2	59	<Null>	<Null>	Has Photo Attachment
DW_1047	Buffered PAR with Wings (WSDOT Type 3)	1.5	59	<Null>	<Null>	Has Photo Attachment
DW_1048	Buffered PAR with Wings (WSDOT Type 3)	1.6	59	<Null>	<Null>	Has Photo Attachment
DW_1049	Buffered PAR with Wings (WSDOT Type 3)	1.7	60	<Null>	<Null>	Has Photo Attachment
DW_1050	Buffered PAR with Wings (WSDOT Type 3)	1.2	60	<Null>	<Null>	Has Photo Attachment
DW_1051	Buffered PAR with Wings (WSDOT Type 3)	1.4	60	<Null>	<Null>	Has Photo Attachment
DW_1052	Buffered PAR with Wings (WSDOT Type 3)	0.9	60	<Null>	<Null>	Has Photo Attachment
DW_1053	Buffered PAR with Wings (WSDOT Type 3)	1.2	60	<Null>	<Null>	Has Photo Attachment
DW_1054	Buffered PAR with Wings (WSDOT Type 3)	0.5	60	<Null>	<Null>	Has Photo Attachment
DW_1055	Buffered PAR with Wings (WSDOT Type 3)	1.5	60	<Null>	<Null>	Has Photo Attachment
DW_1056	Buffered PAR with Wings (WSDOT Type 3)	0.8	60	<Null>	<Null>	Has Photo Attachment
DW_1057	Parallel Ramp Approach (WSDOT Type 1)	1.5	59	1.2	8	Has Photo Attachment
DW_1058	Parallel Ramp Approach (WSDOT Type 1)	1.8	59	1.4	7.5	Has Photo Attachment
DW_1059	Parallel Ramp Approach (WSDOT Type 1)	3.5	59	3.8	7.4	Has Photo Attachment
DW_1060		0	0	<Null>	<Null>	No Photo Attachment
DW_1061		0	0	<Null>	<Null>	No Photo Attachment
DW_1062		0	0	<Null>	<Null>	No Photo Attachment
DW_1063		0	0	<Null>	<Null>	No Photo Attachment
DW_1064		0	0	<Null>	<Null>	No Photo Attachment
DW_1065		0	0	<Null>	<Null>	No Photo Attachment
DW_1066		0	0	<Null>	<Null>	No Photo Attachment
DW_1067		0	0	<Null>	<Null>	No Photo Attachment
DW_1068		0	0	<Null>	<Null>	No Photo Attachment
DW_1069		0	0	<Null>	<Null>	No Photo Attachment
DW_1070		0	0	<Null>	<Null>	No Photo Attachment
DW_1071		0	0	<Null>	<Null>	No Photo Attachment
DW_1072		0	0	<Null>	<Null>	No Photo Attachment
DW_1073		0	0	<Null>	<Null>	No Photo Attachment
DW_1074		0	0	<Null>	<Null>	No Photo Attachment
DW_1075		0	0	<Null>	<Null>	No Photo Attachment
DW_1076		0	0	<Null>	<Null>	No Photo Attachment
DW_1077		0	0	<Null>	<Null>	No Photo Attachment
DW_1078		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1079		0	0	<Null>	<Null>	No Photo Attachment
DW_1080		0	0	<Null>	<Null>	No Photo Attachment
DW_1081		0	0	<Null>	<Null>	No Photo Attachment
DW_1082	Parallel Ramp Approach (WSDOT Type 1)	1.8	54	1.1	7.7	Has Photo Attachment
DW_1083		0	0	<Null>	<Null>	No Photo Attachment
DW_1084		0	0	<Null>	<Null>	No Photo Attachment
DW_1085		0	0	<Null>	<Null>	No Photo Attachment
DW_1086		0	0	<Null>	<Null>	No Photo Attachment
DW_1087		0	0	<Null>	<Null>	No Photo Attachment
DW_1088		0	0	<Null>	<Null>	No Photo Attachment
DW_1089		0	0	<Null>	<Null>	No Photo Attachment
DW_1090		0	0	<Null>	<Null>	No Photo Attachment
DW_1091		0	0	<Null>	<Null>	No Photo Attachment
DW_1092		0	0	<Null>	<Null>	No Photo Attachment
DW_1093		0	0	<Null>	<Null>	No Photo Attachment
DW_1094		0	0	<Null>	<Null>	No Photo Attachment
DW_1095		0	0	<Null>	<Null>	No Photo Attachment
DW_1096		0	0	<Null>	<Null>	No Photo Attachment
DW_1097		0	0	<Null>	<Null>	No Photo Attachment
DW_1098		0	0	<Null>	<Null>	No Photo Attachment
DW_1099		0	0	<Null>	<Null>	No Photo Attachment
DW_1100		0	0	<Null>	<Null>	No Photo Attachment
DW_1101	Wings - Not ADA Accessible (WSDOT Type 4)	8.1	43	2	10.4	Has Photo Attachment
DW_1102		0	0	<Null>	<Null>	No Photo Attachment
DW_1103		0	0	<Null>	<Null>	No Photo Attachment
DW_1104		0	0	<Null>	<Null>	No Photo Attachment
DW_1105		0	0	<Null>	<Null>	No Photo Attachment
DW_1106		0	0	<Null>	<Null>	No Photo Attachment
DW_1107		0	0	<Null>	<Null>	No Photo Attachment
DW_1108		0	0	<Null>	<Null>	No Photo Attachment
DW_1109		0	0	<Null>	<Null>	No Photo Attachment
DW_1110		0	0	<Null>	<Null>	No Photo Attachment
DW_1111		0	0	<Null>	<Null>	No Photo Attachment
DW_1112		0	0	<Null>	<Null>	No Photo Attachment
DW_1113		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1114		0	0	<Null>	<Null>	No Photo Attachment
DW_1115		0	0	<Null>	<Null>	No Photo Attachment
DW_1116		0	0	<Null>	<Null>	No Photo Attachment
DW_1117		0	0	<Null>	<Null>	No Photo Attachment
DW_1118		0	0	<Null>	<Null>	No Photo Attachment
DW_1119	Parallel Ramp Approach (WSDOT Type 1)	0.5	66	0.7	8.1	Has Photo Attachment
DW_1120		0	0	<Null>	<Null>	No Photo Attachment
DW_1121		0	0	<Null>	<Null>	No Photo Attachment
DW_1122		0	0	<Null>	<Null>	No Photo Attachment
DW_1123	Parallel Ramp Approach (WSDOT Type 1)	4.5	42	4.3	6.7	Has Photo Attachment
DW_1124		0	0	<Null>	<Null>	No Photo Attachment
DW_1125		0	0	<Null>	<Null>	No Photo Attachment
DW_1126		0	0	<Null>	<Null>	No Photo Attachment
DW_1127		0	0	<Null>	<Null>	No Photo Attachment
DW_1128	Parallel Ramp Approach (WSDOT Type 1)	1.8	60	0.7	8.3	Has Photo Attachment
DW_1129		0	0	<Null>	<Null>	No Photo Attachment
DW_1130		0	0	<Null>	<Null>	No Photo Attachment
DW_1131	Parallel Ramp Approach (WSDOT Type 1)	2	60	1.4	7.5	Has Photo Attachment
DW_1132		0	0	<Null>	<Null>	No Photo Attachment
DW_1133		0	0	<Null>	<Null>	No Photo Attachment
DW_1134		0	0	<Null>	<Null>	No Photo Attachment
DW_1135		0	0	<Null>	<Null>	No Photo Attachment
DW_1136		0	0	<Null>	<Null>	No Photo Attachment
DW_1137	Parallel Ramp Approach (WSDOT Type 1)	1.8	54	2	7.4	Has Photo Attachment
DW_1138		0	0	<Null>	<Null>	No Photo Attachment
DW_1139		0	0	<Null>	<Null>	No Photo Attachment
DW_1140		0	0	<Null>	<Null>	No Photo Attachment
DW_1141		0	0	<Null>	<Null>	No Photo Attachment
DW_1142		0	0	<Null>	<Null>	No Photo Attachment
DW_1143		0	0	<Null>	<Null>	No Photo Attachment
DW_1144		0	0	<Null>	<Null>	No Photo Attachment
DW_1145		0	0	<Null>	<Null>	No Photo Attachment
DW_1146		0	0	<Null>	<Null>	No Photo Attachment
DW_1147		0	0	<Null>	<Null>	No Photo Attachment
DW_1148		0	0	<Null>	<Null>	No Photo Attachment
DW_1149		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1150		0	0	<Null>	<Null>	No Photo Attachment
DW_1151		0	0	<Null>	<Null>	No Photo Attachment
DW_1152		0	0	<Null>	<Null>	No Photo Attachment
DW_1153	Diagonal PAR with Wings (WSDOT Type 2)	0.6	48	0.5	0.5	Has Photo Attachment
DW_1154	Diagonal PAR with Wings (WSDOT Type 2)	0.8	48	0.8	4	Has Photo Attachment
DW_1155		0	0	<Null>	<Null>	No Photo Attachment
DW_1156		0	0	<Null>	<Null>	No Photo Attachment
DW_1157		0	0	<Null>	<Null>	No Photo Attachment
DW_1158		0	0	<Null>	<Null>	No Photo Attachment
DW_1159		0	0	<Null>	<Null>	No Photo Attachment
DW_1160		0	0	<Null>	<Null>	No Photo Attachment
DW_1161		0	0	<Null>	<Null>	No Photo Attachment
DW_1162		0	0	<Null>	<Null>	No Photo Attachment
DW_1163		0	0	<Null>	<Null>	No Photo Attachment
DW_1164		0	0	<Null>	<Null>	No Photo Attachment
DW_1165		0	0	<Null>	<Null>	No Photo Attachment
DW_1166		0	0	<Null>	<Null>	No Photo Attachment
DW_1167		0	0	<Null>	<Null>	No Photo Attachment
DW_1168		0	0	<Null>	<Null>	No Photo Attachment
DW_1169		0	0	<Null>	<Null>	No Photo Attachment
DW_1170		0	0	<Null>	<Null>	No Photo Attachment
DW_1171		0	0	<Null>	<Null>	No Photo Attachment
DW_1172		0	0	<Null>	<Null>	No Photo Attachment
DW_1173		0	0	<Null>	<Null>	No Photo Attachment
DW_1174		0	0	<Null>	<Null>	No Photo Attachment
DW_1175		0	0	<Null>	<Null>	No Photo Attachment
DW_1176	Buffered PAR with Wings (WSDOT Type 3)	0.9	71	<Null>	<Null>	Has Photo Attachment
DW_1177		0	0	<Null>	<Null>	No Photo Attachment
DW_1178		0	0	<Null>	<Null>	No Photo Attachment
DW_1179		0	0	<Null>	<Null>	No Photo Attachment
DW_1180		0	0	<Null>	<Null>	No Photo Attachment
DW_1181		0	0	<Null>	<Null>	No Photo Attachment
DW_1182		0	0	<Null>	<Null>	No Photo Attachment
DW_1183		0	0	<Null>	<Null>	No Photo Attachment
DW_1184		0	0	<Null>	<Null>	No Photo Attachment
DW_1185		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1186		0	0	<Null>	<Null>	No Photo Attachment
DW_1187		0	0	<Null>	<Null>	No Photo Attachment
DW_1188		0	0	<Null>	<Null>	No Photo Attachment
DW_1189		0	0	<Null>	<Null>	No Photo Attachment
DW_1190		0	0	<Null>	<Null>	No Photo Attachment
DW_1191		0	0	<Null>	<Null>	No Photo Attachment
DW_1192		0	0	<Null>	<Null>	No Photo Attachment
DW_1193		0	0	<Null>	<Null>	No Photo Attachment
DW_1194		2.8	60	<Null>	<Null>	Has Photo Attachment
DW_1195		0	0	<Null>	<Null>	No Photo Attachment
DW_1196		0	0	<Null>	<Null>	No Photo Attachment
DW_1197		0	0	<Null>	<Null>	No Photo Attachment
DW_1198		0	0	<Null>	<Null>	No Photo Attachment
DW_1199		0	0	<Null>	<Null>	No Photo Attachment
DW_1200		0	0	<Null>	<Null>	No Photo Attachment
DW_1201		0	0	<Null>	<Null>	No Photo Attachment
DW_1202		0	0	<Null>	<Null>	No Photo Attachment
DW_1203		0	0	<Null>	<Null>	No Photo Attachment
DW_1204		0	0	<Null>	<Null>	No Photo Attachment
DW_1205		0	0	<Null>	<Null>	No Photo Attachment
DW_1206		0	0	<Null>	<Null>	No Photo Attachment
DW_1207	Parallel Ramp Approach (WSDOT Type 1)	3.8	72	3.1	8.3	Has Photo Attachment
DW_1208	Parallel Ramp Approach (WSDOT Type 1)	3.4	139	2.6	6.7	Has Photo Attachment
DW_1209	Diagonal PAR with Wings (WSDOT Type 2)	7.9	139	7.9	1.1	Has Photo Attachment
DW_1210		0	0	<Null>	<Null>	No Photo Attachment
DW_1211		0	0	<Null>	<Null>	No Photo Attachment
DW_1212		0	0	<Null>	<Null>	No Photo Attachment
DW_1213		0	0	<Null>	<Null>	No Photo Attachment
DW_1214	Diagonal PAR with Wings (WSDOT Type 2)	3.5	102	1.7	0.6	Has Photo Attachment
DW_1215		0	0	<Null>	<Null>	No Photo Attachment
DW_1216		0	0	<Null>	<Null>	No Photo Attachment
DW_1217		0	0	<Null>	<Null>	No Photo Attachment
DW_1218		0	0	<Null>	<Null>	No Photo Attachment
DW_1219		0	0	<Null>	<Null>	No Photo Attachment
DW_1220		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1221	Other	1.8	72	<Null>	<Null>	Has Photo Attachment
DW_1222		0	0	<Null>	<Null>	No Photo Attachment
DW_1223		0	0	<Null>	<Null>	No Photo Attachment
DW_1224		0	0	<Null>	<Null>	No Photo Attachment
DW_1225		0	0	<Null>	<Null>	No Photo Attachment
DW_1226	Buffered PAR with Wings (WSDOT Type 3)	0.7	67	<Null>	<Null>	Has Photo Attachment
DW_1227		0	0	<Null>	<Null>	No Photo Attachment
DW_1228		0	0	<Null>	<Null>	No Photo Attachment
DW_1229		0	0	<Null>	<Null>	No Photo Attachment
DW_1230	Other	1	48	<Null>	<Null>	Has Photo Attachment
DW_1231	Buffered PAR with Wings (WSDOT Type 3)	1.9	48	<Null>	<Null>	Has Photo Attachment
DW_1232	Other	6	94	<Null>	<Null>	Has Photo Attachment
DW_1233		0	0	<Null>	<Null>	No Photo Attachment
DW_1234	Buffered PAR with Wings (WSDOT Type 3)	1.6	69	<Null>	<Null>	Has Photo Attachment
DW_1235		0	0	<Null>	<Null>	No Photo Attachment
DW_1236		0	0	<Null>	<Null>	No Photo Attachment
DW_1237		0	0	<Null>	<Null>	No Photo Attachment
DW_1238	Other	3	60	<Null>	<Null>	Has Photo Attachment
DW_1239		0	0	<Null>	<Null>	No Photo Attachment
DW_1240		0	0	<Null>	<Null>	No Photo Attachment
DW_1241		0	0	<Null>	<Null>	No Photo Attachment
DW_1242	Other	5.8	60	<Null>	<Null>	Has Photo Attachment
DW_1243		0	0	<Null>	<Null>	No Photo Attachment
DW_1244		0	0	<Null>	<Null>	No Photo Attachment
DW_1245		0	0	<Null>	<Null>	No Photo Attachment
DW_1246		0	0	<Null>	<Null>	No Photo Attachment
DW_1247		0	0	<Null>	<Null>	No Photo Attachment
DW_1248	Other	2.8	72	<Null>	<Null>	Has Photo Attachment
DW_1249		0	0	<Null>	<Null>	No Photo Attachment
DW_1250		0	0	<Null>	<Null>	No Photo Attachment
DW_1251		0	0	<Null>	<Null>	No Photo Attachment
DW_1252		0	0	<Null>	<Null>	No Photo Attachment
DW_1253		0	0	<Null>	<Null>	No Photo Attachment
DW_1254		0	0	<Null>	<Null>	No Photo Attachment
DW_1255		0	0	<Null>	<Null>	No Photo Attachment
DW_1256	Buffered PAR with Wings (WSDOT Type 3)	2	69	<Null>	<Null>	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1257	Buffered PAR with Wings (WSDOT Type 3)	3	70	<Null>	<Null>	Has Photo Attachment
DW_1258	Buffered PAR with Wings (WSDOT Type 3)	3.3	66	<Null>	<Null>	Has Photo Attachment
DW_1259		0	0	<Null>	<Null>	No Photo Attachment
DW_1260		0	0	<Null>	<Null>	No Photo Attachment
DW_1261	Buffered PAR with Wings (WSDOT Type 3)	1.8	56	<Null>	<Null>	Has Photo Attachment
DW_1262		0	0	<Null>	<Null>	No Photo Attachment
DW_1263		0	0	<Null>	<Null>	No Photo Attachment
DW_1264		0	0	<Null>	<Null>	No Photo Attachment
DW_1265		0	0	<Null>	<Null>	No Photo Attachment
DW_1266		0	0	<Null>	<Null>	No Photo Attachment
DW_1267		0	0	<Null>	<Null>	No Photo Attachment
DW_1268		0	0	<Null>	<Null>	No Photo Attachment
DW_1269		0	0	<Null>	<Null>	No Photo Attachment
DW_1270	Buffered PAR with Wings (WSDOT Type 3)	4.5	72	<Null>	<Null>	Has Photo Attachment
DW_1271	Buffered PAR with Wings (WSDOT Type 3)	3.2	70	<Null>	<Null>	Has Photo Attachment
DW_1272	Buffered PAR with Wings (WSDOT Type 3)	1.8	60	<Null>	<Null>	Has Photo Attachment
DW_1273		0	0	<Null>	<Null>	No Photo Attachment
DW_1274		0	0	<Null>	<Null>	No Photo Attachment
DW_1275		0	0	<Null>	<Null>	No Photo Attachment
DW_1276		0	0	<Null>	<Null>	No Photo Attachment
DW_1277	Buffered PAR with Wings (WSDOT Type 3)	3.1	70	<Null>	<Null>	Has Photo Attachment
DW_1278		0	0	<Null>	<Null>	No Photo Attachment
DW_1279	Parallel Ramp Approach (WSDOT Type 1)	1.4	60	1.5	8	Has Photo Attachment
DW_1280		0	0	<Null>	<Null>	No Photo Attachment
DW_1281		0	0	<Null>	<Null>	No Photo Attachment
DW_1282		0	0	<Null>	<Null>	No Photo Attachment
DW_1283		0	0	<Null>	<Null>	No Photo Attachment
DW_1284	Parallel Ramp Approach (WSDOT Type 1)	0.3	55	0.3	0.5	Has Photo Attachment
DW_1285	Parallel Ramp Approach (WSDOT Type 1)	1.6	59	4.8	1.6	Has Photo Attachment
DW_1286		0	0	<Null>	<Null>	No Photo Attachment
DW_1287		0	0	<Null>	<Null>	No Photo Attachment
DW_1288		0	0	<Null>	<Null>	No Photo Attachment
DW_1289		0	0	<Null>	<Null>	No Photo Attachment
DW_1290		0	0	<Null>	<Null>	No Photo Attachment
DW_1291		0	0	<Null>	<Null>	No Photo Attachment
DW_1292		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1293		0	0	<Null>	<Null>	No Photo Attachment
DW_1294	Buffered PAR with Wings (WSDOT Type 3)	1.9	69	<Null>	<Null>	Has Photo Attachment
DW_1295	Buffered PAR with Wings (WSDOT Type 3)	4.8	61	<Null>	<Null>	Has Photo Attachment
DW_1296	Buffered PAR with Wings (WSDOT Type 3)	0.9	61	<Null>	<Null>	Has Photo Attachment
DW_1297	Buffered PAR with Wings (WSDOT Type 3)	0.1	61	<Null>	<Null>	Has Photo Attachment
DW_1298		0	0	<Null>	<Null>	No Photo Attachment
DW_1299		0	0	<Null>	<Null>	No Photo Attachment
DW_1300	Parallel Ramp Approach (WSDOT Type 1)	2.3	146	2.3	7.6	Has Photo Attachment
DW_1301		0	0	<Null>	<Null>	No Photo Attachment
DW_1302		0	0	<Null>	<Null>	No Photo Attachment
DW_1303	Buffered PAR with Wings (WSDOT Type 3)	0.9	72	<Null>	<Null>	Has Photo Attachment
DW_1304		0	0	<Null>	<Null>	No Photo Attachment
DW_1305	Buffered PAR with Wings (WSDOT Type 3)	2.6	65	<Null>	<Null>	Has Photo Attachment
DW_1306	Buffered PAR with Wings (WSDOT Type 3)	1.3	65	<Null>	<Null>	Has Photo Attachment
DW_1307		0	0	<Null>	<Null>	No Photo Attachment
DW_1308	Buffered PAR with Wings (WSDOT Type 3)	2.1	66	<Null>	<Null>	Has Photo Attachment
DW_1309	Buffered PAR with Wings (WSDOT Type 3)	1.9	66	<Null>	<Null>	Has Photo Attachment
DW_1310		0	0	<Null>	<Null>	No Photo Attachment
DW_1311	Buffered PAR with Wings (WSDOT Type 3)	2.7	66	<Null>	<Null>	Has Photo Attachment
DW_1312	Wings - Not ADA Accessible (WSDOT Type 4)	4.6	90	4.9	12.8	Has Photo Attachment
DW_1313	Wings - Not ADA Accessible (WSDOT Type 4)	6.3	180	<Null>	<Null>	Has Photo Attachment
DW_1314	Wings - Not ADA Accessible (WSDOT Type 4)	5.1	180	<Null>	<Null>	Has Photo Attachment
DW_1315	Buffered PAR with Wings (WSDOT Type 3)	2.1	122	<Null>	<Null>	Has Photo Attachment
DW_1316	Wings - Not ADA Accessible (WSDOT Type 4)	6.5	49	4.3	1.8	Has Photo Attachment
DW_1317	Diagonal PAR with Wings (WSDOT Type 2)	6	108	1.5	0.9	Has Photo Attachment
DW_1318		0	0	<Null>	<Null>	No Photo Attachment
DW_1319		0	0	<Null>	<Null>	No Photo Attachment
DW_1320		0	0	<Null>	<Null>	No Photo Attachment
DW_1321		0	0	<Null>	<Null>	No Photo Attachment
DW_1322		0	0	<Null>	<Null>	No Photo Attachment
DW_1323		0	0	<Null>	<Null>	No Photo Attachment
DW_1324		0	0	<Null>	<Null>	No Photo Attachment
DW_1325		0	0	<Null>	<Null>	No Photo Attachment
DW_1326		0	0	<Null>	<Null>	No Photo Attachment
DW_1327		0	0	<Null>	<Null>	No Photo Attachment
DW_1328		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1329		0	0	<Null>	<Null>	No Photo Attachment
DW_1330		0	0	<Null>	<Null>	No Photo Attachment
DW_1331		0	0	<Null>	<Null>	No Photo Attachment
DW_1332		0	0	<Null>	<Null>	No Photo Attachment
DW_1333		0	0	<Null>	<Null>	No Photo Attachment
DW_1334		0	0	<Null>	<Null>	No Photo Attachment
DW_1335	Parallel Ramp Approach (WSDOT Type 1)	4	89	3.3	0.5	Has Photo Attachment
DW_1336	Other	2.6	72	<Null>	<Null>	Has Photo Attachment
DW_1337		0	0	<Null>	<Null>	No Photo Attachment
DW_1338		0	0	<Null>	<Null>	No Photo Attachment
DW_1339		0	0	<Null>	<Null>	No Photo Attachment
DW_1340		0	0	<Null>	<Null>	No Photo Attachment
DW_1341		0	0	<Null>	<Null>	No Photo Attachment
DW_1342	Diagonal PAR with Wings (WSDOT Type 2)	2	58	3.2	1.7	Has Photo Attachment
DW_1343	Diagonal PAR with Wings (WSDOT Type 2)	3	48	2.8	3	Has Photo Attachment
DW_1344		0	0	<Null>	<Null>	No Photo Attachment
DW_1345		0	0	<Null>	<Null>	No Photo Attachment
DW_1346		0	0	<Null>	<Null>	No Photo Attachment
DW_1347	Diagonal PAR with Wings (WSDOT Type 2)	0.7	49	<Null>	<Null>	Has Photo Attachment
DW_1348	Buffered PAR with Wings (WSDOT Type 3)	1.2	108	1.9	2.4	Has Photo Attachment
DW_1349	Other	1.5	144	<Null>	<Null>	Has Photo Attachment
DW_1350	Buffered PAR with Wings (WSDOT Type 3)	1.3	120	<Null>	<Null>	Has Photo Attachment
DW_1351		0	0	<Null>	<Null>	No Photo Attachment
DW_1352		0	0	<Null>	<Null>	No Photo Attachment
DW_1353		0	0	<Null>	<Null>	No Photo Attachment
DW_1354		0	0	<Null>	<Null>	No Photo Attachment
DW_1355		0	0	<Null>	<Null>	No Photo Attachment
DW_1356		0	0	<Null>	<Null>	No Photo Attachment
DW_1357		0	0	<Null>	<Null>	No Photo Attachment
DW_1358	Parallel Ramp Approach (WSDOT Type 1)	0.4	101	1	7.1	Has Photo Attachment
DW_1359		0	0	<Null>	<Null>	No Photo Attachment
DW_1360		0	0	<Null>	<Null>	No Photo Attachment
DW_1361		0	0	<Null>	<Null>	No Photo Attachment
DW_1362	Buffered PAR with Wings (WSDOT Type 3)	3.2	72	<Null>	<Null>	Has Photo Attachment
DW_1363	Other	0.5	68	<Null>	<Null>	Has Photo Attachment
DW_1364		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1365		0	0	<Null>	<Null>	No Photo Attachment
DW_1366		0	0	<Null>	<Null>	No Photo Attachment
DW_1367		0	0	<Null>	<Null>	No Photo Attachment
DW_1368		0	0	<Null>	<Null>	No Photo Attachment
DW_1369	Diagonal PAR with Wings (WSDOT Type 2)	0.3	48	<Null>	<Null>	Has Photo Attachment
DW_1370		0	0	<Null>	<Null>	No Photo Attachment
DW_1371		0	0	<Null>	<Null>	No Photo Attachment
DW_1372		0	0	<Null>	<Null>	No Photo Attachment
DW_1373		0	0	<Null>	<Null>	No Photo Attachment
DW_1374		0	0	<Null>	<Null>	No Photo Attachment
DW_1375	Buffered PAR with Wings (WSDOT Type 3)	1.7	142	<Null>	<Null>	Has Photo Attachment
DW_1376		0	0	<Null>	<Null>	No Photo Attachment
DW_1377		0	0	<Null>	<Null>	No Photo Attachment
DW_1378	Diagonal PAR with Wings (WSDOT Type 2)	2.1	72	<Null>	<Null>	Has Photo Attachment
DW_1379	Buffered PAR with Wings (WSDOT Type 3)	2.4	70	<Null>	<Null>	Has Photo Attachment
DW_1380		0	0	<Null>	<Null>	No Photo Attachment
DW_1381		0	0	<Null>	<Null>	No Photo Attachment
DW_1382		0	0	<Null>	<Null>	No Photo Attachment
DW_1383	Buffered PAR with Wings (WSDOT Type 3)	2	70	<Null>	<Null>	Has Photo Attachment
DW_1384		0	0	<Null>	<Null>	No Photo Attachment
DW_1385		0	0	<Null>	<Null>	No Photo Attachment
DW_1386		0	0	<Null>	<Null>	No Photo Attachment
DW_1387		0	0	<Null>	<Null>	No Photo Attachment
DW_1388	Buffered PAR with Wings (WSDOT Type 3)	1.7	72	<Null>	<Null>	Has Photo Attachment
DW_1389		0	0	<Null>	<Null>	No Photo Attachment
DW_1390		0	0	<Null>	<Null>	No Photo Attachment
DW_1391		0	0	<Null>	<Null>	No Photo Attachment
DW_1392		0	0	<Null>	<Null>	No Photo Attachment
DW_1393	Buffered PAR with Wings (WSDOT Type 3)	2.7	60	<Null>	<Null>	Has Photo Attachment
DW_1394	Buffered PAR with Wings (WSDOT Type 3)	2.3	56	<Null>	<Null>	Has Photo Attachment
DW_1395	Buffered PAR with Wings (WSDOT Type 3)	2.4	60	<Null>	<Null>	Has Photo Attachment
DW_1396		0	0	<Null>	<Null>	No Photo Attachment
DW_1397		0	0	<Null>	<Null>	No Photo Attachment
DW_1398		0	0	<Null>	<Null>	No Photo Attachment
DW_1399		0	0	<Null>	<Null>	No Photo Attachment
DW_1400		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1401		0	0	<Null>	<Null>	No Photo Attachment
DW_1402		0	0	<Null>	<Null>	No Photo Attachment
DW_1403	Buffered PAR with Wings (WSDOT Type 3)	1.9	60	<Null>	<Null>	Has Photo Attachment
DW_1404		0	0	<Null>	<Null>	No Photo Attachment
DW_1405		0	0	<Null>	<Null>	No Photo Attachment
DW_1406		0	0	<Null>	<Null>	No Photo Attachment
DW_1407		0	0	<Null>	<Null>	No Photo Attachment
DW_1408	Parallel Ramp Approach (WSDOT Type 1)	0.6	53	1.6	7.4	Has Photo Attachment
DW_1409		0	0	<Null>	<Null>	No Photo Attachment
DW_1410		0	0	<Null>	<Null>	No Photo Attachment
DW_1411		0	0	<Null>	<Null>	No Photo Attachment
DW_1412		0	0	<Null>	<Null>	No Photo Attachment
DW_1413		0	0	<Null>	<Null>	No Photo Attachment
DW_1414	Other	2.2	60	1.3	14	Has Photo Attachment
DW_1415		0	0	<Null>	<Null>	No Photo Attachment
DW_1416		0	0	<Null>	<Null>	No Photo Attachment
DW_1417		0	0	<Null>	<Null>	No Photo Attachment
DW_1418		0	0	<Null>	<Null>	No Photo Attachment
DW_1419		0	0	<Null>	<Null>	No Photo Attachment
DW_1420		0	0	<Null>	<Null>	No Photo Attachment
DW_1421		0	0	<Null>	<Null>	No Photo Attachment
DW_1422		0	0	<Null>	<Null>	No Photo Attachment
DW_1423		0	0	<Null>	<Null>	No Photo Attachment
DW_1424		0	0	<Null>	<Null>	No Photo Attachment
DW_1425		0	0	<Null>	<Null>	No Photo Attachment
DW_1426		0	0	<Null>	<Null>	No Photo Attachment
DW_1427		0	0	<Null>	<Null>	No Photo Attachment
DW_1428	Buffered PAR with Wings (WSDOT Type 3)	1.8	66	<Null>	<Null>	Has Photo Attachment
DW_1429		0	0	<Null>	<Null>	No Photo Attachment
DW_1430		0	0	<Null>	<Null>	No Photo Attachment
DW_1431		0	0	<Null>	<Null>	No Photo Attachment
DW_1432		0	0	<Null>	<Null>	No Photo Attachment
DW_1433		0	0	<Null>	<Null>	No Photo Attachment
DW_1434		0	0	<Null>	<Null>	No Photo Attachment
DW_1435		0	0	<Null>	<Null>	No Photo Attachment
DW_1436		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1437		0	0	<Null>	<Null>	No Photo Attachment
DW_1438	Other	2.1	134	<Null>	<Null>	Has Photo Attachment
DW_1439	Other	2.1	134	<Null>	<Null>	Has Photo Attachment
DW_1440		0	0	<Null>	<Null>	No Photo Attachment
DW_1441		0	0	<Null>	<Null>	No Photo Attachment
DW_1442		0	0	<Null>	<Null>	No Photo Attachment
DW_1443		0	0	<Null>	<Null>	No Photo Attachment
DW_1444		0	0	<Null>	<Null>	No Photo Attachment
DW_1445		0	0	<Null>	<Null>	No Photo Attachment
DW_1446		0	0	<Null>	<Null>	No Photo Attachment
DW_1447		0	0	<Null>	<Null>	No Photo Attachment
DW_1448		0	0	<Null>	<Null>	No Photo Attachment
DW_1449		0	0	<Null>	<Null>	No Photo Attachment
DW_1450		0	0	<Null>	<Null>	No Photo Attachment
DW_1451		0	0	<Null>	<Null>	No Photo Attachment
DW_1452		0	0	<Null>	<Null>	No Photo Attachment
DW_1453		0	0	<Null>	<Null>	No Photo Attachment
DW_1454		0	0	<Null>	<Null>	No Photo Attachment
DW_1455		0	0	<Null>	<Null>	No Photo Attachment
DW_1456	Buffered PAR with Wings (WSDOT Type 3)	1	57	<Null>	<Null>	Has Photo Attachment
DW_1457	Buffered PAR with Wings (WSDOT Type 3)	2.8	57	<Null>	<Null>	Has Photo Attachment
DW_1458	Parallel Ramp Approach (WSDOT Type 1)	0	0	<Null>	<Null>	Has Photo Attachment
DW_1459		0	0	<Null>	<Null>	No Photo Attachment
DW_1460		0	0	<Null>	<Null>	No Photo Attachment
DW_1461		0	0	<Null>	<Null>	No Photo Attachment
DW_1462		0	0	<Null>	<Null>	No Photo Attachment
DW_1463		0	0	<Null>	<Null>	No Photo Attachment
DW_1464	Buffered PAR with Wings (WSDOT Type 3)	1.7	66	<Null>	<Null>	Has Photo Attachment
DW_1465	Buffered PAR with Wings (WSDOT Type 3)	1	66	<Null>	<Null>	Has Photo Attachment
DW_1466	Buffered PAR with Wings (WSDOT Type 3)	1.1	69	<Null>	<Null>	Has Photo Attachment
DW_1467	Buffered PAR with Wings (WSDOT Type 3)	2.4	67	<Null>	<Null>	Has Photo Attachment
DW_1468		0	0	<Null>	<Null>	No Photo Attachment
DW_1469		0	0	<Null>	<Null>	No Photo Attachment
DW_1470	Buffered PAR with Wings (WSDOT Type 3)	0.5	69	<Null>	<Null>	Has Photo Attachment
DW_1471		0	0	<Null>	<Null>	No Photo Attachment
DW_1472	Buffered PAR with Wings (WSDOT Type 3)	1.5	69	<Null>	<Null>	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1473	Buffered PAR with Wings (WSDOT Type 3)	1.7	66	<Null>	<Null>	Has Photo Attachment
DW_1474	Buffered PAR with Wings (WSDOT Type 3)	1.1	60	<Null>	<Null>	Has Photo Attachment
DW_1475	Buffered PAR with Wings (WSDOT Type 3)	0.9	60	<Null>	<Null>	Has Photo Attachment
DW_1476		0	0	<Null>	<Null>	No Photo Attachment
DW_1477	Buffered PAR with Wings (WSDOT Type 3)	3.5	53	<Null>	<Null>	Has Photo Attachment
DW_1478	Buffered PAR with Wings (WSDOT Type 3)	0.9	53	<Null>	<Null>	Has Photo Attachment
DW_1479		0	0	<Null>	<Null>	No Photo Attachment
DW_1480		0	0	<Null>	<Null>	No Photo Attachment
DW_1481		0	0	<Null>	<Null>	No Photo Attachment
DW_1482	Buffered PAR with Wings (WSDOT Type 3)	1.7	72	<Null>	<Null>	Has Photo Attachment
DW_1483		0	0	<Null>	<Null>	No Photo Attachment
DW_1484		0	0	<Null>	<Null>	No Photo Attachment
DW_1485		0	0	<Null>	<Null>	No Photo Attachment
DW_1486	Buffered PAR with Wings (WSDOT Type 3)	0.4	60	<Null>	<Null>	Has Photo Attachment
DW_1487		1.2	60	<Null>	<Null>	Has Photo Attachment
DW_1488		0	0	<Null>	<Null>	No Photo Attachment
DW_1489		0	0	<Null>	<Null>	No Photo Attachment
DW_1490		0	0	<Null>	<Null>	No Photo Attachment
DW_1491	Buffered PAR with Wings (WSDOT Type 3)	5	62	5.2	<Null>	Has Photo Attachment
DW_1492		0	0	<Null>	<Null>	No Photo Attachment
DW_1493	Buffered PAR with Wings (WSDOT Type 3)	2.6	66	<Null>	<Null>	Has Photo Attachment
DW_1494		0	0	<Null>	<Null>	No Photo Attachment
DW_1495		0	0	<Null>	<Null>	No Photo Attachment
DW_1496		0	0	<Null>	<Null>	No Photo Attachment
DW_1497		0	0	<Null>	<Null>	No Photo Attachment
DW_1498		0	0	<Null>	<Null>	No Photo Attachment
DW_1499		0	0	<Null>	<Null>	No Photo Attachment
DW_1500		0	0	<Null>	<Null>	No Photo Attachment
DW_1501	Parallel Ramp Approach (WSDOT Type 1)	1.1	53	1.9	6.6	Has Photo Attachment
DW_1502		0	0	<Null>	<Null>	No Photo Attachment
DW_1503	Parallel Ramp Approach (WSDOT Type 1)	3.4	54	3.7	6.2	Has Photo Attachment
DW_1504		0	0	<Null>	<Null>	No Photo Attachment
DW_1505		0	0	<Null>	<Null>	No Photo Attachment
DW_1506		0	0	<Null>	<Null>	No Photo Attachment
DW_1507		0	0	<Null>	<Null>	No Photo Attachment
DW_1508	Buffered PAR with Wings (WSDOT Type 3)	0.2	66	<Null>	<Null>	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1509	Buffered PAR with Wings (WSDOT Type 3)	1.8	66	<Null>	<Null>	Has Photo Attachment
DW_1510	Buffered PAR with Wings (WSDOT Type 3)	0.2	66	<Null>	<Null>	Has Photo Attachment
DW_1511		0	0	<Null>	<Null>	No Photo Attachment
DW_1512		0	0	<Null>	<Null>	No Photo Attachment
DW_1513	Parallel Ramp Approach (WSDOT Type 1)	3.8	59	2.4	12	Has Photo Attachment
DW_1514		0	0	<Null>	<Null>	No Photo Attachment
DW_1515		0	0	<Null>	<Null>	No Photo Attachment
DW_1516		0	0	<Null>	<Null>	No Photo Attachment
DW_1517		0	0	<Null>	<Null>	No Photo Attachment
DW_1518		0	0	<Null>	<Null>	No Photo Attachment
DW_1519		0	0	<Null>	<Null>	No Photo Attachment
DW_1520		0	0	<Null>	<Null>	No Photo Attachment
DW_1521		0	0	<Null>	<Null>	No Photo Attachment
DW_1522		0	0	<Null>	<Null>	No Photo Attachment
DW_1523		0	0	<Null>	<Null>	No Photo Attachment
DW_1524		0	0	<Null>	<Null>	No Photo Attachment
DW_1525	Buffered PAR with Wings (WSDOT Type 3)	1	66	<Null>	<Null>	Has Photo Attachment
DW_1526		0	0	<Null>	<Null>	No Photo Attachment
DW_1527		0	0	<Null>	<Null>	No Photo Attachment
DW_1528		0	0	<Null>	<Null>	No Photo Attachment
DW_1529		0	0	<Null>	<Null>	No Photo Attachment
DW_1530		0	0	<Null>	<Null>	No Photo Attachment
DW_1531		0	0	<Null>	<Null>	No Photo Attachment
DW_1532		0	0	<Null>	<Null>	No Photo Attachment
DW_1533		0	0	<Null>	<Null>	No Photo Attachment
DW_1534		0	0	<Null>	<Null>	No Photo Attachment
DW_1535		0	0	<Null>	<Null>	No Photo Attachment
DW_1536		0	0	<Null>	<Null>	No Photo Attachment
DW_1537		0	0	<Null>	<Null>	No Photo Attachment
DW_1538		0	0	<Null>	<Null>	No Photo Attachment
DW_1539		0	0	<Null>	<Null>	No Photo Attachment
DW_1540		0	0	<Null>	<Null>	No Photo Attachment
DW_1541	Buffered PAR with Wings (WSDOT Type 3)	2	67	<Null>	<Null>	Has Photo Attachment
DW_1542		0	0	<Null>	<Null>	No Photo Attachment
DW_1543		0	0	<Null>	<Null>	No Photo Attachment
DW_1544		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1545		0	0	<Null>	<Null>	No Photo Attachment
DW_1546		0	0	<Null>	<Null>	No Photo Attachment
DW_1547		0	0	<Null>	<Null>	No Photo Attachment
DW_1548		0	0	<Null>	<Null>	No Photo Attachment
DW_1549		0	0	<Null>	<Null>	No Photo Attachment
DW_1550		0	0	<Null>	<Null>	No Photo Attachment
DW_1551		0	0	<Null>	<Null>	No Photo Attachment
DW_1552		0	0	<Null>	<Null>	No Photo Attachment
DW_1553		0	0	<Null>	<Null>	No Photo Attachment
DW_1554		0	0	<Null>	<Null>	No Photo Attachment
DW_1555		0	0	<Null>	<Null>	No Photo Attachment
DW_1556		0	0	<Null>	<Null>	No Photo Attachment
DW_1557		0	0	<Null>	<Null>	No Photo Attachment
DW_1558		0	0	<Null>	<Null>	No Photo Attachment
DW_1559		0	0	<Null>	<Null>	No Photo Attachment
DW_1560		0	0	<Null>	<Null>	No Photo Attachment
DW_1561	Buffered PAR with Wings (WSDOT Type 3)	2.4	72	<Null>	<Null>	Has Photo Attachment
DW_1562		0	0	<Null>	<Null>	No Photo Attachment
DW_1563		0	0	<Null>	<Null>	No Photo Attachment
DW_1564		0	0	<Null>	<Null>	No Photo Attachment
DW_1565		0	0	<Null>	<Null>	No Photo Attachment
DW_1566		0	0	<Null>	<Null>	No Photo Attachment
DW_1567		0	0	<Null>	<Null>	No Photo Attachment
DW_1568		0	0	<Null>	<Null>	No Photo Attachment
DW_1569	Buffered PAR with Wings (WSDOT Type 3)	6.1	59	<Null>	<Null>	Has Photo Attachment
DW_1570		0	0	<Null>	<Null>	No Photo Attachment
DW_1571		0	0	<Null>	<Null>	No Photo Attachment
DW_1572		0	0	<Null>	<Null>	No Photo Attachment
DW_1573		0	0	<Null>	<Null>	No Photo Attachment
DW_1574		0	0	<Null>	<Null>	No Photo Attachment
DW_1575	Buffered PAR with Wings (WSDOT Type 3)	6.6	60	<Null>	<Null>	Has Photo Attachment
DW_1576	Buffered PAR with Wings (WSDOT Type 3)	2.5	60	<Null>	<Null>	Has Photo Attachment
DW_1577		0	0	<Null>	<Null>	No Photo Attachment
DW_1578		0	0	<Null>	<Null>	No Photo Attachment
DW_1579	Buffered PAR with Wings (WSDOT Type 3)	0.7	60	1.1	8	Has Photo Attachment
DW_1580	Buffered PAR with Wings (WSDOT Type 3)	1.6	60	<Null>	<Null>	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1581		0	0	<Null>	<Null>	No Photo Attachment
DW_1582		0	0	<Null>	<Null>	No Photo Attachment
DW_1583		0	0	<Null>	<Null>	No Photo Attachment
DW_1584		0	0	<Null>	<Null>	No Photo Attachment
DW_1585	Other	1.7	60	<Null>	<Null>	Has Photo Attachment
DW_1586		0	0	<Null>	<Null>	No Photo Attachment
DW_1587		0	0	<Null>	<Null>	No Photo Attachment
DW_1588		0	0	<Null>	<Null>	No Photo Attachment
DW_1589		0	0	<Null>	<Null>	No Photo Attachment
DW_1590		0	0	<Null>	<Null>	No Photo Attachment
DW_1591		0	0	<Null>	<Null>	No Photo Attachment
DW_1592		0	0	<Null>	<Null>	No Photo Attachment
DW_1593	Buffered PAR with Wings (WSDOT Type 3)	3	72	<Null>	<Null>	Has Photo Attachment
DW_1594		0	0	<Null>	<Null>	No Photo Attachment
DW_1595		0	0	<Null>	<Null>	No Photo Attachment
DW_1596		0	0	<Null>	<Null>	No Photo Attachment
DW_1597		0	0	<Null>	<Null>	No Photo Attachment
DW_1598		0	0	<Null>	<Null>	No Photo Attachment
DW_1599	Buffered PAR with Wings (WSDOT Type 3)	2.5	70	<Null>	<Null>	Has Photo Attachment
DW_1600	Buffered PAR with Wings (WSDOT Type 3)	2.3	70	<Null>	<Null>	Has Photo Attachment
DW_1601	Buffered PAR with Wings (WSDOT Type 3)	4.3	72	<Null>	<Null>	Has Photo Attachment
DW_1602	Buffered PAR with Wings (WSDOT Type 3)	7.6	72	<Null>	<Null>	Has Photo Attachment
DW_1603		0	0	<Null>	<Null>	No Photo Attachment
DW_1604		0	0	<Null>	<Null>	No Photo Attachment
DW_1605		0	0	<Null>	<Null>	No Photo Attachment
DW_1606		0	0	<Null>	<Null>	No Photo Attachment
DW_1607		0	0	<Null>	<Null>	No Photo Attachment
DW_1608		0	0	<Null>	<Null>	No Photo Attachment
DW_1609	Buffered PAR with Wings (WSDOT Type 3)	3.9	56	<Null>	<Null>	Has Photo Attachment
DW_1610		0	0	<Null>	<Null>	No Photo Attachment
DW_1611		0	0	<Null>	<Null>	No Photo Attachment
DW_1612	Buffered PAR with Wings (WSDOT Type 3)	0	60	<Null>	<Null>	Has Photo Attachment
DW_1613	Buffered PAR with Wings (WSDOT Type 3)	2	60	<Null>	<Null>	Has Photo Attachment
DW_1614		0	0	<Null>	<Null>	No Photo Attachment
DW_1615		0	0	<Null>	<Null>	No Photo Attachment
DW_1616		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1617		0	0	<Null>	<Null>	No Photo Attachment
DW_1618		0	0	<Null>	<Null>	No Photo Attachment
DW_1619		0	0	<Null>	<Null>	No Photo Attachment
DW_1620		0	0	<Null>	<Null>	No Photo Attachment
DW_1621		0	0	<Null>	<Null>	No Photo Attachment
DW_1622	Parallel Ramp Approach (WSDOT Type 1)	0.3	68	1.3	8.3	Has Photo Attachment
DW_1623		0	0	<Null>	<Null>	No Photo Attachment
DW_1624	Parallel Ramp Approach (WSDOT Type 1)	5.3	68	4.3	7	Has Photo Attachment
DW_1625		0	0	<Null>	<Null>	No Photo Attachment
DW_1626		0	0	<Null>	<Null>	No Photo Attachment
DW_1627		0	0	<Null>	<Null>	No Photo Attachment
DW_1628		0	0	<Null>	<Null>	No Photo Attachment
DW_1629		0	0	<Null>	<Null>	No Photo Attachment
DW_1630	Other	3.3	66	<Null>	<Null>	Has Photo Attachment
DW_1631		0	0	<Null>	<Null>	No Photo Attachment
DW_1632	Other	2.7	72	<Null>	<Null>	Has Photo Attachment
DW_1633	Buffered PAR with Wings (WSDOT Type 3)	3.5	70	<Null>	<Null>	Has Photo Attachment
DW_1634	Diagonal PAR with Wings (WSDOT Type 2)	1.8	72	<Null>	<Null>	Has Photo Attachment
DW_1635		0	0	<Null>	<Null>	No Photo Attachment
DW_1636		0	0	<Null>	<Null>	No Photo Attachment
DW_1637		0	0	<Null>	<Null>	No Photo Attachment
DW_1638		0	0	<Null>	<Null>	No Photo Attachment
DW_1639		0	0	<Null>	<Null>	No Photo Attachment
DW_1640		0	0	<Null>	<Null>	No Photo Attachment
DW_1641		0	0	<Null>	<Null>	No Photo Attachment
DW_1642		0	0	<Null>	<Null>	No Photo Attachment
DW_1643		0	0	<Null>	<Null>	No Photo Attachment
DW_1644		0	0	<Null>	<Null>	No Photo Attachment
DW_1645		0	0	<Null>	<Null>	No Photo Attachment
DW_1646		0	0	<Null>	<Null>	No Photo Attachment
DW_1647	Buffered PAR with Wings (WSDOT Type 3)	2.9	70	<Null>	<Null>	Has Photo Attachment
DW_1648		0	0	<Null>	<Null>	No Photo Attachment
DW_1649		0	0	<Null>	<Null>	No Photo Attachment
DW_1650		0	0	<Null>	<Null>	No Photo Attachment
DW_1651		0	0	<Null>	<Null>	No Photo Attachment
DW_1652		2.4	72	<Null>	<Null>	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1653	Buffered PAR with Wings (WSDOT Type 3)	1	72	<Null>	<Null>	Has Photo Attachment
DW_1654		0	0	<Null>	<Null>	No Photo Attachment
DW_1655		0	0	<Null>	<Null>	No Photo Attachment
DW_1656		0	0	<Null>	<Null>	No Photo Attachment
DW_1657		0	0	<Null>	<Null>	No Photo Attachment
DW_1658	Buffered PAR with Wings (WSDOT Type 3)	1	66	<Null>	<Null>	Has Photo Attachment
DW_1659		0	0	<Null>	<Null>	No Photo Attachment
DW_1660		0	0	<Null>	<Null>	No Photo Attachment
DW_1661		0	0	<Null>	<Null>	No Photo Attachment
DW_1662		0	0	<Null>	<Null>	No Photo Attachment
DW_1663		0	0	<Null>	<Null>	No Photo Attachment
DW_1664		0	0	<Null>	<Null>	No Photo Attachment
DW_1665		0	0	<Null>	<Null>	No Photo Attachment
DW_1666		0	0	<Null>	<Null>	No Photo Attachment
DW_1667		0	0	<Null>	<Null>	No Photo Attachment
DW_1668	Buffered PAR with Wings (WSDOT Type 3)	1.5	72	<Null>	<Null>	Has Photo Attachment
DW_1669		0	0	<Null>	<Null>	No Photo Attachment
DW_1670		0	0	<Null>	<Null>	No Photo Attachment
DW_1671	Buffered PAR with Wings (WSDOT Type 3)	1.5	72	<Null>	<Null>	Has Photo Attachment
DW_1672	Buffered PAR with Wings (WSDOT Type 3)	1.7	72	<Null>	<Null>	Has Photo Attachment
DW_1673	Buffered PAR with Wings (WSDOT Type 3)	1.2	60	<Null>	<Null>	Has Photo Attachment
DW_1674	Buffered PAR with Wings (WSDOT Type 3)	1.5	60	<Null>	<Null>	Has Photo Attachment
DW_1675	Buffered PAR with Wings (WSDOT Type 3)	1.4	60	<Null>	<Null>	Has Photo Attachment
DW_1676	Buffered PAR with Wings (WSDOT Type 3)	1.3	60	<Null>	<Null>	Has Photo Attachment
DW_1677		0	0	<Null>	<Null>	No Photo Attachment
DW_1678	Buffered PAR with Wings (WSDOT Type 3)	0.6	72	<Null>	<Null>	Has Photo Attachment
DW_1679	Buffered PAR with Wings (WSDOT Type 3)	0.3	66	<Null>	<Null>	Has Photo Attachment
DW_1680		0	0	<Null>	<Null>	No Photo Attachment
DW_1681		0	0	<Null>	<Null>	No Photo Attachment
DW_1682		0	0	<Null>	<Null>	No Photo Attachment
DW_1683		0	0	<Null>	<Null>	No Photo Attachment
DW_1684		0	0	<Null>	<Null>	No Photo Attachment
DW_1685		0	0	<Null>	<Null>	No Photo Attachment
DW_1686		0	0	<Null>	<Null>	No Photo Attachment
DW_1687		0	0	<Null>	<Null>	No Photo Attachment
DW_1688		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1689		0	0	<Null>	<Null>	No Photo Attachment
DW_1690		0	0	<Null>	<Null>	No Photo Attachment
DW_1691		0	0	<Null>	<Null>	No Photo Attachment
DW_1692		0	0	<Null>	<Null>	No Photo Attachment
DW_1693		0	0	<Null>	<Null>	No Photo Attachment
DW_1694		0	0	<Null>	<Null>	No Photo Attachment
DW_1695	Buffered PAR with Wings (WSDOT Type 3)	2	71	<Null>	<Null>	Has Photo Attachment
DW_1696		0	0	<Null>	<Null>	No Photo Attachment
DW_1697		0	0	<Null>	<Null>	No Photo Attachment
DW_1698	Parallel Ramp Approach (WSDOT Type 1)	2.3	58	2.3	1.6	Has Photo Attachment
DW_1699		0	0	<Null>	<Null>	No Photo Attachment
DW_1700		0	0	<Null>	<Null>	No Photo Attachment
DW_1701		0	0	<Null>	<Null>	No Photo Attachment
DW_1702		0	0	<Null>	<Null>	No Photo Attachment
DW_1703		0	0	<Null>	<Null>	No Photo Attachment
DW_1704		0	0	<Null>	<Null>	No Photo Attachment
DW_1705		0	0	<Null>	<Null>	No Photo Attachment
DW_1706		0	0	<Null>	<Null>	No Photo Attachment
DW_1707		0	0	<Null>	<Null>	No Photo Attachment
DW_1708		0	0	<Null>	<Null>	No Photo Attachment
DW_1709	Parallel Ramp Approach (WSDOT Type 1)	0	66	2.3	<Null>	Has Photo Attachment
DW_1710		0	0	<Null>	<Null>	No Photo Attachment
DW_1711		0	0	<Null>	<Null>	No Photo Attachment
DW_1712		0	0	<Null>	<Null>	No Photo Attachment
DW_1713		0	0	<Null>	<Null>	No Photo Attachment
DW_1714		0	0	<Null>	<Null>	No Photo Attachment
DW_1715		0	0	<Null>	<Null>	No Photo Attachment
DW_1716		0	0	<Null>	<Null>	No Photo Attachment
DW_1717	Parallel Ramp Approach (WSDOT Type 1)	1.9	61	1.1	6.6	Has Photo Attachment
DW_1718	Parallel Ramp Approach (WSDOT Type 1)	2.4	61	1.1	7.3	Has Photo Attachment
DW_1719		0	0	<Null>	<Null>	No Photo Attachment
DW_1720		0	0	<Null>	<Null>	No Photo Attachment
DW_1721		0	0	<Null>	<Null>	No Photo Attachment
DW_1722		0	0	<Null>	<Null>	No Photo Attachment
DW_1723		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1724		0	0	<Null>	<Null>	No Photo Attachment
DW_1725		0	0	<Null>	<Null>	No Photo Attachment
DW_1726	Parallel Ramp Approach (WSDOT Type 1)	0	66	2.5	12	Has Photo Attachment
DW_1727	Parallel Ramp Approach (WSDOT Type 1)	1.5	142	2.1	2.3	Has Photo Attachment
DW_1728		0	0	<Null>	<Null>	No Photo Attachment
DW_1729		0	0	<Null>	<Null>	No Photo Attachment
DW_1730		0	0	<Null>	<Null>	No Photo Attachment
DW_1731		0	0	<Null>	<Null>	No Photo Attachment
DW_1732	Parallel Ramp Approach (WSDOT Type 1)	1.6	100	1	6.5	Has Photo Attachment
DW_1733	Diagonal PAR with Wings (WSDOT Type 2)	2	49	<Null>	<Null>	Has Photo Attachment
DW_1734	Diagonal PAR with Wings (WSDOT Type 2)	2.1	101	1	1.4	Has Photo Attachment
DW_1735	Parallel Ramp Approach (WSDOT Type 1)	0.9	200	1.9	8.2	Has Photo Attachment
DW_1736	Parallel Ramp Approach (WSDOT Type 1)	1.2	64	1.2	6.6	Has Photo Attachment
DW_1737		0	0	<Null>	<Null>	No Photo Attachment
DW_1738		0	0	<Null>	<Null>	No Photo Attachment
DW_1739		0	0	<Null>	<Null>	No Photo Attachment
DW_1740		0	0	<Null>	<Null>	No Photo Attachment
DW_1741		0	0	<Null>	<Null>	No Photo Attachment
DW_1742		0	0	<Null>	<Null>	No Photo Attachment
DW_1743		0	0	<Null>	<Null>	No Photo Attachment
DW_1744		0	0	<Null>	<Null>	No Photo Attachment
DW_1745	Parallel Ramp Approach (WSDOT Type 1)	1.1	144	1.3	4.3	Has Photo Attachment
DW_1746		0	0	<Null>	<Null>	No Photo Attachment
DW_1747	Parallel Ramp Approach (WSDOT Type 1)	0.5	84	0.8	7	Has Photo Attachment
DW_1748	Other	3.1	72	4.3	14	Has Photo Attachment
DW_1749	Other	4.5	72	<Null>	<Null>	Has Photo Attachment
DW_1750	Buffered PAR with Wings (WSDOT Type 3)	2	48	<Null>	<Null>	Has Photo Attachment
DW_1751	Buffered PAR with Wings (WSDOT Type 3)	1.5	72	<Null>	<Null>	Has Photo Attachment
DW_1752		0	0	<Null>	<Null>	No Photo Attachment
DW_1753	Other	3.4	60	<Null>	<Null>	Has Photo Attachment
DW_1754		0	0	<Null>	<Null>	No Photo Attachment
DW_1755		0	0	<Null>	<Null>	No Photo Attachment
DW_1756		0	0	<Null>	<Null>	No Photo Attachment
DW_1757	Diagonal PAR with Wings (WSDOT Type 2)	2.8	50	3.1	3.5	Has Photo Attachment
DW_1758	Diagonal PAR with Wings (WSDOT Type 2)	2.4	94	1.7	2.1	Has Photo Attachment
DW_1759	Diagonal PAR with Wings (WSDOT Type 2)	0.6	98	2	2.3	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1760		0	0	<Null>	<Null>	No Photo Attachment
DW_1761		0	0	<Null>	<Null>	No Photo Attachment
DW_1762	Buffered PAR with Wings (WSDOT Type 3)	1.9	120	<Null>	1	Has Photo Attachment
DW_1763	Buffered PAR with Wings (WSDOT Type 3)	1.7	87	1.5	0.9	Has Photo Attachment
DW_1764	Buffered PAR with Wings (WSDOT Type 3)	5.1	84	1.4	0.1	Has Photo Attachment
DW_1765		0	0	<Null>	<Null>	No Photo Attachment
DW_1766		0	0	<Null>	<Null>	No Photo Attachment
DW_1767		0	0	<Null>	<Null>	No Photo Attachment
DW_1768		0	0	<Null>	<Null>	No Photo Attachment
DW_1769	Diagonal PAR with Wings (WSDOT Type 2)	1.7	48	1.1	1.7	Has Photo Attachment
DW_1770	Other	0.3	48	<Null>	<Null>	Has Photo Attachment
DW_1771	Other	2	48	<Null>	<Null>	Has Photo Attachment
DW_1772	Other	3.3	60	<Null>	<Null>	Has Photo Attachment
DW_1773	Other	0.9	72	<Null>	<Null>	Has Photo Attachment
DW_1774		0	0	<Null>	<Null>	No Photo Attachment
DW_1775	Diagonal PAR with Wings (WSDOT Type 2)	2.1	140	<Null>	<Null>	Has Photo Attachment
DW_1776		0	0	<Null>	<Null>	No Photo Attachment
DW_1777		0	0	<Null>	<Null>	No Photo Attachment
DW_1778		0	0	<Null>	<Null>	No Photo Attachment
DW_1779		0	0	<Null>	<Null>	No Photo Attachment
DW_1780		0	0	<Null>	<Null>	No Photo Attachment
DW_1781	Diagonal PAR with Wings (WSDOT Type 2)	2	139	2.5	2.2	Has Photo Attachment
DW_1782	Parallel Ramp Approach (WSDOT Type 1)	1.6	120	2.1	7.3	Has Photo Attachment
DW_1783	Diagonal PAR with Wings (WSDOT Type 2)	2.8	120	2.8	0.3	Has Photo Attachment
DW_1784	Diagonal PAR with Wings (WSDOT Type 2)	3.9	84	2.2	<Null>	Has Photo Attachment
DW_1785	Diagonal PAR with Wings (WSDOT Type 2)	3.5	78	3.9	1	Has Photo Attachment
DW_1786		0	0	<Null>	<Null>	No Photo Attachment
DW_1787	Other	0.4	120	<Null>	<Null>	Has Photo Attachment
DW_1788	Other	3.6	94	<Null>	<Null>	Has Photo Attachment
DW_1789	<Null>	6	72	<Null>	<Null>	Has Photo Attachment
DW_1790		0	0	<Null>	<Null>	No Photo Attachment
DW_1791		0	0	<Null>	<Null>	No Photo Attachment
DW_1792	Diagonal PAR with Wings (WSDOT Type 2)	0.8	100	1.7	0.5	Has Photo Attachment
DW_1793	Buffered PAR with Wings (WSDOT Type 3)	1.9	72	<Null>	<Null>	Has Photo Attachment
DW_1794	Buffered PAR with Wings (WSDOT Type 3)	1.7	72	<Null>	<Null>	Has Photo Attachment
DW_1795		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1796	Other	4.2	48	<Null>	<Null>	Has Photo Attachment
DW_1797	Buffered PAR with Wings (WSDOT Type 3)	2	60	<Null>	<Null>	Has Photo Attachment
DW_1798		0	0	<Null>	<Null>	No Photo Attachment
DW_1799		0	0	<Null>	<Null>	No Photo Attachment
DW_1800		0	0	<Null>	<Null>	No Photo Attachment
DW_1801		0	0	<Null>	<Null>	No Photo Attachment
DW_1802		0	0	<Null>	<Null>	No Photo Attachment
DW_1803		0	0	<Null>	<Null>	No Photo Attachment
DW_1804		0	0	<Null>	<Null>	No Photo Attachment
DW_1805		0	0	<Null>	<Null>	No Photo Attachment
DW_1806		0	0	<Null>	<Null>	No Photo Attachment
DW_1807		0	0	<Null>	<Null>	No Photo Attachment
DW_1808		0	0	<Null>	<Null>	No Photo Attachment
DW_1809		0	0	<Null>	<Null>	No Photo Attachment
DW_1810		0	0	<Null>	<Null>	No Photo Attachment
DW_1811		0	0	<Null>	<Null>	No Photo Attachment
DW_1812	Buffered PAR with Wings (WSDOT Type 3)	2	72	<Null>	<Null>	Has Photo Attachment
DW_1813	Buffered PAR with Wings (WSDOT Type 3)	1.3	72	<Null>	<Null>	Has Photo Attachment
DW_1814	Other	3.5	72	<Null>	<Null>	Has Photo Attachment
DW_1815		0	0	<Null>	<Null>	No Photo Attachment
DW_1816		0	0	<Null>	<Null>	No Photo Attachment
DW_1817	Other	1.5	72	<Null>	<Null>	Has Photo Attachment
DW_1818	Other	3	72	<Null>	<Null>	Has Photo Attachment
DW_1819		0	0	<Null>	<Null>	No Photo Attachment
DW_1820		0	0	<Null>	<Null>	No Photo Attachment
DW_1821		0	0	<Null>	<Null>	No Photo Attachment
DW_1822		0	0	<Null>	<Null>	No Photo Attachment
DW_1823		0	0	<Null>	<Null>	No Photo Attachment
DW_1824		0	0	<Null>	<Null>	No Photo Attachment
DW_1825		0	0	<Null>	<Null>	No Photo Attachment
DW_1826	Other	4	56	<Null>	<Null>	Has Photo Attachment
DW_1827	Other	5.5	56	<Null>	<Null>	Has Photo Attachment
DW_1828		0	0	<Null>	<Null>	No Photo Attachment
DW_1829		0	0	<Null>	<Null>	No Photo Attachment
DW_1830		0	0	<Null>	<Null>	No Photo Attachment
DW_1831		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1832		0	0	<Null>	<Null>	No Photo Attachment
DW_1833		0	0	<Null>	<Null>	No Photo Attachment
DW_1834		0	0	<Null>	<Null>	No Photo Attachment
DW_1835	Wings - Not ADA Accessible (WSDOT Type 4)	9.9	48	<Null>	<Null>	Has Photo Attachment
DW_1836		0	0	<Null>	<Null>	No Photo Attachment
DW_1837	Wings - Not ADA Accessible (WSDOT Type 4)	10	48	<Null>	<Null>	Has Photo Attachment
DW_1838		0	0	<Null>	<Null>	No Photo Attachment
DW_1839		0	0	<Null>	<Null>	No Photo Attachment
DW_1840		0	0	<Null>	<Null>	No Photo Attachment
DW_1841		0	0	<Null>	<Null>	No Photo Attachment
DW_1842		0	0	<Null>	<Null>	No Photo Attachment
DW_1843		0	0	<Null>	<Null>	No Photo Attachment
DW_1844		0	0	<Null>	<Null>	No Photo Attachment
DW_1845		0	0	<Null>	<Null>	No Photo Attachment
DW_1846		0	0	<Null>	<Null>	No Photo Attachment
DW_1847		0	0	<Null>	<Null>	No Photo Attachment
DW_1848		0	0	<Null>	<Null>	No Photo Attachment
DW_1849		0	0	<Null>	<Null>	No Photo Attachment
DW_1850		0	0	<Null>	<Null>	No Photo Attachment
DW_1851		0	0	<Null>	<Null>	No Photo Attachment
DW_1852	Buffered PAR with Wings (WSDOT Type 3)	2.1	60	<Null>	<Null>	Has Photo Attachment
DW_1853		0	0	<Null>	<Null>	No Photo Attachment
DW_1854		0	0	<Null>	<Null>	No Photo Attachment
DW_1855		0	0	<Null>	<Null>	No Photo Attachment
DW_1856	Buffered PAR with Wings (WSDOT Type 3)	1	60	<Null>	<Null>	Has Photo Attachment
DW_1857		0	0	<Null>	<Null>	No Photo Attachment
DW_1858	Buffered PAR with Wings (WSDOT Type 3)	0.3	60	<Null>	<Null>	Has Photo Attachment
DW_1859	Buffered PAR with Wings (WSDOT Type 3)	1.5	60	<Null>	<Null>	Has Photo Attachment
DW_1860	Buffered PAR with Wings (WSDOT Type 3)	1.8	60	<Null>	<Null>	Has Photo Attachment
DW_1861		0	0	<Null>	<Null>	No Photo Attachment
DW_1862		0	0	<Null>	<Null>	No Photo Attachment
DW_1863		0	0	<Null>	<Null>	No Photo Attachment
DW_1864		0	0	<Null>	<Null>	No Photo Attachment
DW_1865		0	0	<Null>	<Null>	No Photo Attachment
DW_1866		0	0	<Null>	<Null>	No Photo Attachment
DW_1867		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1868		0	0	<Null>	<Null>	No Photo Attachment
DW_1869	Buffered PAR with Wings (WSDOT Type 3)	1	60	<Null>	<Null>	Has Photo Attachment
DW_1870		0	0	<Null>	<Null>	No Photo Attachment
DW_1871		0	0	<Null>	<Null>	No Photo Attachment
DW_1872	Buffered PAR with Wings (WSDOT Type 3)	2.8	60	<Null>	<Null>	Has Photo Attachment
DW_1873		0	0	<Null>	<Null>	No Photo Attachment
DW_1874	Buffered PAR with Wings (WSDOT Type 3)	1.9	60	<Null>	<Null>	Has Photo Attachment
DW_1875		0	0	<Null>	<Null>	No Photo Attachment
DW_1876		0	0	<Null>	<Null>	No Photo Attachment
DW_1877		0	0	<Null>	<Null>	No Photo Attachment
DW_1878	Buffered PAR with Wings (WSDOT Type 3)	2.1	70	<Null>	<Null>	Has Photo Attachment
DW_1879	Buffered PAR with Wings (WSDOT Type 3)	1.5	66	<Null>	<Null>	Has Photo Attachment
DW_1880	Buffered PAR with Wings (WSDOT Type 3)	4.8	70	<Null>	<Null>	Has Photo Attachment
DW_1881		0	0	<Null>	<Null>	No Photo Attachment
DW_1882	Buffered PAR with Wings (WSDOT Type 3)	2.6	60	<Null>	<Null>	Has Photo Attachment
DW_1883	Buffered PAR with Wings (WSDOT Type 3)	2.3	60	<Null>	<Null>	Has Photo Attachment
DW_1884	Buffered PAR with Wings (WSDOT Type 3)	1.2	60	<Null>	<Null>	Has Photo Attachment
DW_1885	Buffered PAR with Wings (WSDOT Type 3)	1.2	60	<Null>	<Null>	Has Photo Attachment
DW_1886	Buffered PAR with Wings (WSDOT Type 3)	0.7	60	<Null>	<Null>	Has Photo Attachment
DW_1887	Buffered PAR with Wings (WSDOT Type 3)	1	60	<Null>	<Null>	Has Photo Attachment
DW_1888	Buffered PAR with Wings (WSDOT Type 3)	2.2	59	<Null>	<Null>	Has Photo Attachment
DW_1889	Buffered PAR with Wings (WSDOT Type 3)	2	60	<Null>	<Null>	Has Photo Attachment
DW_1890		0.3	66	<Null>	<Null>	Has Photo Attachment
DW_1891	Buffered PAR with Wings (WSDOT Type 3)	1.7	66	<Null>	<Null>	Has Photo Attachment
DW_1892	Buffered PAR with Wings (WSDOT Type 3)	2.1	60	<Null>	<Null>	Has Photo Attachment
DW_1893	Buffered PAR with Wings (WSDOT Type 3)	2.7	60	<Null>	<Null>	Has Photo Attachment
DW_1894	Buffered PAR with Wings (WSDOT Type 3)	2.1	60	<Null>	<Null>	Has Photo Attachment
DW_1895	Buffered PAR with Wings (WSDOT Type 3)	1.5	60	<Null>	<Null>	Has Photo Attachment
DW_1896	Buffered PAR with Wings (WSDOT Type 3)	3.9	60	<Null>	<Null>	Has Photo Attachment
DW_1897		0	0	<Null>	<Null>	No Photo Attachment
DW_1898		0	0	<Null>	<Null>	No Photo Attachment
DW_1899		0	0	<Null>	<Null>	No Photo Attachment
DW_1900		0	0	<Null>	<Null>	No Photo Attachment
DW_1901		0	0	<Null>	<Null>	No Photo Attachment
DW_1902		0	0	<Null>	<Null>	No Photo Attachment
DW_1903	Parallel Ramp Approach (WSDOT Type 1)	3.5	58	4	9	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1904	Parallel Ramp Approach (WSDOT Type 1)	2.1	58	<Null>	<Null>	Has Photo Attachment
DW_1905	Parallel Ramp Approach (WSDOT Type 1)	2.1	58	<Null>	<Null>	Has Photo Attachment
DW_1906	Parallel Ramp Approach (WSDOT Type 1)	5.3	58	2.5	1.6	Has Photo Attachment
DW_1907	Parallel Ramp Approach (WSDOT Type 1)	2	58	<Null>	<Null>	Has Photo Attachment
DW_1908	Parallel Ramp Approach (WSDOT Type 1)	2	58	<Null>	<Null>	Has Photo Attachment
DW_1909	Parallel Ramp Approach (WSDOT Type 1)	1	58	<Null>	<Null>	Has Photo Attachment
DW_1910	Parallel Ramp Approach (WSDOT Type 1)	2	58	<Null>	<Null>	Has Photo Attachment
DW_1911	Parallel Ramp Approach (WSDOT Type 1)	4.1	58	2.5	1.7	Has Photo Attachment
DW_1912	Parallel Ramp Approach (WSDOT Type 1)	1.7	58	<Null>	<Null>	Has Photo Attachment
DW_1913	Parallel Ramp Approach (WSDOT Type 1)	2	58	<Null>	<Null>	Has Photo Attachment
DW_1914	Parallel Ramp Approach (WSDOT Type 1)	1.7	58	<Null>	<Null>	Has Photo Attachment
DW_1915	Parallel Ramp Approach (WSDOT Type 1)	2	58	<Null>	<Null>	Has Photo Attachment
DW_1916	Parallel Ramp Approach (WSDOT Type 1)	2.5	58	<Null>	<Null>	Has Photo Attachment
DW_1917	Parallel Ramp Approach (WSDOT Type 1)	2.1	58	<Null>	<Null>	Has Photo Attachment
DW_1918		0	0	<Null>	<Null>	No Photo Attachment
DW_1919	Parallel Ramp Approach (WSDOT Type 1)	1.5	58	<Null>	<Null>	Has Photo Attachment
DW_1920	Parallel Ramp Approach (WSDOT Type 1)	3	58	<Null>	<Null>	Has Photo Attachment
DW_1921	Parallel Ramp Approach (WSDOT Type 1)	2.1	58	<Null>	<Null>	Has Photo Attachment
DW_1922	Parallel Ramp Approach (WSDOT Type 1)	1	58	<Null>	<Null>	Has Photo Attachment
DW_1923	Parallel Ramp Approach (WSDOT Type 1)	2.1	58	<Null>	<Null>	Has Photo Attachment
DW_1924	Parallel Ramp Approach (WSDOT Type 1)	1.3	58	<Null>	<Null>	Has Photo Attachment
DW_1925	Parallel Ramp Approach (WSDOT Type 1)	2.4	58	<Null>	<Null>	Has Photo Attachment
DW_1926	Parallel Ramp Approach (WSDOT Type 1)	1.9	58	<Null>	<Null>	Has Photo Attachment
DW_1927	Parallel Ramp Approach (WSDOT Type 1)	1	58	<Null>	<Null>	Has Photo Attachment
DW_1928	Parallel Ramp Approach (WSDOT Type 1)	1.8	58	<Null>	<Null>	Has Photo Attachment
DW_1929	Parallel Ramp Approach (WSDOT Type 1)	2	58	<Null>	<Null>	Has Photo Attachment
DW_1930	Parallel Ramp Approach (WSDOT Type 1)	4.2	58	<Null>	<Null>	Has Photo Attachment
DW_1931	Parallel Ramp Approach (WSDOT Type 1)	0.9	58	<Null>	<Null>	Has Photo Attachment
DW_1932	Parallel Ramp Approach (WSDOT Type 1)	13.4	58	<Null>	<Null>	Has Photo Attachment
DW_1933	Parallel Ramp Approach (WSDOT Type 1)	1.7	58	<Null>	<Null>	Has Photo Attachment
DW_1934	Other	4.9	60	<Null>	<Null>	Has Photo Attachment
DW_1935	Parallel Ramp Approach (WSDOT Type 1)	1.8	58	<Null>	<Null>	Has Photo Attachment
DW_1936	Parallel Ramp Approach (WSDOT Type 1)	1.7	58	<Null>	<Null>	Has Photo Attachment
DW_1937	Parallel Ramp Approach (WSDOT Type 1)	1.8	59	<Null>	<Null>	Has Photo Attachment
DW_1938	Parallel Ramp Approach (WSDOT Type 1)	2.6	59	<Null>	<Null>	Has Photo Attachment
DW_1939		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1940		0	0	<Null>	<Null>	No Photo Attachment
DW_1941		0	0	<Null>	<Null>	No Photo Attachment
DW_1942		0	0	<Null>	<Null>	No Photo Attachment
DW_1943		0	0	<Null>	<Null>	No Photo Attachment
DW_1944		0	0	<Null>	<Null>	No Photo Attachment
DW_1945		0	0	<Null>	<Null>	No Photo Attachment
DW_1946		0	0	<Null>	<Null>	No Photo Attachment
DW_1947	Wings - Not ADA Accessible (WSDOT Type 4)	8.5	66	<Null>	<Null>	Has Photo Attachment
DW_1948	Parallel Ramp Approach (WSDOT Type 1)	2	66	2	8.3	Has Photo Attachment
DW_1949	Parallel Ramp Approach (WSDOT Type 1)	2	66	2	8.3	Has Photo Attachment
DW_1950	Parallel Ramp Approach (WSDOT Type 1)	1.7	66	0.1	7.3	Has Photo Attachment
DW_1951		0	0	<Null>	<Null>	No Photo Attachment
DW_1952	Parallel Ramp Approach (WSDOT Type 1)	1.9	66	1.7	8.3	Has Photo Attachment
DW_1953	Parallel Ramp Approach (WSDOT Type 1)	1.2	66	1.2	8.3	Has Photo Attachment
DW_1954	Parallel Ramp Approach (WSDOT Type 1)	1.4	66	1.7	8.3	Has Photo Attachment
DW_1955		0	0	<Null>	<Null>	No Photo Attachment
DW_1956		0	0	<Null>	<Null>	No Photo Attachment
DW_1957		0	0	<Null>	<Null>	No Photo Attachment
DW_1958		0	0	<Null>	<Null>	No Photo Attachment
DW_1959		0	0	<Null>	<Null>	No Photo Attachment
DW_1960		0	0	<Null>	<Null>	No Photo Attachment
DW_1961		0	0	<Null>	<Null>	No Photo Attachment
DW_1962		0	0	<Null>	<Null>	No Photo Attachment
DW_1963		0	0	<Null>	<Null>	No Photo Attachment
DW_1964	Parallel Ramp Approach (WSDOT Type 1)	2	64	1.7	8.3	Has Photo Attachment
DW_1965	Parallel Ramp Approach (WSDOT Type 1)	1.7	64	1.7	7.7	Has Photo Attachment
DW_1966	Parallel Ramp Approach (WSDOT Type 1)	2	60	2	8.3	Has Photo Attachment
DW_1967	Parallel Ramp Approach (WSDOT Type 1)	1	48	1	7.8	Has Photo Attachment
DW_1968		0	0	<Null>	<Null>	No Photo Attachment
DW_1969	Parallel Ramp Approach (WSDOT Type 1)	0.1	60	0	7.6	Has Photo Attachment
DW_1970	Other	5	0	<Null>	<Null>	Has Photo Attachment
DW_1971	Parallel Ramp Approach (WSDOT Type 1)	1.5	60	1.7	8.3	Has Photo Attachment
DW_1972	Parallel Ramp Approach (WSDOT Type 1)	1.8	60	1.8	8.3	Has Photo Attachment
DW_1973		0	0	<Null>	<Null>	No Photo Attachment
DW_1974		0	0	<Null>	<Null>	No Photo Attachment
DW_1975		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_1976		0	0	<Null>	<Null>	No Photo Attachment
DW_1977		0	0	<Null>	<Null>	No Photo Attachment
DW_1978		0	0	<Null>	<Null>	No Photo Attachment
DW_1979		0	0	<Null>	<Null>	No Photo Attachment
DW_1980		0	0	<Null>	<Null>	No Photo Attachment
DW_1981		0	0	<Null>	<Null>	No Photo Attachment
DW_1982		0	0	<Null>	<Null>	No Photo Attachment
DW_1983		0	0	<Null>	<Null>	No Photo Attachment
DW_1984		0	0	<Null>	<Null>	No Photo Attachment
DW_1985		0	0	<Null>	<Null>	No Photo Attachment
DW_1986		0	0	<Null>	<Null>	No Photo Attachment
DW_1987		0	0	<Null>	<Null>	No Photo Attachment
DW_1988		0	0	<Null>	<Null>	No Photo Attachment
DW_1989		0	0	<Null>	<Null>	No Photo Attachment
DW_1990		0	0	<Null>	<Null>	No Photo Attachment
DW_1991		0	0	<Null>	<Null>	No Photo Attachment
DW_1992		0	0	<Null>	<Null>	No Photo Attachment
DW_1993		0	0	<Null>	<Null>	No Photo Attachment
DW_1994		0	0	<Null>	<Null>	No Photo Attachment
DW_1995		0	0	<Null>	<Null>	No Photo Attachment
DW_1996		0	0	<Null>	<Null>	No Photo Attachment
DW_1997		0	0	<Null>	<Null>	No Photo Attachment
DW_1998		0	0	<Null>	<Null>	No Photo Attachment
DW_1999		0	0	<Null>	<Null>	No Photo Attachment
DW_2000		0	0	<Null>	<Null>	No Photo Attachment
DW_2001		0	0	<Null>	<Null>	No Photo Attachment
DW_2002		0	0	<Null>	<Null>	No Photo Attachment
DW_2003		0	0	<Null>	<Null>	No Photo Attachment
DW_2004		0	0	<Null>	<Null>	No Photo Attachment
DW_2005		0	0	<Null>	<Null>	No Photo Attachment
DW_2006		0	0	<Null>	<Null>	No Photo Attachment
DW_2007		0	0	<Null>	<Null>	No Photo Attachment
DW_2008		0	0	<Null>	<Null>	No Photo Attachment
DW_2009		0	0	<Null>	<Null>	No Photo Attachment
DW_2010		0	0	<Null>	<Null>	No Photo Attachment
DW_2011		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_2012		0	0	<Null>	<Null>	No Photo Attachment
DW_2013		0	0	<Null>	<Null>	No Photo Attachment
DW_2014		0	0	<Null>	<Null>	No Photo Attachment
DW_2015		0	0	<Null>	<Null>	No Photo Attachment
DW_2016		0	0	<Null>	<Null>	No Photo Attachment
DW_2017		0	0	<Null>	<Null>	No Photo Attachment
DW_2018		0	0	<Null>	<Null>	No Photo Attachment
DW_2019		0	0	<Null>	<Null>	No Photo Attachment
DW_2020		0	0	<Null>	<Null>	No Photo Attachment
DW_2021		0	0	<Null>	<Null>	No Photo Attachment
DW_2022		0	0	<Null>	<Null>	No Photo Attachment
DW_2023		0	0	<Null>	<Null>	No Photo Attachment
DW_2024		0	0	<Null>	<Null>	No Photo Attachment
DW_2025		0	0	<Null>	<Null>	No Photo Attachment
DW_2026		0	0	<Null>	<Null>	No Photo Attachment
DW_2027		0	0	<Null>	<Null>	No Photo Attachment
DW_2028		0	0	<Null>	<Null>	No Photo Attachment
DW_2029		0	0	<Null>	<Null>	No Photo Attachment
DW_2030		0	0	<Null>	<Null>	No Photo Attachment
DW_2031		0	0	<Null>	<Null>	No Photo Attachment
DW_2032		0	0	<Null>	<Null>	No Photo Attachment
DW_2033		0	0	<Null>	<Null>	No Photo Attachment
DW_2034		0	0	<Null>	<Null>	No Photo Attachment
DW_2035		0	0	<Null>	<Null>	No Photo Attachment
DW_2036		0	0	<Null>	<Null>	No Photo Attachment
DW_2037		0	0	<Null>	<Null>	No Photo Attachment
DW_2038		0	0	<Null>	<Null>	No Photo Attachment
DW_2039		0	0	<Null>	<Null>	No Photo Attachment
DW_2040		0	0	<Null>	<Null>	No Photo Attachment
DW_2041		0	0	<Null>	<Null>	No Photo Attachment
DW_2042		0	0	<Null>	<Null>	No Photo Attachment
DW_2043	Parallel Ramp Approach (WSDOT Type 1)	1.2	42	1.7	6.8	Has Photo Attachment
DW_2044		0	0	<Null>	<Null>	No Photo Attachment
DW_2045		0	0	<Null>	<Null>	No Photo Attachment
DW_2046		0	0	<Null>	<Null>	No Photo Attachment
DW_2047		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_2048		0	0	<Null>	<Null>	No Photo Attachment
DW_2049		0	0	<Null>	<Null>	No Photo Attachment
DW_2050		0	0	<Null>	<Null>	No Photo Attachment
DW_2051	Parallel Ramp Approach (WSDOT Type 1)	2	48	1.6	7.5	Has Photo Attachment
DW_2052	Parallel Ramp Approach (WSDOT Type 1)	0.9	48	0.4	14.1	Has Photo Attachment
DW_2053		0	0	<Null>	<Null>	No Photo Attachment
DW_2054		0	0	<Null>	<Null>	No Photo Attachment
DW_2055		0	0	<Null>	<Null>	No Photo Attachment
DW_2056		0	0	<Null>	<Null>	No Photo Attachment
DW_2057	Parallel Ramp Approach (WSDOT Type 1)	0.6	60	1.7	2.6	Has Photo Attachment
DW_2058		0	0	<Null>	<Null>	No Photo Attachment
DW_2059		0	0	<Null>	<Null>	No Photo Attachment
DW_2060	Parallel Ramp Approach (WSDOT Type 1)	0.8	60	0.9	2.7	Has Photo Attachment
DW_2061	Parallel Ramp Approach (WSDOT Type 1)	1.9	60	<Null>	<Null>	Has Photo Attachment
DW_2062	Buffered PAR with Wings (WSDOT Type 3)	1.5	60	<Null>	<Null>	Has Photo Attachment
DW_2063	Parallel Ramp Approach (WSDOT Type 1)	1.6	60	2	8	Has Photo Attachment
DW_2064	Buffered PAR with Wings (WSDOT Type 3)	1.9	60	<Null>	<Null>	Has Photo Attachment
DW_2065	Buffered PAR with Wings (WSDOT Type 3)	2.2	60	5.6	4	Has Photo Attachment
DW_2066	Buffered PAR with Wings (WSDOT Type 3)	0.8	60	<Null>	<Null>	Has Photo Attachment
DW_2067	Buffered PAR with Wings (WSDOT Type 3)	1	55	<Null>	<Null>	Has Photo Attachment
DW_2068	Buffered PAR with Wings (WSDOT Type 3)	3.9	56	<Null>	<Null>	Has Photo Attachment
DW_2069		0	0	<Null>	<Null>	No Photo Attachment
DW_2070		0	0	<Null>	<Null>	No Photo Attachment
DW_2071		0	0	<Null>	<Null>	No Photo Attachment
DW_2072		0	0	<Null>	<Null>	No Photo Attachment
DW_2073		0	0	<Null>	<Null>	No Photo Attachment
DW_2074		0	0	<Null>	<Null>	No Photo Attachment
DW_2075	Parallel Ramp Approach (WSDOT Type 1)	0.5	60	1	7	Has Photo Attachment
DW_2076	Buffered PAR with Wings (WSDOT Type 3)	1.6	60	<Null>	<Null>	Has Photo Attachment
DW_2077	Buffered PAR with Wings (WSDOT Type 3)	1.1	60	<Null>	<Null>	Has Photo Attachment
DW_2078	Buffered PAR with Wings (WSDOT Type 3)	1.2	60	<Null>	<Null>	Has Photo Attachment
DW_2079	Buffered PAR with Wings (WSDOT Type 3)	3.1	60	<Null>	<Null>	Has Photo Attachment
DW_2080	Buffered PAR with Wings (WSDOT Type 3)	2.6	60	<Null>	<Null>	Has Photo Attachment
DW_2081		0	0	<Null>	<Null>	No Photo Attachment
DW_2082		0	0	<Null>	<Null>	No Photo Attachment
DW_2083		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_2084		0	0	<Null>	<Null>	No Photo Attachment
DW_2085		0	0	<Null>	<Null>	No Photo Attachment
DW_2086	Buffered PAR with Wings (WSDOT Type 3)	2.4	72	<Null>	<Null>	Has Photo Attachment
DW_2087	Buffered PAR with Wings (WSDOT Type 3)	3	59	<Null>	<Null>	Has Photo Attachment
DW_2088		0	0	<Null>	<Null>	No Photo Attachment
DW_2089	Buffered PAR with Wings (WSDOT Type 3)	1.9	72	<Null>	<Null>	Has Photo Attachment
DW_2090	Buffered PAR with Wings (WSDOT Type 3)	1.1	72	<Null>	<Null>	Has Photo Attachment
DW_2091	Buffered PAR with Wings (WSDOT Type 3)	0	72	<Null>	<Null>	Has Photo Attachment
DW_2092		0	0	<Null>	<Null>	No Photo Attachment
DW_2093	Buffered PAR with Wings (WSDOT Type 3)	1.1	71	<Null>	<Null>	Has Photo Attachment
DW_2094	Buffered PAR with Wings (WSDOT Type 3)	2.7	72	<Null>	<Null>	Has Photo Attachment
DW_2095		0	0	<Null>	<Null>	No Photo Attachment
DW_2096	Buffered PAR with Wings (WSDOT Type 3)	2.5	72	<Null>	<Null>	Has Photo Attachment
DW_2097	Buffered PAR with Wings (WSDOT Type 3)	3.1	72	<Null>	<Null>	Has Photo Attachment
DW_2098		0	0	<Null>	<Null>	No Photo Attachment
DW_2099		0	0	<Null>	<Null>	No Photo Attachment
DW_2100	Buffered PAR with Wings (WSDOT Type 3)	1	70	<Null>	<Null>	Has Photo Attachment
DW_2101		0	0	<Null>	<Null>	No Photo Attachment
DW_2102		0	0	<Null>	<Null>	No Photo Attachment
DW_2103	Buffered PAR with Wings (WSDOT Type 3)	1.7	59	<Null>	<Null>	Has Photo Attachment
DW_2104	Buffered PAR with Wings (WSDOT Type 3)	0.6	60	<Null>	<Null>	Has Photo Attachment
DW_2105		0	0	<Null>	<Null>	No Photo Attachment
DW_2106	Buffered PAR with Wings (WSDOT Type 3)	3	54	<Null>	<Null>	Has Photo Attachment
DW_2107	Buffered PAR with Wings (WSDOT Type 3)	2.9	60	<Null>	<Null>	Has Photo Attachment
DW_2108	Buffered PAR with Wings (WSDOT Type 3)	6.2	71	<Null>	<Null>	Has Photo Attachment
DW_2109		0	0	<Null>	<Null>	No Photo Attachment
DW_2110	Buffered PAR with Wings (WSDOT Type 3)	1.9	54	<Null>	<Null>	Has Photo Attachment
DW_2111	Buffered PAR with Wings (WSDOT Type 3)	1.9	60	<Null>	<Null>	Has Photo Attachment
DW_2112	Buffered PAR with Wings (WSDOT Type 3)	4.5	60	<Null>	<Null>	Has Photo Attachment
DW_2113	Buffered PAR with Wings (WSDOT Type 3)	1.6	69	<Null>	<Null>	Has Photo Attachment
DW_2114		0	0	<Null>	<Null>	No Photo Attachment
DW_2115		0	0	<Null>	<Null>	No Photo Attachment
DW_2116	Buffered PAR with Wings (WSDOT Type 3)	2.4	70	<Null>	<Null>	Has Photo Attachment
DW_2117	Buffered PAR with Wings (WSDOT Type 3)	1.8	68	<Null>	<Null>	Has Photo Attachment
DW_2118	Buffered PAR with Wings (WSDOT Type 3)	5.9	68	<Null>	<Null>	Has Photo Attachment
DW_2119	Buffered PAR with Wings (WSDOT Type 3)	2.3	72	<Null>	<Null>	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_2120	Buffered PAR with Wings (WSDOT Type 3)	1.5	72	<Null>	<Null>	Has Photo Attachment
DW_2121	Buffered PAR with Wings (WSDOT Type 3)	3.8	72	<Null>	<Null>	Has Photo Attachment
DW_2122	Buffered PAR with Wings (WSDOT Type 3)	1.4	60	<Null>	<Null>	Has Photo Attachment
DW_2123	Buffered PAR with Wings (WSDOT Type 3)	1.9	58	<Null>	<Null>	Has Photo Attachment
DW_2124	Buffered PAR with Wings (WSDOT Type 3)	2	71	<Null>	<Null>	Has Photo Attachment
DW_2125	Buffered PAR with Wings (WSDOT Type 3)	4.3	71	<Null>	<Null>	Has Photo Attachment
DW_2126		0	0	<Null>	<Null>	No Photo Attachment
DW_2127	Buffered PAR with Wings (WSDOT Type 3)	1.9	70	<Null>	<Null>	Has Photo Attachment
DW_2128	Buffered PAR with Wings (WSDOT Type 3)	1.7	70	<Null>	<Null>	Has Photo Attachment
DW_2129		0	0	<Null>	<Null>	No Photo Attachment
DW_2130	Buffered PAR with Wings (WSDOT Type 3)	0.3	58	<Null>	<Null>	Has Photo Attachment
DW_2131		0	0	<Null>	<Null>	No Photo Attachment
DW_2132	Buffered PAR with Wings (WSDOT Type 3)	1.9	59	<Null>	<Null>	Has Photo Attachment
DW_2133		0	0	<Null>	<Null>	No Photo Attachment
DW_2134		0	0	<Null>	<Null>	No Photo Attachment
DW_2135		0	0	<Null>	<Null>	No Photo Attachment
DW_2136	Buffered PAR with Wings (WSDOT Type 3)	1.7	72	<Null>	<Null>	Has Photo Attachment
DW_2137	Buffered PAR with Wings (WSDOT Type 3)	3.8	68	<Null>	<Null>	Has Photo Attachment
DW_2138	Buffered PAR with Wings (WSDOT Type 3)	1.2	68	<Null>	<Null>	Has Photo Attachment
DW_2139	Buffered PAR with Wings (WSDOT Type 3)	1.7	68	<Null>	<Null>	Has Photo Attachment
DW_2140		0	0	<Null>	<Null>	No Photo Attachment
DW_2141	Buffered PAR with Wings (WSDOT Type 3)	4.1	70	<Null>	<Null>	Has Photo Attachment
DW_2142		0	0	<Null>	<Null>	No Photo Attachment
DW_2143		0	0	<Null>	<Null>	No Photo Attachment
DW_2144	Buffered PAR with Wings (WSDOT Type 3)	1.8	72	<Null>	<Null>	Has Photo Attachment
DW_2145	Buffered PAR with Wings (WSDOT Type 3)	0.6	72	<Null>	<Null>	Has Photo Attachment
DW_2146	Buffered PAR with Wings (WSDOT Type 3)	3.3	72	<Null>	<Null>	Has Photo Attachment
DW_2147		0	0	<Null>	<Null>	No Photo Attachment
DW_2148	Buffered PAR with Wings (WSDOT Type 3)	1	72	<Null>	<Null>	Has Photo Attachment
DW_2149		0	0	<Null>	<Null>	No Photo Attachment
DW_2150		0	0	<Null>	<Null>	No Photo Attachment
DW_2151	Buffered PAR with Wings (WSDOT Type 3)	1.7	66	<Null>	<Null>	Has Photo Attachment
DW_2152	Buffered PAR with Wings (WSDOT Type 3)	1.9	54	<Null>	<Null>	Has Photo Attachment
DW_2153		0	0	<Null>	<Null>	No Photo Attachment
DW_2154	Buffered PAR with Wings (WSDOT Type 3)	1	70	<Null>	<Null>	Has Photo Attachment
DW_2155		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_2156	Buffered PAR with Wings (WSDOT Type 3)	1.6	69	<Null>	<Null>	Has Photo Attachment
DW_2157	Buffered PAR with Wings (WSDOT Type 3)	4	72	<Null>	<Null>	Has Photo Attachment
DW_2158	Buffered PAR with Wings (WSDOT Type 3)	1.9	72	<Null>	<Null>	Has Photo Attachment
DW_2159		0	0	<Null>	<Null>	No Photo Attachment
DW_2160	Buffered PAR with Wings (WSDOT Type 3)	5.5	72	<Null>	<Null>	Has Photo Attachment
DW_2161		0	0	<Null>	<Null>	No Photo Attachment
DW_2162		0	0	<Null>	<Null>	No Photo Attachment
DW_2163	Buffered PAR with Wings (WSDOT Type 3)	2	72	<Null>	<Null>	Has Photo Attachment
DW_2164	Buffered PAR with Wings (WSDOT Type 3)	0.9	72	<Null>	<Null>	Has Photo Attachment
DW_2165		0	0	<Null>	<Null>	No Photo Attachment
DW_2166		0	0	<Null>	<Null>	No Photo Attachment
DW_2167		0	0	<Null>	<Null>	No Photo Attachment
DW_2168	Parallel Ramp Approach (WSDOT Type 1)	0.1	60	1	4.6	Has Photo Attachment
DW_2169		0	0	<Null>	<Null>	No Photo Attachment
DW_2170		0	0	<Null>	<Null>	No Photo Attachment
DW_2171		0	0	<Null>	<Null>	No Photo Attachment
DW_2172	Buffered PAR with Wings (WSDOT Type 3)	3.4	66	<Null>	<Null>	Has Photo Attachment
DW_2173	Buffered PAR with Wings (WSDOT Type 3)	0.5	72	<Null>	<Null>	Has Photo Attachment
DW_2174	Buffered PAR with Wings (WSDOT Type 3)	1	71	<Null>	<Null>	Has Photo Attachment
DW_2175		0	0	<Null>	<Null>	No Photo Attachment
DW_2176		0	0	<Null>	<Null>	No Photo Attachment
DW_2177		0	0	<Null>	<Null>	No Photo Attachment
DW_2178		0	0	<Null>	<Null>	No Photo Attachment
DW_2179		0	0	<Null>	<Null>	No Photo Attachment
DW_2180	Buffered PAR with Wings (WSDOT Type 3)	2.7	72	<Null>	<Null>	Has Photo Attachment
DW_2181		0	0	<Null>	<Null>	No Photo Attachment
DW_2182		0	0	<Null>	<Null>	No Photo Attachment
DW_2183	Buffered PAR with Wings (WSDOT Type 3)	0.9	65	<Null>	<Null>	Has Photo Attachment
DW_2184	Buffered PAR with Wings (WSDOT Type 3)	2.6	65	<Null>	<Null>	Has Photo Attachment
DW_2185		0	0	<Null>	<Null>	No Photo Attachment
DW_2186		0	0	<Null>	<Null>	No Photo Attachment
DW_2187		0	0	<Null>	<Null>	No Photo Attachment
DW_2188		0	0	<Null>	<Null>	No Photo Attachment
DW_2189		0	0	<Null>	<Null>	No Photo Attachment
DW_2190		0	0	<Null>	<Null>	No Photo Attachment
DW_2191		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_2192		0	0	<Null>	<Null>	No Photo Attachment
DW_2193		0	0	<Null>	<Null>	No Photo Attachment
DW_2194	Buffered PAR with Wings (WSDOT Type 3)	2	72	<Null>	<Null>	Has Photo Attachment
DW_2195		0	0	<Null>	<Null>	No Photo Attachment
DW_2196		0	0	<Null>	<Null>	No Photo Attachment
DW_2197	Buffered PAR with Wings (WSDOT Type 3)	1.7	72	<Null>	<Null>	Has Photo Attachment
DW_2198		0	0	<Null>	<Null>	No Photo Attachment
DW_2199		0	0	<Null>	<Null>	No Photo Attachment
DW_2200		0	0	<Null>	<Null>	No Photo Attachment
DW_2201	Parallel Ramp Approach (WSDOT Type 1)	3.6	60	0.7	13.3	Has Photo Attachment
DW_2202	Buffered PAR with Wings (WSDOT Type 3)	1	60	<Null>	<Null>	Has Photo Attachment
DW_2203		0	0	<Null>	<Null>	No Photo Attachment
DW_2204	Buffered PAR with Wings (WSDOT Type 3)	4.7	67	<Null>	<Null>	Has Photo Attachment
DW_2205	Buffered PAR with Wings (WSDOT Type 3)	0.8	58	<Null>	<Null>	Has Photo Attachment
DW_2206		0	0	<Null>	<Null>	No Photo Attachment
DW_2207	Buffered PAR with Wings (WSDOT Type 3)	4.5	60	<Null>	<Null>	Has Photo Attachment
DW_2208		0	0	<Null>	<Null>	No Photo Attachment
DW_2209		0	0	<Null>	<Null>	No Photo Attachment
DW_2210	Buffered PAR with Wings (WSDOT Type 3)	1.7	61	<Null>	<Null>	Has Photo Attachment
DW_2211		0	0	<Null>	<Null>	No Photo Attachment
DW_2212		0	0	<Null>	<Null>	No Photo Attachment
DW_2213	Buffered PAR with Wings (WSDOT Type 3)	2.4	56	<Null>	<Null>	Has Photo Attachment
DW_2214		0	0	<Null>	<Null>	No Photo Attachment
DW_2215		0	0	<Null>	<Null>	No Photo Attachment
DW_2216	Buffered PAR with Wings (WSDOT Type 3)	2.8	60	<Null>	<Null>	Has Photo Attachment
DW_2217		0	0	<Null>	<Null>	No Photo Attachment
DW_2218	Buffered PAR with Wings (WSDOT Type 3)	1.9	72	<Null>	<Null>	Has Photo Attachment
DW_2219		0	0	<Null>	<Null>	No Photo Attachment
DW_2220	Buffered PAR with Wings (WSDOT Type 3)	0.8	72	<Null>	<Null>	Has Photo Attachment
DW_2221	Buffered PAR with Wings (WSDOT Type 3)	1.6	72	<Null>	<Null>	Has Photo Attachment
DW_2222	Buffered PAR with Wings (WSDOT Type 3)	2.9	72	<Null>	<Null>	Has Photo Attachment
DW_2223	Buffered PAR with Wings (WSDOT Type 3)	0.3	72	<Null>	<Null>	Has Photo Attachment
DW_2224		0	0	<Null>	<Null>	No Photo Attachment
DW_2225		0	0	<Null>	<Null>	No Photo Attachment
DW_2226		0	0	<Null>	<Null>	No Photo Attachment
DW_2227	Buffered PAR with Wings (WSDOT Type 3)	3.3	72	<Null>	<Null>	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_2228	Buffered PAR with Wings (WSDOT Type 3)	3.1	66	<Null>	<Null>	Has Photo Attachment
DW_2229	Buffered PAR with Wings (WSDOT Type 3)	2.1	70	<Null>	<Null>	Has Photo Attachment
DW_2230	Buffered PAR with Wings (WSDOT Type 3)	1.8	72	<Null>	<Null>	Has Photo Attachment
DW_2231	Other	6	71	4.7	6.2	Has Photo Attachment
DW_2232		0	0	<Null>	<Null>	No Photo Attachment
DW_2233		0	0	<Null>	<Null>	No Photo Attachment
DW_2234		0	0	<Null>	<Null>	No Photo Attachment
DW_2235	Buffered PAR with Wings (WSDOT Type 3)	0	72	<Null>	<Null>	Has Photo Attachment
DW_2236	Other	6.7	72	<Null>	<Null>	Has Photo Attachment
DW_2237		0	0	<Null>	<Null>	No Photo Attachment
DW_2238		0	0	<Null>	<Null>	No Photo Attachment
DW_2239		0	0	<Null>	<Null>	No Photo Attachment
DW_2240		0	0	<Null>	<Null>	No Photo Attachment
DW_2241		0	0	<Null>	<Null>	No Photo Attachment
DW_2242		0	0	<Null>	<Null>	No Photo Attachment
DW_2243		0	0	<Null>	<Null>	No Photo Attachment
DW_2244		0	0	<Null>	<Null>	No Photo Attachment
DW_2245		0	0	<Null>	<Null>	No Photo Attachment
DW_2246		0	0	<Null>	<Null>	No Photo Attachment
DW_2247	Buffered PAR with Wings (WSDOT Type 3)	0.7	72	<Null>	<Null>	Has Photo Attachment
DW_2248	Buffered PAR with Wings (WSDOT Type 3)	1.2	60	<Null>	<Null>	Has Photo Attachment
DW_2249	Buffered PAR with Wings (WSDOT Type 3)	0.9	66	<Null>	<Null>	Has Photo Attachment
DW_2250		0	0	<Null>	<Null>	No Photo Attachment
DW_2251		0	0	<Null>	<Null>	No Photo Attachment
DW_2252	Buffered PAR with Wings (WSDOT Type 3)	1.7	60	<Null>	<Null>	Has Photo Attachment
DW_2253		0	0	<Null>	<Null>	No Photo Attachment
DW_2254	Wings - Not ADA Accessible (WSDOT Type 4)	5.5	66	<Null>	<Null>	Has Photo Attachment
DW_2255	Buffered PAR with Wings (WSDOT Type 3)	3.5	72	<Null>	<Null>	Has Photo Attachment
DW_2256		0	0	<Null>	<Null>	No Photo Attachment
DW_2257		0	0	<Null>	<Null>	No Photo Attachment
DW_2258	Buffered PAR with Wings (WSDOT Type 3)	2.6	72	<Null>	<Null>	Has Photo Attachment
DW_2259		0	0	<Null>	<Null>	No Photo Attachment
DW_2260		0	0	<Null>	<Null>	No Photo Attachment
DW_2261		0	0	<Null>	<Null>	No Photo Attachment
DW_2262		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_2263	Buffered PAR with Wings (WSDOT Type 3)	0.2	71	<Null>	<Null>	Has Photo Attachment
DW_2264	Parallel Ramp Approach (WSDOT Type 1)	2	66	0.6	7.9	Has Photo Attachment
DW_2265		0	0	<Null>	<Null>	No Photo Attachment
DW_2266	Wings - Not ADA Accessible (WSDOT Type 4)	4	96	<Null>	<Null>	Has Photo Attachment
DW_2267		0	0	<Null>	<Null>	No Photo Attachment
DW_2268		0	0	<Null>	<Null>	No Photo Attachment
DW_2269	Diagonal PAR with Wings (WSDOT Type 2)	1.2	150	<Null>	<Null>	Has Photo Attachment
DW_2270	Buffered PAR with Wings (WSDOT Type 3)	2.1	116	<Null>	<Null>	Has Photo Attachment
DW_2271	Buffered PAR with Wings (WSDOT Type 3)	1.6	68	<Null>	<Null>	Has Photo Attachment
DW_2272		0	0	<Null>	<Null>	No Photo Attachment
DW_2273	Other	4	144	<Null>	<Null>	Has Photo Attachment
DW_2274	Other	2	144	2.4	8.3	Has Photo Attachment
DW_2275		0	0	<Null>	<Null>	No Photo Attachment
DW_2276		0	0	<Null>	<Null>	No Photo Attachment
DW_2277	Other	3.7	144	<Null>	<Null>	Has Photo Attachment
DW_2278		0	0	<Null>	<Null>	No Photo Attachment
DW_2279		0	0	<Null>	<Null>	No Photo Attachment
DW_2280		0	0	<Null>	<Null>	No Photo Attachment
DW_2281		0	0	<Null>	<Null>	No Photo Attachment
DW_2282		0	0	<Null>	<Null>	No Photo Attachment
DW_2283		0	0	<Null>	<Null>	No Photo Attachment
DW_2284		0	0	<Null>	<Null>	No Photo Attachment
DW_2285		0	0	<Null>	<Null>	No Photo Attachment
DW_2286		0	0	<Null>	<Null>	No Photo Attachment
DW_2287		0	0	<Null>	<Null>	No Photo Attachment
DW_2288	Other	3.7	96	<Null>	<Null>	Has Photo Attachment
DW_2289	Buffered PAR with Wings (WSDOT Type 3)	0.6	69	<Null>	<Null>	Has Photo Attachment
DW_2290	Buffered PAR with Wings (WSDOT Type 3)	2.4	72	<Null>	<Null>	Has Photo Attachment
DW_2291	Buffered PAR with Wings (WSDOT Type 3)	3.8	72	<Null>	<Null>	Has Photo Attachment
DW_2292	Other	1.9	129	<Null>	<Null>	Has Photo Attachment
DW_2293	Parallel Ramp Approach (WSDOT Type 1)	1.7	111	1.6	1.3	Has Photo Attachment
DW_2294	Diagonal PAR with Wings (WSDOT Type 2)	0.7	120	<Null>	<Null>	Has Photo Attachment
DW_2295	Diagonal PAR with Wings (WSDOT Type 2)	1.5	120	<Null>	<Null>	Has Photo Attachment
DW_2296	Other	1.8	96	<Null>	<Null>	Has Photo Attachment
DW_2297		1.7	96	1.8	5.9	Has Photo Attachment
DW_2298	Other	1	60	<Null>	<Null>	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_2299	Other	3.9	60	<Null>	<Null>	Has Photo Attachment
DW_2300	Other	1	60	<Null>	<Null>	Has Photo Attachment
DW_2301	Diagonal PAR with Wings (WSDOT Type 2)	3.4	96	1.7	1	Has Photo Attachment
DW_2302		0	0	<Null>	<Null>	No Photo Attachment
DW_2303		0	0	<Null>	<Null>	No Photo Attachment
DW_2304		0	0	<Null>	<Null>	No Photo Attachment
DW_2305		0	0	<Null>	<Null>	No Photo Attachment
DW_2306		0	0	<Null>	<Null>	No Photo Attachment
DW_2307		0	0	<Null>	<Null>	No Photo Attachment
DW_2308		0	0	<Null>	<Null>	No Photo Attachment
DW_2309		0	0	<Null>	<Null>	No Photo Attachment
DW_2310	Other	1.7	72	<Null>	<Null>	Has Photo Attachment
DW_2311	Buffered PAR with Wings (WSDOT Type 3)	1.4	60	<Null>	<Null>	Has Photo Attachment
DW_2312	Parallel Ramp Approach (WSDOT Type 1)	1	60	2	4.8	Has Photo Attachment
DW_2313	Buffered PAR with Wings (WSDOT Type 3)	1.7	60	<Null>	<Null>	Has Photo Attachment
DW_2314	Parallel Ramp Approach (WSDOT Type 1)	1	48	1	7.8	Has Photo Attachment
DW_2315	Buffered PAR with Wings (WSDOT Type 3)	0.9	60	<Null>	<Null>	Has Photo Attachment
DW_2316		0	0	<Null>	<Null>	No Photo Attachment
DW_2317		0	0	<Null>	<Null>	No Photo Attachment
DW_2318		0	0	<Null>	<Null>	No Photo Attachment
DW_2319	Parallel Ramp Approach (WSDOT Type 1)	1.4	96	1.5	6.4	Has Photo Attachment
DW_2320		0	0	<Null>	<Null>	No Photo Attachment
DW_2321		0	0	<Null>	<Null>	No Photo Attachment
DW_2322		0	0	<Null>	<Null>	No Photo Attachment
DW_2323		0	0	<Null>	<Null>	No Photo Attachment
DW_2324		0	0	<Null>	<Null>	No Photo Attachment
DW_2325		0	0	<Null>	<Null>	No Photo Attachment
DW_2326		0	0	<Null>	<Null>	No Photo Attachment
DW_2327		0	0	<Null>	<Null>	No Photo Attachment
DW_2328		0	0	<Null>	<Null>	No Photo Attachment
DW_2329		0	0	<Null>	<Null>	No Photo Attachment
DW_2330	Other	1.1	72	<Null>	<Null>	Has Photo Attachment
DW_2331	Other	2.4	72	<Null>	<Null>	Has Photo Attachment
DW_2332		0	0	<Null>	<Null>	No Photo Attachment
DW_2333	Parallel Ramp Approach (WSDOT Type 1)	1.4	66	2.1	8.2	Has Photo Attachment
DW_2334		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_2335		0	0	<Null>	<Null>	No Photo Attachment
DW_2336		0	0	<Null>	<Null>	No Photo Attachment
DW_2337		0	0	<Null>	<Null>	No Photo Attachment
DW_2338	Parallel Ramp Approach (WSDOT Type 1)	1.9	66	1.9	10.4	Has Photo Attachment
DW_2339		0	0	<Null>	<Null>	No Photo Attachment
DW_2340		0	0	<Null>	<Null>	No Photo Attachment
DW_2341		0	0	<Null>	<Null>	No Photo Attachment
DW_2342		0	0	<Null>	<Null>	No Photo Attachment
DW_2343		0	0	<Null>	<Null>	No Photo Attachment
DW_2344		0	0	<Null>	<Null>	No Photo Attachment
DW_2345		0	0	<Null>	<Null>	No Photo Attachment
DW_2346		0	0	<Null>	<Null>	No Photo Attachment
DW_2347	Buffered PAR with Wings (WSDOT Type 3)	1.8	72	<Null>	<Null>	Has Photo Attachment
DW_2348	Buffered PAR with Wings (WSDOT Type 3)	1.6	72	<Null>	<Null>	Has Photo Attachment
DW_2349	Buffered PAR with Wings (WSDOT Type 3)	1.7	72	<Null>	<Null>	Has Photo Attachment
DW_2350		0	0	<Null>	<Null>	No Photo Attachment
DW_2351	Buffered PAR with Wings (WSDOT Type 3)	1.7	66	<Null>	<Null>	Has Photo Attachment
DW_2352	Buffered PAR with Wings (WSDOT Type 3)	2.6	66	<Null>	<Null>	Has Photo Attachment
DW_2353	Buffered PAR with Wings (WSDOT Type 3)	5.1	67	<Null>	<Null>	Has Photo Attachment
DW_2354		0	0	<Null>	<Null>	No Photo Attachment
DW_2355		0	0	<Null>	<Null>	No Photo Attachment
DW_2356		0	0	<Null>	<Null>	No Photo Attachment
DW_2357		0	0	<Null>	<Null>	No Photo Attachment
DW_2358	Buffered PAR with Wings (WSDOT Type 3)	0.3	71	<Null>	<Null>	Has Photo Attachment
DW_2359	Buffered PAR with Wings (WSDOT Type 3)	1.3	71	<Null>	<Null>	Has Photo Attachment
DW_2360		0	0	<Null>	<Null>	No Photo Attachment
DW_2361		0	0	<Null>	<Null>	No Photo Attachment
DW_2362		0	0	<Null>	<Null>	No Photo Attachment
DW_2363		0	0	<Null>	<Null>	No Photo Attachment
DW_2364		0	0	<Null>	<Null>	No Photo Attachment
DW_2365		0	0	<Null>	<Null>	No Photo Attachment
DW_2366		0	0	<Null>	<Null>	No Photo Attachment
DW_2367		0	0	<Null>	<Null>	No Photo Attachment
DW_2368		0	0	<Null>	<Null>	No Photo Attachment
DW_2369		0	0	<Null>	<Null>	No Photo Attachment
DW_2370		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_2371		0	0	<Null>	<Null>	No Photo Attachment
DW_2372		0	0	<Null>	<Null>	No Photo Attachment
DW_2373		0	0	<Null>	<Null>	No Photo Attachment
DW_2374		0	0	<Null>	<Null>	No Photo Attachment
DW_2375		0	0	<Null>	<Null>	No Photo Attachment
DW_2376	Buffered PAR with Wings (WSDOT Type 3)	0.6	71	<Null>	<Null>	Has Photo Attachment
DW_2377		0	0	<Null>	<Null>	No Photo Attachment
DW_2378		0	0	<Null>	<Null>	No Photo Attachment
DW_2379		0	0	<Null>	<Null>	No Photo Attachment
DW_2380		0	0	<Null>	<Null>	No Photo Attachment
DW_2381		0	0	<Null>	<Null>	No Photo Attachment
DW_2382		0	0	<Null>	<Null>	No Photo Attachment
DW_2383		0	0	<Null>	<Null>	No Photo Attachment
DW_2384		0	0	<Null>	<Null>	No Photo Attachment
DW_2385		0	0	<Null>	<Null>	No Photo Attachment
DW_2386	Other	3.1	48	<Null>	<Null>	Has Photo Attachment
DW_2387		0	0	<Null>	<Null>	No Photo Attachment
DW_2388		0	0	<Null>	<Null>	No Photo Attachment
DW_2389		0	0	<Null>	<Null>	No Photo Attachment
DW_2390		0	0	<Null>	<Null>	No Photo Attachment
DW_2391	Other	0.6	72	<Null>	<Null>	Has Photo Attachment
DW_2392	Other	2	72	<Null>	<Null>	Has Photo Attachment
DW_2393	Other	2.2	72	<Null>	<Null>	Has Photo Attachment
DW_2394		0	0	<Null>	<Null>	No Photo Attachment
DW_2395	Other	0.7	72	<Null>	<Null>	Has Photo Attachment
DW_2396	Buffered PAR with Wings (WSDOT Type 3)	2.4	71	<Null>	<Null>	Has Photo Attachment
DW_2397		0	0	<Null>	<Null>	No Photo Attachment
DW_2398	Wings - Not ADA Accessible (WSDOT Type 4)	4.9	71	<Null>	<Null>	Has Photo Attachment
DW_2399	Buffered PAR with Wings (WSDOT Type 3)	2.6	71	<Null>	<Null>	Has Photo Attachment
DW_2400		0	0	<Null>	<Null>	No Photo Attachment
DW_2401	Buffered PAR with Wings (WSDOT Type 3)	0.7	72	<Null>	<Null>	Has Photo Attachment
DW_2402		0	0	<Null>	<Null>	No Photo Attachment
DW_2403		0	0	<Null>	<Null>	No Photo Attachment
DW_2404		0	0	<Null>	<Null>	No Photo Attachment
DW_2405	Buffered PAR with Wings (WSDOT Type 3)	1.7	56	<Null>	<Null>	Has Photo Attachment
DW_2406	Buffered PAR with Wings (WSDOT Type 3)	2.4	56	<Null>	<Null>	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_2407	Buffered PAR with Wings (WSDOT Type 3)	2.2	66	<Null>	<Null>	Has Photo Attachment
DW_2408	Buffered PAR with Wings (WSDOT Type 3)	0.8	65	<Null>	<Null>	Has Photo Attachment
DW_2409	Parallel Ramp Approach (WSDOT Type 1)	2.8	54	2.3	8	Has Photo Attachment
DW_2410	Wings - Not ADA Accessible (WSDOT Type 4)	4.4	92	<Null>	<Null>	Has Photo Attachment
DW_2411		0	0	<Null>	<Null>	No Photo Attachment
DW_2412	Other	0.3	69	1.1	7.6	Has Photo Attachment
DW_2413		0	0	<Null>	<Null>	No Photo Attachment
DW_2414	Wings - Not ADA Accessible (WSDOT Type 4)	10	62	<Null>	<Null>	Has Photo Attachment
DW_2415		0	0	<Null>	<Null>	No Photo Attachment
DW_2416		0	0	<Null>	<Null>	No Photo Attachment
DW_2417	Buffered PAR with Wings (WSDOT Type 3)	5	67	<Null>	<Null>	Has Photo Attachment
DW_2418		0	0	<Null>	<Null>	No Photo Attachment
DW_2419	Buffered PAR with Wings (WSDOT Type 3)	2.4	71	<Null>	<Null>	Has Photo Attachment
DW_2420	Buffered PAR with Wings (WSDOT Type 3)	3.1	71	<Null>	<Null>	Has Photo Attachment
DW_2421	Buffered PAR with Wings (WSDOT Type 3)	0.4	71	<Null>	<Null>	Has Photo Attachment
DW_2422		0	0	<Null>	<Null>	No Photo Attachment
DW_2423		0	0	<Null>	<Null>	No Photo Attachment
DW_2424	Other	4.6	66	<Null>	<Null>	Has Photo Attachment
DW_2425		0	0	<Null>	<Null>	No Photo Attachment
DW_2426		0	0	<Null>	<Null>	No Photo Attachment
DW_2427		0	0	<Null>	<Null>	No Photo Attachment
DW_2428		0	0	<Null>	<Null>	No Photo Attachment
DW_2429	Buffered PAR with Wings (WSDOT Type 3)	3.2	72	<Null>	<Null>	Has Photo Attachment
DW_2430	Buffered PAR with Wings (WSDOT Type 3)	1.6	68	<Null>	<Null>	Has Photo Attachment
DW_2431	Buffered PAR with Wings (WSDOT Type 3)	2.2	65	<Null>	<Null>	Has Photo Attachment
DW_2432		0	0	<Null>	<Null>	No Photo Attachment
DW_2433		0	0	<Null>	<Null>	No Photo Attachment
DW_2434	Buffered PAR with Wings (WSDOT Type 3)	3	70	<Null>	<Null>	Has Photo Attachment
DW_2435		0	0	<Null>	<Null>	No Photo Attachment
DW_2436	Buffered PAR with Wings (WSDOT Type 3)	1.1	66	<Null>	<Null>	Has Photo Attachment
DW_2437	Buffered PAR with Wings (WSDOT Type 3)	2.6	60	<Null>	<Null>	Has Photo Attachment
DW_2438		0	0	<Null>	<Null>	No Photo Attachment
DW_2439	Buffered PAR with Wings (WSDOT Type 3)	2	70	<Null>	<Null>	Has Photo Attachment
DW_2440	Buffered PAR with Wings (WSDOT Type 3)	1.8	64	<Null>	<Null>	Has Photo Attachment
DW_2441	Buffered PAR with Wings (WSDOT Type 3)	3.5	64	<Null>	<Null>	Has Photo Attachment
DW_2442		0	0	<Null>	<Null>	No Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	DW_Type	DW_Cross_S	DW_PAR_Width	Parallel_Cross_Slope	Parallel_Running_Slope	TSI_Driveway_Photo_Present
DW_2443		0	0	<Null>	<Null>	No Photo Attachment
DW_2444		0	0	<Null>	<Null>	No Photo Attachment
DW_2445	Other	3.2	70	<Null>	<Null>	Has Photo Attachment
DW_2446	Other	6	70	<Null>	<Null>	Has Photo Attachment
DW_2447	Other	7	72	<Null>	<Null>	Has Photo Attachment
DW_2448	Other	3.1	72	<Null>	<Null>	Has Photo Attachment
DW_2449	Other	1	72	<Null>	<Null>	Has Photo Attachment
DW_2450		0	0	<Null>	<Null>	No Photo Attachment
DW_2451		0	0	<Null>	<Null>	No Photo Attachment
DW_2452	Other	6.6	60	<Null>	<Null>	Has Photo Attachment
DW_2453	Other	0.5	60	<Null>	<Null>	Has Photo Attachment
DW_2454	Other	4.8	66	<Null>	<Null>	Has Photo Attachment
DW_2455	Other	2.6	60	<Null>	<Null>	Has Photo Attachment
DW_2456	Other	1.8	60	<Null>	<Null>	Has Photo Attachment
DW_2457	Other	0	60	<Null>	<Null>	Has Photo Attachment
DW_2458		0	0	<Null>	<Null>	No Photo Attachment
DW_2459		0	0	<Null>	<Null>	No Photo Attachment
DW_2460		0	0	<Null>	<Null>	No Photo Attachment
DW_2461		0	0	<Null>	<Null>	No Photo Attachment
DW_2462		0	0	<Null>	<Null>	No Photo Attachment
DW_2463		0	0	<Null>	<Null>	No Photo Attachment
DW_2464		0	0	<Null>	<Null>	No Photo Attachment
DW_2465	Parallel Ramp Approach (WSDOT Type 1)	1	48	1.6	7	Has Photo Attachment
DW_2466	Parallel Ramp Approach (WSDOT Type 1)	1.4	59	1.5	8.3	Has Photo Attachment
DW_2467	Parallel Ramp Approach (WSDOT Type 1)	1.8	59	1.7	7.4	Has Photo Attachment
DW_2468	Parallel Ramp Approach (WSDOT Type 1)	2.9	59	1.3	8.1	Has Photo Attachment
DW_2469	Buffered PAR with Wings (WSDOT Type 3)	1.4	60	<Null>	<Null>	Has Photo Attachment

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0001	<Null>	No	
DW_0002	<Null>	No	
DW_0003	<Null>	No	
DW_0004	<Null>	No	
DW_0005	<Null>	No	
DW_0006	<Null>	No	
DW_0007	<Null>	No	
DW_0008	<Null>	No	
DW_0009	DW_0009.jpg	Yes	
DW_0010	DW_0010.jpg	Yes	
DW_0011	DW_0011.jpg	Yes	
DW_0012	<Null>	No	
DW_0013	DW_0013.jpg	No	
DW_0014	<Null>	No	
DW_0015	<Null>	No	
DW_0016	DW_0016.jpg	Yes	
DW_0017	DW_0017.jpg	No	
DW_0018	DW_0018.jpg	Yes	
DW_0019	<Null>	No	
DW_0020	DW_0020.jpg	Yes	PAR obstructed by dirt and sandbags
DW_0021	<Null>	No	
DW_0022	<Null>	No	
DW_0023	DW_0023.jpg	Yes	
DW_0024	DW_0024.jpg	No	
DW_0025	<Null>	No	
DW_0026	<Null>	No	
DW_0027	<Null>	No	
DW_0028	DW_0028.jpg	Yes	Surrounding vegetation
DW_0029	DW_0029.jpg	Yes	
DW_0030	<Null>	No	
DW_0031	<Null>	No	
DW_0032	<Null>	No	
DW_0033	DW_0033.jpg	No	
DW_0034	DW_0034.jpg	No	
DW_0035	<Null>	No	
DW_0036	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0037	<Null>	No	
DW_0038	<Null>	No	
DW_0039	<Null>	No	
DW_0040	DW_0040.jpg	No	
DW_0041	DW_0041.jpg	Yes	
DW_0042	<Null>	No	
DW_0043	DW_0043.jpg	Yes	Surrounding vegetation
DW_0044	<Null>	No	
DW_0045	<Null>	No	
DW_0046	DW_0046.jpg	Yes	
DW_0047	DW_0047.jpg	Yes	Surrounding vegetation
DW_0048	DW_0048.jpg	Yes	Surrounding vegetation
DW_0049	<Null>	No	
DW_0050	DW_0050.jpg	Yes	
DW_0051	<Null>	No	
DW_0052	<Null>	No	
DW_0053	<Null>	No	
DW_0054	<Null>	No	
DW_0055	<Null>	No	
DW_0056	DW_0056.jpg	Yes	<Null>
DW_0057	DW_0057.jpg	Yes	Not a driveway full curb present
DW_0058	<Null>	No	
DW_0059	DW_0059.jpg	Yes	
DW_0060	DW_0060.jpg	Yes	Monitor vegetation and cracks
DW_0061	<Null>	No	
DW_0062	<Null>	No	
DW_0063	DW_0063.jpg	Yes	
DW_0064	DW_0064.jpg	Yes	No longer a driveway
DW_0065	<Null>	No	
DW_0066	<Null>	No	
DW_0067	<Null>	No	
DW_0068	DW_0068.jpg	Yes	
DW_0069	DW_0069.jpg	Yes	Gravel debris, monitor vegetation and cracks
DW_0070	<Null>	No	
DW_0071	<Null>	No	
DW_0072	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0073	<Null>	No	
DW_0074	DW_0074.jpg	No	
DW_0075	DW_0075.jpg	No	Monitor vegetation and cracks
DW_0076	DW_0076.jpg	No	
DW_0077	DW_0077.jpg	No	
DW_0078	DW_0078.jpg	Yes	PAR obstructed by vehicle
DW_0079	<Null>	No	
DW_0080	<Null>	No	
DW_0081	DW_0081.jpg	Yes	PAR has vegetation obstructions
DW_0082	<Null>	No	
DW_0083	DW_0083.jpg	Yes	
DW_0084	DW_0084.jpg	Yes	
DW_0085	DW_0085.jpg	Yes	
DW_0086	DW_0086.jpg	No	
DW_0087	DW_0087.jpg	No	<Null>
DW_0088	<Null>	No	
DW_0089	<Null>	No	
DW_0090	<Null>	No	
DW_0091	<Null>	No	
DW_0092	<Null>	No	
DW_0093	<Null>	No	
DW_0094	<Null>	No	
DW_0095	<Null>	No	
DW_0096	DW_0096.jpg	No	
DW_0097	DW_0097.jpg	Yes	PAR obstructed by vehicle
DW_0098	<Null>	No	
DW_0099	<Null>	No	
DW_0100	<Null>	No	
DW_0101	<Null>	No	
DW_0102	<Null>	No	
DW_0103	<Null>	No	
DW_0104	DW_0104.jpg	Yes	PAR has vegetation obstructions
DW_0105	<Null>	No	
DW_0106	DW_0106.jpg	Yes	
DW_0107	DW_0107.jpg	Yes	
DW_0108	DW_0108.jpg	Yes	PAR blocked by car

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0109	DW_0109.jpg	Yes	
DW_0110	<Null>	No	
DW_0111	<Null>	No	
DW_0112	<Null>	No	
DW_0113	<Null>	No	
DW_0114	<Null>	No	
DW_0115	<Null>	No	
DW_0116	<Null>	No	
DW_0117	<Null>	No	
DW_0118	DW_0118.jpg	Yes	
DW_0119	<Null>	No	
DW_0120	<Null>	No	
DW_0121	<Null>	No	
DW_0122	<Null>	No	
DW_0123	<Null>	No	
DW_0124	<Null>	No	
DW_0125	<Null>	No	
DW_0126	<Null>	No	
DW_0127	<Null>	No	
DW_0128	<Null>	No	
DW_0129	<Null>	No	
DW_0130	DW_0130.jpg	Yes	
DW_0131	DW_0131.jpg	No	Pavement failure
DW_0132	<Null>	No	
DW_0133	<Null>	No	
DW_0134	<Null>	No	
DW_0135	<Null>	No	
DW_0136	DW_0136.jpg	No	
DW_0137	DW_0137.jpg	Yes	Monitor vegetation and cracks
DW_0138	<Null>	No	
DW_0139	<Null>	No	
DW_0140	<Null>	No	
DW_0141	DW_0141.jpg	Yes	
DW_0142	DW_0142.jpg	No	Deterioration
DW_0143	DW_0143.jpg	Yes	
DW_0144	DW_0144.jpg	Yes	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0145	DW_0145.jpg	Yes	
DW_0146	DW_0146.jpg	Yes	
DW_0147	DW_0147.jpg	No	
DW_0148	DW_0148.jpg	Yes	
DW_0149	DW_0149.jpg	Yes	
DW_0150	DW_0150.jpg	Yes	
DW_0151	DW_0151.jpg	Yes	
DW_0152	DW_0152.jpg	Yes	
DW_0153	<Null>	No	
DW_0154	<Null>	No	
DW_0155	<Null>	No	
DW_0156	<Null>	No	
DW_0157	DW_0157.jpg	No	Vegetation, cracked corner outside PAR
DW_0158	DW_0158.jpg	Yes	
DW_0159	DW_0159.jpg	Yes	Vegetation, cracked corner outside PAR
DW_0160	DW_0160.jpg	Yes	
DW_0161	DW_0161.jpg	Yes	Vegetation
DW_0162	<Null>	No	
DW_0163	<Null>	No	
DW_0164	DW_0164.jpg	Yes	
DW_0165	<Null>	No	
DW_0166	DW_0166.jpg	Yes	
DW_0167	<Null>	No	
DW_0168	DW_0168.jpg	Yes	
DW_0169	DW_0169.jpg	No	
DW_0170	DW_0170.jpg	No	
DW_0171	<Null>	No	
DW_0172	DW_0172.jpg	No	Monitor vegetation
DW_0173	DW_0173.jpg	No	Monitor vegetation
DW_0174	<Null>	No	
DW_0175	<Null>	No	
DW_0176	<Null>	No	
DW_0177	<Null>	No	
DW_0178	DW_0178.jpg	Yes	
DW_0179	DW_0179.jpg	Yes	
DW_0180	DW_0180.jpg	Yes	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0181	DW_0181.jpg	Yes	
DW_0182	<Null>	No	
DW_0183	<Null>	No	
DW_0184	<Null>	No	
DW_0185	<Null>	No	
DW_0186	DW_0186.jpg	Yes	
DW_0187	<Null>	No	
DW_0188	DW_0188.jpg	No	Cracks
DW_0189	DW_0189.jpg	Yes	
DW_0190	DW_0190.jpg	Yes	
DW_0191	<Null>	No	
DW_0192	<Null>	No	
DW_0193	<Null>	No	
DW_0194	<Null>	No	
DW_0195	<Null>	No	
DW_0196	<Null>	No	
DW_0197	<Null>	No	
DW_0198	<Null>	No	
DW_0199	DW_0199.jpg	Yes	PAR obstructed by parked car
DW_0200	<Null>	No	
DW_0201	DW_0201.jpg	No	
DW_0202	DW_0202.jpg	No	
DW_0203	<Null>	No	
DW_0204	<Null>	No	
DW_0205	DW_0205.jpg	Yes	
DW_0206	DW_0206.jpg	No	
DW_0207	DW_0207.jpg	Yes	Vegetation, cracked corner outside PAR
DW_0208	<Null>	No	
DW_0209	<Null>	No	
DW_0210	<Null>	No	
DW_0211	<Null>	No	
DW_0212	<Null>	No	
DW_0213	<Null>	No	
DW_0214	<Null>	No	
DW_0215	<Null>	No	
DW_0216	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0217	<Null>	No	
DW_0218	<Null>	No	
DW_0219	<Null>	No	
DW_0220	DW_0220.jpg	Yes	
DW_0221	<Null>	No	
DW_0222	<Null>	No	
DW_0223	<Null>	No	
DW_0224	<Null>	No	
DW_0225	<Null>	No	
DW_0226	DW_0226.jpg	No	Cracks
DW_0227	DW_0227.jpg	No	Cracks
DW_0228	<Null>	No	
DW_0229	DW_0229.jpg	Yes	Upheaval in adjacent PAR barriers
DW_0230	<Null>	No	
DW_0231	<Null>	No	
DW_0232	<Null>	No	
DW_0233	<Null>	No	
DW_0234	<Null>	No	
DW_0235	<Null>	No	
DW_0236	<Null>	No	
DW_0237	<Null>	No	
DW_0238	DW_0238.jpg	Yes	
DW_0239	DW_0239.jpg	No	Pavement failure
DW_0240	DW_0240.jpg	No	Divet
DW_0241	DW_0241.jpg	Yes	
DW_0242	DW_0242.jpg	No	Pavement failure
DW_0243	<Null>	No	
DW_0244	<Null>	No	
DW_0245	<Null>	No	
DW_0246	<Null>	No	
DW_0247	<Null>	No	
DW_0248	<Null>	No	
DW_0249	<Null>	No	
DW_0250	<Null>	No	
DW_0251	<Null>	No	
DW_0252	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0253	<Null>	No	
DW_0254	<Null>	No	
DW_0255	<Null>	No	
DW_0256	<Null>	No	
DW_0257	<Null>	No	
DW_0258	<Null>	No	
DW_0259	<Null>	No	
DW_0260	<Null>	No	
DW_0261	<Null>	No	
DW_0262	<Null>	No	
DW_0263	<Null>	No	
DW_0264	<Null>	No	
DW_0265	<Null>	No	
DW_0266	DW_0266.jpg	Yes	
DW_0267	DW_0267.jpg	No	Minor non-compliant cross slope
DW_0268	<Null>	No	
DW_0269	<Null>	No	
DW_0270	<Null>	No	
DW_0271	<Null>	No	
DW_0272	<Null>	No	
DW_0273	<Null>	No	
DW_0274	<Null>	No	
DW_0275	<Null>	No	
DW_0276	<Null>	No	
DW_0277	<Null>	No	
DW_0278	<Null>	No	
DW_0279	<Null>	No	
DW_0280	<Null>	No	
DW_0281	<Null>	No	
DW_0282	<Null>	No	
DW_0283	<Null>	No	
DW_0284	<Null>	No	
DW_0285	<Null>	No	
DW_0286	<Null>	No	
DW_0287	<Null>	No	
DW_0288	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0289	<Null>	No	
DW_0290	<Null>	No	
DW_0291	<Null>	No	
DW_0292	<Null>	No	
DW_0293	<Null>	No	
DW_0294	DW_0294.jpg	Yes	
DW_0295	<Null>	No	
DW_0296	<Null>	No	
DW_0297	<Null>	No	
DW_0298	DW_0298.jpg	Yes	
DW_0299	DW_0299.jpg	No	
DW_0300	DW_0300.jpg	No	New sidewalk whole block, double driveway
DW_0301	DW_0301.jpg	No	New sidewalk whole block
DW_0302	DW_0302.jpg	No	New sidewalk whole block
DW_0303	<Null>	No	
DW_0304	<Null>	No	
DW_0305	<Null>	No	
DW_0306	<Null>	No	
DW_0307	<Null>	No	
DW_0308	<Null>	No	
DW_0309	DW_0309.jpg	Yes	Rear driver, sidewalks on Ash and Aberdeen
DW_0310	<Null>	No	
DW_0311	<Null>	No	
DW_0312	<Null>	No	
DW_0313	<Null>	No	
DW_0314	<Null>	No	
DW_0315	<Null>	No	
DW_0316	DW_0316.jpg	No	East side of Ash Street.
DW_0317	<Null>	No	
DW_0318	<Null>	No	
DW_0319	<Null>	No	
DW_0320	<Null>	No	
DW_0321	<Null>	No	
DW_0322	<Null>	No	
DW_0323	<Null>	No	
DW_0324	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0325	<Null>	No	
DW_0326	<Null>	No	
DW_0327	<Null>	No	
DW_0328	<Null>	No	
DW_0329	<Null>	No	
DW_0330	<Null>	No	
DW_0331	<Null>	No	
DW_0332	<Null>	No	
DW_0333	<Null>	No	
DW_0334	<Null>	No	
DW_0335	DW_0335.jpg	No	Maybe type 4 based on wings in concrete
DW_0336	<Null>	No	
DW_0337	<Null>	No	
DW_0338	DW_0338.jpg	Yes	
DW_0339	DW_0339.jpg	Yes	
DW_0340	<Null>	No	
DW_0341	<Null>	No	
DW_0342	<Null>	No	
DW_0343	<Null>	No	
DW_0344	<Null>	No	
DW_0345	<Null>	No	
DW_0346	<Null>	No	
DW_0347	<Null>	No	
DW_0348	<Null>	No	
DW_0349	<Null>	No	
DW_0350	<Null>	No	
DW_0351	<Null>	No	
DW_0352	<Null>	No	
DW_0353	<Null>	No	
DW_0354	DW_0354.jpg	Yes	
DW_0355	<Null>	No	
DW_0356	<Null>	No	
DW_0357	<Null>	No	
DW_0358	<Null>	No	
DW_0359	<Null>	No	
DW_0360	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0361	<Null>	No	
DW_0362	<Null>	No	
DW_0363	<Null>	No	
DW_0364	<Null>	No	
DW_0365	<Null>	No	
DW_0366	<Null>	No	
DW_0367	DW_0367.jpg	Yes	
DW_0368	DW_0368.jpg	Yes	
DW_0369	<Null>	No	
DW_0370	<Null>	No	
DW_0371	DW_0371.jpg	No	
DW_0372	DW_0372.jpg	Yes	
DW_0373	<Null>	No	
DW_0374	DW_0374.jpg	Yes	
DW_0375	DW_0375.jpg	Yes	
DW_0376	<Null>	No	
DW_0377	<Null>	No	
DW_0378	<Null>	No	
DW_0379	<Null>	No	
DW_0380	<Null>	No	
DW_0381	<Null>	No	
DW_0382	<Null>	No	
DW_0383	<Null>	No	
DW_0384	DW_0384.jpg	Yes	
DW_0385	DW_0385.jpg	Yes	Crack
DW_0386	<Null>	No	
DW_0387	<Null>	No	
DW_0388	<Null>	No	
DW_0389	DW_0389.jpg	Yes	
DW_0390	DW_0390.jpg	Yes	
DW_0391	<Null>	No	
DW_0392	<Null>	No	
DW_0393	DW_0393.jpg	Yes	
DW_0394	<Null>	No	
DW_0395	<Null>	No	
DW_0396	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0397	<Null>	No	
DW_0398	<Null>	No	
DW_0399	<Null>	No	
DW_0400	<Null>	No	
DW_0401	<Null>	No	
DW_0402	<Null>	No	
DW_0403	<Null>	No	
DW_0404	<Null>	No	
DW_0405	<Null>	No	
DW_0406	<Null>	No	
DW_0407	<Null>	No	
DW_0408	<Null>	No	
DW_0409	<Null>	No	
DW_0410	<Null>	No	
DW_0411	<Null>	No	
DW_0412	<Null>	No	
DW_0413	<Null>	No	
DW_0414	<Null>	No	
DW_0415	<Null>	No	
DW_0416	<Null>	No	
DW_0417	<Null>	No	
DW_0418	<Null>	No	
DW_0419	<Null>	No	
DW_0420	<Null>	No	
DW_0421	<Null>	No	
DW_0422	<Null>	No	
DW_0423	<Null>	No	
DW_0424	<Null>	No	
DW_0425	<Null>	No	
DW_0426	<Null>	No	
DW_0427	<Null>	No	
DW_0428	<Null>	No	
DW_0429	<Null>	No	
DW_0430	<Null>	No	
DW_0431	<Null>	No	
DW_0432	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0433	<Null>	No	
DW_0434	<Null>	No	
DW_0435	<Null>	No	
DW_0436	<Null>	No	
DW_0437	<Null>	No	
DW_0438	<Null>	No	
DW_0439	<Null>	No	
DW_0440	<Null>	No	
DW_0441	<Null>	No	
DW_0442	<Null>	No	
DW_0443	<Null>	No	
DW_0444	<Null>	No	
DW_0445	<Null>	No	
DW_0446	<Null>	No	
DW_0447	<Null>	No	
DW_0448	<Null>	No	
DW_0449	<Null>	No	
DW_0450	DW_0450.jpg	No	Minor non-compliant cross slope
DW_0451	<Null>	No	
DW_0452	<Null>	No	
DW_0453	DW_0453.jpg	Yes	
DW_0454	<Null>	No	
DW_0455	<Null>	No	
DW_0456	<Null>	No	
DW_0457	<Null>	No	
DW_0458	<Null>	No	
DW_0459	<Null>	No	
DW_0460	DW_0460.jpg	No	
DW_0461	<Null>	No	
DW_0462	DW_0462.jpg	No	
DW_0463	DW_0463.jpg	Yes	
DW_0464	DW_0464.jpg	Yes	
DW_0465	DW_0465.jpg	No	Minor non-compliant cross slope
DW_0466	<Null>	No	
DW_0467	<Null>	No	
DW_0468	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0469	<Null>	No	
DW_0470	<Null>	No	
DW_0471	DW_0471.jpg	No	Curb lip, Minor non-compliant cross slope
DW_0472	<Null>	No	
DW_0473	<Null>	No	
DW_0474	<Null>	No	
DW_0475	<Null>	No	
DW_0476	<Null>	No	
DW_0477	<Null>	No	
DW_0478	<Null>	No	
DW_0479	<Null>	No	
DW_0480	<Null>	No	
DW_0481	<Null>	No	
DW_0482	<Null>	No	
DW_0483	<Null>	No	
DW_0484	<Null>	No	
DW_0485	<Null>	No	
DW_0486	<Null>	No	
DW_0487	DW_0487.jpg	No	
DW_0488	DW_0488.jpg	No	Cracks
DW_0489	<Null>	No	
DW_0490	<Null>	No	
DW_0491	<Null>	No	
DW_0492	<Null>	No	
DW_0493	<Null>	No	
DW_0494	<Null>	No	
DW_0495	<Null>	No	
DW_0496	<Null>	No	
DW_0497	<Null>	No	
DW_0498	<Null>	No	
DW_0499	<Null>	No	
DW_0500	<Null>	No	
DW_0501	<Null>	No	
DW_0502	<Null>	No	
DW_0503	<Null>	No	
DW_0504	DW_0504.jpg	Yes	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0505	DW_0505.jpg	Yes	
DW_0506	<Null>	No	
DW_0507	<Null>	No	
DW_0508	<Null>	No	
DW_0509	DW_0509,.jpg	Yes	
DW_0510	DW_0510.jpg	Yes	
DW_0511	DW_0511.jpg	Yes	
DW_0512	<Null>	No	
DW_0513	<Null>	No	
DW_0514	<Null>	No	
DW_0515	<Null>	No	
DW_0516	<Null>	No	
DW_0517	<Null>	No	
DW_0518	<Null>	No	
DW_0519	<Null>	No	
DW_0520	<Null>	No	
DW_0521	<Null>	No	
DW_0522	<Null>	No	
DW_0523	<Null>	No	
DW_0524	<Null>	No	
DW_0525	<Null>	No	
DW_0526	<Null>	No	
DW_0527	<Null>	No	
DW_0528	<Null>	No	
DW_0529	DW_0529.jpg	Yes	
DW_0530	<Null>	No	
DW_0531	<Null>	No	
DW_0532	<Null>	No	
DW_0533	<Null>	No	
DW_0534	<Null>	No	
DW_0535	<Null>	No	
DW_0536	<Null>	No	
DW_0537	<Null>	No	
DW_0538	<Null>	No	
DW_0539	<Null>	No	
DW_0540	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0541	<Null>	No	
DW_0542	<Null>	No	
DW_0543	<Null>	No	
DW_0544	<Null>	No	
DW_0545	<Null>	No	
DW_0546	<Null>	No	
DW_0547	<Null>	No	
DW_0548	<Null>	No	
DW_0549	<Null>	No	
DW_0550	<Null>	No	
DW_0551	<Null>	No	
DW_0552	<Null>	No	
DW_0553	<Null>	No	
DW_0554	<Null>	No	
DW_0555	<Null>	No	
DW_0556	<Null>	No	
DW_0557	<Null>	No	
DW_0558	<Null>	No	
DW_0559	<Null>	No	
DW_0560	<Null>	No	
DW_0561	<Null>	No	
DW_0562	<Null>	No	
DW_0563	<Null>	No	
DW_0564	DW_0564.jpg	No	Minor non-compliant running slope
DW_0565	DW_0565.jpg	Yes	
DW_0566	<Null>	No	
DW_0567	<Null>	No	
DW_0568	<Null>	No	
DW_0569	<Null>	No	
DW_0570	<Null>	No	
DW_0571	<Null>	No	
DW_0572	<Null>	No	
DW_0573	<Null>	No	
DW_0574	<Null>	No	
DW_0575	<Null>	No	
DW_0576	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0577	<Null>	No	
DW_0578	<Null>	No	
DW_0579	<Null>	No	
DW_0580	<Null>	No	
DW_0581	<Null>	No	
DW_0582	<Null>	No	
DW_0583	<Null>	No	
DW_0584	<Null>	No	
DW_0585	<Null>	No	
DW_0586	<Null>	No	
DW_0587	<Null>	No	
DW_0588	<Null>	No	
DW_0589	<Null>	No	
DW_0590	<Null>	No	
DW_0591	<Null>	No	
DW_0592	<Null>	No	
DW_0593	<Null>	No	
DW_0594	<Null>	No	
DW_0595	<Null>	No	
DW_0596	<Null>	No	
DW_0597	<Null>	No	
DW_0598	<Null>	No	
DW_0599	<Null>	No	
DW_0600	<Null>	No	
DW_0601	<Null>	No	
DW_0602	<Null>	No	
DW_0603	<Null>	No	
DW_0604	<Null>	No	
DW_0605	<Null>	No	
DW_0606	<Null>	No	
DW_0607	<Null>	No	
DW_0608	<Null>	No	
DW_0609	<Null>	No	
DW_0610	<Null>	No	
DW_0611	<Null>	No	
DW_0612	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0613	<Null>	No	
DW_0614	<Null>	No	
DW_0615	<Null>	No	
DW_0616	<Null>	No	
DW_0617	<Null>	No	
DW_0618	<Null>	No	
DW_0619	<Null>	No	
DW_0620	<Null>	No	
DW_0621	<Null>	No	
DW_0622	<Null>	No	
DW_0623	<Null>	No	
DW_0624	<Null>	No	
DW_0625	<Null>	No	
DW_0626	<Null>	No	
DW_0627	<Null>	No	
DW_0628	<Null>	No	
DW_0629	<Null>	No	
DW_0630	<Null>	No	
DW_0631	<Null>	No	
DW_0632	<Null>	No	
DW_0633	DW_0633.jpg	Yes	
DW_0634	<Null>	No	
DW_0635	<Null>	No	
DW_0636	<Null>	No	
DW_0637	<Null>	No	
DW_0638	<Null>	No	
DW_0639	<Null>	No	
DW_0640	<Null>	No	
DW_0641	<Null>	No	
DW_0642	<Null>	No	
DW_0643	<Null>	No	
DW_0644	<Null>	No	
DW_0645	DW_0645.jpg	Yes	
DW_0646	<Null>	No	
DW_0647	<Null>	No	
DW_0648	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0649	<Null>	No	
DW_0650	<Null>	No	
DW_0651	<Null>	No	
DW_0652	<Null>	No	
DW_0653	<Null>	No	
DW_0654	<Null>	No	
DW_0655	<Null>	No	
DW_0656	<Null>	No	
DW_0657	<Null>	No	
DW_0658	<Null>	No	
DW_0659	<Null>	No	
DW_0660	<Null>	No	
DW_0661	<Null>	No	
DW_0662	<Null>	No	
DW_0663	DW_0683.jpg	No	
DW_0664	<Null>	No	
DW_0665	<Null>	No	
DW_0666	<Null>	No	
DW_0667	<Null>	No	
DW_0668	<Null>	No	
DW_0669	<Null>	No	
DW_0670	<Null>	No	
DW_0671	<Null>	No	
DW_0672	<Null>	No	
DW_0673	<Null>	No	
DW_0674	<Null>	No	
DW_0675	<Null>	No	
DW_0676	<Null>	No	
DW_0677	<Null>	No	
DW_0678	<Null>	No	
DW_0679	<Null>	No	
DW_0680	<Null>	No	
DW_0681	<Null>	No	
DW_0682	<Null>	No	
DW_0683	<Null>	No	
DW_0684	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0685	<Null>	No	
DW_0686	<Null>	No	
DW_0687	<Null>	No	
DW_0688	<Null>	No	
DW_0689	<Null>	No	
DW_0690	<Null>	No	
DW_0691	<Null>	No	
DW_0692	<Null>	No	
DW_0693	<Null>	No	
DW_0694	<Null>	No	
DW_0695	<Null>	No	
DW_0696	<Null>	No	
DW_0697	<Null>	No	
DW_0698	<Null>	No	
DW_0699	<Null>	No	
DW_0700	<Null>	No	
DW_0701	<Null>	No	
DW_0702	<Null>	No	
DW_0703	<Null>	No	
DW_0704	<Null>	No	
DW_0705	<Null>	No	
DW_0706	<Null>	No	
DW_0707	<Null>	No	
DW_0708	<Null>	No	
DW_0709	<Null>	No	
DW_0710	<Null>	No	
DW_0711	<Null>	No	
DW_0712	<Null>	No	
DW_0713	<Null>	No	
DW_0714	<Null>	No	
DW_0715	<Null>	No	
DW_0716	<Null>	No	
DW_0717	<Null>	No	
DW_0718	<Null>	No	
DW_0719	<Null>	No	
DW_0720	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0721	<Null>	No	
DW_0722	<Null>	No	
DW_0723	<Null>	No	
DW_0724	<Null>	No	
DW_0725	<Null>	No	
DW_0726	<Null>	No	
DW_0727	<Null>	No	
DW_0728	<Null>	No	
DW_0729	<Null>	No	
DW_0730	<Null>	No	
DW_0731	<Null>	No	
DW_0732	<Null>	No	
DW_0733	<Null>	No	
DW_0734	<Null>	No	
DW_0735	<Null>	No	
DW_0736	<Null>	No	
DW_0737	<Null>	No	
DW_0738	<Null>	No	
DW_0739	<Null>	No	
DW_0740	<Null>	No	
DW_0741	<Null>	No	
DW_0742	<Null>	No	
DW_0743	<Null>	No	
DW_0744	<Null>	No	
DW_0745	<Null>	No	
DW_0746	DW_0746.jpg	No	
DW_0747	<Null>	No	
DW_0748	<Null>	No	
DW_0749	<Null>	No	
DW_0750	<Null>	No	
DW_0751	<Null>	No	
DW_0752	<Null>	No	
DW_0753	<Null>	No	
DW_0754	<Null>	No	
DW_0755	<Null>	No	
DW_0756	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0757	<Null>	No	
DW_0758	<Null>	No	
DW_0759	<Null>	No	
DW_0760	<Null>	No	
DW_0761	<Null>	No	
DW_0762	<Null>	No	
DW_0763	DW_0763.jpg	No	
DW_0764	DW_0764.jpg	No	
DW_0765	DW_0765.jpg	No	Minor non-compliant cross slope
DW_0766	DW_0766.jpg	No	
DW_0767	DW_0767.jpg	No	
DW_0768	DW_0768.jpg	No	
DW_0769	DW_0769.jpg	No	
DW_0770	DW_0770.jpg	No	<Null>
DW_0771	DW_0771.jpg	No	Maybe Type 4
DW_0772	DW_0772.jpg	No	
DW_0773	<Null>	No	
DW_0774	<Null>	No	
DW_0775	DW_0775.jpg	Yes	
DW_0776	<Null>	No	
DW_0777	<Null>	No	
DW_0778	<Null>	No	
DW_0779	DW_0779.jpg	Yes	
DW_0780	DW_0780.jpg	Yes	North transition at 3.7 cross, small lip present
DW_0781	DW_0781.jpg	No	North side has sudden transition
DW_0782	DW_0782.jpg	No	9.5% flare slope
DW_0783	<Null>	No	
DW_0784	DW_0784.jpg	No	9% flare
DW_0785	<Null>	No	
DW_0786	<Null>	No	
DW_0787	<Null>	No	
DW_0788	DW_0788.jpg	No	
DW_0789	DW_0789.jpg	Yes	Maybe a Type 4 north approach is 2.7 cross 3.3 running
DW_0790	DW_0790.jpg	No	Minor noncompliant running slope: North approach has 9.1 running

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0791	<Null>	No	
DW_0792	<Null>	No	
DW_0793	<Null>	No	
DW_0794	<Null>	No	
DW_0795	<Null>	No	
DW_0796	<Null>	No	
DW_0797	<Null>	No	
DW_0798	<Null>	No	
DW_0799	<Null>	No	
DW_0800	<Null>	No	
DW_0801	<Null>	No	
DW_0802	<Null>	No	
DW_0803	<Null>	No	
DW_0804	<Null>	No	
DW_0805	<Null>	No	
DW_0806	DW_0806.jpg	Yes	
DW_0807	DW_0807.jpg	Yes	adjacent roadway pavement failure
DW_0808	<Null>	No	
DW_0809	DW_0809.jpg	No	PAR obstructed by vehicle
DW_0810	<Null>	No	
DW_0811	DW_0811.jpg	No	Looks closer to Type 4
DW_0812	DW_0812.jpg	No	Approaches look more like Type 4
DW_0813	<Null>	No	
DW_0814	<Null>	No	
DW_0815	<Null>	No	
DW_0816	<Null>	No	
DW_0817	<Null>	No	
DW_0818	<Null>	No	
DW_0819	<Null>	No	
DW_0820	<Null>	No	
DW_0821	<Null>	No	
DW_0822	<Null>	No	
DW_0823	<Null>	No	
DW_0824	<Null>	No	
DW_0825	<Null>	No	
DW_0826	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0827	<Null>	No	
DW_0828	<Null>	No	
DW_0829	<Null>	No	
DW_0830	<Null>	No	
DW_0831	<Null>	No	
DW_0832	<Null>	No	
DW_0833	<Null>	No	
DW_0834	<Null>	No	
DW_0835	<Null>	No	
DW_0836	<Null>	No	
DW_0837	<Null>	No	
DW_0838	<Null>	No	
DW_0839	<Null>	No	
DW_0840	<Null>	No	
DW_0841	<Null>	No	
DW_0842	<Null>	No	
DW_0843	<Null>	No	
DW_0844	<Null>	No	
DW_0845	<Null>	No	
DW_0846	<Null>	No	
DW_0847	<Null>	No	
DW_0848	<Null>	No	
DW_0849	<Null>	No	
DW_0850	<Null>	No	
DW_0851	<Null>	No	
DW_0852	<Null>	No	
DW_0853	<Null>	No	
DW_0854	<Null>	No	
DW_0855	<Null>	No	
DW_0856	<Null>	No	
DW_0857	<Null>	No	
DW_0858	<Null>	No	
DW_0859	<Null>	No	
DW_0860	<Null>	No	
DW_0861	<Null>	No	
DW_0862	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0863	<Null>	No	
DW_0864	<Null>	No	
DW_0865	<Null>	No	
DW_0866	<Null>	No	
DW_0867	<Null>	No	
DW_0868	<Null>	No	
DW_0869	<Null>	No	
DW_0870	<Null>	No	
DW_0871	<Null>	No	
DW_0872	<Null>	No	
DW_0873	<Null>	No	
DW_0874	<Null>	No	
DW_0875	<Null>	No	
DW_0876	<Null>	No	
DW_0877	<Null>	No	
DW_0878	<Null>	No	
DW_0879	<Null>	No	
DW_0880	<Null>	No	
DW_0881	<Null>	No	
DW_0882	<Null>	No	
DW_0883	<Null>	No	
DW_0884	<Null>	No	
DW_0885	<Null>	No	
DW_0886	<Null>	No	
DW_0887	<Null>	No	
DW_0888	<Null>	No	
DW_0889	<Null>	No	
DW_0890	<Null>	No	
DW_0891	<Null>	No	
DW_0892	<Null>	No	
DW_0893	<Null>	No	
DW_0894	<Null>	No	
DW_0895	<Null>	No	
DW_0896	<Null>	No	
DW_0897	<Null>	No	
DW_0898	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0899	<Null>	No	
DW_0900	<Null>	No	
DW_0901	<Null>	No	
DW_0902	<Null>	No	
DW_0903	<Null>	No	
DW_0904	<Null>	No	
DW_0905	<Null>	No	
DW_0906	<Null>	No	
DW_0907	<Null>	No	
DW_0908	<Null>	No	
DW_0909	<Null>	No	
DW_0910	<Null>	No	
DW_0911	<Null>	No	
DW_0912	<Null>	No	
DW_0913	<Null>	No	
DW_0914	<Null>	No	
DW_0915	<Null>	No	
DW_0916	<Null>	No	
DW_0917	DW_0917.jpg	Yes	
DW_0918	<Null>	No	
DW_0919	<Null>	No	
DW_0920	<Null>	No	
DW_0921	<Null>	No	
DW_0922	<Null>	No	
DW_0923	<Null>	No	
DW_0924	<Null>	No	
DW_0925	<Null>	No	
DW_0926	<Null>	No	
DW_0927	<Null>	No	
DW_0928	<Null>	No	
DW_0929	<Null>	No	
DW_0930	<Null>	No	
DW_0931	<Null>	No	
DW_0932	<Null>	No	
DW_0933	<Null>	No	
DW_0934	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0935	<Null>	No	
DW_0936	<Null>	No	
DW_0937	<Null>	No	
DW_0938	<Null>	No	
DW_0939	<Null>	No	
DW_0940	DW_0940.jpg	Yes	
DW_0941	DW_0941.jpg	Yes	
DW_0942	DW_0942.jpg	Yes	
DW_0943	DW_0943.jpg	Yes	
DW_0944	DW_0944.jpg	Yes	
DW_0945	DW_0945.jpg	Yes	
DW_0946	DW_0946.jpg	Yes	
DW_0947	DW_0947.jpg	No	West cross slope >2.7
DW_0948	<Null>	No	
DW_0949	<Null>	No	
DW_0950	<Null>	No	
DW_0951	<Null>	No	
DW_0952	<Null>	No	
DW_0953	<Null>	No	
DW_0954	<Null>	No	
DW_0955	<Null>	No	
DW_0956	<Null>	No	
DW_0957	<Null>	No	
DW_0958	<Null>	No	
DW_0959	<Null>	No	
DW_0960	<Null>	No	
DW_0961	<Null>	No	
DW_0962	<Null>	No	
DW_0963	<Null>	No	
DW_0964	<Null>	No	
DW_0965	<Null>	No	
DW_0966	<Null>	No	
DW_0967	<Null>	No	
DW_0968	<Null>	No	
DW_0969	<Null>	No	
DW_0970	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_0971	<Null>	No	
DW_0972	<Null>	No	
DW_0973	<Null>	No	
DW_0974	<Null>	No	
DW_0975	<Null>	No	
DW_0976	<Null>	No	
DW_0977	<Null>	No	
DW_0978	<Null>	No	
DW_0979	<Null>	No	
DW_0980	<Null>	No	
DW_0981	<Null>	No	
DW_0982	<Null>	No	
DW_0983	<Null>	No	
DW_0984	<Null>	No	
DW_0985	<Null>	No	
DW_0986	<Null>	No	
DW_0987	<Null>	No	
DW_0988	<Null>	No	
DW_0989	<Null>	No	
DW_0990	<Null>	No	
DW_0991	<Null>	No	
DW_0992	<Null>	No	
DW_0993	<Null>	No	
DW_0994	<Null>	No	
DW_0995	<Null>	No	
DW_0996	<Null>	No	
DW_0997	<Null>	No	
DW_0998	<Null>	No	
DW_0999	DW_0999.jpg	Yes	
DW_1000	<Null>	No	
DW_1001	<Null>	No	
DW_1002	<Null>	No	
DW_1003	<Null>	No	
DW_1004	<Null>	No	
DW_1005	<Null>	No	
DW_1006	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1007	<Null>	No	
DW_1008	<Null>	No	
DW_1009	<Null>	No	
DW_1010	<Null>	No	
DW_1011	<Null>	No	
DW_1012	<Null>	No	
DW_1013	<Null>	No	
DW_1014	<Null>	No	
DW_1015	<Null>	No	
DW_1016	<Null>	No	
DW_1017	<Null>	No	
DW_1018	<Null>	No	
DW_1019	<Null>	No	
DW_1020	<Null>	No	
DW_1021	<Null>	No	
DW_1022	<Null>	No	
DW_1023	<Null>	No	
DW_1024	<Null>	No	
DW_1025	<Null>	No	
DW_1026	<Null>	No	
DW_1027	<Null>	No	
DW_1028	<Null>	No	
DW_1029	<Null>	No	
DW_1030	<Null>	No	
DW_1031	<Null>	No	
DW_1032	DW_1032.jpg	Yes	
DW_1033	DW_1033.jpg	Yes	
DW_1034	DW_1034.jpg	Yes	
DW_1035	DW_1035.jpg	Yes	
DW_1036	DW_1036.jpg	Yes	Provides access to non motorized trail
DW_1037	DW_1037.jpg	Yes	
DW_1038	DW_1038.jpg	Yes	
DW_1039	DW_1039.jpg	Yes	
DW_1040	DW_1040.jpg	Yes	
DW_1041	DW_1041.jpg	Yes	
DW_1042	DW_1042.jpg	Yes	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1043	DW_1043.jpg	Yes	
DW_1044	DW_1044.jpg	Yes	
DW_1045	DW_1045.jpg	Yes	
DW_1046	DW_1046.jpg	Yes	
DW_1047	DW_1047.jpg	Yes	
DW_1048	DW_1048.jpg	Yes	
DW_1049	DW_1049.jpg	Yes	
DW_1050	DW_1050.jpg	Yes	
DW_1051	DW_1051.jpg	Yes	
DW_1052	DW_1052.jpg	Yes	
DW_1053	DW_1053.jpg	Yes	
DW_1054	DW_1054.jpg	Yes	
DW_1055	DW_1055.jpg	Yes	
DW_1056	DW_1056.jpg	Yes	
DW_1057	DW_1057.jpg	Yes	
DW_1058	DW_1058.jpg	Yes	
DW_1059	DW_1059.jpg	No	
DW_1060	<Null>	No	
DW_1061	<Null>	No	
DW_1062	<Null>	No	
DW_1063	<Null>	No	
DW_1064	<Null>	No	
DW_1065	<Null>	No	
DW_1066	<Null>	No	
DW_1067	<Null>	No	
DW_1068	<Null>	No	
DW_1069	<Null>	No	
DW_1070	<Null>	No	
DW_1071	<Null>	No	
DW_1072	<Null>	No	
DW_1073	<Null>	No	
DW_1074	<Null>	No	
DW_1075	<Null>	No	
DW_1076	<Null>	No	
DW_1077	<Null>	No	
DW_1078	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1079	<Null>	No	
DW_1080	<Null>	No	
DW_1081	<Null>	No	
DW_1082	DW_1082.jpg	Yes	Sidewalk panel, failure, north of Meade Street westside
DW_1083	<Null>	No	
DW_1084	<Null>	No	
DW_1085	<Null>	No	
DW_1086	<Null>	No	
DW_1087	<Null>	No	
DW_1088	<Null>	No	
DW_1089	<Null>	No	
DW_1090	<Null>	No	
DW_1091	<Null>	No	
DW_1092	<Null>	No	
DW_1093	<Null>	No	
DW_1094	<Null>	No	
DW_1095	<Null>	No	
DW_1096	<Null>	No	
DW_1097	<Null>	No	
DW_1098	<Null>	No	
DW_1099	<Null>	No	
DW_1100	<Null>	No	
DW_1101	DW_1101.jpg	No	
DW_1102	<Null>	No	
DW_1103	<Null>	No	
DW_1104	<Null>	No	
DW_1105	<Null>	No	
DW_1106	<Null>	No	
DW_1107	<Null>	No	
DW_1108	<Null>	No	
DW_1109	<Null>	No	
DW_1110	<Null>	No	
DW_1111	<Null>	No	
DW_1112	<Null>	No	
DW_1113	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1114	<Null>	No	
DW_1115	<Null>	No	
DW_1116	<Null>	No	
DW_1117	<Null>	No	
DW_1118	<Null>	No	
DW_1119	DW_1119.jpg	Yes	Gravel debris
DW_1120	<Null>	No	
DW_1121	<Null>	No	
DW_1122	<Null>	No	
DW_1123	DW_1123.jpg	No	
DW_1124	<Null>	No	
DW_1125	<Null>	No	
DW_1126	<Null>	No	
DW_1127	<Null>	No	
DW_1128	DW_1128.jpg	Yes	
DW_1129	<Null>	No	
DW_1130	<Null>	No	
DW_1131	DW_1131.jpg	Yes	
DW_1132	<Null>	No	
DW_1133	<Null>	No	
DW_1134	<Null>	No	
DW_1135	<Null>	No	
DW_1136	<Null>	No	
DW_1137	DW_1137.jpg	Yes	
DW_1138	<Null>	No	
DW_1139	<Null>	No	
DW_1140	<Null>	No	
DW_1141	<Null>	No	
DW_1142	<Null>	No	
DW_1143	<Null>	No	
DW_1144	<Null>	No	
DW_1145	<Null>	No	
DW_1146	<Null>	No	
DW_1147	<Null>	No	
DW_1148	<Null>	No	
DW_1149	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1150	<Null>	No	
DW_1151	<Null>	No	
DW_1152	<Null>	No	
DW_1153	DW_1153.jpg	Yes	
DW_1154	DW_1154.jpg	Yes	
DW_1155	<Null>	No	
DW_1156	<Null>	No	
DW_1157	<Null>	No	
DW_1158	<Null>	No	
DW_1159	<Null>	No	
DW_1160	<Null>	No	
DW_1161	<Null>	No	
DW_1162	<Null>	No	
DW_1163	<Null>	No	
DW_1164	<Null>	No	
DW_1165	<Null>	No	
DW_1166	<Null>	No	
DW_1167	<Null>	No	
DW_1168	<Null>	No	
DW_1169	<Null>	No	
DW_1170	<Null>	No	
DW_1171	<Null>	No	
DW_1172	<Null>	No	
DW_1173	<Null>	No	
DW_1174	<Null>	No	
DW_1175	<Null>	No	
DW_1176	DW_1176.jpg	Yes	
DW_1177	<Null>	No	
DW_1178	<Null>	No	
DW_1179	<Null>	No	
DW_1180	<Null>	No	
DW_1181	<Null>	No	
DW_1182	<Null>	No	
DW_1183	<Null>	No	
DW_1184	<Null>	No	
DW_1185	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1186	<Null>	No	
DW_1187	<Null>	No	
DW_1188	<Null>	No	
DW_1189	<Null>	No	
DW_1190	<Null>	No	
DW_1191	<Null>	No	
DW_1192	<Null>	No	
DW_1193	<Null>	No	
DW_1194	DW_1194.jpg	No	
DW_1195	<Null>	No	
DW_1196	<Null>	No	
DW_1197	<Null>	No	
DW_1198	<Null>	No	
DW_1199	<Null>	No	
DW_1200	<Null>	No	
DW_1201	<Null>	No	
DW_1202	<Null>	No	
DW_1203	<Null>	No	
DW_1204	<Null>	No	
DW_1205	<Null>	No	
DW_1206	<Null>	No	
DW_1207	DW_1207.jpg	No	
DW_1208	DW_1208.jpg	No	PAR east of driveway has broken concrete
DW_1209	DW_1209.jpg	No	<Null>
DW_1210	<Null>	No	
DW_1211	<Null>	No	
DW_1212	<Null>	No	
DW_1213	<Null>	No	
DW_1214	DW_1214.jpg	No	Driveway not used by vehicles parking spaces marked
DW_1215	<Null>	No	
DW_1216	<Null>	No	
DW_1217	<Null>	No	
DW_1218	<Null>	No	
DW_1219	<Null>	No	
DW_1220	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1221	DW_1221.jpg	Yes	Vegetation
DW_1222	<Null>	No	
DW_1223	<Null>	No	
DW_1224	<Null>	No	
DW_1225	<Null>	No	
DW_1226	DW_1226.jpg	Yes	PAR obstructed by RV
DW_1227	<Null>	No	
DW_1228	<Null>	No	
DW_1229	<Null>	No	
DW_1230	DW_1230.jpg	Yes	
DW_1231	DW_1231.jpg	Yes	
DW_1232	DW_1232.jpg	No	<Null>
DW_1233	<Null>	No	
DW_1234	DW_1234.jpg	Yes	
DW_1235	<Null>	No	
DW_1236	<Null>	No	
DW_1237	<Null>	No	
DW_1238	DW_1238.jpg	No	
DW_1239	<Null>	No	
DW_1240	<Null>	No	
DW_1241	<Null>	No	
DW_1242	DW_1242.jpg	No	Depression
DW_1243	<Null>	No	
DW_1244	<Null>	No	
DW_1245	<Null>	No	
DW_1246	<Null>	No	
DW_1247	<Null>	No	
DW_1248	DW_1248.jpg	No	
DW_1249	<Null>	No	
DW_1250	<Null>	No	
DW_1251	<Null>	No	
DW_1252	<Null>	No	
DW_1253	<Null>	No	
DW_1254	<Null>	No	
DW_1255	<Null>	No	
DW_1256	DW_1256.jpg	Yes	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1257	DW_1257.jpg	No	
DW_1258	DW_1258.jpg	No	
DW_1259	<Null>	No	
DW_1260	<Null>	No	
DW_1261	DW_1261.jpg	Yes	
DW_1262	<Null>	No	
DW_1263	<Null>	No	
DW_1264	<Null>	No	
DW_1265	<Null>	No	
DW_1266	<Null>	No	
DW_1267	<Null>	No	
DW_1268	<Null>	No	
DW_1269	<Null>	No	
DW_1270	DW_1270.jpg	No	
DW_1271	DW_1271.jpg	No	<Null>
DW_1272	DW_1272.jpg	Yes	
DW_1273	<Null>	No	
DW_1274	<Null>	No	
DW_1275	<Null>	No	
DW_1276	<Null>	No	
DW_1277	DW_1277.jpg	No	North section at 2.0 cross
DW_1278	<Null>	No	
DW_1279	DW_1279.jpg	Yes	
DW_1280	<Null>	No	
DW_1281	<Null>	No	
DW_1282	<Null>	No	
DW_1283	<Null>	No	
DW_1284	DW_1284.jpg	Yes	PAR has vehicle in front of it.
DW_1285	DW_1285.jpg	No	
DW_1286	<Null>	No	
DW_1287	<Null>	No	
DW_1288	<Null>	No	
DW_1289	<Null>	No	
DW_1290	<Null>	No	
DW_1291	<Null>	No	
DW_1292	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1293	<Null>	No	
DW_1294	DW_1294.jpg	Yes	
DW_1295	DW_1295.jpg	No	
DW_1296	DW_1296.jpg	Yes	
DW_1297	DW_1297.jpg	Yes	
DW_1298	<Null>	No	
DW_1299	<Null>	No	
DW_1300	DW_1300.jpg	No	Minor non-compliant cross slope
DW_1301	<Null>	No	
DW_1302	<Null>	No	
DW_1303	DW_1303.jpg	Yes	
DW_1304	<Null>	No	
DW_1305	DW_1305.jpg	No	
DW_1306	DW_1306.jpg	Yes	
DW_1307	<Null>	No	
DW_1308	DW_1308.jpg	Yes	
DW_1309	DW_1309.jpg	Yes	1308 and 1309 share same driveway
DW_1310	<Null>	No	
DW_1311	DW_1311.jpg	No	
DW_1312	DW_1312.jpg	No	
DW_1313	DW_1313.jpg	No	
DW_1314	DW_1314.jpg	No	
DW_1315	DW_1315.jpg	Yes	<Null>
DW_1316	DW_1316.jpg	No	
DW_1317	DW_1317.jpg	No	
DW_1318	<Null>	No	
DW_1319	<Null>	No	
DW_1320	<Null>	No	
DW_1321	<Null>	No	
DW_1322	<Null>	No	
DW_1323	<Null>	No	
DW_1324	<Null>	No	
DW_1325	<Null>	No	
DW_1326	<Null>	No	
DW_1327	<Null>	No	
DW_1328	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1329	<Null>	No	
DW_1330	<Null>	No	
DW_1331	<Null>	No	
DW_1332	<Null>	No	
DW_1333	<Null>	No	
DW_1334	<Null>	No	
DW_1335	DW_1335.jpg	No	
DW_1336	DW_1336.jpg	No	
DW_1337	<Null>	No	
DW_1338	<Null>	No	
DW_1339	<Null>	No	
DW_1340	<Null>	No	
DW_1341	<Null>	No	
DW_1342	DW_1342.jpg	No	
DW_1343	DW_1343..jpg	No	
DW_1344	<Null>	No	
DW_1345	<Null>	No	
DW_1346	<Null>	No	
DW_1347	DW_1347.jpg	Yes	
DW_1348	DW_1348.jpg	Yes	
DW_1349	DW_1349.jpg	Yes	
DW_1350	DW_1350.jpg	Yes	
DW_1351	<Null>	No	
DW_1352	<Null>	No	
DW_1353	<Null>	No	
DW_1354	<Null>	No	
DW_1355	<Null>	No	
DW_1356	<Null>	No	
DW_1357	<Null>	No	
DW_1358	DW_1358.jpg	Yes	
DW_1359	<Null>	No	
DW_1360	<Null>	No	
DW_1361	<Null>	No	
DW_1362	DW_1362.jpg	No	
DW_1363	DW_1363.jpg	No	Cracks
DW_1364	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1365	<Null>	No	
DW_1366	<Null>	No	
DW_1367	<Null>	No	
DW_1368	<Null>	No	
DW_1369	DW_1369.jpg	Yes	10% cross slope within driveway slope outside PAR.
DW_1370	<Null>	No	
DW_1371	<Null>	No	
DW_1372	<Null>	No	
DW_1373	<Null>	No	
DW_1374	<Null>	No	
DW_1375	DW_1375.jpg	Yes	
DW_1376	<Null>	No	
DW_1377	<Null>	No	
DW_1378	DW_1378.jpg	Yes	
DW_1379	DW_1379.jpg	No	
DW_1380	<Null>	No	
DW_1381	<Null>	No	
DW_1382	<Null>	No	
DW_1383	DW_1383.jpg	Yes	
DW_1384	<Null>	No	
DW_1385	<Null>	No	
DW_1386	<Null>	No	
DW_1387	<Null>	No	
DW_1388	DW_1388.jpg	Yes	
DW_1389	<Null>	No	
DW_1390	<Null>	No	
DW_1391	<Null>	No	
DW_1392	<Null>	No	
DW_1393	DW_1393.jpg	No	PAR used for parking cars
DW_1394	DW_1394.jpg	No	PAR obstructed by vegetation
DW_1395	DW_1395.jpg	No	PAR obstructed by parked vehicles
DW_1396	<Null>	No	
DW_1397	<Null>	No	
DW_1398	<Null>	No	
DW_1399	<Null>	No	
DW_1400	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1401	<Null>	No	
DW_1402	<Null>	No	
DW_1403	DW_1403.jpg	Yes	
DW_1404	<Null>	No	
DW_1405	<Null>	No	
DW_1406	<Null>	No	
DW_1407	<Null>	No	
DW_1408	DW_1408.jpg	Yes	
DW_1409	<Null>	No	
DW_1410	<Null>	No	
DW_1411	<Null>	No	
DW_1412	<Null>	No	
DW_1413	<Null>	No	
DW_1414	DW_1414.jpg	No	Minor non-compliant cross slope
DW_1415	<Null>	No	
DW_1416	<Null>	No	
DW_1417	<Null>	No	
DW_1418	<Null>	No	
DW_1419	<Null>	No	
DW_1420	<Null>	No	
DW_1421	<Null>	No	
DW_1422	<Null>	No	
DW_1423	<Null>	No	
DW_1424	<Null>	No	
DW_1425	<Null>	No	
DW_1426	<Null>	No	
DW_1427	<Null>	No	
DW_1428	DW_1428.jpg	Yes	
DW_1429	<Null>	No	
DW_1430	<Null>	No	
DW_1431	<Null>	No	
DW_1432	<Null>	No	
DW_1433	<Null>	No	
DW_1434	<Null>	No	
DW_1435	<Null>	No	
DW_1436	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1437	<Null>	No	
DW_1438	DW_1438	No	
DW_1439	DW_1439	Yes	
DW_1440	<Null>	No	
DW_1441	<Null>	No	
DW_1442	<Null>	No	
DW_1443	<Null>	No	
DW_1444	<Null>	No	
DW_1445	<Null>	No	
DW_1446	<Null>	No	
DW_1447	<Null>	No	
DW_1448	<Null>	No	
DW_1449	<Null>	No	
DW_1450	<Null>	No	
DW_1451	<Null>	No	
DW_1452	<Null>	No	
DW_1453	<Null>	No	
DW_1454	<Null>	No	
DW_1455	<Null>	No	
DW_1456	DW_1456.jpg	Yes	
DW_1457	DW_1457.jpg	No	Concrete broke along PAR
DW_1458	DW_1458.jpg	No	PAR interrupted by gravel
DW_1459	<Null>	No	
DW_1460	<Null>	No	
DW_1461	<Null>	No	
DW_1462	<Null>	No	
DW_1463	<Null>	No	
DW_1464	DW_1464.jpg	Yes	
DW_1465	DW_1465.jpg	Yes	
DW_1466	DW_1466.jpg	Yes	
DW_1467	DW_1467.jpg	No	Cross slope anywhere from 2.3 to 3.7
DW_1468	<Null>	No	
DW_1469	<Null>	No	
DW_1470	DW_1470.jpg	Yes	
DW_1471	<Null>	No	
DW_1472	DW_1472.jpg	Yes	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1473	DW_1473.jpg	Yes	
DW_1474	DW_1474.jpg	No	Uneven pavement, gravel debris
DW_1475	DW_1475.jpg	Yes	
DW_1476	<Null>	No	
DW_1477	DW_1477.jpg	No	
DW_1478	DW_1478.jpg	Yes	PAR obstructed by car
DW_1479	<Null>	No	
DW_1480	<Null>	No	
DW_1481	<Null>	No	
DW_1482	DW_1482.jpg	Yes	
DW_1483	<Null>	No	
DW_1484	<Null>	No	
DW_1485	<Null>	No	
DW_1486	DW_1486.jpg	Yes	
DW_1487	DW_1487.jpg	Yes	
DW_1488	<Null>	No	
DW_1489	<Null>	No	
DW_1490	<Null>	No	
DW_1491	DW_1491.jpg	No	
DW_1492	<Null>	No	
DW_1493	DW_1493.jpg	No	Lip at power pole
DW_1494	<Null>	No	
DW_1495	<Null>	No	
DW_1496	<Null>	No	
DW_1497	<Null>	No	
DW_1498	<Null>	No	
DW_1499	<Null>	No	
DW_1500	<Null>	No	
DW_1501	DW_1501.jpg	Yes	
DW_1502	<Null>	No	
DW_1503	DW_1503.jpg	No	
DW_1504	<Null>	No	
DW_1505	<Null>	No	
DW_1506	<Null>	No	
DW_1507	<Null>	No	
DW_1508	DW_1508.jpg	Yes	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1509	DW_1509.jpg	Yes	
DW_1510	DW_1510.jpg	Yes	
DW_1511	<Null>	No	
DW_1512	<Null>	No	
DW_1513	DW_1513.jpg	No	
DW_1514	<Null>	No	
DW_1515	<Null>	No	
DW_1516	<Null>	No	
DW_1517	<Null>	No	
DW_1518	<Null>	No	
DW_1519	<Null>	No	
DW_1520	<Null>	No	
DW_1521	<Null>	No	
DW_1522	<Null>	No	
DW_1523	<Null>	No	
DW_1524	<Null>	No	
DW_1525	DW_1525.jpg	Yes	
DW_1526	<Null>	No	
DW_1527	<Null>	No	
DW_1528	<Null>	No	
DW_1529	<Null>	No	
DW_1530	<Null>	No	
DW_1531	<Null>	No	
DW_1532	<Null>	No	
DW_1533	<Null>	No	
DW_1534	<Null>	No	
DW_1535	<Null>	No	
DW_1536	<Null>	No	
DW_1537	<Null>	No	
DW_1538	<Null>	No	
DW_1539	<Null>	No	
DW_1540	<Null>	No	
DW_1541	DW_1541.jpg	Yes	
DW_1542	<Null>	No	
DW_1543	<Null>	No	
DW_1544	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1545	<Null>	No	
DW_1546	<Null>	No	
DW_1547	<Null>	No	
DW_1548	<Null>	No	
DW_1549	<Null>	No	
DW_1550	<Null>	No	
DW_1551	<Null>	No	
DW_1552	<Null>	No	
DW_1553	<Null>	No	
DW_1554	<Null>	No	
DW_1555	<Null>	No	
DW_1556	<Null>	No	
DW_1557	<Null>	No	
DW_1558	<Null>	No	
DW_1559	<Null>	No	
DW_1560	<Null>	No	
DW_1561	DW_1561.jpg	No	
DW_1562	<Null>	No	
DW_1563	<Null>	No	Driveway removed
DW_1564	<Null>	No	
DW_1565	<Null>	No	
DW_1566	<Null>	No	
DW_1567	<Null>	No	
DW_1568	<Null>	No	
DW_1569	DW_1569.jpg	No	
DW_1570	<Null>	No	
DW_1571	<Null>	No	
DW_1572	<Null>	No	
DW_1573	<Null>	No	
DW_1574	<Null>	No	
DW_1575	DW_1575.jpg	No	
DW_1576	DW_1576.jpg	No	Minor non-compliant cross slope
DW_1577	<Null>	No	
DW_1578	<Null>	No	
DW_1579	DW_1579.jpg	Yes	More Type 1 due to ramps
DW_1580	DW_1580.jpg	Yes	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1581	<Null>	No	
DW_1582	<Null>	No	
DW_1583	<Null>	No	
DW_1584	<Null>	No	
DW_1585	DW_1585.jpg	No	Crack
DW_1586	<Null>	No	
DW_1587	<Null>	No	
DW_1588	<Null>	No	
DW_1589	<Null>	No	
DW_1590	<Null>	No	
DW_1591	<Null>	No	
DW_1592	<Null>	No	
DW_1593	DW_1593.jpg	No	South panel is issue other ones north are below 2.1
DW_1594	<Null>	No	
DW_1595	<Null>	No	
DW_1596	<Null>	No	
DW_1597	<Null>	No	
DW_1598	<Null>	No	
DW_1599	DW_1599.jpg	No	
DW_1600	DW_1600.jpg	No	Crack
DW_1601	DW_1601.jpg	No	
DW_1602	DW_1602.jpg	No	PAR obstructed by vegetation
DW_1603	<Null>	No	
DW_1604	<Null>	No	
DW_1605	<Null>	No	
DW_1606	<Null>	No	
DW_1607	<Null>	No	
DW_1608	<Null>	No	
DW_1609	DW_1609.jpg	No	PAR obstructed by vegetation
DW_1610	<Null>	No	
DW_1611	<Null>	No	
DW_1612	DW_1612.jpg	Yes	
DW_1613	DW_1613.jpg	Yes	
DW_1614	<Null>	No	
DW_1615	<Null>	No	
DW_1616	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1617	<Null>	No	
DW_1618	<Null>	No	
DW_1619	<Null>	No	
DW_1620	<Null>	No	
DW_1621	<Null>	No	
DW_1622	DW_1622.jpg	Yes	
DW_1623	<Null>	No	
DW_1624	DW_1624.jpg	No	
DW_1625	<Null>	No	
DW_1626	<Null>	No	
DW_1627	<Null>	No	
DW_1628	<Null>	No	
DW_1629	<Null>	No	
DW_1630	DW_1630.jpg	No	
DW_1631	<Null>	No	
DW_1632	DW_1632.jpg	No	Minor non-compliant cross slope
DW_1633	DW_1633.jpg	No	
DW_1634	DW_1634.jpg	Yes	
DW_1635	<Null>	No	
DW_1636	<Null>	No	
DW_1637	<Null>	No	
DW_1638	<Null>	No	
DW_1639	<Null>	No	
DW_1640	<Null>	No	
DW_1641	<Null>	No	
DW_1642	<Null>	No	
DW_1643	<Null>	No	
DW_1644	<Null>	No	
DW_1645	<Null>	No	
DW_1646	<Null>	No	
DW_1647	DW_1647.jpg	No	Minor non-compliant cross slope
DW_1648	<Null>	No	
DW_1649	<Null>	No	
DW_1650	<Null>	No	
DW_1651	<Null>	No	
DW_1652	DW_1652.jpg	No	Minor non-compliant cross slope

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1653	DW_1653.jpg	Yes	
DW_1654	<Null>	No	
DW_1655	<Null>	No	
DW_1656	<Null>	No	
DW_1657	<Null>	No	
DW_1658	DW_1658.jpg	Yes	
DW_1659	<Null>	No	
DW_1660	<Null>	No	
DW_1661	<Null>	No	
DW_1662	<Null>	No	
DW_1663	<Null>	No	
DW_1664	<Null>	No	
DW_1665	<Null>	No	
DW_1666	<Null>	No	
DW_1667	<Null>	No	
DW_1668	DW_1668.jpg	Yes	
DW_1669	<Null>	No	
DW_1670	<Null>	No	
DW_1671	DW_1671.jpg	Yes	
DW_1672	DW_1672.jpg	Yes	
DW_1673	DW_1673.jpg	Yes	
DW_1674	DW_1674.jpg	Yes	
DW_1675	DW_1675.jpg	Yes	
DW_1676	DW_1676.jpg	Yes	
DW_1677	<Null>	No	
DW_1678	DW_1678.jpg	Yes	
DW_1679	DW_1679.jpg	Yes	
DW_1680	<Null>	No	
DW_1681	<Null>	No	
DW_1682	<Null>	No	
DW_1683	<Null>	No	
DW_1684	<Null>	No	
DW_1685	<Null>	No	
DW_1686	<Null>	No	
DW_1687	<Null>	No	
DW_1688	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1689	<Null>	No	
DW_1690	<Null>	No	
DW_1691	<Null>	No	
DW_1692	<Null>	No	
DW_1693	<Null>	No	
DW_1694	<Null>	No	
DW_1695	DW_1695.jpg	Yes	PAR west is in poor condition
DW_1696	<Null>	No	
DW_1697	<Null>	No	
DW_1698	DW_1698.jpg	No	gravel debris, adjacent PAR obstructed by dumpster
DW_1699	<Null>	No	
DW_1700	<Null>	No	
DW_1701	<Null>	No	
DW_1702	<Null>	No	
DW_1703	<Null>	No	
DW_1704	<Null>	No	
DW_1705	<Null>	No	
DW_1706	<Null>	No	
DW_1707	<Null>	No	
DW_1708	<Null>	No	
DW_1709	DW_1709.jpg	No	Minor non-compliant cross slope
DW_1710	<Null>	No	
DW_1711	<Null>	No	
DW_1712	<Null>	No	
DW_1713	<Null>	No	
DW_1714	<Null>	No	
DW_1715	<Null>	No	
DW_1716	<Null>	No	
DW_1717	DW_1717.jpg	Yes	
DW_1718	DW_1718.jpg	No	Minor non-compliant cross slope
DW_1719	<Null>	No	
DW_1720	<Null>	No	
DW_1721	<Null>	No	
DW_1722	<Null>	No	
DW_1723	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1724	<Null>	No	
DW_1725	<Null>	No	
DW_1726	DW_1726.jpg	No	
DW_1727	DW_1727.jpg	Yes	
DW_1728	<Null>	No	
DW_1729	<Null>	No	
DW_1730	<Null>	No	
DW_1731	<Null>	No	
DW_1732	DW_1732.jpg	Yes	
DW_1733	DW_1733.jpg	Yes	
DW_1734	DW_1734.jpg	Yes	
DW_1735	DW_1735.jpg	Yes	
DW_1736	DW_1736.jpg	Yes	PAR narrowed by handlebars in photo
DW_1737	<Null>	No	
DW_1738	<Null>	No	
DW_1739	<Null>	No	
DW_1740	<Null>	No	
DW_1741	<Null>	No	
DW_1742	<Null>	No	
DW_1743	<Null>	No	
DW_1744	<Null>	No	
DW_1745	DW_1745.jpg	Yes	
DW_1746	<Null>	No	
DW_1747	DW_1747.jpg	Yes	
DW_1748	DW_1748.jpg	No	Minor non-compliant cross slope
DW_1749	DW_1749.jpg	No	
DW_1750	DW_1750.jpg	Yes	
DW_1751	DW_1751.jpg	Yes	
DW_1752	<Null>	No	
DW_1753	DW_1753.jpg	No	Minor non-compliant cross slope
DW_1754	<Null>	No	
DW_1755	<Null>	No	
DW_1756	<Null>	No	
DW_1757	DW_1757.jpg	No	Minor non-compliant cross slope
DW_1758	DW_1758.jpg	No	Minor non-compliant cross slope
DW_1759	DW_1759.jpg	Yes	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1760	<Null>	No	
DW_1761	<Null>	No	
DW_1762	DW_1762.jpg	Yes	
DW_1763	DW_1763.jpg	Yes	
DW_1764	DW_1764.jpg	No	Driveway is problem
DW_1765	<Null>	No	
DW_1766	<Null>	No	
DW_1767	<Null>	No	
DW_1768	<Null>	No	
DW_1769	DW_1769.jpg	Yes	
DW_1770	DW_1770.jpg	Yes	
DW_1771	DW_1771.jpg	Yes	
DW_1772	DW_1772.jpg	No	Minor non-compliant cross slope
DW_1773	DW_1773.jpg	Yes	
DW_1774	<Null>	No	
DW_1775	DW_1775.jpg	Yes	PAR constrains to west to 36
DW_1776	<Null>	No	
DW_1777	<Null>	No	
DW_1778	<Null>	No	
DW_1779	<Null>	No	
DW_1780	<Null>	No	
DW_1781	DW_1781.jpg	Yes	
DW_1782	DW_1782.jpg	Yes	<Null>
DW_1783	DW_1783.jpg	No	Minor non-compliant cross slope
DW_1784	DW_1784.jpg	No	Minor non-compliant cross slope
DW_1785	DW_1785.jpg	No	Minor non-compliant cross slope
DW_1786	<Null>	No	
DW_1787	DW_1787.jpg	Yes	
DW_1788	DW_1788.jpg	No	Tree root
DW_1789	DW_1789.jpg	No	<Null>
DW_1790	<Null>	No	
DW_1791	<Null>	No	
DW_1792	DW_1792.jpg	Yes	
DW_1793	DW_1793.jpg	Yes	
DW_1794	DW_1794.jpg	Yes	
DW_1795	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1796	DW_1796.jpg	No	
DW_1797	DW_1797.jpg	Yes	Degraded sidewalk immediately West
DW_1798	<Null>	No	
DW_1799	<Null>	No	
DW_1800	<Null>	No	
DW_1801	<Null>	No	
DW_1802	<Null>	No	
DW_1803	<Null>	No	
DW_1804	<Null>	No	
DW_1805	<Null>	No	
DW_1806	<Null>	No	
DW_1807	<Null>	No	
DW_1808	<Null>	No	
DW_1809	<Null>	No	
DW_1810	<Null>	No	
DW_1811	<Null>	No	
DW_1812	DW_1812.jpg	Yes	
DW_1813	DW_1813.jpg	Yes	
DW_1814	DW_1814.jpg	No	Crack
DW_1815	<Null>	No	
DW_1816	<Null>	No	
DW_1817	DW_1817.jpg	Yes	
DW_1818	DW_1818.jpg	No	
DW_1819	<Null>	No	
DW_1820	<Null>	No	
DW_1821	<Null>	No	
DW_1822	<Null>	No	
DW_1823	<Null>	No	
DW_1824	<Null>	No	
DW_1825	<Null>	No	
DW_1826	DW_1826.jpg	No	
DW_1827	DW_1827.jpg	No	
DW_1828	<Null>	No	
DW_1829	<Null>	No	
DW_1830	<Null>	No	
DW_1831	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1832	<Null>	No	
DW_1833	<Null>	No	
DW_1834	<Null>	No	
DW_1835	DW_1835.jpg	No	
DW_1836	<Null>	No	
DW_1837	DW_1837.jpg	No	
DW_1838	<Null>	No	
DW_1839	<Null>	No	
DW_1840	<Null>	No	
DW_1841	<Null>	No	
DW_1842	<Null>	No	
DW_1843	<Null>	No	
DW_1844	<Null>	No	
DW_1845	<Null>	No	
DW_1846	<Null>	No	
DW_1847	<Null>	No	
DW_1848	<Null>	No	
DW_1849	<Null>	No	
DW_1850	<Null>	No	
DW_1851	<Null>	No	
DW_1852	DW_1852.jpg	Yes	
DW_1853	<Null>	No	
DW_1854	<Null>	No	
DW_1855	<Null>	No	
DW_1856	DW_1856.jpg	Yes	
DW_1857	<Null>	No	
DW_1858	DW_1858.jpg	Yes	Adjacent PAR pavement failure
DW_1859	DW_1859.jpg	Yes	
DW_1860	DW_1860.jpg	Yes	
DW_1861	<Null>	No	
DW_1862	<Null>	No	
DW_1863	<Null>	No	
DW_1864	<Null>	No	
DW_1865	<Null>	No	
DW_1866	<Null>	No	
DW_1867	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1868	<Null>	No	
DW_1869	DW_1869.jpg	Yes	
DW_1870	<Null>	No	
DW_1871	<Null>	No	
DW_1872	DW_1872.jpg	No	Minor non-compliant cross slope
DW_1873	<Null>	No	
DW_1874	DW_1874.jpg	Yes	
DW_1875	<Null>	No	
DW_1876	<Null>	No	
DW_1877	<Null>	No	
DW_1878	DW_1878.jpg	Yes	
DW_1879	DW_1879.jpg	Yes	
DW_1880	DW_1880.jpg	No	
DW_1881	<Null>	No	
DW_1882	DW_1882.jpg	No	
DW_1883	DW_1883.jpg	No	Minor non-compliant cross slope
DW_1884	DW_1884.jpg	Yes	<Null>
DW_1885	DW_1885.jpg	Yes	
DW_1886	DW_1886.jpg	Yes	
DW_1887	DW_1887.jpg	Yes	
DW_1888	DW_1888.jpg	No	Minor non-compliant cross slope
DW_1889	DW_1889.jpg	Yes	
DW_1890	DW_1890.jpg	Yes	
DW_1891	DW_1891.jpg	Yes	
DW_1892	DW_1892.jpg	Yes	
DW_1893	DW_1893.jpg	No	Minor non-compliant cross slope
DW_1894	DW_1894.jpg	Yes	
DW_1895	DW_1895.jpg	Yes	
DW_1896	DW_1896.jpg	No	
DW_1897	<Null>	No	
DW_1898	<Null>	No	
DW_1899	<Null>	No	
DW_1900	<Null>	No	
DW_1901	<Null>	No	
DW_1902	<Null>	No	
DW_1903	DW_1903.jpg	No	Running slope on grade

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1904	DW_1904.jpg	Yes	
DW_1905	DW_1905.jpg	Yes	
DW_1906	DW_1906.jpg	No	
DW_1907	DW_1907.jpg	Yes	
DW_1908	DW_1908.jpg	Yes	
DW_1909	DW_1909.jpg	Yes	
DW_1910	DW_1910.jpg	Yes	
DW_1911	DW_1911.jpg	No	
DW_1912	DW_1912.jpg	Yes	
DW_1913	DW_1913.jpg	Yes	
DW_1914	DW_1914.jpg	Yes	
DW_1915	DW_1915.jpg	Yes	
DW_1916	DW_1916.jpg	No	Minor non-complaint cross slope
DW_1917	DW_1917.jpg	Yes	
DW_1918	<Null>	No	
DW_1919	DW_1919.jpg	Yes	<Null>
DW_1920	DW_1920.jpg	No	Minor non-complaint cross slope
DW_1921	DW_1921.jpg	Yes	
DW_1922	DW_1922.jpg	Yes	
DW_1923	DW_1923.jpg	Yes	
DW_1924	DW_1924.jpg	Yes	
DW_1925	DW_1925.jpg	No	Minor non-complaint cross slope
DW_1926	DW_1926.jpg	Yes	
DW_1927	DW_1927.jpg	Yes	On hill
DW_1928	DW_1928.jpg	Yes	
DW_1929	DW_1929.jpg	Yes	
DW_1930	DW_1930.jpg	No	
DW_1931	DW_1931.jpg	Yes	Storage driveway
DW_1932	DW_1932.jpg	No	Emergency egress route.
DW_1933	DW_1933.jpg	Yes	PAR obstructed by vehicles
DW_1934	DW_1934.jpg	Yes	No PAR adjacent to either driveway side
DW_1935	DW_1935.jpg	Yes	
DW_1936	DW_1936.jpg	Yes	
DW_1937	DW_1937.jpg	Yes	
DW_1938	DW_1938.jpg	No	Minor non-compliant cross slope
DW_1939	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1940	<Null>	No	
DW_1941	<Null>	No	
DW_1942	<Null>	No	
DW_1943	<Null>	No	
DW_1944	<Null>	No	
DW_1945	<Null>	No	
DW_1946	<Null>	No	
DW_1947	DW_1947.jpg	No	
DW_1948	DW_1948.jpg	Yes	
DW_1949	DW_1949.jpg	Yes	
DW_1950	DW_1950.jpg	Yes	
DW_1951	<Null>	No	
DW_1952	DW_1952.jpg	Yes	Gravel debris
DW_1953	DW_1953.jpg	Yes	
DW_1954	DW_1954.jpg	Yes	
DW_1955	<Null>	No	
DW_1956	<Null>	No	
DW_1957	<Null>	No	
DW_1958	<Null>	No	
DW_1959	<Null>	No	
DW_1960	<Null>	No	
DW_1961	<Null>	No	
DW_1962	<Null>	No	
DW_1963	<Null>	No	
DW_1964	DW_1964.jpg	Yes	
DW_1965	DW_1965.jpg	Yes	
DW_1966	DW_1966.jpg	Yes	Monitor vegetation
DW_1967	DW_1967.jpg	Yes	North (left side) in photo
DW_1968	<Null>	No	
DW_1969	DW_1969.jpg	Yes	
DW_1970	DW_1970.jpg	Yes	PAR ends at driveway
DW_1971	DW_1971.jpg	Yes	
DW_1972	DW_1972.jpg	Yes	Double driveway
DW_1973	<Null>	No	
DW_1974	<Null>	No	
DW_1975	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_1976	<Null>	No	
DW_1977	<Null>	No	
DW_1978	<Null>	No	
DW_1979	<Null>	No	
DW_1980	<Null>	No	
DW_1981	<Null>	No	
DW_1982	<Null>	No	
DW_1983	<Null>	No	
DW_1984	<Null>	No	
DW_1985	<Null>	No	
DW_1986	<Null>	No	
DW_1987	<Null>	No	
DW_1988	<Null>	No	
DW_1989	<Null>	No	
DW_1990	<Null>	No	
DW_1991	<Null>	No	
DW_1992	<Null>	No	
DW_1993	<Null>	No	
DW_1994	<Null>	No	
DW_1995	<Null>	No	
DW_1996	<Null>	No	
DW_1997	<Null>	No	
DW_1998	<Null>	No	
DW_1999	<Null>	No	
DW_2000	<Null>	No	
DW_2001	<Null>	No	
DW_2002	<Null>	No	
DW_2003	<Null>	No	
DW_2004	<Null>	No	
DW_2005	<Null>	No	
DW_2006	<Null>	No	
DW_2007	<Null>	No	
DW_2008	<Null>	No	
DW_2009	<Null>	No	
DW_2010	<Null>	No	
DW_2011	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_2012	<Null>	No	
DW_2013	<Null>	No	
DW_2014	<Null>	No	
DW_2015	<Null>	No	
DW_2016	<Null>	No	
DW_2017	<Null>	No	
DW_2018	<Null>	No	
DW_2019	<Null>	No	
DW_2020	<Null>	No	
DW_2021	<Null>	No	
DW_2022	<Null>	No	
DW_2023	<Null>	No	
DW_2024	<Null>	No	
DW_2025	<Null>	No	
DW_2026	<Null>	No	
DW_2027	<Null>	No	
DW_2028	<Null>	No	
DW_2029	<Null>	No	
DW_2030	<Null>	No	
DW_2031	<Null>	No	
DW_2032	<Null>	No	
DW_2033	<Null>	No	
DW_2034	<Null>	No	
DW_2035	<Null>	No	
DW_2036	<Null>	No	
DW_2037	<Null>	No	
DW_2038	<Null>	No	
DW_2039	<Null>	No	
DW_2040	<Null>	No	
DW_2041	<Null>	No	
DW_2042	<Null>	No	
DW_2043	DW_2043.jpg	Yes	Meets 36 inch PAR, does not meet PROWAG
DW_2044	<Null>	No	
DW_2045	<Null>	No	
DW_2046	<Null>	No	
DW_2047	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_2048	<Null>	No	
DW_2049	<Null>	No	
DW_2050	<Null>	No	
DW_2051	DW_2051.jpg	Yes	
DW_2052	DW_2052.jpg	Yes	Run slope is on a decline on PAR
DW_2053	<Null>	No	
DW_2054	<Null>	No	
DW_2055	<Null>	No	
DW_2056	<Null>	No	
DW_2057	DW_2057.jpg	Yes	
DW_2058	<Null>	No	
DW_2059	<Null>	No	
DW_2060	DW_2060.jpg	Yes	
DW_2061	DW_2061.jpg	Yes	<Null>
DW_2062	DW_2062.jpg	Yes	<Null>
DW_2063	DW_2063.jpg	Yes	
DW_2064	DW_2064.jpg	Yes	
DW_2065	DW_2065.jpg	No	PAR has broken concrete panels
DW_2066	DW_2066.jpg	Yes	<Null>
DW_2067	DW_2067.jpg	Yes	
DW_2068	DW_2068.jpg	No	
DW_2069	<Null>	No	
DW_2070	<Null>	No	
DW_2071	<Null>	No	
DW_2072	<Null>	No	
DW_2073	<Null>	No	
DW_2074	<Null>	No	
DW_2075	DW_2075.jpg	Yes	PAR obstructed by PVC pipe
DW_2076	DW_2076.jpg	Yes	North run slope deficient
DW_2077	DW_2077.jpg	Yes	
DW_2078	DW_2078.jpg	Yes	
DW_2079	DW_2079.jpg	No	Crack
DW_2080	DW_2080.jpg	No	Minor non-compliant cross slope
DW_2081	<Null>	No	
DW_2082	<Null>	No	
DW_2083	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_2084	<Null>	No	
DW_2085	<Null>	No	
DW_2086	DW_2086.jpg	No	Minor non-compliant cross slope
DW_2087	DW_2087.jpg	No	Minor non-compliant cross slope
DW_2088	<Null>	No	
DW_2089	DW_2089.jpg	Yes	
DW_2090	DW_2090.jpg	Yes	
DW_2091	DW_2091.jpg	Yes	
DW_2092	<Null>	No	
DW_2093	DW_2093.jpg	Yes	
DW_2094	DW_2094.jpg	No	Minor non-compliant cross slope
DW_2095	<Null>	No	
DW_2096	DW_2096.jpg	No	Minor non-compliant cross slope
DW_2097	DW_2097.jpg	No	Minor non-compliant cross slope
DW_2098	<Null>	No	
DW_2099	<Null>	No	
DW_2100	DW_2100.jpg	Yes	
DW_2101	<Null>	No	
DW_2102	<Null>	No	
DW_2103	DW_2103.jpg	Yes	
DW_2104	DW_2104.jpg	Yes	
DW_2105	<Null>	No	
DW_2106	DW_2106.jpg	No	
DW_2107	DW_2107.jpg	No	Minor non-compliant cross slope
DW_2108	DW_2108.jpg	No	
DW_2109	<Null>	No	
DW_2110	DW_2110.jpg	Yes	
DW_2111	DW_2111.jpg	Yes	
DW_2112	DW_2112.jpg	No	
DW_2113	DW_2113.jpg	Yes	
DW_2114	<Null>	No	
DW_2115	<Null>	No	
DW_2116	DW_2116.jpg	No	Minor non-compliant cross slope
DW_2117	DW_2117.jpg	Yes	
DW_2118	DW_2118.jpg	No	
DW_2119	DW_2119.jpg	No	Minor non-compliant cross slope

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_2120	DW_2120.jpg	Yes	
DW_2121	DW_2121.jpg	No	Minor non-compliant cross slope
DW_2122	DW_2122.jpg	Yes	
DW_2123	DW_2123.jpg	Yes	
DW_2124	DW_2124.jpg	Yes	North wing looks Type 4
DW_2125	DW_2125.jpg	No	
DW_2126	<Null>	No	
DW_2127	DW_2127.jpg	Yes	
DW_2128	DW_2128.jpg	Yes	
DW_2129	<Null>	No	
DW_2130	DW_2130.jpg	Yes	PAR under construction, torn up at sewer manhole
DW_2131	<Null>	No	
DW_2132	DW_2132.jpg	Yes	PAR blocked by car
DW_2133	<Null>	No	
DW_2134	<Null>	No	
DW_2135	<Null>	No	
DW_2136	DW_2136.jpg	Yes	
DW_2137	DW_2137.jpg	No	
DW_2138	DW_2138.jpg	Yes	
DW_2139	DW_2139.jpg	No	
DW_2140	<Null>	No	
DW_2141	DW_2141.jpg	No	
DW_2142	<Null>	No	
DW_2143	<Null>	No	
DW_2144	DW_2144.jpg	Yes	
DW_2145	DW_2145.jpg	Yes	
DW_2146	DW_2146.jpg	No	Minor non-compliant cross slope
DW_2147	<Null>	No	
DW_2148	DW_2148.jpg	Yes	
DW_2149	<Null>	No	
DW_2150	<Null>	No	
DW_2151	DW_2151.jpg	Yes	
DW_2152	DW_2152.jpg	Yes	
DW_2153	<Null>	No	
DW_2154	DW_2154.jpg	Yes	
DW_2155	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_2156	DW_2156.jpg	Yes	
DW_2157	DW_2157.jpg	No	West half cross slope 2.0 or less, east half > 2.0
DW_2158	DW_2158.jpg	Yes	
DW_2159	<Null>	No	
DW_2160	DW_2160.jpg	No	
DW_2161	<Null>	No	
DW_2162	<Null>	No	
DW_2163	DW_2163.jpg	Yes	
DW_2164	DW_2164.jpg	Yes	
DW_2165	<Null>	No	
DW_2166	<Null>	No	
DW_2167	<Null>	No	
DW_2168	DW_2168.jpg	Yes	<Null>
DW_2169	<Null>	No	
DW_2170	<Null>	No	
DW_2171	<Null>	No	
DW_2172	DW_2172.jpg	No	Minor non-compliant cross slope
DW_2173	DW_2173.jpg	Yes	
DW_2174	DW_2174.jpg	Yes	PAR at south has concrete lip
DW_2175	<Null>	No	
DW_2176	<Null>	No	
DW_2177	<Null>	No	
DW_2178	<Null>	No	
DW_2179	<Null>	No	
DW_2180	DW_2180.jpg	No	Minor non-compliant cross slope
DW_2181	<Null>	No	
DW_2182	<Null>	No	
DW_2183	DW_2183.jpg	Yes	
DW_2184	DW_2184.jpg	No	Minor non-compliant cross slope
DW_2185	<Null>	No	
DW_2186	<Null>	No	
DW_2187	<Null>	No	
DW_2188	<Null>	No	
DW_2189	<Null>	No	
DW_2190	<Null>	No	
DW_2191	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_2192	<Null>	No	
DW_2193	<Null>	No	
DW_2194	DW_2194.jpg	Yes	
DW_2195	<Null>	No	
DW_2196	<Null>	No	
DW_2197	DW_2197.jpg	Yes	
DW_2198	<Null>	No	
DW_2199	<Null>	No	
DW_2200	<Null>	No	
DW_2201	DW_2201.jpg	No	
DW_2202	DW_2202.jpg	Yes	
DW_2203	<Null>	No	
DW_2204	DW_2204.jpg	No	
DW_2205	DW_2205.jpg	No	Cracks
DW_2206	<Null>	No	
DW_2207	DW_2207.jpg	No	
DW_2208	<Null>	No	
DW_2209	<Null>	No	
DW_2210	DW_2210.jpg	Yes	
DW_2211	<Null>	No	
DW_2212	<Null>	No	
DW_2213	DW_2213.jpg	No	Minor non-compliant cross slope
DW_2214	<Null>	No	
DW_2215	<Null>	No	
DW_2216	DW_2216.jpg	No	Minor non-compliant cross slope
DW_2217	<Null>	No	
DW_2218	DW_2218.jpg	Yes	
DW_2219	<Null>	No	
DW_2220	DW_2220.jpg	Yes	
DW_2221	DW_2221.jpg	Yes	
DW_2222	DW_2222.jpg	No	Minor non-compliant cross slope
DW_2223	DW_2223.jpg	Yes	
DW_2224	<Null>	No	
DW_2225	<Null>	No	
DW_2226	<Null>	No	
DW_2227	DW_2227.jpg	No	Minor non-compliant cross slope

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_2228	DW_2228.jpg	No	Minor non-compliant cross slope
DW_2229	DW_2229.jpg	Yes	
DW_2230	DW_2230.jpg	Yes	
DW_2231	DW_2231.jpg	No	Type 3 to south not compliant Type 1 to north 1% cross with .6 parallel cross and over 20 running
DW_2232	<Null>	No	
DW_2233	<Null>	No	
DW_2234	<Null>	No	
DW_2235	DW_2235.jpg	Yes	
DW_2236	DW_2236.jpg	No	
DW_2237	<Null>	No	
DW_2238	<Null>	No	
DW_2239	<Null>	No	
DW_2240	<Null>	No	
DW_2241	<Null>	No	
DW_2242	<Null>	No	
DW_2243	<Null>	No	
DW_2244	<Null>	No	
DW_2245	<Null>	No	
DW_2246	<Null>	No	
DW_2247	DW_2247.jpg	Yes	
DW_2248	DW_2248.jpg	Yes	
DW_2249	DW_2249.jpg	Yes	
DW_2250	<Null>	No	
DW_2251	<Null>	No	
DW_2252	DW_2252.jpg	Yes	
DW_2253	<Null>	No	
DW_2254	DW_2254.jpg	No	
DW_2255	DW_2255.jpg	No	Minor non-compliant cross slope
DW_2256	<Null>	No	
DW_2257	<Null>	No	
DW_2258	DW_2258.jpg	No	Minor non-compliant cross slope
DW_2259	<Null>	No	
DW_2260	<Null>	No	
DW_2261	<Null>	No	
DW_2262	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_2263	DW_2263.jpg	Yes	
DW_2264	DW_2264.jpg	Yes	<Null>
DW_2265	<Null>	No	
DW_2266	DW_2266.jpg	No	
DW_2267	<Null>	No	
DW_2268	<Null>	No	
DW_2269	DW_2269.jpg	Yes	
DW_2270	DW_2270.jpg	Yes	
DW_2271	DW_2271.jpg	Yes	
DW_2272	<Null>	No	
DW_2273	DW_2273.jpg	No	
DW_2274	DW_2274.jpg	No	Cracks
DW_2275	<Null>	No	
DW_2276	<Null>	No	
DW_2277	DW_2277.jpg	No	
DW_2278	<Null>	No	
DW_2279	<Null>	No	
DW_2280	<Null>	No	
DW_2281	<Null>	No	
DW_2282	<Null>	No	
DW_2283	<Null>	No	
DW_2284	<Null>	No	
DW_2285	<Null>	No	
DW_2286	<Null>	No	
DW_2287	<Null>	No	
DW_2288	DW_2288.jpg	No	May need to split driveways?
DW_2289	DW_2289.jpg	Yes	
DW_2290	DW_2290.jpg	No	Minor non-compliant cross slope
DW_2291	DW_2291.jpg	No	
DW_2292	DW_2292.jpg	Yes	PAR has lips on ends
DW_2293	DW_2293.jpg	Yes	Lip on east side. PAR tree to curb
DW_2294	DW_2294.jpg	Yes	
DW_2295	DW_2295.jpg	Yes	
DW_2296	DW_2296.jpg	Yes	
DW_2297	DW_2297.jpg	Yes	
DW_2298	DW_2298.jpg	Yes	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_2299	DW_2299.jpg	No	Minor non-compliant cross slope
DW_2300	DW_2300.jpg	Yes	
DW_2301	DW_2301.jpg	No	Minor non-compliant cross slope
DW_2302	<Null>	No	
DW_2303	<Null>	No	
DW_2304	<Null>	No	
DW_2305	<Null>	No	
DW_2306	<Null>	No	
DW_2307	<Null>	No	
DW_2308	<Null>	No	
DW_2309	<Null>	No	
DW_2310	DW_2310.jpg	Yes	<Null>
DW_2311	DW_2311.jpg	Yes	
DW_2312	DW_2312.jpg	Yes	
DW_2313	DW_2313.jpg	Yes	
DW_2314	DW_2314.jpg	Yes	South (right side) of photo
DW_2315	DW_2315.jpg	Yes	
DW_2316	<Null>	No	
DW_2317	<Null>	No	
DW_2318	<Null>	No	
DW_2319	DW_2319.jpg	Yes	
DW_2320	<Null>	No	
DW_2321	<Null>	No	
DW_2322	<Null>	No	
DW_2323	<Null>	No	
DW_2324	<Null>	No	
DW_2325	<Null>	No	
DW_2326	<Null>	No	
DW_2327	<Null>	No	
DW_2328	<Null>	No	
DW_2329	<Null>	No	
DW_2330	DW_2330.jpg	Yes	
DW_2331	DW_2331.jpg	No	Minor non-compliant cross slope
DW_2332	<Null>	No	
DW_2333	DW_2333.jpg	Yes	
DW_2334	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_2335	<Null>	No	
DW_2336	<Null>	No	
DW_2337	<Null>	No	
DW_2338	DW_2338.jpg	No	Running slopes on ramp >8.3
DW_2339	<Null>	No	
DW_2340	<Null>	No	
DW_2341	<Null>	No	
DW_2342	<Null>	No	
DW_2343	<Null>	No	
DW_2344	<Null>	No	
DW_2345	<Null>	No	
DW_2346	<Null>	No	
DW_2347	DW_2347.jpg	Yes	
DW_2348	DW_2348.jpg	Yes	Used PAR between sign and landscape strip
DW_2349	DW_2349.jpg	Yes	
DW_2350	<Null>	No	
DW_2351	DW_2351.jpg	Yes	
DW_2352	DW_2352.jpg	No	Minor non-compliant cross slope
DW_2353	DW_2353.jpg	No	
DW_2354	<Null>	No	
DW_2355	<Null>	No	
DW_2356	<Null>	No	
DW_2357	<Null>	No	
DW_2358	DW_2358.jpg	Yes	
DW_2359	DW_2359.jpg	No	Cracks
DW_2360	<Null>	No	
DW_2361	<Null>	No	
DW_2362	<Null>	No	
DW_2363	<Null>	No	
DW_2364	<Null>	No	
DW_2365	<Null>	No	
DW_2366	<Null>	No	
DW_2367	<Null>	No	
DW_2368	<Null>	No	
DW_2369	<Null>	No	
DW_2370	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_2371	<Null>	No	
DW_2372	<Null>	No	
DW_2373	<Null>	No	
DW_2374	<Null>	No	
DW_2375	<Null>	No	
DW_2376	DW_2376.jpg	Yes	
DW_2377	<Null>	No	
DW_2378	<Null>	No	
DW_2379	<Null>	No	
DW_2380	<Null>	No	
DW_2381	<Null>	No	
DW_2382	<Null>	No	
DW_2383	<Null>	No	
DW_2384	<Null>	No	
DW_2385	<Null>	No	
DW_2386	DW_2386.jpg	No	Minor non-compliant cross slope
DW_2387	<Null>	No	
DW_2388	<Null>	No	
DW_2389	<Null>	No	
DW_2390	<Null>	No	
DW_2391	DW_2391.jpg	Yes	
DW_2392	DW_2392.jpg	No	Divet
DW_2393	DW_2393.jpg	No	Minor non-compliant cross slope
DW_2394	<Null>	No	
DW_2395	DW_2395.jpg	Yes	
DW_2396	DW_2396.jpg	No	Minor non-compliant cross slope
DW_2397	<Null>	No	
DW_2398	DW_2398.jpg	No	
DW_2399	DW_2399.jpg	No	Minor non-compliant cross slope
DW_2400	<Null>	No	
DW_2401	DW_2401.jpg	Yes	
DW_2402	<Null>	No	
DW_2403	<Null>	No	
DW_2404	<Null>	No	
DW_2405	DW_2405.jpg	Yes	
DW_2406	DW_2406.jpg	No	Minor non-compliant cross slope

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_2407	DW_2407.jpg	No	Minor non-compliant cross slope
DW_2408	DW_2408.jpg	Yes	
DW_2409	DW_2409.jpg	No	Minor non-compliant cross slope
DW_2410	DW_2410.jpg	No	
DW_2411	<Null>	No	
DW_2412	DW_2412.jpg	No	Pavement failure in corner
DW_2413	<Null>	No	
DW_2414	DW_2414.jpg	No	
DW_2415	<Null>	No	
DW_2416	<Null>	No	
DW_2417	DW_2417.jpg	No	Cracks
DW_2418	<Null>	No	
DW_2419	DW_2419.jpg	No	Minor non-compliant cross slope
DW_2420	DW_2420.jpg	No	No longer driveway building in front
DW_2421	DW_2421.jpg	Yes	No longer a driveway, building wall to north
DW_2422	<Null>	No	
DW_2423	<Null>	No	
DW_2424	DW_2424.jpg	No	Cracks
DW_2425	<Null>	No	
DW_2426	<Null>	No	
DW_2427	<Null>	No	
DW_2428	<Null>	No	
DW_2429	DW_2429.jpg	No	Minor non-compliant cross slope
DW_2430	DW_2430.jpg	Yes	
DW_2431	DW_2431.jpg	No	Minor non-compliant cross slope
DW_2432	<Null>	No	
DW_2433	<Null>	No	
DW_2434	DW_2434.jpg	No	Minor non-compliant cross slope
DW_2435	<Null>	No	
DW_2436	DW_2436.jpg	Yes	
DW_2437	DW_2437.jpg	No	Minor non-compliant cross slope
DW_2438	<Null>	No	
DW_2439	DW_2439.jpg	Yes	
DW_2440	DW_2440.jpg	Yes	
DW_2441	DW_2441.jpg	No	Minor non-compliant cross slope
DW_2442	<Null>	No	

City of Aberdeen
2025 ADA Transition Plan

DW_ID	TSI_DW_Photo_ID	DW_ADA_Compliance_2010	Notes
DW_2443	<Null>	No	
DW_2444	<Null>	No	
DW_2445	DW_2445.jpg	No	Minor non-compliant cross slope
DW_2446	DW_2446.jpg	No	
DW_2447	DW_2447.jpg	No	
DW_2448	DW_2448.jpg	No	Minor non-compliant cross slope
DW_2449	DW_2449.jpg	Yes	
DW_2450	<Null>	No	
DW_2451	<Null>	No	
DW_2452	DW_2452.jpg	No	
DW_2453	DW_2453.jpg	Yes	Vegetation
DW_2454	DW_2454.jpg	No	
DW_2455	DW_2455.jpg	No	Minor non-compliant cross slope
DW_2456	DW_2456.jpg	Yes	
DW_2457	DW_2457.jpg	Yes	Deterioration
DW_2458	<Null>	No	
DW_2459	<Null>	No	
DW_2460	<Null>	No	
DW_2461	<Null>	No	
DW_2462	<Null>	No	
DW_2463	<Null>	No	
DW_2464	<Null>	No	
DW_2465	DW_2465.jpg	Yes	
DW_2466	DW_2466.jpg	Yes	<Null>
DW_2467	DW_2467.jpg	Yes	<Null>
DW_2468	DW_2468.jpg	No	Minor non-compliant cross slope
DW_2469	DW_2469.jpg	Yes	<Null>

Public Right-of-Way Americans with Disabilities Act (ADA) Self-Evaluation and Transition Plan



Appendix C3

2025 ADA Sidewalk Inventory Documentation

Prepared by
Transportation Solutions, Inc



City of Aberdeen
2025 ADA Transition Plan

Field Name	Alias	Data Type	Number Format	Length	Data Source	Attribute Answer Options	Notes
OBJECTID	OBJECTID	Object ID	Numeric		TSI deliverable	Esri default	
Shape *		Geometry			TSI deliverable	Esri default	
GlobalID *	GlobalID	Global ID			TSI deliverable	Esri default	Global ID needed for linked photo attachments
Date_Time	Date_Time	Date			TSI deliverable	Date TSI last edited	
Sidewalk_Spot_ID_No	Sidewalk_Spot_ID_No	Long	Numeric		TSI deliverable	number only	
SW_Spot_ID	SW_Spot_ID	Text		255	TSI deliverable	SW_####	
Cross_Slope	Cross_Slope	Double	Numeric		TSI deliverable	Varies, percentage expressed to tenth decimal	
Width_Inches	Width_Inches	Long	Numeric		TSI deliverable	Varies, inches as integer	
ADA_2010	ADA_2010	Text		255	TSI deliverable	Compliant or Not Compliant	
PROWAG	PROWAG	Text		255	TSI deliverable	Compliant or Not Compliant	
Obstacle	Obstacle	Text		256	TSI deliverable	Fixed Object, Tree Roots, Upheaval or Cracking, Vegetation or Debris, Surface Deterioration, No Obstacle, Other Obstacle	City can use to sort by obstacle type
Notes	Notes	Text		256	TSI deliverable	Varies	Can search by cross slopes more than 2.1%
Arterial	Arterial	Text			TSI deliverable	Within Arterial Buffer or Outside Arterial Buffer	100 foot arterial buffer
Sidewalk_Photo_ID	Sidewalk_Photo_ID	Text		255	TSI deliverable	SW_####.jpg	SW_Spot_ID with ".jpg" suffix

City of Aberdeen
2025 ADA Transition Plan

SW_Spot_ID	Shape *	GlobalID *	Date_Time	Sidewalk_Spot_ID_No	Cross_Slope	Width_Inches	ADA_2010	PROWAG	Obstacle	Notes	Arterial	Sidewalk_Photo_ID
SW_0001	Point	{C0E9FF9C-E187-49CC-B146-9921F50A9F4A}	7/28/2025 17:19	1	0.75	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0001.jpg
SW_0002	Point	{360D6E69-DE7D-4CA2-8AB7-BD29D68475AD}	7/28/2025 17:15	2	3.2	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0002.jpg
SW_0003	Point	{E4FD745C-0A52-4EB1-865A-C48D2E092578}	7/28/2025 17:16	3	1.35	48	Compliant	Compliant	Vegetation or Debris	Clear vegetation; structurally compliant.	Outside Arterial Buffer	SW_0003.jpg
SW_0004	Point	{54ED115F-D9F6-49F3-9AD9-BAF52659DCC2}	7/28/2025 17:18	60	1.35	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0004.jpg
SW_0005	Point	{67C621ED-B347-4558-99CD-4CB780AAD724}	7/25/2025 1:27	5	0.65	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0005.jpg
SW_0006	Point	{12E26C50-2C8C-47AD-BFC7-B056C2B881F6}	7/28/2025 17:25	6	0.65	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0006.jpg
SW_0007	Point	{17112D86-ABAF-4025-AA04-9C7BE0EA53AC}	7/28/2025 17:30	7	1.1	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0007.jpg
SW_0008	Point	{6E2D6707-43BA-4598-8C30-62F29B9D9907}	7/28/2025 19:35	8	1.7	42	Not Compliant	Not Compliant	Vegetation or Debris	Some upheaval	Outside Arterial Buffer	SW_0008.jpg
SW_0009	Point	{5E4B05A1-4A8E-4386-B746-8E8A9FA21446}	7/28/2025 17:33	9	2.7	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0009.jpg
SW_0010	Point	{9BBF321E-6426-4523-9A3C-44DA970AB4C0}	7/28/2025 17:31	10	4	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0010.jpg
SW_0011	Point	{99178087-C7D9-40E7-802C-BB6D094EB1C7}	7/28/2025 20:19	11	3.65	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0011.jpg
SW_0012	Point	{5DD5C7E9-785D-401E-84B6-F88F40B2B829}	7/28/2025 20:14	12	3.1	64	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0012.jpg
SW_0013	Point	{D67DBCCF-E885-4A36-95BB-01184CCAAEB0}	7/28/2025 20:20	13	3.4	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0013.jpg
SW_0014	Point	{AEDC7097-8018-4245-8488-188587F4F06E}	7/28/2025 19:55	14	5.3	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0014.jpg
SW_0015	Point	{827E6BE5-430B-4547-85DF-E252755D6E4D}	7/28/2025 20:33	15	2.7	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0015.jpg
SW_0016	Point	{89EEF67C-D62A-4515-9CC2-3D358700DBDB}	7/28/2025 20:40	16	6.5	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0016.jpg
SW_0017	Point	{3E7A972C-397D-4F42-BB72-1A65FC600857}	7/28/2025 20:36	17	2.35	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0017.jpg
SW_0018	Point	{7FC4CA75-9816-4665-89E2-D93B4927081D}	7/28/2025 20:38	18	5.15	60	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0018.jpg
SW_0019	Point	{2A71D470-7B5A-46C0-8EAD-B6471A8A6E2E}	7/28/2025 19:02	19	3.2	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0019.jpg
SW_0020	Point	{3105C746-1CE9-4599-97BA-FCD5BCE0BA13}	7/28/2025 19:08	20	1	60	Compliant	Compliant	Vegetation or Debris	Clear gravel debris; structurally compliant.	Within Arterial Buffer	SW_0020.jpg
SW_0021	Point	{BF6E5F60-2FC9-46A2-988D-35E2AED74942}	7/28/2025 19:07	21	2.6	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0021.jpg
SW_0022	Point	{5D3C11E9-E969-4A7E-95EB-D9D59A4C4943}	7/28/2025 19:06	22	4.7	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0022.jpg
SW_0023	Point	{B5D8CEB5-EE57-4F91-9A9F-D7EAC93F5353}	7/28/2025 19:05	23	1.5	46	Compliant	Not Compliant	Vegetation or Debris	<Null>	Outside Arterial Buffer	SW_0023.jpg
SW_0024	Point	{1300B122-0CDF-4674-B037-8B54F25E53A6}	7/28/2025 19:49	24	4.15	48	Not Compliant	Not Compliant	Vegetation or Debris	Some upheaval	Outside Arterial Buffer	SW_0024.jpg
SW_0025	Point	{3BD6600A-D9F8-463E-A641-2131662019DC}	7/28/2025 19:04	25	3.2	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0025.jpg
SW_0026	Point	{FD2CB879-739A-4330-8045-04BB6A706B5B}	7/28/2025 18:48	26	0.6	60	Compliant	Compliant	No Obstacle	Clear vegetation; structurally compliant.	Within Arterial Buffer	SW_0026.jpg
SW_0027	Point	{D4B3F23B-5098-4A9B-BCA8-62636265F6E2}	7/28/2025 19:16	27	2.75	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0027.jpg
SW_0028	Point	{CC967213-652D-4977-8CD1-FB08CCC01183}	7/28/2025 19:19	28	3.1	64	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0028.jpg
SW_0029	Point	{D4435C42-A6FB-40FA-BCBE-18A1C902C7B1}	7/28/2025 18:41	29	6	48	Not Compliant	Not Compliant	Upheaval or Cracking	Sunken panels	Within Arterial Buffer	SW_0029.jpg
SW_0030	Point	{EB18D9BE-A2D2-424C-99C8-68E36289CAE4}	7/28/2025 19:22	30	1	58	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0030.jpg
SW_0031	Point	{31745DCF-C5FE-4C7D-B7BB-413D860C680A}	7/28/2025 18:08	31	6.1	56	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0031.jpg
SW_0032	Point	{17C7CCC7-965C-4ACC-A1C1-46CA7B9740DA}	7/28/2025 18:37	32	2.05	60	Compliant	Compliant	No Obstacle	Monitor vegetation	Within Arterial Buffer	SW_0032.jpg
SW_0033	Point	{4C3C86C4-62B4-486D-8214-268448B6C243}	7/28/2025 18:32	33	2.5	64	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0033.jpg
SW_0034	Point	{8FB47AE1-6079-43EC-A61B-AD481AFDD2E2}	7/28/2025 18:11	34	0.85	56	Not Compliant	Not Compliant	Upheaval or Cracking	Monitor vegetation	Within Arterial Buffer	SW_0034.jpg
SW_0035	Point	{8505EB0D-2D05-4240-80A1-C20F1E85C722}	7/28/2025 18:26	35	8.2	60	Not Compliant	Not Compliant	Other Obstacle	Multiple wide driveways	Within Arterial Buffer	SW_0035.jpg
SW_0036	Point	{8FE64EB6-BCE6-4820-8C79-A6307ADAB750}	7/28/2025 18:15	36	2	48	Not Compliant	Not Compliant	<Null>	Monitor vegetation	Within Arterial Buffer	SW_0036.jpg
SW_0037	Point	{EB600FD1-3126-4470-96C1-9803601FF529}	7/28/2025 19:32	37	3.4	42	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0037.jpg
SW_0038	Point	{67FA77BF-8DF9-4144-836F-D682D88E0441}	7/28/2025 19:27	38	2.35	44	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0038.jpg
SW_0039	Point	{464971BB-269F-4EF6-9E1E-A0D39E501222}	7/28/2025 19:25	39	4.6	48	Not Compliant	Not Compliant	Vegetation or Debris	Slope to drainage and uneven asphalt	Within Arterial Buffer	SW_0039.jpg
SW_0040	Point	{ADF436CB-E4E6-46A7-A081-E963F1E5093C}	7/28/2025 17:55	40	2.95	96	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0040.jpg
SW_0041	Point	{E101DC16-08DC-4703-969F-98CCA927D2E9}	7/28/2025 18:00	41	0.75	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0041.jpg
SW_0042	Point	{3FC6523E-8A93-4373-8587-8336059C3B81}	7/28/2025 17:52	42	1.65	66	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0042.jpg
SW_0043	Point	{4465BBE1-B4C3-42C6-90A9-EE3A2876C121}	7/28/2025 17:50	43	2.6	66	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0043.jpg
SW_0044	Point	{6743D5A1-F11F-4423-84C8-C174F7DBCC44}	7/28/2025 17:45	44	2	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0044.jpg
SW_0045	Point	{4FFA8525-D44E-42E6-8A1E-AE1605DFBD24}	7/28/2025 17:43	45	2.6	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0045.jpg
SW_0046	Point	{BDA9A916-2B5F-4ABF-B64C-B095BF76079C}	7/28/2025 17:39	46	3.2	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0046.jpg
SW_0047	Point	{354FB91E-CD5A-4A72-9C29-212D3311F861}	7/28/2025 17:38	47	3.5	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0047.jpg
SW_0048	Point	{74E671A9-F29D-40D2-AE26-8BD613D3AEAC}	7/28/2025 20:30	48	1.35	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0048.jpg
SW_0049	Point	{6EF8578F-90EA-4391-B312-0CF8F80560CB}	7/28/2025 20:29	49	4.6	48	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0049.jpg
SW_0050	Point	{861462E6-93E3-42DF-947C-5652F14EE3FF}	7/28/2025 19:39	50	2.25	42	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0050.jpg
SW_0051	Point	{FDA65679-6700-49A1-A4D2-A23CAA148DE8}	7/28/2025 19:41	51	2.2	24	Not Compliant	Not Compliant	Upheaval or Cracking	Surface deterioration, narrowed Usable PAR	Outside Arterial Buffer	SW_0051.jpg
SW_0052	Point	{9F4DB1EB-B7A2-4C4F-9FE9-A8636AC2DE37}	7/29/2025 15:58	52	3.1	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0052.jpg
SW_0053	Point	{C364FAF3-D48D-43A7-8120-893E8A89A369}	7/29/2025 16:00	53	2.4	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0053.jpg
SW_0054	Point	{94AC0507-D045-4348-81E2-30CBB47CCA63}	7/29/2025 16:02	54	2	60	Not Compliant	Not Compliant	Upheaval or Cracking	Surface deterioration	Within Arterial Buffer	SW_0054.jpg
SW_0055	Point	{77BFB9C9-D9C1-4BE1-980C-7721DE2EEDCF}	7/29/2025 16:04	55	2	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0055.jpg
SW_0056	Point	{5F50E577-7A18-4950-B5E6-7773F03104CF}	7/29/2025 16:06	56	0.5	60	Not Compliant	Not Compliant	Upheaval or Cracking	Surface Deterioration	Within Arterial Buffer	SW_0056.jpg
SW_0057	Point	{D6E63B6F-AD86-4336-B008-A9EDD48403D7}	7/29/2025 16:08	57	2.35	60	Compliant	Not Compliant	Fixed Object	40 inch PAR at pole	Within Arterial Buffer	SW_0057.jpg
SW_0058	Point	{420C79D5-8355-4A87-A88E-8BD2F6403D4B}	7/29/2025 16:10	58	2	60	Compliant	Compliant	No Obstacle	Surface Deterioration	Within Arterial Buffer	SW_0058.jpg

City of Aberdeen
2025 ADA Transition Plan

SW_Spot_ID	Shape *	GlobalID *	Date_Time	Sidewalk_Spot_ID_No	Cross_Slope	Width_Inches	ADA_2010	PROWAG	Obstacle	Notes	Arterial	Sidewalk_Photo_ID
SW_0059	Point	{8E1128E1-1362-4D8F-AB85-B7C230924381}	7/29/2025 16:13	59	2.5	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0059.jpg
SW_0060	Point	{21467F5C-379A-4876-938C-8960CCE72920}	7/29/2025 16:14	60	1.55	60	Compliant	Compliant	No Obstacle	Monitor vegetation	Within Arterial Buffer	SW_0060.jpg
SW_0061	Point	{D896423F-B25B-4DEB-8DD3-23C05513608F}	7/29/2025 16:16	61	2.35	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0061.jpg
SW_0062	Point	{620D302F-B44B-486F-8180-355E8390EB7}	7/29/2025 16:17	62	3	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0062.jpg
SW_0063	Point	{56B95654-28D0-48E1-BC2F-29D61E21F6CE}	7/29/2025 16:19	63	0.4	60	Compliant	Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0063.jpg
SW_0064	Point	{72999E18-F9E5-4B34-9330-30A07D018B15}	7/29/2025 16:20	64	2.95	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0064.jpg
SW_0065	Point	{4B7DB017-D676-4CA2-A5C4-9C9D298DB5F6}	7/29/2025 16:21	65	2.1	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0065.jpg
SW_0066	Point	{15F5DD57-B25E-461E-983A-0F667F555275}	7/29/2025 16:23	66	2.7	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0066.jpg
SW_0067	Point	{B6B31392-7C2E-4258-94B6-D1BE4010E5A5}	7/29/2025 16:24	67	2.35	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0067.jpg
SW_0068	Point	{46041590-3D10-440D-AD31-73BA7480A401}	7/29/2025 16:25	68	2.05	60	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0068.jpg
SW_0069	Point	{CB52FF08-9166-4B2E-BD94-E99DE68038D4}	7/29/2025 16:26	69	2.95	60	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Within Arterial Buffer	SW_0069.jpg
SW_0070	Point	{8D83EFCF-F969-45EA-8FAB-D33916EBECD2}	7/29/2025 16:28	70	3	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0070.jpg
SW_0071	Point	{AC5E4E70-BEA3-42CD-91F8-948864CB6DA8}	7/29/2025 16:29	71	3.45	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0071.jpg
SW_0072	Point	{36057CEF-8AB6-4089-A7CC-96BC9A0291FD}	7/29/2025 16:30	72	2.7	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0072.jpg
SW_0073	Point	{51B23013-8105-4186-A384-D5B7D0FCB6AA}	7/29/2025 16:32	73	2.05	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0073.jpg
SW_0074	Point	{8F7D8DAE-46BC-49D7-81A5-EFFAC88EABD7}	7/29/2025 16:34	74	2.6	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0074.jpg
SW_0075	Point	{CC45D57B-AF76-427B-9632-C7F08E38C711}	7/29/2025 16:36	75	2	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0075.jpg
SW_0076	Point	{6A17209C-8EF6-40D1-BC69-1DB6C88CD39D}	7/29/2025 16:37	76	2.25	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0076.jpg
SW_0077	Point	{58AAE859-1928-4AA4-8C02-0952E4CA5D4E}	7/29/2025 16:39	77	1.9	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0077.jpg
SW_0078	Point	{DC5DD8C6-DE38-404D-96E5-58B3FE95BB3}	7/29/2025 16:41	78	0.3	60	Compliant	Compliant	No Obstacle	Surface Deterioration	Within Arterial Buffer	SW_0078.jpg
SW_0079	Point	{46CDE5C6-9882-47C5-807E-F2DB689037A4}	7/29/2025 16:43	79	2.35	60	Not Compliant	Not Compliant	Upheaval or Cracking	Surface Deterioration	Within Arterial Buffer	SW_0079.jpg
SW_0080	Point	{3CC843D1-E15F-4934-988F-5C65CD14400C}	7/29/2025 16:45	80	1.65	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0080.jpg
SW_0081	Point	{838FE80A-2E9C-411B-822A-754E68691B92}	7/29/2025 16:47	81	3.05	60	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0081.jpg
SW_0082	Point	{D71F977B-95AB-485C-A751-00C17B982109}	7/29/2025 16:50	82	3.45	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0082.jpg
SW_0083	Point	{5FDF9709-E742-4322-98DC-4DB27CEA7973}	7/29/2025 16:52	83	1.8	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0083.jpg
SW_0084	Point	{39182638-0EC0-43B3-8A5F-E4E5B9BDD4B9}	7/29/2025 16:54	84	2.05	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0084.jpg
SW_0085	Point	{7A4CB436-12CE-4285-B195-4C5213B1033C}	7/29/2025 17:14	85	2	60	Compliant	Compliant	No Obstacle	Surface Deterioration	Within Arterial Buffer	SW_0085.jpg
SW_0086	Point	{24156602-DBB6-4783-9B53-59E729C5EFE6}	7/29/2025 17:16	86	0.5	60	Not Compliant	Not Compliant	Upheaval or Cracking	Surface Deterioration	Within Arterial Buffer	SW_0086.jpg
SW_0087	Point	{616DBE75-05C8-4BE1-8AD9-2EA1C9DE16E6}	7/29/2025 17:17	87	0.5	60	Not Compliant	Not Compliant	Upheaval or Cracking	Significant upheaval around sewer access	Within Arterial Buffer	SW_0087.jpg
SW_0088	Point	{B045D130-073A-41BE-AA89-2C704F472AF6}	7/29/2025 17:19	88	3.45	48	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0088.jpg
SW_0089	Point	{E6B212AE-9536-407C-939F-80BA7F4567C5}	7/29/2025 17:22	89	0.25	60	Compliant	Compliant	Vegetation or Debris	Clear vegetation; structurally compliant.	Within Arterial Buffer	SW_0089.jpg
SW_0090	Point	{2F9D261F-154C-46ED-AEED-01B9453533BE}	7/29/2025 17:29	90	0.5	56	Compliant	Compliant	Vegetation or Debris	Clear vegetation; structurally compliant.	Outside Arterial Buffer	SW_0090.jpg
SW_0091	Point	{5C087BA0-BEBB-43CC-906A-E00EFF6E5CB}	7/29/2025 17:31	91	0.3	52	Not Compliant	Not Compliant	Upheaval or Cracking	Vegetation	Outside Arterial Buffer	SW_0091.jpg
SW_0092	Point	{84DE37D2-8F3E-4704-AEE8-66E6646431C4}	7/29/2025 17:33	92	0.95	48	Not Compliant	Not Compliant	Vegetation or Debris	Vegetation makes PAR less than 36 inches	Outside Arterial Buffer	SW_0092.jpg
SW_0093	Point	{9C02F17D-CC6D-4D61-93A5-F0AF63A20760}	7/29/2025 17:43	93	4.8	48	Not Compliant	Not Compliant	Surface Deterioration	Vegetation makes PAR less than 36 inches	Outside Arterial Buffer	SW_0093.jpg
SW_0094	Point	{BBC02D22-6A79-438F-BBB2-528E82E634C}	7/29/2025 17:44	94	0.5	60	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0094.jpg
SW_0095	Point	{A4A3FD08-C872-4CEE-9BDD-117F728CF58C}	7/29/2025 17:46	95	4.1	60	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0095.jpg
SW_0096	Point	{57A61418-A784-47EA-A91A-CF2EF08CF4C3}	7/29/2025 17:47	96	1.35	60	Not Compliant	Not Compliant	Upheaval or Cracking	Vertical discontinuity patch failure	Outside Arterial Buffer	SW_0096.jpg
SW_0097	Point	{5FA202C8-1A4A-469C-ABAB-5E5EFF18EE03C}	7/29/2025 17:49	97	2.6	60	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0097.jpg
SW_0098	Point	{6D6724BA-2906-41D6-95C1-D9E185BD586E}	7/29/2025 17:50	98	3.2	60	Not Compliant	Not Compliant	Vegetation or Debris	Surface Deterioration	Outside Arterial Buffer	SW_0098.jpg
SW_0099	Point	{91FAF54F-90AD-45A8-AD74-1E0F369B58AA}	7/29/2025 17:54	99	2.25	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0099.jpg
SW_0100	Point	{BE7C0B8A-CD80-4E59-8E45-58B44D4E05BA}	7/29/2025 17:54	100	0.3	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0100.jpg
SW_0101	Point	{CD4D4FA8-8FDC-4C5C-8E92-C61F29946E8F}	7/29/2025 17:56	101	2.85	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0101.jpg
SW_0102	Point	{D603DA63-A760-44CB-9F8A-28C0F6CB34D}	7/29/2025 17:58	102	2	60	Compliant	Compliant	Vegetation or Debris	<Null>	Within Arterial Buffer	SW_0102.jpg
SW_0103	Point	{C746E8DE-8D17-4ABA-AEF8-7FE21E58F457}	7/29/2025 17:59	103	2.5	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0103.jpg
SW_0104	Point	{DD47031E-9DA6-4054-8B23-C61582C0DC3E}	7/29/2025 18:01	104	1.5	48	Not Compliant	Not Compliant	Vegetation or Debris	<Null>	Within Arterial Buffer	SW_0104.jpg
SW_0105	Point	{28BA5E0A-E185-4D6D-BA1D-0405D556257A}	7/29/2025 21:54	105	0.5	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0105.jpg
SW_0106	Point	{91B38F71-7575-411A-90C6-53B43F1A9FA4}	7/29/2025 21:55	106	4.5	36	Not Compliant	Not Compliant	Fixed Object	Cross slope more than 2.1%	Within Arterial Buffer	SW_0106.jpg
SW_0107	Point	{A830EF02-A44C-471D-A395-945B37A2BA87}	7/29/2025 22:56	107	1.8	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0107.jpg
SW_0108	Point	{76D1E9FE-2B99-44E1-960B-274CB56DDCA5}	7/29/2025 22:57	108	2.4	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0108.jpg
SW_0109	Point	{892FF4A9-E5B3-4140-862B-CBF97D199B58}	7/29/2025 22:58	109	9.45	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0109.jpg
SW_0110	Point	{41F147D6-86BA-40C6-93AD-0E392F761516}	7/29/2025 22:59	110	1.3	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0110.jpg
SW_0111	Point	{0A16D5E0-0DF4-4EA9-8416-8CDE7A823475}	7/29/2025 21:56	111	1.9	60	Compliant	Compliant	No Obstacle	Surface Deterioration	Within Arterial Buffer	SW_0111.jpg
SW_0112	Point	{90F02859-6FAE-4D78-B97C-256FF8CD7199}	7/29/2025 22:02	112	7.6	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0112.jpg
SW_0113	Point	{58742E15-B99D-4C2A-A796-64E05B0F4572}	7/29/2025 22:03	113	0.95	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0113.jpg
SW_0114	Point	{739E8EC0-3223-4803-B81A-2689B404C207}	7/29/2025 22:05	114	1.7	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0114.jpg
SW_0115	Point	{7328C80B-4C2D-41BA-8347-EEB00DE024EA}	7/29/2025 22:07	115	2.3	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0115.jpg
SW_0116	Point	{5A84B198-B350-4015-9E35-4B70A7EC53CB}	7/29/2025 22:09	116	1.55	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0116.jpg

City of Aberdeen
2025 ADA Transition Plan

SW_Spot_ID	Shape *	GlobalID *	Date_Time	Sidewalk_Spot_ID_No	Cross_Slope	Width_Inches	ADA_2010	PROWAG	Obstacle	Notes	Arterial	Sidewalk_Photo_ID
SW_0117	Point	{4C6F5B5D-402C-4BBC-BB0F-B0F7462E308E}	7/29/2025 22:13	117	2.5	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0117.jpg
SW_0118	Point	{F88C7312-F03E-4CA7-90DC-0FED250029C4}	7/29/2025 22:14	118	2.35	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0118.jpg
SW_0119	Point	{E9904C5F-1F97-4AA0-8439-00F9ADD78CBF}	7/29/2025 22:17	119	2.6	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0119.jpg
SW_0120	Point	{F1222E67-7EF7-4ED5-A20E-68C50B61323B}	7/29/2025 22:19	120	2	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0120.jpg
SW_0121	Point	{D4800C18-494D-4126-BDD4-D67BACA13351}	7/29/2025 22:23	121	4.1	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0121.jpg
SW_0122	Point	{42A3E1C3-6943-47DD-907A-68796EC13D13}	7/29/2025 22:25	122	1.35	60	Compliant	Compliant	No Obstacle	Minor debris	Within Arterial Buffer	SW_0122.jpg
SW_0123	Point	{59DA5911-4382-4A6F-935C-92115B887C91}	7/29/2025 22:26	123	3.4	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0123.jpg
SW_0124	Point	{EE434EC3-580D-499B-9935-881ED2B6FE06}	7/29/2025 22:29	124	3.1	36	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0124.jpg
SW_0125	Point	{FDCD3306-2526-48FB-A6DC-91098480C0F1}	7/29/2025 22:33	125	1.3	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0125.jpg
SW_0126	Point	{FF4BB2B1-695A-45A9-9E9F-3B9EB9FE85AB}	7/29/2025 22:35	126	2	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0126.jpg
SW_0127	Point	{481C22B0-5015-48B4-916C-DCC9E5ABDBAB}	7/29/2025 22:37	127	1.3	60	Compliant	Compliant	No Obstacle	Surface Deterioration	Within Arterial Buffer	SW_0127.jpg
SW_0128	Point	{5B67AA92-4DD3-4877-93CD-B09E5189980D}	7/29/2025 22:39	128	1.55	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0128.jpg
SW_0129	Point	{38F0CCDF-3901-4176-8278-AB25E067ABCC}	7/29/2025 22:41	129	0.5	60	Not Compliant	Not Compliant	Surface Deterioration	<Null>	Within Arterial Buffer	SW_0129.jpg
SW_0130	Point	{CCC328BE-3E21-4A1B-ABC1-D187128E2140}	7/29/2025 22:43	130	3.8	60	Compliant	Compliant	No Obstacle	Surface Deterioration	Within Arterial Buffer	SW_0130.jpg
SW_0131	Point	{F0F72B26-440C-4596-9B15-B5434E0C4C14}	7/29/2025 22:45	131	2.25	54	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0131.jpg
SW_0132	Point	{0C20FE5D-5303-4019-9F28-FCFB65D1EE47}	7/29/2025 22:47	132	1.7	48	Compliant	Not Compliant	No Obstacle	42 inch PAR at fixed object post	Within Arterial Buffer	SW_0132.jpg
SW_0133	Point	{60CB6B5A-B1CA-49E4-ACCA-68CBA72423C46}	7/29/2025 22:49	133	3.8	42	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0133.jpg
SW_0134	Point	{191BD64D-95F6-48A2-8ACE-1F0D303241FD}	7/29/2025 23:03	134	2.25	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0134.jpg
SW_0135	Point	{83CFE6AD-B37A-455C-B161-F704A9F041E1}	7/29/2025 23:06	135	1.1	60	Compliant	Compliant	No Obstacle	Surface Deterioration	Within Arterial Buffer	SW_0135.jpg
SW_0136	Point	{321144DD-0ECD-4807-B3A3-412BA51D2B0F}	7/29/2025 23:15	136	3.3	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0136.jpg
SW_0137	Point	{82478536-A55A-4536-9454-ABCA2DC9C75B}	7/29/2025 23:18	137	1.8	60	Not Compliant	Not Compliant	Vegetation or Debris	Surface Deterioration	Outside Arterial Buffer	SW_0137.jpg
SW_0138	Point	{41DB3E88-98F8-4ED7-A1D3-20079BED674D}	7/29/2025 23:19	138	3.55	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0138.jpg
SW_0139	Point	{4416B52C-24CD-43F2-ADCC-68458FEE3D41}	7/29/2025 23:20	139	3.5	60	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0139.jpg
SW_0140	Point	{998B7EAE-1359-47DA-90B4-AC6543A54835}	7/29/2025 23:21	140	0.95	60	Not Compliant	Not Compliant	Fixed Object	24 inch PAR at utility pole	Within Arterial Buffer	SW_0140.jpg
SW_0141	Point	{13E3E48F-1DD8-4995-956A-C4C51FCF44DF}	7/30/2025 17:10	141	0.05	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0141.jpg
SW_0142	Point	{292AB552-B36F-4120-9C59-64C2719AC1FE}	7/30/2025 17:14	142	3.1	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0142.jpg
SW_0143	Point	{93EDAED5-06DA-4B15-A6A6-FE25ACD95E47}	7/30/2025 17:13	143	0.65	60	Compliant	Compliant	No Obstacle	Surface Deterioration	Within Arterial Buffer	SW_0143.jpg
SW_0144	Point	{163BD188-E4C3-44BF-91C2-519B652EC9BE}	7/30/2025 17:12	144	0.75	60	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0144.jpg
SW_0145	Point	{076E6714-28E4-47A4-A552-0ADF576FC92C}	7/30/2025 17:18	145	1.7	60	Compliant	Compliant	No Obstacle	Clear vegetation, Surface Deterioration	Within Arterial Buffer	SW_0145.jpg
SW_0146	Point	{24BD0233-4A78-4B7A-AA99-CD971DE49873}	7/30/2025 17:25	146	2.97	48	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Within Arterial Buffer	SW_0146.jpg
SW_0147	Point	{FE212D10-4477-4A34-B22A-65A0A7AC188E}	7/30/2025 17:26	147	1.35	60	Not Compliant	Not Compliant	Upheaval or Cracking	Surface deterioration	Outside Arterial Buffer	SW_0147.jpg
SW_0148	Point	{1CE091B0-16D3-4583-80C6-4A3B8190297C}	7/30/2025 17:28	148	2.35	48	Not Compliant	Not Compliant	Surface Deterioration	Driveway limits PAR to less than 36 inches	Within Arterial Buffer	SW_0148.jpg
SW_0149	Point	{B3993050-B7CA-44AF-B88D-IDE47F3AFAAC}	7/30/2025 17:33	149	2.05	60	Not Compliant	Not Compliant	Vegetation or Debris	Surface Deterioration	Outside Arterial Buffer	SW_0149.jpg
SW_0150	Point	{FEA1D0D8-D496-457F-AD44-DA3A82B6FD8D}	7/30/2025 17:34	150	4.6	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0150.jpg
SW_0151	Point	{7A9F4E0A-DA2B-4C31-8A07-876956DFFC24}	7/30/2025 17:37	151	1.55	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0151.jpg
SW_0152	Point	{1169D33A-2000-49F2-BA62-69B6A46A7BF1}	7/30/2025 17:41	152	3.2	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0152.jpg
SW_0153	Point	{161D99BD-A94E-4323-BE6F-024F15FA9E87}	7/30/2025 17:40	153	2.7	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0153.jpg
SW_0154	Point	{865CF8FB-F0EE-4DFC-8E9C-E876CE647083}	7/30/2025 18:10	154	3.75	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0154.jpg
SW_0155	Point	{056C1339-B7DF-4BDE-9152-751F1889736D}	7/30/2025 17:46	155	1	60	Compliant	Compliant	No Obstacle	Surface deterioration	Within Arterial Buffer	SW_0155.jpg
SW_0156	Point	{92437E41-E474-4459-ACE8-96DD0988B506}	7/30/2025 18:07	156	3.65	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0156.jpg
SW_0157	Point	{8B1F6360-6CB0-498B-9F03-ECF59FF047A9}	7/30/2025 17:49	157	1.7	60	Compliant	Compliant	No Obstacle	Surface deterioration	Within Arterial Buffer	SW_0157.jpg
SW_0158	Point	{C3F6C8B1-EE37-48BF-B56F-6619A3C648E7}	7/30/2025 18:04	158	1.8	60	Compliant	Compliant	Vegetation or Debris	Clear vegetation; structurally compliant	Within Arterial Buffer	SW_0158.jpg
SW_0159	Point	{E358C397-F61C-4286-92DA-629AC97562F2}	7/30/2025 17:52	159	1.45	60	Compliant	Compliant	No Obstacle	Surface deterioration	Within Arterial Buffer	SW_0159.jpg
SW_0160	Point	{9BFAFCAD-0A26-4840-83D1-38001A025879}	7/30/2025 17:56	160	3.3	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0160.jpg
SW_0161	Point	{4C99E4EF-7857-45A3-B400-2F37F3CA6666}	7/30/2025 18:25	161	0.6	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0161.jpg
SW_0162	Point	{29EFAF46-80DE-476B-8691-35637D407F44}	7/30/2025 18:52	162	1.1	120	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0162.jpg
SW_0163	Point	{879043A8-76FE-49D9-93EE-51086F831EDB}	7/30/2025 18:51	163	1.9	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0163.jpg
SW_0164	Point	{092AABCA-8184-4805-B138-48AD5148DC90}	7/30/2025 18:49	164	1.8	96	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0164.jpg
SW_0165	Point	{3E675C4F-4705-48F6-8725-3160D5A3B6CE}	7/30/2025 18:28	165	3.4	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0165.jpg
SW_0166	Point	{B94F57B2-76F9-4DA0-8DB8-9DDCF9788A24}	7/30/2025 18:29	166	3.4	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0166.jpg
SW_0167	Point	{DB9C7911-3333-4545-B0C3-911B9A507CC3}	7/30/2025 18:46	167	4.15	60	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Within Arterial Buffer	SW_0167.jpg
SW_0168	Point	{3D515B49-36BE-4DEF-9C5C-AD7123106897}	7/30/2025 18:44	168	1.35	96	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0168.jpg
SW_0169	Point	{5E142BA8-B289-4311-8A91-672686F35786}	7/30/2025 18:42	169	2.5	48	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0169.jpg
SW_0170	Point	{350503F2-F089-432D-B805-AA9002C4CE57}	7/30/2025 18:32	170	0.6	60	Compliant	Compliant	No Obstacle	Surface Deterioration	Within Arterial Buffer	SW_0170.jpg
SW_0171	Point	{20F9189E-1780-4F72-9469-6C21638EFD68}	7/30/2025 18:41	171	2.35	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0171.jpg
SW_0172	Point	{44EF47AC-540E-4672-B22E-360284CB6017}	7/30/2025 18:33	172	1	60	Compliant	Compliant	Upheaval or Cracking	Surface Deterioration	Within Arterial Buffer	SW_0172.jpg
SW_0173	Point	{E1E3AC74-7A2A-410B-BAF1-44EA3011617A}	7/30/2025 18:40	173	0.15	60	Not Compliant	Not Compliant	Upheaval or Cracking	Surface Deterioration	Within Arterial Buffer	SW_0173.jpg
SW_0174	Point	{ECEFA3CD-40F6-4CB2-81FB-D1444738E080}	7/30/2025 18:35	174	2.05	60	Compliant	Compliant	No Obstacle	Surface Deterioration	Within Arterial Buffer	SW_0174.jpg

City of Aberdeen
2025 ADA Transition Plan

SW_Spot_ID	Shape *	GlobalID *	Date_Time	Sidewalk_Spot_ID_No	Cross_Slope	Width_Inches	ADA_2010	PROWAG	Obstacle	Notes	Arterial	Sidewalk_Photo_ID
SW_0175	Point	{2EDE1F4E-3E72-4838-96C2-AB90CC39D75B}	7/30/2025 18:37	175	3.4	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0175.jpg
SW_0176	Point	{03478FAD-8D2B-4504-A13D-92A742CDA970}	7/30/2025 23:27	176	1.45	60	Compliant	Compliant	No Obstacle	Surface Deterioration	Within Arterial Buffer	SW_0176.jpg
SW_0177	Point	{5368FDF5-2F80-44DA-8216-F3CACC86544E}	7/30/2025 23:25	177	1.2	60	Not Compliant	Not Compliant	Upheaval or Cracking	Surface Deterioration	Within Arterial Buffer	SW_0177.jpg
SW_0178	Point	{A7428EEB-41B3-4FB6-903E-6EFC55183648}	7/30/2025 23:22	178	0.75	72	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0178.jpg
SW_0179	Point	{5E6A97FA-FD39-44E1-A6FF-B78DDFF4DAF2}	7/30/2025 23:21	179	5.2	60	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0179.jpg
SW_0180	Point	{B927E7D0-CF87-4B7D-AE90-B537FBB2CD00}	7/30/2025 23:20	180	3.75	60	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0180.jpg
SW_0181	Point	{7F992D1B-B21B-492C-AB06-C7F077A39D5}	7/30/2025 23:18	181	2	48	Compliant	Compliant	No Obstacle	Surface deterioration	Within Arterial Buffer	SW_0181.jpg
SW_0182	Point	{55C6DD6A-869E-43F9-837A-847024A80E18}	7/30/2025 23:14	182	2.7	48	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0182.jpg
SW_0183	Point	{7E6C5063-5022-4DF1-9522-6560AD310FCC}	7/30/2025 21:31	183	0.25	48	Compliant	Compliant	No Obstacle	Clear vegetation	Within Arterial Buffer	SW_0183.jpg
SW_0184	Point	{C7F39EE4-DF85-4F0C-BC54-2243DAE0113F}	7/30/2025 21:31	184	2.25	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0184.jpg
SW_0185	Point	{0738E613-2F0F-438D-82CD-1E65F16C4BB2}	7/30/2025 22:09	185	1.45	120	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0185.jpg
SW_0186	Point	{5B4BDE03-B602-4710-8769-C6AF9F964907}	7/30/2025 22:06	186	2.4	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0186.jpg
SW_0187	Point	{A4293974-2615-4B61-BC0B-AC7536ABEBC7}	7/30/2025 22:04	187	5.5	96	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0187.jpg
SW_0188	Point	{B6704E80-5013-4EF0-B29E-D1B5FED77D7C}	7/30/2025 22:02	188	2.7	96	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0188.jpg
SW_0189	Point	{216BEEAB-E26C-470F-A2D9-23870F505BFC}	7/30/2025 22:04	189	2.4	60	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Within Arterial Buffer	SW_0189.jpg
SW_0190	Point	{BD65D8B2-D1FF-424A-9314-613013BD06B4}	7/30/2025 21:27	190	2.5	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0190.jpg
SW_0191	Point	{C6C890F7-3A41-4533-9658-463D737B371D}	7/30/2025 23:26	191	2.4	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0191.jpg
SW_0192	Point	{8F200B3F-5FBF-4C87-AA7E-AF1E8BB7E109}	7/30/2025 23:31	192	1	60	Compliant	Compliant	No Obstacle	Surface deterioration	Outside Arterial Buffer	SW_0192.jpg
SW_0193	Point	{CE801611-FD90-4046-9073-12ED6D597428}	7/30/2025 23:33	193	0.5	72	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0193.jpg
SW_0194	Point	{5E031620-3B3B-402F-B94A-335C1CFE0785}	7/31/2025 0:07	194	3.05	72	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0194.jpg
SW_0195	Point	{AFFDDC0A-8B10-497C-A217-E5569308BFBC}	7/31/2025 0:08	195	2.05	72	Not Compliant	Not Compliant	Upheaval or Cracking	Clear vegetation	Outside Arterial Buffer	SW_0195.jpg
SW_0196	Point	{04BBF5DD-9FE4-40D7-A11B-F6F54AC7FA7F}	7/31/2025 0:10	196	2	72	Not Compliant	Not Compliant	Upheaval or Cracking	Clear vegetation	Outside Arterial Buffer	SW_0196.jpg
SW_0197	Point	{04B092D3-5C93-46ED-B149-EF58B6099EFA}	7/31/2025 0:12	197	3.05	72	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0197.jpg
SW_0198	Point	{09BAFAB3-F9CE-47B4-9922-C1614FF6A6FB}	7/30/2025 23:38	198	1.7	72	Compliant	Compliant	No Obstacle	Surface deterioration	Within Arterial Buffer	SW_0198.jpg
SW_0199	Point	{FA600324-5243-4A08-8ADF-27F20F92C292}	7/31/2025 0:15	199	1.2	96	Compliant	Compliant	No Obstacle	Surface deterioration	Outside Arterial Buffer	SW_0199.jpg
SW_0200	Point	{EABD5D24-84CF-4579-96AC-1E3C69078128}	7/31/2025 0:04	200	2.5	72	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0200.jpg
SW_0201	Point	{EACF5650-EA43-4174-B453-75A557B6B2BB}	7/31/2025 0:02	201	2	72	Compliant	Compliant	No Obstacle	Clear vegetation	Outside Arterial Buffer	SW_0201.jpg
SW_0202	Point	{6CFF787E-A493-43DC-A577-C5AE75706EA3}	7/31/2025 0:18	202	1.55	60	Not Compliant	Not Compliant	Upheaval or Cracking	Surface deterioration	Within Arterial Buffer	SW_0202.jpg
SW_0203	Point	{3D43994E-7630-4459-835E-5DB8CEBDDC30}	7/30/2025 23:58	203	2.95	72	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0203.jpg
SW_0204	Point	{77BB7007-8BDC-4FEA-A9E6-F0AC2ED95F2B}	7/30/2025 23:37	204	2.05	72	Not Compliant	Not Compliant	Upheaval or Cracking	Surface deterioration	Within Arterial Buffer	SW_0204.jpg
SW_0205	Point	{A70594FD-05B8-4C3B-95D2-BBCDE939DD7D}	7/30/2025 21:40	205	1.45	60	Compliant	Compliant	No Obstacle	Surface deterioration	Outside Arterial Buffer	SW_0205.jpg
SW_0206	Point	{CB5E6D92-5293-4D5F-9176-89825566159F}	7/30/2025 21:39	206	1.9	72	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0206.jpg
SW_0207	Point	{E5EB9770-6C5A-491D-BD8B-C28CFD29703D}	7/30/2025 21:37	207	0.95	60	Compliant	Compliant	No Obstacle	Surface deterioration	Outside Arterial Buffer	SW_0207.jpg
SW_0208	Point	{357C3F7F-8AE4-4420-B880-D887EE68CF87}	7/30/2025 22:21	208	3.1	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0208.jpg
SW_0209	Point	{CCBEC459-5E8C-47FC-97ED-3B80DBC1B16F}	7/30/2025 22:20	209	0.85	60	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0209.jpg
SW_0210	Point	{252BA671-C322-49E8-8105-157328F0E189}	7/30/2025 21:36	210	0.85	72	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0210.jpg
SW_0211	Point	{3AADF40-0B8E-4698-8C7C-62823A87F604}	7/30/2025 21:25	211	1.35	60	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0211.jpg
SW_0212	Point	{884D27EE-327B-4AFA-BAA3-19630239E27}	7/30/2025 21:24	212	0.85	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0212.jpg
SW_0213	Point	{D7DA7756-E7F6-4355-825A-B8DA189618E0}	7/30/2025 21:23	213	1.55	96	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0213.jpg
SW_0214	Point	{DAC79EBD-FB0E-4000-866E-3CD83B614E21}	7/30/2025 21:18	214	2.7	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0214.jpg
SW_0215	Point	{4F1A015F-7E23-49C9-A3D8-55A68B894D9F}	7/30/2025 21:17	215	3.3	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0215.jpg
SW_0216	Point	{BCD8364A-FFE6-4BC6-9670-8336587377B1}	7/30/2025 22:24	216	2.5	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0216.jpg
SW_0217	Point	{FB74AB81-30BF-44C6-AB21-048BEEE43822}	7/30/2025 22:24	217	5.85	120	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0217.jpg
SW_0218	Point	{13CC98B8-6024-4A99-8CD3-093DDDA625F1}	7/30/2025 21:43	218	2	60	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0218.jpg
SW_0219	Point	{9108BEBB-48ED-481A-93A8-0EF1481C126A}	7/30/2025 22:28	219	1.65	60	Not Compliant	Not Compliant	Vegetation or Debris	Surface deterioration	Outside Arterial Buffer	SW_0219.jpg
SW_0220	Point	{4EE58947-0493-46DE-95BE-00DED188CB63}	7/30/2025 22:29	220	2.75	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0220.jpg
SW_0221	Point	{4F47199C-41D9-4069-81EA-5C4768FBCC2A}	7/30/2025 21:47	221	4.45	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0221.jpg
SW_0222	Point	{02A1CC4D-F122-4A3F-8C1D-C65EB6D3EAA4}	7/30/2025 21:46	222	2.85	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0222.jpg
SW_0223	Point	{F7089356-F8C9-40D7-841F-D16793562ACD}	7/30/2025 21:44	223	2.7	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0223.jpg
SW_0224	Point	{122E7053-9D59-40E1-BA79-34C1043E3BD4}	7/30/2025 23:43	224	0.4	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0224.jpg
SW_0225	Point	{3F578D25-F21C-471D-B0C6-19B955CBA08F}	7/30/2025 23:54	225	0.75	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0225.jpg
SW_0226	Point	{014955A2-A51F-48F1-AD7B-DD65A720BA84}	7/31/2025 0:28	226	1	60	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0226.jpg
SW_0227	Point	{06417BF5-06C2-4F81-A77E-D512D5195C4A}	7/31/2025 0:27	227	3.3	60	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0227.jpg
SW_0228	Point	{0334D75A-52E6-48FF-841A-F9738B62506F}	7/30/2025 23:45	228	3	36	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0228.jpg
SW_0229	Point	{62EBEC52-B9CC-4FA6-8512-44AE3927965C}	7/31/2025 0:25	229	1.55	60	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0229.jpg
SW_0230	Point	{E57BDE18-5584-46AE-88D5-1628FB658126}	7/31/2025 0:22	230	2.1	72	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Outside Arterial Buffer	SW_0230.jpg
SW_0231	Point	{E2A8D03E-B630-4A47-B530-E85A084C3B10}	7/31/2025 0:20	231	3.75	48	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0231.jpg
SW_0232	Point	{F675950F-AD04-4A21-92D1-C6F3624143FA}	7/30/2025 23:40	232	2.35	72	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0232.jpg

City of Aberdeen
2025 ADA Transition Plan

SW_Spot_ID	Shape *	GlobalID *	Date_Time	Sidewalk_Spot_ID_No	Cross_Slope	Width_Inches	ADA_2010	PROWAG	Obstacle	Notes	Arterial	Sidewalk_Photo_ID
SW_0233	Point	{63B0DEB0-D6AF-470F-8553-613833BBD6E3}	7/30/2025 20:58	233	1.9	60	Not Compliant	Not Compliant	Surface Deterioration	Clear vegetation	Outside Arterial Buffer	SW_0233.jpg
SW_0234	Point	{722BF069-145D-4CD5-8871-884C3D1EBB65}	7/30/2025 21:01	234	2.75	60	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Within Arterial Buffer	SW_0234.jpg
SW_0235	Point	{F5B4084F-7ACC-42FC-AA2A-A930C771E781}	7/30/2025 21:02	235	2.25	60	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0235.jpg
SW_0236	Point	{3FB68F4F-07B3-4CB5-9283-C94828D591F1}	7/30/2025 22:36	236	0.95	60	Not Compliant	Not Compliant	Surface Deterioration	Clear vegetation	Outside Arterial Buffer	SW_0236.jpg
SW_0237	Point	{6619CF7C-F3FC-49BC-834E-0EDB80F62B1}	7/30/2025 21:04	237	0.15	60	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0237.jpg
SW_0238	Point	{E6EDDE06-A06C-42EE-8319-4432A403DFFF}	7/30/2025 21:06	238	1.7	60	Not Compliant	Not Compliant	Surface Deterioration	Clear vegetation	Within Arterial Buffer	SW_0238.jpg
SW_0239	Point	{016C6271-A5E8-4852-874C-3C72D647297D}	7/30/2025 21:13	239	3.72	60	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0239.jpg
SW_0240	Point	{7750D36E-C7DE-4401-9295-62C971B2F3AF}	7/30/2025 21:14	240	4.1	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0240.jpg
SW_0241	Point	{403AE0E4-DE74-41B1-8104-3437AF27099F}	7/30/2025 21:07	241	3.1	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0241.jpg
SW_0242	Point	{EB629DB5-56FC-4453-A6DA-EFD74846080D}	7/30/2025 21:08	242	2.85	60	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0242.jpg
SW_0243	Point	{940199C3-BBE9-4BE5-8101-A53A9A403167}	7/30/2025 22:39	243	1.3	60	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0243.jpg
SW_0244	Point	{FC52B93C-49EE-4048-9369-ECDDA744EC23}	7/30/2025 22:42	244	0.5	60	Compliant	Compliant	No Obstacle	Clear vegetation	Outside Arterial Buffer	SW_0244.jpg
SW_0245	Point	{01F346C3-531E-4721-9751-BC7641388D90}	7/30/2025 23:48	245	0.15	48	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0245.jpg
SW_0246	Point	{3C157951-8840-4818-A49D-1A84C1652801}	7/30/2025 23:50	246	2.5	48	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0246.jpg
SW_0247	Point	{C6D0201E-AD09-42B1-80FF-D078979E1795}	7/31/2025 18:25	247	0.3	72	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Outside Arterial Buffer	SW_0247.jpg
SW_0248	Point	{C540D243-CF1E-4073-BF41-F57B49A1CA7F}	7/31/2025 18:24	248	2.75	66	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0248.jpg
SW_0249	Point	{843FF393-36E5-410D-B738-9E6BD0EE3E78}	7/31/2025 18:26	249	1.45	72	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0249.jpg
SW_0250	Point	{4D15E2BB-CCC7-4A54-A931-C281EEE57BAA}	7/31/2025 18:31	250	1.45	66	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Outside Arterial Buffer	SW_0250.jpg
SW_0251	Point	{EA69528D-D451-437C-89BF-786C20C1D7EE}	7/31/2025 18:29	251	2.6	60	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0251.jpg
SW_0252	Point	{81D2D0BD-1767-4A6D-9F79-7F532A39E40C}	7/31/2025 18:33	252	1.1	72	Compliant	Compliant	No Obstacle	Surface deterioration	Outside Arterial Buffer	SW_0252.jpg
SW_0253	Point	{B76A3B13-5B73-4F7A-BB33-FCDBE2370686}	7/31/2025 18:40	253	1.45	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0253.jpg
SW_0254	Point	{DEA95CB5-E4AC-4F50-A601-2A1757BBCFED}	7/31/2025 18:39	254	3.05	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0254.jpg
SW_0255	Point	{6BE66AA8-3684-47FE-A650-9A1E67797A46}	7/31/2025 18:37	255	2.5	60	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Within Arterial Buffer	SW_0255.jpg
SW_0256	Point	{89D8D2D4-84D4-4DCA-9F78-3BCEAB8CAE93}	7/31/2025 18:36	256	3.3	72	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Within Arterial Buffer	SW_0256.jpg
SW_0257	Point	{CED59E73-31FA-4287-A52B-54F30E0ADB35}	7/31/2025 18:45	257	1	40	Compliant	Not Compliant	No Obstacle	Clear vegetation	Within Arterial Buffer	SW_0257.jpg
SW_0258	Point	{60EBD88E-6D3B-40B3-B743-627C9D695907}	7/31/2025 18:47	258	1.9	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0258.jpg
SW_0259	Point	{98A965CA-FC34-4DB0-8CF4-09DA33541D33}	7/31/2025 18:56	259	2.25	60	Not Compliant	Not Compliant	Upheaval or Cracking	Clear vegetation	Outside Arterial Buffer	SW_0259.jpg
SW_0260	Point	{8CD0B7ED-B1B1-46C0-AB70-B28AE53E13D}	7/31/2025 18:56	260	1.7	60	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0260.jpg
SW_0261	Point	{A1BFC1D7-3287-4094-85FA-CBA05370DF97}	7/31/2025 18:51	261	0.4	48	Not Compliant	Not Compliant	Vegetation or Debris	Surface deterioration	Outside Arterial Buffer	SW_0261.jpg
SW_0262	Point	{52F57072-4477-47DB-AEE7-15EB44BA75F0}	7/31/2025 18:50	262	0.65	60	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Outside Arterial Buffer	SW_0262.jpg
SW_0263	Point	{71BFD621-BA70-4BA9-B14F-202650FD1B6B}	7/31/2025 19:02	263	0.3	60	Compliant	Compliant	No Obstacle	Clear vegetation; structurally compliant	Outside Arterial Buffer	SW_0263.jpg
SW_0264	Point	{87F7E367-BE81-4C9F-9818-BAE19F49D33C}	7/31/2025 19:01	264	0.95	60	Compliant	Compliant	No Obstacle	Clear vegetation; structurally compliant	Outside Arterial Buffer	SW_0264.jpg
SW_0265	Point	{FEFDD7B3-220D-479A-B208-53EDD2E416FD}	7/31/2025 19:04	265	0.75	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0265.jpg
SW_0266	Point	{17021647-10C1-4097-AD96-B34CA7A78AB3}	7/31/2025 19:05	266	1.8	60	Compliant	Compliant	No Obstacle	Clear vegetation; structurally compliant	Outside Arterial Buffer	SW_0266.jpg
SW_0267	Point	{A43D8CC3-19FF-4CEB-BA32-128BEF3E8F0F}	7/31/2025 19:06	267	1.35	60	Compliant	Compliant	No Obstacle	Surface deterioration	Within Arterial Buffer	SW_0267.jpg
SW_0268	Point	{E642C899-6443-4E50-BFF5-E495586AFA36}	7/31/2025 19:11	268	1.3	60	Compliant	Compliant	No Obstacle	Clear vegetation; structurally compliant	Outside Arterial Buffer	SW_0268.jpg
SW_0269	Point	{DC80FAC4-A254-4318-8377-3566BA6DF075}	7/31/2025 19:11	269	3.4	60	Not Compliant	Not Compliant	Surface Deterioration	Clear vegetation	Outside Arterial Buffer	SW_0269.jpg
SW_0270	Point	{1193F52D-5411-47CB-8F10-E2E920641A47}	7/31/2025 19:16	270	1.8	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0270.jpg
SW_0271	Point	{E1056238-4EA2-46F8-A1E8-2DF19F1532FF}	7/31/2025 19:17	271	1.35	60	Not Compliant	Not Compliant	Vegetation or Debris	<Null>	Within Arterial Buffer	SW_0271.jpg
SW_0272	Point	{42CFDF7F-D422-497A-871C-970DBBD417AF}	7/31/2025 19:18	272	1.9	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0272.jpg
SW_0273	Point	{9054FB80-50CC-485D-BD26-673B90D5960C}	7/31/2025 19:23	273	2	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0273.jpg
SW_0274	Point	{C7DE5ACE-2CEC-44DA-B9CF-A55E46CC949A}	7/31/2025 19:21	274	2.6	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0274.jpg
SW_0275	Point	{FC3D3A1D-408E-4439-B320-6724C9B1016F}	7/31/2025 19:26	275	4	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0275.jpg
SW_0276	Point	{07D2FAEC-99D1-4634-AA45-01D7EE4C5A1}	7/31/2025 19:28	276	2.25	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0276.jpg
SW_0277	Point	{6EE0F0A2-2581-4FD6-824D-5865D1CD1AD6}	7/31/2025 19:37	277	1.55	60	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0277.jpg
SW_0278	Point	{4DA3B53C-9262-4C62-87FD-B801343BE9DF}	7/31/2025 19:35	278	1.55	60	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0278.jpg
SW_0279	Point	{A344D9A0-8CCE-4E01-8D1F-3A01CF931D7C}	7/31/2025 19:32	279	1.7	60	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0279.jpg
SW_0280	Point	{AE3CF0D3-A595-4259-AEE7-9B9C57419DB4}	7/31/2025 19:41	280	2.6	60	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Within Arterial Buffer	SW_0280.jpg
SW_0281	Point	{56128DB6-74F4-479F-ADB4-E0F755310635}	7/31/2025 19:43	281	1.9	60	Not Compliant	Not Compliant	Surface Deterioration	<Null>	Within Arterial Buffer	SW_0281.jpg
SW_0282	Point	{758FC458-950B-43FC-9613-72FD6AB74F88}	7/31/2025 19:46	282	5.65	60	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Within Arterial Buffer	SW_0282.jpg
SW_0283	Point	{9E5E1530-47FC-40CA-96BE-A7E3CBC19BFF}	7/31/2025 19:48	283	2.5	48	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0283.jpg
SW_0284	Point	{9BF22C3D-CF8A-45BE-90B9-F3DF91312860}	7/31/2025 19:58	284	0.5	66	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0284.jpg
SW_0285	Point	{2593EBE7-F2F7-4BC2-9AAE-0643F2D97AC6}	7/31/2025 20:05	285	1.9	48	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Outside Arterial Buffer	SW_0285.jpg
SW_0286	Point	{5546F055-7E95-48A0-B06B-A97DB9B5AD9F}	7/31/2025 20:07	286	0.5	48	Not Compliant	Not Compliant	Surface Deterioration	<Null>	Outside Arterial Buffer	SW_0286.jpg
SW_0287	Point	{F1E76126-7B36-404E-B1C2-923C067EB920}	7/31/2025 20:09	287	3	48	Not Compliant	Not Compliant	Surface Deterioration	<Null>	Outside Arterial Buffer	SW_0287.jpg
SW_0288	Point	{D1045456-C225-49F3-9D01-269485E3337F}	7/31/2025 20:11	288	2.85	48	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0288.jpg
SW_0289	Point	{1C056E9B-050A-4A76-8997-72E720EE68DF}	7/31/2025 20:13	289	1.2	60	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Outside Arterial Buffer	SW_0289.jpg
SW_0290	Point	{3A9E499D-92A5-4BEB-8A2A-8E392C690314}	7/31/2025 23:11	290	1.2	48	Not Compliant	Not Compliant	Vegetation or Debris	<Null>	Outside Arterial Buffer	SW_0290.jpg

City of Aberdeen
2025 ADA Transition Plan

SW_Spot_ID	Shape *	GlobalID *	Date_Time	Sidewalk_Spot_ID_No	Cross_Slope	Width_Inches	ADA_2010	PROWAG	Obstacle	Notes	Arterial	Sidewalk_Photo_ID
SW_0291	Point	{B75B1D4D-154A-4B87-B1BB-CCBE4FBCB16D}	7/31/2025 23:07	291	1.5	60	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0291.jpg
SW_0292	Point	{94E3B54B-F1B3-44C5-94AA-35CF24437A22}	7/31/2025 23:08	292	1.9	60	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0292.jpg
SW_0293	Point	{A7BD897F-1447-4182-867B-F703423A7477}	7/31/2025 23:04	293	1.9	60	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0293.jpg
SW_0294	Point	{FD229907-2A96-4E4C-937B-F237A33538A5}	7/31/2025 23:10	294	1.7	60	Compliant	Compliant	No Obstacle	Clear vegetation	Within Arterial Buffer	SW_0294.jpg
SW_0295	Point	{DBFBE76E-C35E-4BCF-B924-CEAFAD9E549}	7/31/2025 23:18	295	0.05	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0295.jpg
SW_0296	Point	{5AD98485-9E7E-4DD2-B473-EC118D2975BF}	7/31/2025 23:16	296	1.2	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0296.jpg
SW_0297	Point	{B329DD09-08FB-4635-95FD-350E21D1990EB78}	7/31/2025 23:14	297	1	48	Compliant	Compliant	No Obstacle	Clear vegetation	Outside Arterial Buffer	SW_0297.jpg
SW_0298	Point	{C6C07D20-01E7-47A5-B88C-EF572A313772}	7/31/2025 23:12	298	3.4	48	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Outside Arterial Buffer	SW_0298.jpg
SW_0299	Point	{13103B9F-5CE3-4ADB-83F3-BD66F5E00BE1}	7/31/2025 23:22	299	0.5	60	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Outside Arterial Buffer	SW_0299.jpg
SW_0300	Point	{7BC42563-9D6D-4A48-B6E6-370C2C38DF65}	7/31/2025 23:27	300	5.05	72	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Within Arterial Buffer	SW_0300.jpg
SW_0301	Point	{9F24096F-1F74-4B6A-88BD-8880515A7485}	8/1/2025 1:54	301	2.4	96	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0301.jpg
SW_0302	Point	{A2E7F78F-FD5A-469E-BFC7-5AF157538652}	8/1/2025 1:55	302	0.95	96	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0302.jpg
SW_0303	Point	{B225E727-406D-4920-A491-E20AA56935AF}	8/1/2025 1:57	303	1.55	69	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0303.jpg
SW_0304	Point	{A2CF566B-6387-4FDF-97DF-2217F988B57F}	8/1/2025 1:58	304	2.35	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0304.jpg
SW_0305	Point	{81FE4CF7-DE86-4B62-8BA9-9C210F7E30E5}	8/1/2025 2:02	305	1.35	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0305.jpg
SW_0306	Point	{71768509-548B-43EE-9DFB-25F8FBCD2E1A}	8/1/2025 2:03	306	3.3	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0306.jpg
SW_0307	Point	{6A70C7A7-E363-440A-B1EC-50E29401E327}	8/1/2025 2:01	307	2.95	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0307.jpg
SW_0308	Point	{7DCF23E5-1841-44F1-8C2E-41FF06AD67D2}	8/1/2025 2:07	308	2	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0308.jpg
SW_0309	Point	{D8AD340E-FA37-4F0B-9841-F6269DADEE2D}	8/1/2025 2:06	309	2.4	60	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0309.jpg
SW_0310	Point	{D888C2E9-2A66-40DA-8E03-A66FF88136EF}	8/1/2025 2:13	310	3.05	60	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0310.jpg
SW_0311	Point	{A4F45122-3BA8-45A6-93D7-A2191F026B4E}	8/1/2025 2:13	311	4	66	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0311.jpg
SW_0312	Point	{75539E55-A059-43A6-91AF-808B82AA106E}	8/1/2025 2:17	312	3.4	72	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0312.jpg
SW_0313	Point	{BC85568A-77CA-4D9D-A17D-3D7B8182A0D2}	8/1/2025 2:17	313	3.05	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0313.jpg
SW_0314	Point	{A4ED9459-2D83-435D-AE49-A4B64F2C9AFE}	8/1/2025 2:21	314	0.4	60	Compliant	Compliant	No Obstacle	Surface deterioration	Within Arterial Buffer	SW_0314.jpg
SW_0315	Point	{8E0BC496-9FD6-42FC-BCBE-4CE2B7BFFD26}	8/1/2025 2:20	315	2	72	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0315.jpg
SW_0316	Point	{E124DFDC-C86C-4473-9A22-1316875782C9}	8/1/2025 2:28	316	1.45	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0316.jpg
SW_0317	Point	{B2A2FC0A-6AD2-4550-8C33-1A997B86FEA4}	8/1/2025 2:27	317	0.05	60	Compliant	Compliant	No Obstacle	Clear vegetation	Within Arterial Buffer	SW_0317.jpg
SW_0318	Point	{F7065FA4-6DF0-4C5A-A895-815C0900384D}	8/1/2025 2:34	318	1.8	66	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0318.jpg
SW_0319	Point	{9089015A-83EA-4A24-9108-E4B31070778D}	8/1/2025 2:33	319	2	66	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0319.jpg
SW_0320	Point	{77FF22EF5-9542-42E1-AB64-5EA47621F808}	8/1/2025 2:38	320	0	66	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0320.jpg
SW_0321	Point	{B238C631-17B8-4AE5-8947-211A856AC5DF}	8/1/2025 2:39	321	1.9	66	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0321.jpg
SW_0322	Point	{F2CA0731-F208-4AC1-B968-F1C1A1A8B8F46}	8/1/2025 2:47	322	2	65	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0322.jpg
SW_0323	Point	{D1BD020C-3980-471D-B23F-07DA3F96794B}	8/1/2025 2:44	323	0.15	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0323.jpg
SW_0324	Point	{B45EE38A-2374-4582-AA46-68E3A61A7D1D}	8/1/2025 2:50	324	1.35	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0324.jpg
SW_0325	Point	{629C9D58-E995-41F7-ABC6-8F88B8807FE6}	8/1/2025 2:45	325	3.4	66	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0325.jpg
SW_0326	Point	{CFFE37B0-CA4A-4822-9786-90EBC209774D}	8/1/2025 2:45	326	1.2	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0326.jpg
SW_0327	Point	{D6CE46F0-FOAE-4528-882D-9848A16371D5}	8/1/2025 2:40	327	0	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0327.jpg
SW_0328	Point	{ED6F5BE1-E926-4C2C-9DA6-38DA21FF4093}	8/1/2025 2:40	328	1.3	66	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0328.jpg
SW_0329	Point	{A45B3CF1-8BDB-4F85-8EFD-E8F0621C233F}	8/1/2025 2:36	329	0.6	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0329.jpg
SW_0330	Point	{06E326F0-E230-4E82-9F08-B8016BE47CB3}	8/1/2025 2:34	330	2.4	66	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0330.jpg
SW_0331	Point	{11BA8781-D6A2-404D-928D-65C66488CD2F}	8/1/2025 2:35	331	1.35	60	Compliant	Compliant	No Obstacle	Surface deterioration	Outside Arterial Buffer	SW_0331.jpg
SW_0332	Point	{2E37081F-92C8-437A-AC3C-042459CEC8CA}	8/1/2025 2:30	332	1.55	66	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0332.jpg
SW_0333	Point	{7B3848C7-5B7A-443C-8F36-526F51798286}	8/1/2025 2:29	333	3.9	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0333.jpg
SW_0334	Point	{8B28149C-4E70-44F5-BDB2-3FA227FDA80A}	8/1/2025 2:28	334	2	66	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0334.jpg
SW_0335	Point	{E9E78575-3C10-42F2-8FE0-E6CB893587DA}	8/1/2025 2:53	335	2	60	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0335.jpg
SW_0336	Point	{9574339A-BE4C-4DFF-A2E1-63B6EC873194}	8/1/2025 2:54	336	0.95	65	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0336.jpg
SW_0337	Point	{E72A1D48-2A57-4906-B20B-E97076BF8755}	8/1/2025 2:54	337	4.1	72	Not Compliant	Not Compliant	Upheaval or Cracking	Cross slope more than 2.1%	Within Arterial Buffer	SW_0337.jpg
SW_0338	Point	{E196386F-7565-42D2-A044-ED8AB683BD8D}	8/1/2025 2:59	338	0.25	66	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0338.jpg
SW_0339	Point	{858B8561-EAE6-47D8-BBD4-56D511B841E0}	8/1/2025 2:59	339	0.75	60	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0339.jpg
SW_0340	Point	{7A81D1E1-1253-415A-9398-AF8FB05DA540}	8/1/2025 2:58	340	0.5	66	Not Compliant	Not Compliant	Surface Deterioration	<Null>	Within Arterial Buffer	SW_0340.jpg
SW_0341	Point	{4BA2353A-7AD1-41F6-BCDF-273EE18E7740}	8/1/2025 2:57	341	0.85	65	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0341.jpg
SW_0342	Point	{AAE5B446-8CB4-4325-AD4F-SAC40717BA2E}	8/1/2025 2:42	342	0.6	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0342.jpg
SW_0343	Point	{09338E34-4180-47DF-A1A2-E373814E4FFB}	8/1/2025 15:18	343	5.5	60	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Within Arterial Buffer	SW_0343.jpg
SW_0344	Point	{BD4188D8-885D-4FD8-9F77-1B88B5BAC4F1}	8/1/2025 15:19	344	3.65	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0344.jpg
SW_0345	Point	{F065C8BC-557D-48FA-ADDC-F9993F2BA1FF}	8/1/2025 15:20	345	0.85	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0345.jpg
SW_0346	Point	{DDE0748A-E39E-4BAF-AE23-2151710D7DD9}	8/1/2025 15:22	346	0.85	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0346.jpg
SW_0347	Point	{00584F1F-0213-44CF-A80E-81033A35EBBD}	8/1/2025 15:23	347	0.5	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0347.jpg
SW_0348	Point	{A820DDE3-E366-4837-9634-FB4F8C1A250E}	8/1/2025 15:26	348	1	60	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0348.jpg

City of Aberdeen
2025 ADA Transition Plan

SW_Spot_ID	Shape *	GlobalID *	Date_Time	Sidewalk_Spot_ID_No	Cross_Slope	Width_Inches	ADA_2010	PROWAG	Obstacle	Notes	Arterial	Sidewalk_Photo_ID
SW_0349	Point	{856FD8FF-E953-4148-89BA-2D8C024C49A9}	8/1/2025 15:29	349	2	72	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0349.jpg
SW_0350	Point	{8BA38D1D-8734-471F-9422-75037489B44E}	8/1/2025 15:30	350	3.65	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0350.jpg
SW_0351	Point	{705CD411-8D43-4E14-930A-C5896A40BA54}	8/1/2025 15:34	351	2.15	72	Not Compliant	Not Compliant	Surface Deterioration	<Null>	Within Arterial Buffer	SW_0351.jpg
SW_0352	Point	{E3444A1E-1E6A-43A7-8969-6AFOF42487B6}	8/1/2025 15:37	352	2.25	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0352.jpg
SW_0353	Point	{76144CD0-809C-4BFA-852A-0CB876DD9560}	8/1/2025 15:36	353	0	72	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0353.jpg
SW_0354	Point	{D1137B17-5EB1-4C11-B107-3482B6C73F63}	8/1/2025 15:35	354	1.45	72	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0354.jpg
SW_0355	Point	{D935C529-461B-4030-A25D-12C16B1D1FAA}	8/1/2025 15:41	355	0.3	72	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0355.jpg
SW_0356	Point	{FCC5ED9A-BBA2-4B55-B334-3790C6F068FC}	8/1/2025 15:41	356	1.8	48	Not Compliant	Not Compliant	Surface Deterioration	<Null>	Within Arterial Buffer	SW_0356.jpg
SW_0357	Point	{AF1A8353-A5FD-4B03-85AB-8A4ADA4142F9}	8/1/2025 15:42	357	1.65	72	Not Compliant	Not Compliant	Surface Deterioration	<Null>	Within Arterial Buffer	SW_0357.jpg
SW_0358	Point	{070CD1F5-EE88-49A5-8680-65950E51E700}	8/1/2025 15:43	358	0.3	72	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0358.jpg
SW_0359	Point	{DD746E99-8730-4B10-B4FD-08017DAF553A}	8/1/2025 15:46	359	0.5	72	Not Compliant	Not Compliant	Upheaval or Cracking	Vegetation	Within Arterial Buffer	SW_0359.jpg
SW_0360	Point	{DF6533D4-A24B-4DD1-96E5-5AC3AEF364B6}	8/1/2025 15:47	360	0.25	72	Compliant	Compliant	No Obstacle	Surface deterioration	Within Arterial Buffer	SW_0360.jpg
SW_0361	Point	{BCE19ADC-0476-4571-A795-0985C5BDA01}	8/1/2025 15:47	361	0.65	66	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0361.jpg
SW_0362	Point	{C3F4E180-FA36-4291-8489-83328D1D6D66}	8/1/2025 15:51	362	0.75	72	Not Compliant	Not Compliant	Surface Deterioration	<Null>	Within Arterial Buffer	SW_0362.jpg
SW_0363	Point	{21160B6D-5434-4BA0-BB23-0E2FD566230E}	8/1/2025 15:50	363	5.1	48	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0363.jpg
SW_0364	Point	{95739DA3-E8B2-45F7-B5E6-707021D9DA45}	8/1/2025 15:52	364	3.55	66	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0364.jpg
SW_0365	Point	{487D6116-372A-4659-8877-BD2B8113F8D3}	8/1/2025 15:52	365	2	72	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0365.jpg
SW_0366	Point	{3CCFE1B7-7694-4E9E-BB2C-19BABC761E1B}	8/1/2025 16:01	366	0.65	72	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0366.jpg
SW_0367	Point	{21C83127-95A4-4A9B-A27A-A532BD0C0179D}	8/1/2025 16:02	367	0.15	72	Compliant	Compliant	No Obstacle	Surface deterioration	Within Arterial Buffer	SW_0367.jpg
SW_0368	Point	{0EDD8FF5-6232-4A44-921D-B7BE6C9159EE}	8/1/2025 16:00	368	1.55	48	Compliant	Compliant	No Obstacle	Clear vegetation	Within Arterial Buffer	SW_0368.jpg
SW_0369	Point	{F576D683-C454-4C3E-A22D-227E428C6C6C}	8/1/2025 16:02	369	0.15	72	Compliant	Compliant	No Obstacle	Surface deterioration	Within Arterial Buffer	SW_0369.jpg
SW_0370	Point	{1B9721C5-7714-4ED5-A116-50ADA0285E87}	8/1/2025 15:59	370	1.55	48	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0370.jpg
SW_0371	Point	{620C8A81-C726-49A6-8AB2-CE07C005BC03}	8/1/2025 16:15	371	0.85	60	Compliant	Compliant	No Obstacle	Surface deterioration	Within Arterial Buffer	SW_0371.jpg
SW_0372	Point	{5072D70E-3A7E-4EBD-A33F-94EC323FD09D}	8/1/2025 16:16	372	2.35	72	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0372.jpg
SW_0373	Point	{CAB9760B-5A80-419B-8988-55FA79C29753}	8/1/2025 15:15	373	0.75	72	Compliant	Compliant	No Obstacle	Clear vegetation	Within Arterial Buffer	SW_0373.jpg
SW_0374	Point	{0940E6F7-6EFD-4A30-91CC-2C94928D4263}	8/1/2025 15:15	374	3.45	72	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0374.jpg
SW_0375	Point	{A2E1B417-3021-44A0-892D-0B733249271C}	8/1/2025 16:20	375	1.8	796	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0375.jpg
SW_0376	Point	{BFC6250F-0388-49A1-8ECC-E0A2BDB1A331}	8/1/2025 16:21	376	3.3	72	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Within Arterial Buffer	SW_0376.jpg
SW_0377	Point	{28F0DC0C-966A-4BA8-BAE2-0486DCB6C8BF}	8/1/2025 16:22	377	1.9	60	Compliant	Compliant	No Obstacle	Surface deterioration	Within Arterial Buffer	SW_0377.jpg
SW_0378	Point	{D2B9D9FC-0C63-4E83-8672-A0429AE2EBF0}	8/1/2025 16:11	378	3.5	60	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Within Arterial Buffer	SW_0378.jpg
SW_0379	Point	{7A4A7ED1-9E0A-41E0-AF23-8010E2F5FDC7}	8/1/2025 16:08	379	2.6	120	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0379.jpg
SW_0380	Point	{42E183FA-669C-49EB-8DDC-C8408ECB6C56}	8/1/2025 16:09	380	3.3	60	Not Compliant	Not Compliant	Surface Deterioration	Cross slope more than 2.1%	Within Arterial Buffer	SW_0380.jpg
SW_0381	Point	{4DA5915-319B-4013-BFF0-2C786B97CD93}	8/1/2025 16:44	381	3.2	60	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0381.jpg
SW_0382	Point	{48613017-2397-492A-8DE0-43D2A18B57EC}	8/1/2025 16:45	382	2.1	72	Compliant	Not Compliant	No Obstacle	Cross slope does not meet PROWAG	Within Arterial Buffer	SW_0382.jpg
SW_0383	Point	{5C4219E4-0C6D-4138-ACBD-4FE37A11546E}	8/1/2025 16:47	383	1.2	72	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0383.jpg
SW_0384	Point	{226372AF-1E24-4F83-B23F-B75B0E692EFD}	8/1/2025 16:50	384	0.85	96	Not Compliant	Not Compliant	Upheaval or Cracking	<Null>	Within Arterial Buffer	SW_0384.jpg
SW_0385	Point	{FCAC0003-067D-464D-AE2D-BEB11218C591}	8/1/2025 16:51	385	1.9	72	Compliant	Compliant	No Obstacle	Surface deterioration	Outside Arterial Buffer	SW_0385.jpg
SW_0386	Point	{E5B4543C-1A7F-4B2A-958D-69ED592C4E23}	8/1/2025 16:58	386	2	96	Compliant	Compliant	No Obstacle	Surface deterioration	Within Arterial Buffer	SW_0386.jpg
SW_0387	Point	{884C9440-BF4B-40BA-9018-0D4499253766}	8/1/2025 17:00	387	1.3	72	Compliant	Compliant	No Obstacle	Clear vegetation	Within Arterial Buffer	SW_0387.jpg
SW_0388	Point	{EE8CCCC7-F0B8-431C-95CE-A1CC6E86E95E}	8/1/2025 16:24	388	0.4	72	Compliant	Compliant	No Obstacle	Clear vegetation	Outside Arterial Buffer	SW_0388.jpg
SW_0389	Point	{7310FEB7-1228-4B1F-A05A-7B5233DC8950}	8/1/2025 16:59	389	0.3	72	Compliant	Compliant	No Obstacle	Surface deterioration	Within Arterial Buffer	SW_0389.jpg
SW_0390	Point	{67BD586D-0F2D-49D5-9321-8D457DFFB287}	8/1/2025 16:56	390	1.35	72	Not Compliant	Not Compliant	Vegetation or Debris	<Null>	Within Arterial Buffer	SW_0390.jpg
SW_0391	Point	{116733A5-2A32-45E2-A444-146F57E47BE5}	8/1/2025 17:03	391	3.05	72	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0391.jpg
SW_0392	Point	{6C79FCCB-F6C6-4796-B2C6-3E7972D7988F}	8/1/2025 17:05	392	3.1	72	Not Compliant	Not Compliant	Other Obstacle	Cross slope more than 2.1%	Within Arterial Buffer	SW_0392.jpg
SW_0393	Point	{EC98CD32-AF0B-4498-B104-A39B7DF66C2D}	8/1/2025 17:07	393	1.9	72	Compliant	Compliant	No Obstacle	Clear vegetation	Within Arterial Buffer	SW_0393.jpg
SW_0394	Point	{B3B4568F-3EE9-4D4E-BD36-0D24AF473023}	8/1/2025 16:36	394	2.4	72	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0394.jpg
SW_0395	Point	{7C4760D6-B23C-43BC-8AA3-DAEEAA8638A2}	8/1/2025 16:36	395	2.85	72	Not Compliant	Not Compliant	Vegetation or Debris	Cross slope more than 2.1%	Within Arterial Buffer	SW_0395.jpg
SW_0396	Point	{CB8234B0-9307-424E-84FB-C6E057BA974B}	8/1/2025 16:33	396	1.8	72	Not Compliant	Not Compliant	Vegetation or Debris	<Null>	Within Arterial Buffer	SW_0396.jpg
SW_0397	Point	{F40DC82C-0B50-4BA6-AC3C-44F4C4686250}	8/1/2025 16:31	397	2	72	Compliant	Compliant	No Obstacle	<Null>	Within Arterial Buffer	SW_0397.jpg
SW_0398	Point	{3695F625-4079-47FD-AE36-34D833C2A7A}	8/1/2025 16:31	398	0.05	72	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0398.jpg
SW_0399	Point	{FB895E27-EA28-4D0F-9230-F0C343D87434}	8/1/2025 16:32	399	2	72	Compliant	Compliant	No Obstacle	Clear vegetation	Outside Arterial Buffer	SW_0399.jpg
SW_0400	Point	{0207D8B9-C664-41F8-A564-69264E2F1F81}	8/1/2025 16:24	400	1.8	72	Compliant	Compliant	No Obstacle	<Null>	Outside Arterial Buffer	SW_0400.jpg

City of Aberdeen
2025 ADA Transition Plan

Field Name	Alias	Data Type	Number Format	Length	Data Source	Attribute Answer Options	Notes
OBJECTID *	ObjectID	Object ID	Numeric		City 2025_SW_SURVEY		
Shape *	Shape	Geometry			City 2025_SW_SURVEY		
SW_ID_No	SW_ID_No	Long	Numeric		TSI deliverable	ID as number	number only, matches Sidewalk Segment Facility Condition data for this field
SW_ID	SW_ID	Text		254	TSI deliverable	SW_Seg_####	Sidewalk Segment ID, matches Sidewalk Segment Facility Condition data for this field
TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Grade	Text		255	TSI deliverable	A, B, C or D	Matches Sidewalk Segment Facility Condition data for this field
TSI_Sidewalk_Seg_Facility_Condition	TSI_Sidewalk_Seg_Facility_Condition	Text		255	TSI deliverable	Best Condition, Good Condition, Worse Condition, or Missing	Matches Sidewalk Segment Facility Condition data for this field
ADA2010	ADA2010	Text		254	TSI deliverable	Most likely compliant, May be ADA compliant, Not ADA compliant, Not ADA compliant - Missing	Matches Sidewalk Segment Facility Condition data for this field
PROWAG2024	PROWAG2024	Text		254	TSI deliverable	Candidate, No	Matches Sidewalk Segment Facility Condition data for this field
Shape_Leng	Shape_Leng	Double	Numeric		City 2025_SW_SURVEY	ESRI default	
Comment	Comment	Text		254	City 2025_SW_SURVEY		
Location	Location	Text		50	City 2025_SW_SURVEY		
Date_Ident	Date_Ident	Date			City 2025_SW_SURVEY		
Notes	Notes	Text		50	City 2025_SW_SURVEY		
Date_Groun	Date_Groun	Text		50	City 2025_SW_SURVEY		
In_Complia	In_Complia	Text		50	City 2025_SW_SURVEY		
Out_of_Com	Out_of_Com	Text		50	City 2025_SW_SURVEY		
Slope__	Slope__	Text		50	City 2025_SW_SURVEY		
REPAIR	REPAIR	Text		50	City 2025_SW_SURVEY		
Shape_Length		Double	Numeric		City 2025_SW_SURVEY	ESRI default	

SW ID	OBJECTID	Shape	SW ID No	TSI Sidewalk Seg. Facility Grade	TSI Sidewalk Seg. Facility Condition	ADA2010	PROWAG2024	Shape Leng	Comment	Location	Date Ident	Notes	Date Groun	In Complia	Out of Com	Slope	REPAIR	Shape Length
SW_Seg_0001	1	Polyline	1 A		Best Condition	Most likely ADA compliant	Candidate	297.317173			<Null>			NO	YES			297.317173
SW_Seg_0002	2	Polyline	2 A		Best Condition	Most likely ADA compliant	Candidate	9.867434			<Null>			NO	YES			9.867434
SW_Seg_0003	3	Polyline	3 A		Best Condition	Most likely ADA compliant	Candidate	7.689698			<Null>			NO	YES			7.689698
SW_Seg_0004	4	Polyline	4 A		Best Condition	Most likely ADA compliant	Candidate	1408.13528			<Null>			NO	YES			1408.13528
SW_Seg_0005	5	Polyline	5 A		Best Condition	Most likely ADA compliant	Candidate	21.801823			<Null>			NO	YES			21.801823
SW_Seg_0100	31	Polyline	100 A		Best Condition	Most likely ADA compliant	Candidate	97.512409			1/9/2025			YES	5.4/5.7			97.512409
SW_Seg_0101	32	Polyline	101 A		Best Condition	Most likely ADA compliant	Candidate	215.985279			1/9/2025			YES		5.7		215.985279
SW_Seg_0121	34	Polyline	121 A		Best Condition	Most likely ADA compliant	Candidate	22.779734			1/9/2025			YES		5.7		22.779734
SW_Seg_0122	35	Polyline	122 A		Best Condition	Most likely ADA compliant	Candidate	29.844446			1/9/2025			YES	5.4/5.7			29.844446
SW_Seg_0182	42	Polyline	182 A		Best Condition	Most likely ADA compliant	Candidate	32.110025			1/9/2025	NORTH OF SCOTT ON BLVD HALF BLOCK		YES		5		32.110025
SW_Seg_0190	43	Polyline	190 A		Best Condition	Most likely ADA compliant	Candidate	422.643399			1/9/2025	NORTH SIDE OF DRIVEWAY					GRIND INFRONT OF 108	422.643399
SW_Seg_0386	84	Polyline	386 A		Best Condition	Most likely ADA compliant	Candidate	185.181102			1/15/2025	BROKEN PANELS		YES	1/5.9	YES		185.181102
SW_Seg_0438	93	Polyline	438 A		Best Condition	Most likely ADA compliant	Candidate	171.890064			1/15/2025	BROKEN PANELS		YES	1.2-12	YES		171.890064
SW_Seg_0641	135	Polyline	641 A		Best Condition	Most likely ADA compliant	Candidate	282.591364			1/15/2025	GRIND				YES		282.591364
SW_Seg_0674	143	Polyline	674 A		Best Condition	Most likely ADA compliant	Candidate	219.04233			1/15/2025	NEEDS REPLACEMENT				YES		219.04233
SW_Seg_0782	158	Polyline	782 A		Best Condition	Most likely ADA compliant	Candidate	231.92488			1/15/2025	NEEDS REPLACEMENT				YES		231.92488
SW_Seg_0897	182	Polyline	897 A		Best Condition	Most likely ADA compliant	Candidate	31.0032			1/14/2025	TREES		YES				31.0032
SW_Seg_0935	187	Polyline	935 A		Best Condition	Most likely ADA compliant	Candidate	161.105883			1/14/2025	BROKEN LIFTED/ TREES		YES				161.105883
SW_Seg_1034	213	Polyline	1034 A		Best Condition	Most likely ADA compliant	Candidate	277.20824			1/15/2025				2.9	YES		277.20824
SW_Seg_1074	215	Polyline	1074 A		Best Condition	Most likely ADA compliant	Candidate	274.450652			1/15/2025	GRIND				YES		274.450652
SW_Seg_1177	223	Polyline	1177 A		Best Condition	Most likely ADA compliant	Candidate	638.473364			1/15/2025	GRIND				YES		638.473364
SW_Seg_1178	224	Polyline	1178 A		Best Condition	Most likely ADA compliant	Candidate	277.165945			1/15/2025	GOOD SIDEWALK			YES	3.5		277.165945
SW_Seg_1179	225	Polyline	1179 A		Best Condition	Most likely ADA compliant	Candidate	288.810012			1/15/2025			YES	3.9	YES		288.810012
SW_Seg_1481	242	Polyline	1481 A		Best Condition	Most likely ADA compliant	Candidate	194.113288			1/14/2025				YES	4.1	NO	194.113288
SW_Seg_1940	359	Polyline	1940 A		Best Condition	Most likely ADA compliant	Candidate	297.568646			1/9/2025		YES			NO		297.568646
SW_Seg_1969	369	Polyline	1969 A		Best Condition	Most likely ADA compliant	Candidate	250.244427			1/13/2025				YES	3.8	YES	250.244427
SW_Seg_1972	370	Polyline	1972 A		Best Condition	Most likely ADA compliant	Candidate	39.076314			1/15/2025							39.076314
SW_Seg_1973	371	Polyline	1973 A		Best Condition	Most likely ADA compliant	Candidate	156.046327			1/15/2025							156.046327
SW_Seg_1974	372	Polyline	1974 A		Best Condition	Most likely ADA compliant	Candidate	256.304395			1/15/2025							256.304395
SW_Seg_1990	375	Polyline	1990 A		Best Condition	Most likely ADA compliant	Candidate	258.381771			1/13/2025			YES		3.8		258.381771
SW_Seg_2005	377	Polyline	2005 A		Best Condition	Most likely ADA compliant	Candidate	273.86752			1/15/2025			YES		3.9	YES	273.86752
SW_Seg_2041	378	Polyline	2041 A		Best Condition	Most likely ADA compliant	Candidate	94.413024			1/13/2025			YES		3.9		94.413024
SW_Seg_2043	379	Polyline	2043 A		Best Condition	Most likely ADA compliant	Candidate	131.608358			1/13/2025			YES		3.9		131.608358
SW_Seg_2045	380	Polyline	2045 A		Best Condition	Most likely ADA compliant	Candidate	155.347769			1/13/2025			YES		3.9		155.347769
SW_Seg_2049	381	Polyline	2049 A		Best Condition	Most likely ADA compliant	Candidate	93.691483			1/13/2025	INFRONT OF DRIVEWAY		YES				93.691483
SW_Seg_2057	382	Polyline	2057 A		Best Condition	Most likely ADA compliant	Candidate	238.806637			1/13/2025	1418 BROKEN		YES		3.7		238.806637
SW_Seg_2399	398	Polyline	2399 A		Best Condition	Most likely ADA compliant	Candidate	8.087769			1/9/2025			YES	5.4/5.7			8.080911
SW_Seg_2547	433	Polyline	2547 A		Best Condition	Most likely ADA compliant	Candidate	91.661824			1/14/2025	FALLS WRONG WAY		YES		-5.6	NO	91.661824
SW_Seg_2550	434	Polyline	2550 A		Best Condition	Most likely ADA compliant	Candidate	126.003627			1/14/2025	BROKEN PANELS		YES		3.1	YES	126.003627
SW_Seg_2713	450	Polyline	2713 A		Best Condition	Most likely ADA compliant	Candidate	22.589315			1/15/2025							22.589315
SW_Seg_2717	452	Polyline	2717 A		Best Condition	Most likely ADA compliant	Candidate	147.531396			1/15/2025							147.531396
SW_Seg_2723	453	Polyline	2723 A		Best Condition	Most likely ADA compliant	Candidate	120.329183			1/9/2025		YES			NO		120.329183
SW_Seg_2724	454	Polyline	2724 A		Best Condition	Most likely ADA compliant	Candidate	47.693683			1/9/2025		YES			NO		47.693683
SW_Seg_3150	509	Polyline	3150 A		Best Condition	Most likely ADA compliant	Candidate	84.405801			1/15/2025	GOOD SIDEWALK		YES		3.2		84.405801
SW_Seg_3268	551	Polyline	3268 A		Best Condition	Most likely ADA compliant	Candidate	65.515562			1/15/2025	BROKEN PANELS/GRINDS		YES		9-10.7	YES	65.515562
SW_Seg_3545	591	Polyline	3545 A		Best Condition	Most likely ADA compliant	Candidate	140.391744			1/15/2025	Varied Slopes. Broken Panel.						140.391744
SW_Seg_4013	661	Polyline	4013 A		Best Condition	Most likely ADA compliant	Candidate	62.444757			1/13/2025	BROKEN PANELS/TREES		YES				62.444757
SW_Seg_0065	25	Polyline	65 B		Good Condition	May be ADA compliant		205.024828			1/13/2025			YES		1.4/3.0	YES	205.024828
SW_Seg_0069	26	Polyline	69 B		Good Condition	May be ADA compliant		335.958916			1/14/2025	BROKEN PANELS/GRINDS		YES		1/4.6	YES	335.958916
SW_Seg_0072	27	Polyline	72 B		Good Condition	May be ADA compliant		495.046978			1/14/2025	BROKEN PANELS		YES		4/4.3		495.046978
SW_Seg_0073	28	Polyline	73 B		Good Condition	May be ADA compliant		145.959719			1/14/2025			YES		7/4.6	YES	145.959719
SW_Seg_0169	37	Polyline	169 B		Good Condition	May be ADA compliant		161.932167			1/9/2025			YES		3.7		161.932167
SW_Seg_0200	45	Polyline	200 B		Good Condition	May be ADA compliant		403.8609			1/9/2025	20' BY DRIVEWAY		YES		3.7		403.8609
SW_Seg_0274	49	Polyline	274 B		Good Condition	May be ADA compliant	No	220.716404			1/15/2025	BROKEN PANELS		YES		4-6.7	YES	220.716404
SW_Seg_0275	50	Polyline	275 B		Good Condition	May be ADA compliant		141.142628			1/15/2025	BROKEN PANELS		YES		4-6.7	YES	141.142628
SW_Seg_0278	52	Polyline	278 B		Good Condition	May be ADA compliant		193.133713			1/15/2025	BROKEN PANELS/GRINDS		YES		9/3.6	YES	193.133713
SW_Seg_0289	54	Polyline	289 B		Good Condition	May be ADA compliant		188.169558			1/15/2025	BROKEN PANELS		YES		4-6.7	YES	188.169558
SW_Seg_0301	56	Polyline	301 B		Good Condition	May be ADA compliant		244.895224			1/14/2025	GRINDS/BROKEN PANELS		YES		5/3.7	YES	244.895224
SW_Seg_0303	57	Polyline	303 B		Good Condition	May be ADA compliant		249.969516			1/15/2025	BROKEN PANELS/GRINDS		YES		0/2.9	YES	249.969516
SW_Seg_0310	58	Polyline	310 B		Good Condition	May be ADA compliant		51.671058			1/15/2025	BROKEN PANELS/GRINDS		YES		9/3.6	YES	51.671058
SW_Seg_0312	59	Polyline	312 B		Good Condition	May be ADA compliant		129.397616			1/15/2025	BROKEN PANELS		YES		1/5.2	YES	129.397616
SW_Seg_0339	60	Polyline	339 B		Good Condition	May be ADA compliant		152.110069			1/15/2025	BROKEN PANELS		YES		1.2-12	YES	152.110069
SW_Seg_0344	63	Polyline	344 B		Good Condition	May be ADA compliant		124.027453			1/15/2025	BROKEN PANELS		YES		1/8.4	YES	124.027453
SW_Seg_0345	64	Polyline	345 B		Good Condition	May be ADA compliant		282.161343			1/15/2025	BROKEN PANELS		YES		1.2-12	YES	282.161343
SW_Seg_0346	65	Polyline	346 B		Good Condition	May be ADA compliant		125.081781			1/15/2025	BROKEN PANELS		YES		1/6.9	YES	125.081781
SW_Seg_0348	66	Polyline	348 B		Good Condition	May be ADA compliant		179.649648			1/15/2025	BROKEN PANELS		YES		1.2-12	YES	179.649648
SW_Seg_0351	69	Polyline	351 B		Good Condition	May be ADA compliant		120.836475			1/15/2025	BROKEN PANELS		YES		1/6.9	YES	120.836475
SW_Seg_0352	70	Polyline	352 B		Good Condition	May be ADA compliant		162.929241			1/15/2025	BROKEN PANELS/GRINDS		YES		9-10.7	YES	162.929241
SW_Seg_0361	71	Polyline	361 B		Good Condition	May be ADA compliant		101.385466			1/14/2025	BROKEN PANELS		YES		3-16.8	YES	101.385466
SW_Seg_0370	73	Polyline	370 B		Good Condition	May be ADA compliant		186.457331			1/15/2025	BROKEN PANELS/GRINDS		YES		9-10.7	YES	186.457331
SW_Seg_0374	77	Polyline	374 B		Good Condition	May be ADA compliant		170.17522			1/15/2025	BROKEN PANELS/GRINDS		YES		9-10.7	YES	170.17522
SW_Seg_0377	80	Polyline	377 B		Good Condition	May be ADA compliant		215.836083			1/14/2025	MOST OF BLOCK/BOTH SIDES OF ROAD		YES			YES	215.836083
SW_Seg_0388	85	Polyline	388 B		Good Condition	May be ADA compliant		151.313402			1/15/2025	BROKEN PANELS		YES		1.2-12	YES	151.313402
SW_Seg_0416	87	Polyline	416 B		Good Condition	May be ADA compliant		61.10173			1/13/2025	BROKEN PANELS		YES			YES	61.10173
SW_Seg_0423	89	Polyline	423 B		Good Condition	May be ADA compliant		284.328725			1/15/2025	616 NEEDS REPLACEMENT				2.9	YES	284.328725
SW_Seg_0424	90	Polyline	424 B		Good Condition	May be ADA compliant		231.895637			1/15/2025	BROKEN PANELS		YES		1/6.9	YES	231.895637
SW_Seg_0435	91	Polyline	435 B		Good Condition	May be ADA compliant		284.549985			1/15/2025	GRINDER					YES	284.549985
SW_Seg_0436	92	Polyline	436 B		Good Condition	May be ADA compliant		131.464343			1/15/2025	BROKEN PANELS			YES	1/5.9	YES	131.464343
SW_Seg_0440	94	Polyline	440 B		Good Condition	May be ADA compliant		149.08018			1/15/2025	BROKEN PANELS/GRINDS			YES	9-10.7	YES	149.08018

SW ID	OBJECTID	Shape	SW ID No	TSI Sidewalk Seg Facility Grade	TSI Sidewalk Seg Facility Condition	ADA2010	PROWAG2024	Shape Leng	Comment	Location	Date Ident	Notes	Date Groun	In Complia	Out of Com	Slope	REPAIR	Shape Length	
SW_Seg_0497	97	Polyline	497 B		Good Condition	May be ADA compliant		243.800213			1/9/2025						GRIND LITTLE PATCH	243.800213	
SW_Seg_0509	98	Polyline	509 B		Good Condition	May be ADA compliant		274.933988			1/15/2025	BROKEN /CRACKED			YES			274.933988	
SW_Seg_0523	100	Polyline	523 B		Good Condition	May be ADA compliant		435.111284			1/13/2025	ABERDEEN MANOR F ST			YES	3.3		435.111284	
SW_Seg_0533	101	Polyline	533 B		Good Condition	May be ADA compliant		143.314191			1/14/2025	BROKEN PANELS			YES	1.5/4.5	YES	143.314191	
SW_Seg_0534	102	Polyline	534 B		Good Condition	May be ADA compliant		140.842601			1/14/2025	BROKEN PANELS/GRINDS			YES	1.2/8.9	YES	140.842601	
SW_Seg_0543	104	Polyline	543 B		Good Condition	May be ADA compliant		122.504735			1/13/2025	TREES, BROKEN			YES	6.9+10.0		122.504735	
SW_Seg_0544	105	Polyline	544 B		Good Condition	May be ADA compliant		72.319769			1/14/2025	BROKEN PANELS/GRINDS			YES	-0.162790698	YES	72.319769	
SW_Seg_0546	107	Polyline	546 B		Good Condition	May be ADA compliant		298.055988			1/13/2025				YES	1.4/5.5	YES	298.055988	
SW_Seg_0561	112	Polyline	561 B		Good Condition	May be ADA compliant		95.405602			1/13/2025	MOST ASPHALT			YES		YES	95.405602	
SW_Seg_0563	113	Polyline	563 B		Good Condition	May be ADA compliant		308.705022			1/13/2025	SOME ASHAULT PATCHES			YES	4/6.7	YES	308.705022	
SW_Seg_0566	115	Polyline	566 B		Good Condition	May be ADA compliant		202.767772			1/13/2025				YES	1/2.9	YES	202.767772	
SW_Seg_0578	119	Polyline	578 B		Good Condition	May be ADA compliant		327.348019			1/13/2025	LIFTED PANELS/ TREES				4.6		327.348019	
SW_Seg_0579	120	Polyline	579 B		Good Condition	May be ADA compliant		177.742779			1/13/2025	S22 NEEDS GROUND						177.742779	
SW_Seg_0584	121	Polyline	584 B		Good Condition	May be ADA compliant		215.497725			1/13/2025		510		YES	4.6		215.497725	
SW_Seg_0585	122	Polyline	585 B		Good Condition	May be ADA compliant		169.177304			1/13/2025		422		YES	9.1/7.5/5.1		169.177304	
SW_Seg_0587	123	Polyline	587 B		Good Condition	May be ADA compliant		301.725942			1/13/2025	GRINDER						301.725942	
SW_Seg_0588	124	Polyline	588 B		Good Condition	May be ADA compliant		83.393941			1/14/2025	BROKEN PANELS/GRINDS			YES	1.2/8.9	YES	83.393941	
SW_Seg_0590	125	Polyline	590 B		Good Condition	May be ADA compliant		98.416492			1/14/2025	BROKEN PANELS/GRINDS			YES	2-18.5	YES	98.416492	
SW_Seg_0591	126	Polyline	591 B		Good Condition	May be ADA compliant		47.723901			1/14/2025	BROKEN PANELS/GRINDS			YES	2-18.5	YES	47.723901	
SW_Seg_0594	129	Polyline	594 B		Good Condition	May be ADA compliant		100.960326			1/13/2025		814		YES	4.3		100.960326	
SW_Seg_0599	133	Polyline	599 B		Good Condition	May be ADA compliant		276.86111			1/14/2025	BROKEN PANELS/GRINDS			YES	2-18.5	YES	276.86111	
SW_Seg_0601	134	Polyline	601 B		Good Condition	May be ADA compliant		145.799743			1/15/2025	GRINDER					YES	145.799743	
SW_Seg_0642	136	Polyline	642 B		Good Condition	May be ADA compliant		276.470273		122	1/15/2025			YES	4.3		276.470273		
SW_Seg_0646	137	Polyline	646 B		Good Condition	May be ADA compliant		246.634609			1/15/2025	ALMOST			YES	3.3	YES	246.634609	
SW_Seg_0650	138	Polyline	650 B		Good Condition	May be ADA compliant		305.052622			1/15/2025				YES	5.6		305.052622	
SW_Seg_0658	139	Polyline	658 B		Good Condition	May be ADA compliant		137.03312			1/15/2025	BROKEN PANELS			YES			137.03312	
SW_Seg_0659	140	Polyline	659 B		Good Condition	May be ADA compliant		116.672824			1/15/2025	BROKEN PANELS			YES			116.672824	
SW_Seg_0664	141	Polyline	664 B		Good Condition	May be ADA compliant		138.424971			1/15/2025	BROKEN PANELS			YES			138.424971	
SW_Seg_0666	142	Polyline	666 B		Good Condition	May be ADA compliant		125.614056			1/15/2025	BROKEN PANELS			YES			125.614056	
SW_Seg_0675	144	Polyline	675 B		Good Condition	May be ADA compliant		92.74596			1/15/2025				YES	4.5		92.74596	
SW_Seg_0696	146	Polyline	696 B		Good Condition	May be ADA compliant		291.624204			1/13/2025	1015 BROKEN PANELS/TREES			YES			291.624204	
SW_Seg_0706	147	Polyline	706 B		Good Condition	May be ADA compliant		281.819934			1/14/2025				YES	4.1	YES	281.819934	
SW_Seg_0708	148	Polyline	708 B		Good Condition	May be ADA compliant		267.629978			1/14/2025	518 BROKEN PANELS		YES			YES	267.629978	
SW_Seg_0721	149	Polyline	721 B		Good Condition	May be ADA compliant		217.608522			1/15/2025				YES	3.1		217.608522	
SW_Seg_0732	150	Polyline	732 B		Good Condition	May be ADA compliant		212.682706			1/13/2025	BROKEN LIFTED PANELS			X			212.682706	
SW_Seg_0736	151	Polyline	736 B		Good Condition	May be ADA compliant		194.846114			1/13/2025	BROKEN PANELS/TREES			YES			194.846114	
SW_Seg_0744	152	Polyline	744 B		Good Condition	May be ADA compliant		413.102304			1/13/2025	1219 BROKEN LIFTED PANELS			X			413.102304	
SW_Seg_0752	153	Polyline	752 B		Good Condition	May be ADA compliant	No	157.768337			1/13/2025	WHOLE BLOCK			YES	3.9/4.1		157.768337	
SW_Seg_0754	154	Polyline	754 B		Good Condition	May be ADA compliant		96.258361			1/13/2025				YES	1.3/4.3	YES	96.258361	
SW_Seg_0760	155	Polyline	760 B		Good Condition	May be ADA compliant		137.450559			1/13/2025	1110 LIFTED PANELS			YES	8.6		137.450559	
SW_Seg_0763	156	Polyline	763 B		Good Condition	May be ADA compliant		209.728422			1/13/2025	316 BROKEN TREES 20"			YES	4.9		209.728422	
SW_Seg_0764	157	Polyline	764 B		Good Condition	May be ADA compliant		230.786098			1/13/2025	324 BROKEN PANELS			YES			230.786098	
SW_Seg_0790	162	Polyline	790 B		Good Condition	May be ADA compliant		132.289846			1/14/2025	BROKEN PANELS/GRINDS			YES	1.2/8.9	YES	132.289846	
SW_Seg_0795	163	Polyline	795 B		Good Condition	May be ADA compliant		197.824004			1/13/2025				YES	2.8		197.824004	
SW_Seg_0801	164	Polyline	801 B		Good Condition	May be ADA compliant		223.035751			1/13/2025	REPLACE BLOCK						223.035751	
SW_Seg_0806	165	Polyline	806 B		Good Condition	May be ADA compliant		395.828992			1/13/2025	BROKEN/LIFTED PANELS TREES			YES			395.828992	
SW_Seg_0812	166	Polyline	812 B		Good Condition	May be ADA compliant		407.681998			1/13/2025	517 REPLACE 40" PADS			YES			407.681998	
SW_Seg_0816	167	Polyline	816 B		Good Condition	May be ADA compliant		135.122103			1/13/2025	714 GRIND AND REPAIR PANELS			YES	3.7		135.122103	
SW_Seg_0823	168	Polyline	823 B		Good Condition	May be ADA compliant		446.977289			<Null>	426 BROKEN PANELS			YES		YES	446.977289	
SW_Seg_0826	169	Polyline	826 B		Good Condition	May be ADA compliant		391.022752			1/23/2025	504 BROKEN PANELS			YES		YES	391.022752	
SW_Seg_0833	170	Polyline	833 B		Good Condition	May be ADA compliant		297.494833			1/14/2025	220 W 5TH/223 W 6TH		YES		3	NO	297.494833	
SW_Seg_0839	171	Polyline	839 B		Good Condition	May be ADA compliant		207.09666			1/14/2025				YES			207.09666	
SW_Seg_0840	172	Polyline	840 B		Good Condition	May be ADA compliant		207.619553			1/14/2025				YES			207.619553	
SW_Seg_0841	173	Polyline	841 B		Good Condition	May be ADA compliant		413.871583			1/14/2025	BROKEN PANEL		YES		1.9	YES	413.871583	
SW_Seg_0848	174	Polyline	848 B		Good Condition	May be ADA compliant		147.147764			1/14/2025	PEICES OF CURB ARE MISSING			YES		5.7	YES	147.147764
SW_Seg_0850	175	Polyline	850 B		Good Condition	May be ADA compliant		207.474113			1/14/2025	WHOLE BLOCK			YES	2.3/6.4		207.474113	
SW_Seg_0853	176	Polyline	853 B		Good Condition	May be ADA compliant		332.71926			1/14/2025	111 BROKEN PANELS			YES	5.1	YES	332.71926	
SW_Seg_0863	177	Polyline	863 B		Good Condition	May be ADA compliant		263.956221			1/14/2025	117-111 BROKEN PANELS			YES			263.956221	
SW_Seg_0875	178	Polyline	875 B		Good Condition	May be ADA compliant		306.910694			1/14/2025	TREES/LIFTED PANELS			YES	13		306.910694	
SW_Seg_0878	179	Polyline	878 B		Good Condition	May be ADA compliant		149.637078			1/14/2025	300 RAISED LIFTED / TREES			YES			149.637078	
SW_Seg_0893	181	Polyline	893 B		Good Condition	May be ADA compliant		233.526105			1/15/2025	BROKEN			YES			233.526105	
SW_Seg_0909	183	Polyline	909 B		Good Condition	May be ADA compliant		221.213669			1/14/2025		703			8.7		221.213669	
SW_Seg_0914	184	Polyline	914 B		Good Condition	May be ADA compliant		160.791279			1/14/2025				YES	3.2		160.791279	
SW_Seg_0925	185	Polyline	925 B		Good Condition	May be ADA compliant		296.726894			1/14/2025	612 GRIND			YES	5.2		296.726894	
SW_Seg_0927	186	Polyline	927 B		Good Condition	May be ADA compliant		294.512646			1/14/2025	615 GRIND				3.2	YES	294.512646	
SW_Seg_0937	188	Polyline	937 B		Good Condition	May be ADA compliant		277.220375			1/14/2025		412		YES	4.6	NO	277.220375	
SW_Seg_0938	189	Polyline	938 B		Good Condition	May be ADA compliant		314.349565			1/14/2025	TREES/ LIFTED PANELS			YES			314.349565	
SW_Seg_0939	190	Polyline	939 B		Good Condition	May be ADA compliant		83.49953			1/15/2025	SIDEWALK GOOD SHAPE			YES	3.5		83.49953	
SW_Seg_0942	191	Polyline	942 B		Good Condition	May be ADA compliant		143.065063			1/14/2025	BROKEN PANELS			YES			143.065063	
SW_Seg_0943	192	Polyline	943 B		Good Condition	May be ADA compliant		141.499694			1/15/2025	GOOD SIDEWALK			YES	3.5/3.7/2.8		141.499694	
SW_Seg_0948	194	Polyline	948 B		Good Condition	May be ADA compliant		326.486188			1/14/2025					5.7		326.486188	
SW_Seg_0950	195	Polyline	950 B		Good Condition	May be ADA compliant		142.27658			1/15/2025	SIDEWALK GOOD SHAPE			YES	3.5		142.27658	
SW_Seg_0953	196	Polyline	953 B		Good Condition	May be ADA compliant		301.981048			1/15/2025	311 MICHIGAN				2.3		301.981048	
SW_Seg_0965	198	Polyline	965 B		Good Condition	May be ADA compliant		146.66086			1/15/2025					2.8/2.6		146.66086	
SW_Seg_0966	199	Polyline	966 B		Good Condition	May be ADA compliant		288.803769			1/15/2025					2.8/2.6		288.803769	
SW_Seg_0997	200	Polyline	997 B		Good Condition	May be ADA compliant		27.939529			1/25/2025	GRIND AND BROKEN PANEL			YES		YES	27.939529	
SW_Seg_1001	201	Polyline	1001 B		Good Condition	May be ADA compliant		38.409271			1/25/2025	GRIND AND BROKEN PANEL			YES		YES	38.399883	
SW_Seg_1004	203	Polyline	1004 B		Good Condition	May be ADA compliant		185.52752			1/15/2025	GRINDER					YES	185.52752	
SW_Seg_1010	206	Polyline	1010 B		Good Condition	May be ADA compliant		70.207221			1/25/2025	GRIND AND BROKEN PANEL			YES		YES		

SW ID	OBJECTID	Shape	SW ID No	TSI Sidewalk Seg Facility Grade	TSI Sidewalk Seg Facility Condition	ADA2010	PROWAG2024	Shape Leng	Comment	Location	Date Ident	Notes	Date Groun	In Complia	Out of Com	Slope	REPAIR	Shape Length	
SW_Seg_1014	207	Polyline	1014 B		Good Condition	May be ADA compliant		288.953081			1/15/2025	WHOLE BLOCK				3.4		288.953081	
SW_Seg_1023	210	Polyline	1023 B		Good Condition	May be ADA compliant		192.392161			1/15/2025	WHOLE BLOCK				3.1		192.392161	
SW_Seg_1026	212	Polyline	1026 B		Good Condition	May be ADA compliant		214.254365			1/15/2025	HOLE IN SIDEWALK 610						214.254365	
SW_Seg_1066	214	Polyline	1066 B		Good Condition	May be ADA compliant		211.455824			1/15/2025	GRINDS/NEEDS REPLACE					YES	211.455824	
SW_Seg_1089	217	Polyline	1089 B		Good Condition	May be ADA compliant		89.734215			1/25/2025	BROKEN AND GRIND			YES		YES	89.734215	
SW_Seg_1135	219	Polyline	1135 B		Good Condition	May be ADA compliant		134.47938			1/15/2025	WHOLE BLOCK				3.4		134.47938	
SW_Seg_1148	221	Polyline	1148 B		Good Condition	May be ADA compliant		247.42488			1/15/2025	WHOLE BLOCK				3.1		247.42488	
SW_Seg_1158	222	Polyline	1158 B		Good Condition	May be ADA compliant		244.5568			1/14/2025	IN FRONT OF SHOP		YES		5.6	YES	244.5568	
SW_Seg_1196	227	Polyline	1196 B		Good Condition	May be ADA compliant		180.725186			1/15/2025					3.9	YES	180.725186	
SW_Seg_1213	228	Polyline	1213 B		Good Condition	May be ADA compliant		186.257421			1/15/2025						YES	186.257421	
SW_Seg_1263	229	Polyline	1263 B		Good Condition	May be ADA compliant		108.273677			1/14/2025	NEAR ALLEY/BOTH SIDES OF ROAD			YES	3.9	NO	108.273677	
SW_Seg_1324	232	Polyline	1324 B		Good Condition	May be ADA compliant		308.19974			1/23/2025		1512		YES	7.1		308.19974	
SW_Seg_1328	234	Polyline	1328 B		Good Condition	May be ADA compliant		310.859226			1/23/2025	LIFTED PANELS			YES			310.859226	
SW_Seg_1340	235	Polyline	1340 B		Good Condition	May be ADA compliant		304.8535			1/23/2025	2 BROKEN PANELS			YES			304.8535	
SW_Seg_1345	237	Polyline	1345 B		Good Condition	May be ADA compliant		283.052187			1/23/2025				YES	5.4		283.052187	
SW_Seg_1348	238	Polyline	1348 B		Good Condition	May be ADA compliant		205.912991			1/23/2025	REPLACE PANEL			YES			205.912991	
SW_Seg_1493	243	Polyline	1493 B		Good Condition	May be ADA compliant		94.47778			1/14/2025	NEAR ALLEY/ACROSS THE STREET			YES	7.8	NO	94.47778	
SW_Seg_1557	253	Polyline	1557 B		Good Condition	May be ADA compliant		40.875294			1/14/2025				YES		YES	40.875294	
SW_Seg_1627	277	Polyline	1627 B		Good Condition	May be ADA compliant		259.843142			1/14/2025				YES		YES	259.843142	
SW_Seg_1645	281	Polyline	1645 B		Good Condition	May be ADA compliant		254.456683			1/13/2025							254.456683	
SW_Seg_1653	283	Polyline	1653 B		Good Condition	May be ADA compliant		264.093414			1/13/2025							264.093414	
SW_Seg_1654	284	Polyline	1654 B		Good Condition	May be ADA compliant		251.515116			1/13/2025							251.515116	
SW_Seg_1656	285	Polyline	1656 B		Good Condition	May be ADA compliant		252.243039			1/13/2025					2.8	YES	252.243039	
SW_Seg_1665	286	Polyline	1665 B		Good Condition	May be ADA compliant		258.346254			1/13/2025					3	YES	258.346254	
SW_Seg_1669	287	Polyline	1669 B		Good Condition	May be ADA compliant		252.92421			1/13/2025							252.92421	
SW_Seg_1693	292	Polyline	1693 B		Good Condition	May be ADA compliant		333.577394			1/13/2025	REPLACE					YES	333.577394	
SW_Seg_1711	304	Polyline	1711 B		Good Condition	May be ADA compliant		188.576456			1/13/2025							188.576456	
SW_Seg_1793	337	Polyline	1793 B		Good Condition	May be ADA compliant		250.778945			1/13/2025						3	YES	250.778945
SW_Seg_1794	338	Polyline	1794 B		Good Condition	May be ADA compliant		140.029821			1/13/2025						3	YES	140.029821
SW_Seg_1811	343	Polyline	1811 B		Good Condition	May be ADA compliant		321.214858			1/13/2025	909 BAD LIFT FROM TREE			YES	3.2	YES	321.214858	
SW_Seg_1812	344	Polyline	1812 B		Good Condition	May be ADA compliant		316.843847			1/13/2025	909 BAD LIFT FROM TREE			YES	3.2	YES	316.843847	
SW_Seg_1825	345	Polyline	1825 B		Good Condition	May be ADA compliant		288.097209			1/14/2025		700		YES	3.1		288.097209	
SW_Seg_1837	347	Polyline	1837 B		Good Condition	May be ADA compliant		305.950471			1/9/2025		103		YES	5.1	YES	305.950471	
SW_Seg_1840	348	Polyline	1840 B		Good Condition	May be ADA compliant		292.673088			1/13/2025				YES	3	YES	292.673088	
SW_Seg_1841	349	Polyline	1841 B		Good Condition	May be ADA compliant		247.282142			1/13/2025				YES	3	YES	247.282142	
SW_Seg_1878	351	Polyline	1878 B		Good Condition	May be ADA compliant		317.905046			1/13/2025				YES	3	NO	317.905046	
SW_Seg_1885	352	Polyline	1885 B		Good Condition	May be ADA compliant		276.624345			1/13/2025	715 GRIND					4	NO	276.624345
SW_Seg_1924	356	Polyline	1924 B		Good Condition	May be ADA compliant		255.623176			1/9/2025	BOTH SIDES			YES	6.5	YES	255.623176	
SW_Seg_1937	357	Polyline	1937 B		Good Condition	May be ADA compliant		299.422537			1/9/2025				YES		NO	299.422537	
SW_Seg_1938	358	Polyline	1938 B		Good Condition	May be ADA compliant		269.420336			1/9/2025	GRIND 203					YES	269.420336	
SW_Seg_1943	362	Polyline	1943 B		Good Condition	May be ADA compliant		124.063488			1/9/2025						4		124.063488
SW_Seg_1944	363	Polyline	1944 B		Good Condition	May be ADA compliant		302.35446			1/9/2025				YES		NO	302.35446	
SW_Seg_1955	365	Polyline	1955 B		Good Condition	May be ADA compliant		307.118211			1/9/2025				YES	5.9		307.118211	
SW_Seg_1964	366	Polyline	1964 B		Good Condition	May be ADA compliant		211.895724			1/9/2025	BOTH SIDES			YES	5.1		211.895724	
SW_Seg_2070	383	Polyline	2070 B		Good Condition	May be ADA compliant		755.77547			1/13/2025		1717		YES	3.4		755.77547	
SW_Seg_2118	384	Polyline	2118 B		Good Condition	May be ADA compliant		478.060786			1/14/2025				YES	1.5/3.5	YES	478.060786	
SW_Seg_2130	385	Polyline	2130 B		Good Condition	May be ADA compliant		44.803228			1/15/2025	BROKEN PANELS			YES	4-6.7	YES	44.803228	
SW_Seg_2212	386	Polyline	2212 B		Good Condition	May be ADA compliant		21.017521			1/15/2025	GRIND					YES	21.017521	
SW_Seg_2223	389	Polyline	2223 B		Good Condition	May be ADA compliant		47.340536			1/15/2025	BROKEN PANELS/GRINDS			YES	2.2/3.7	YES	47.340536	
SW_Seg_2250	390	Polyline	2250 B		Good Condition	May be ADA compliant		121.153889			1/14/2025	BROKEN PANELS/GRINDS			YES	1.2/8.9	YES	121.153889	
SW_Seg_2273	391	Polyline	2273 B		Good Condition	May be ADA compliant		155.84747			1/13/2025		1109		YES		3.1		155.84747
SW_Seg_2274	392	Polyline	2274 B		Good Condition	May be ADA compliant		122.108522			1/15/2025	BROKEN/CRACKED PANELS			YES		YES	122.108522	
SW_Seg_2275	393	Polyline	2275 B		Good Condition	May be ADA compliant		292.371502			1/15/2025	515 BROKEN/TREES			YES		YES	292.371502	
SW_Seg_2282	394	Polyline	2282 B		Good Condition	May be ADA compliant		141.679151			1/9/2025	BOTH SIDES			YES	6.5	YES	141.679151	
SW_Seg_2412	401	Polyline	2412 B		Good Condition	May be ADA compliant		118.274522			1/9/2025	IN FRONT OF HOUSE			YES		4.1		118.274522
SW_Seg_2413	402	Polyline	2413 B		Good Condition	May be ADA compliant		114.381244			1/9/2025				YES	7.2/3.9	GRIND AT 519 MAILBOX	114.381244	
SW_Seg_2418	403	Polyline	2418 B		Good Condition	May be ADA compliant		181.200208			1/9/2025	IN FRONT OF 701			YES		4.1		181.200208
SW_Seg_2421	404	Polyline	2421 B		Good Condition	May be ADA compliant		60.408556			1/9/2025				YES	4.3/3.5		60.408556	
SW_Seg_2422	405	Polyline	2422 B		Good Condition	May be ADA compliant		113.396122			1/9/2025				YES	4.3/3.5		113.396122	
SW_Seg_2423	406	Polyline	2423 B		Good Condition	May be ADA compliant		98.944712			1/9/2025							98.944712	
SW_Seg_2426	407	Polyline	2426 B		Good Condition	May be ADA compliant		37.421221			1/9/2025				YES	3.7		37.421221	
SW_Seg_2471	409	Polyline	2471 B		Good Condition	May be ADA compliant		39.547211			1/14/2025				YES		YES	39.547211	
SW_Seg_2480	412	Polyline	2480 B		Good Condition	May be ADA compliant		71.809802			1/13/2025							71.809802	
SW_Seg_2481	413	Polyline	2481 B		Good Condition	May be ADA compliant		89.300405			1/13/2025							89.300405	
SW_Seg_2482	414	Polyline	2482 B		Good Condition	May be ADA compliant		61.647594			1/13/2025							61.647594	
SW_Seg_2492	416	Polyline	2492 B		Good Condition	May be ADA compliant		32.559471			1/13/2025	REPLACE					YES	32.559471	
SW_Seg_2520	419	Polyline	2520 B		Good Condition	May be ADA compliant		65.513829			1/13/2025	NEEDS REPLACE		YES			YES	65.513829	
SW_Seg_2522	421	Polyline	2522 B		Good Condition	May be ADA compliant		58.548871			1/13/2025	NEEDS REPLACE		YES			YES	58.548871	
SW_Seg_2525	423	Polyline	2525 B		Good Condition	May be ADA compliant		28.076586			1/13/2025				YES	3.8	YES	28.076586	
SW_Seg_2527	425	Polyline	2527 B		Good Condition	May be ADA compliant		12.83491			1/13/2025				YES	3.8	YES	12.83491	
SW_Seg_2545	432	Polyline	2545 B		Good Condition	May be ADA compliant		50.236826			1/13/2025					5.4	YES	50.236826	
SW_Seg_2572	435	Polyline	2572 B		Good Condition	May be ADA compliant		71.814727			1/14/2025				YES	5.5	NO	71.814727	
SW_Seg_2584	436	Polyline	2584 B		Good Condition	May be ADA compliant		40.903561			1/14/2025	BROKEN SLABS			YES	3.4		40.903561	
SW_Seg_2636	443	Polyline	2636 B		Good Condition	May be ADA compliant		41.5484			1/9/2025	GRIND			YES	4.1	YES	41.5484	
SW_Seg_2638	444	Polyline	2638 B		Good Condition	May be ADA compliant		27.121301			1/9/2025	GRIND			YES	4.1	YES	27.121301	
SW_Seg_2652	445	Polyline	2652 B		Good Condition	May be ADA compliant		141.568603			1/9/2025						4		141.568603
SW_Seg_2654	447	Polyline	2654 B		Good Condition	May be ADA compliant		108.946918			1/9/2025				YES	5.6		108.946918	
SW_Seg_2675	449	Polyline	2675 B		Good Condition	May be ADA compliant		39.192065			1/14/2025	BROKEN PANELS			YES	7.4	YES	39.192065	
SW_Seg_2726	456	Polyline	2726 B		Good Condition	May be ADA compliant		88.437205			1/15/2025						YES	88.437205	

SW ID	OBJECTID	Shape	SW ID No	TSI Sidewalk Seg. Facility Grade	TSI Sidewalk Seg. Facility Condition	ADA2010	PROWAG2024	Shape Leng	Comment	Location	Date Ident	Notes	Date Groun	In Complia	Out of Com	Slope	REPAIR	Shape Length
SW_Seg_2741	460	Polyline	2741	B	Good Condition	May be ADA compliant		92.357585			1/15/2025							92.357585
SW_Seg_2771	465	Polyline	2771	B	Good Condition	May be ADA compliant		9.262224			1/15/2025	WHOLE BLOCK				3.1		9.261724
SW_Seg_2781	467	Polyline	2781	B	Good Condition	May be ADA compliant		56.912168			1/9/2025	NEEDS REPLACED			YES	3.5		56.912168
SW_Seg_2788	469	Polyline	2788	B	Good Condition	May be ADA compliant		79.302677			1/13/2025			YES		3	NO	79.302677
SW_Seg_2879	476	Polyline	2879	B	Good Condition	May be ADA compliant		18.482206			1/15/2025					2.8/2.6		18.482206
SW_Seg_3001	479	Polyline	3001	B	Good Condition	May be ADA compliant		45.738935			1/15/2025	BROKEN PANELS		YES	4-6.7	YES		45.738935
SW_Seg_3003	481	Polyline	3003	B	Good Condition	May be ADA compliant		15.13325			1/15/2025	BROKEN PANELS		YES	4-6.7	YES		15.13325
SW_Seg_3010	482	Polyline	3010	B	Good Condition	May be ADA compliant		307.736429			1/9/2025	BROKEN PANELS				2.5/4.7	YES	307.736429
SW_Seg_3012	483	Polyline	3012	B	Good Condition	May be ADA compliant		296.862339			1/9/2025	BROKEN PANELS				2.5/4.7	YES	296.862339
SW_Seg_3013	484	Polyline	3013	B	Good Condition	May be ADA compliant		143.221209			1/9/2025	BROKEN PANELS				2.5/4.7	YES	143.221209
SW_Seg_3014	485	Polyline	3014	B	Good Condition	May be ADA compliant		465.64134			1/9/2025	BROKEN PANELS				2.5/4.7	YES	465.64134
SW_Seg_3025	486	Polyline	3025	B	Good Condition	May be ADA compliant		142.138106			1/9/2025	BROKEN PANELS				2.5/4.7	YES	142.138106
SW_Seg_3027	488	Polyline	3027	B	Good Condition	May be ADA compliant		144.002013			1/9/2025	BROKEN PANELS				2.5/4.7	YES	144.002013
SW_Seg_3030	489	Polyline	3030	B	Good Condition	May be ADA compliant		117.013206			1/9/2025	GRINDING				2.6	YES	117.013206
SW_Seg_3032	490	Polyline	3032	B	Good Condition	May be ADA compliant		129.711344			1/9/2025	BROKEN PANELS					YES	129.711344
SW_Seg_3047	492	Polyline	3047	B	Good Condition	May be ADA compliant		58.669722			1/15/2025	BROKEN PANELS/GRINDS		YES	2.2/3.7	YES		58.669722
SW_Seg_3075	494	Polyline	3075	B	Good Condition	May be ADA compliant		78.83914			1/15/2025	BROKEN						78.83914
SW_Seg_3076	495	Polyline	3076	B	Good Condition	May be ADA compliant		34.921385			1/15/2025	BROKEN						34.921385
SW_Seg_3110	496	Polyline	3110	B	Good Condition	May be ADA compliant		38.326422			1/15/2025	GRIND					YES	38.326422
SW_Seg_3119	498	Polyline	3119	B	Good Condition	May be ADA compliant		49.138093			1/15/2025	WHOLE BLOCK					3.1	49.138093
SW_Seg_3123	502	Polyline	3123	B	Good Condition	May be ADA compliant		35.360724			1/15/2025	WHOLE BLOCK					3.1	35.360724
SW_Seg_3136	504	Polyline	3136	B	Good Condition	May be ADA compliant		102.054607			1/15/2025	WHOLE BLOCK					3.4	102.054607
SW_Seg_3139	506	Polyline	3139	B	Good Condition	May be ADA compliant		139.440188			1/25/2025	BROKEN AND GRIND		YES			YES	139.440188
SW_Seg_3145	508	Polyline	3145	B	Good Condition	May be ADA compliant		145.805224			1/15/2025	GRINDS					YES	145.805224
SW_Seg_3191	511	Polyline	3191	B	Good Condition	May be ADA compliant		30.113097			1/15/2025	BROKEN PANELS		YES	1/5.9	YES		30.113097
SW_Seg_3193	512	Polyline	3193	B	Good Condition	May be ADA compliant		72.596735			1/15/2025	BROKEN PANELS		YES	1/5.9	YES		72.596735
SW_Seg_3196	513	Polyline	3196	B	Good Condition	May be ADA compliant		152.502273			1/15/2025	BROKEN PANELS		YES	1/6.9	YES		152.502273
SW_Seg_3198	514	Polyline	3198	B	Good Condition	May be ADA compliant		71.900019			1/15/2025	BROKEN PANELS		YES	1/6.9	YES		71.900019
SW_Seg_3200	516	Polyline	3200	B	Good Condition	May be ADA compliant		58.401266			1/15/2025	BROKEN PANELS		YES	1/6.9	YES		58.401266
SW_Seg_3204	519	Polyline	3204	B	Good Condition	May be ADA compliant		20.227969			1/15/2025	BROKEN PANELS		YES	1/8.4	YES		20.227969
SW_Seg_3221	523	Polyline	3221	B	Good Condition	May be ADA compliant		33.832328			1/15/2025	BROKEN PANELS/GRINDS		YES	0/2.9	YES		33.832328
SW_Seg_3222	524	Polyline	3222	B	Good Condition	May be ADA compliant		54.837269			1/15/2025	BROKEN PANELS/GRINDS		YES	0/2.9	YES		54.837269
SW_Seg_3226	525	Polyline	3226	B	Good Condition	May be ADA compliant		28.196687			1/15/2025	BROKEN PANELS/GRINDS		YES	9/3.6	YES		28.196687
SW_Seg_3228	527	Polyline	3228	B	Good Condition	May be ADA compliant		59.953335			1/15/2025	BROKEN PANELS/GRINDS		YES	9/3.6	YES		59.953335
SW_Seg_3230	529	Polyline	3230	B	Good Condition	May be ADA compliant		57.105092			1/15/2025	BROKEN PANELS		YES	1/5.2	YES		57.105092
SW_Seg_3244	532	Polyline	3244	B	Good Condition	May be ADA compliant		71.403165			1/15/2025	BROKEN PANELS		YES	1.2-12	YES		71.403165
SW_Seg_3246	534	Polyline	3246	B	Good Condition	May be ADA compliant		44.439825			1/15/2025	BROKEN PANELS		YES	1.2-12	YES		44.439825
SW_Seg_3249	537	Polyline	3249	B	Good Condition	May be ADA compliant		98.350562			1/15/2025	BROKEN PANELS		YES	1.2-12	YES		98.350562
SW_Seg_3250	538	Polyline	3250	B	Good Condition	May be ADA compliant		64.810442			1/15/2025	BROKEN PANELS		YES	1.2-12	YES		64.810442
SW_Seg_3253	540	Polyline	3253	B	Good Condition	May be ADA compliant		150.856439			1/15/2025	BROKEN PANELS		YES	1/8.4	YES		150.856439
SW_Seg_3255	541	Polyline	3255	B	Good Condition	May be ADA compliant		59.052504			1/15/2025	BROKEN PANELS		YES	1/6.9	YES		59.052504
SW_Seg_3257	542	Polyline	3257	B	Good Condition	May be ADA compliant		40.160556			1/15/2025	BROKEN PANELS		YES	1/6.9	YES		40.160556
SW_Seg_3259	544	Polyline	3259	B	Good Condition	May be ADA compliant		25.717978			1/15/2025	BROKEN PANELS		YES	1/6.9	YES		25.717978
SW_Seg_3261	545	Polyline	3261	B	Good Condition	May be ADA compliant		65.808907			1/15/2025	BROKEN PANELS		YES	1/6.9	YES		65.808907
SW_Seg_3263	547	Polyline	3263	B	Good Condition	May be ADA compliant		52.282809			1/15/2025	BROKEN PANELS		YES	1/5.9	YES		52.282809
SW_Seg_3269	552	Polyline	3269	B	Good Condition	May be ADA compliant		50.965355			1/15/2025	BROKEN PANELS/GRINDS		YES	9-10.7	YES		50.965355
SW_Seg_3298	565	Polyline	3298	B	Good Condition	May be ADA compliant		130.927702			1/15/2025	GOOD SIDEWALK		YES	2.8/3.5			130.927702
SW_Seg_3300	566	Polyline	3300	B	Good Condition	May be ADA compliant		65.379905			1/15/2025	GOOD SIDEWALK		YES	2.8/3.5			65.379905
SW_Seg_3303	567	Polyline	3303	B	Good Condition	May be ADA compliant		123.015055			1/15/2025	GOOD SIDEWALK		YES	2.8/3.5			123.015055
SW_Seg_3305	568	Polyline	3305	B	Good Condition	May be ADA compliant		64.666196			1/15/2025	GOOD SIDEWALK		YES	2.8/3.5			64.666196
SW_Seg_3315	570	Polyline	3315	B	Good Condition	May be ADA compliant		134.212924			1/25/2025	GRIND AND BROKEN PANEL		YES			YES	134.212924
SW_Seg_3322	572	Polyline	3322	B	Good Condition	May be ADA compliant		34.840145			1/15/2025	GRINDS					YES	34.840145
SW_Seg_3329	574	Polyline	3329	B	Good Condition	May be ADA compliant		46.812131			1/15/2025	GRIND					YES	46.812131
SW_Seg_3332	575	Polyline	3332	B	Good Condition	May be ADA compliant		140.129404			1/15/2025	SIDEWALK GOOD SHAPE		YES		3.5		140.129404
SW_Seg_3334	576	Polyline	3334	B	Good Condition	May be ADA compliant		141.928241			1/15/2025	SIDEWALK GOOD SHAPE		YES		3.5		141.928241
SW_Seg_3352	578	Polyline	3352	B	Good Condition	May be ADA compliant		56.943565			1/14/2025					2.6	YES	56.943565
SW_Seg_3364	579	Polyline	3364	B	Good Condition	May be ADA compliant		103.901039			1/14/2025			YES		3.2		103.901039
SW_Seg_3455	584	Polyline	3455	B	Good Condition	May be ADA compliant		28.200969			1/15/2025	BROKEN PANELS/ TREES		YES				28.200969
SW_Seg_3496	587	Polyline	3496	B	Good Condition	May be ADA compliant		28.509391			1/15/2025	BROKEN PANELS		YES	1.2-12	YES		28.509391
SW_Seg_3548	594	Polyline	3548	B	Good Condition	May be ADA compliant		29.288987			1/15/2025	Varied Slopes. Broken Panel.						29.288987
SW_Seg_3549	595	Polyline	3549	B	Good Condition	May be ADA compliant		58.75369			1/15/2025	Varied Slopes. Broken Panel.						58.75369
SW_Seg_3555	599	Polyline	3555	B	Good Condition	May be ADA compliant		50.84995			1/15/2025	BROKEN PANELS		YES	1/5.9	YES		50.84995
SW_Seg_3557	600	Polyline	3557	B	Good Condition	May be ADA compliant		21.394205			1/15/2025	BROKEN PANELS		YES	1/5.9	YES		21.394205
SW_Seg_3558	601	Polyline	3558	B	Good Condition	May be ADA compliant		46.242614			1/15/2025	BROKEN PANELS		YES	1/5.9	YES		46.242614
SW_Seg_3564	603	Polyline	3564	B	Good Condition	May be ADA compliant		41.93986			1/15/2025	Varied Slopes. Broken Panel.						41.93986
SW_Seg_3595	611	Polyline	3595	B	Good Condition	May be ADA compliant		72.52403			1/13/2025	BROKEN PANELS		YES			YES	72.52403
SW_Seg_3599	612	Polyline	3599	B	Good Condition	May be ADA compliant		158.824041			<Null>		YES		3.5			158.824041
SW_Seg_3601	613	Polyline	3601	B	Good Condition	May be ADA compliant	No	61.059394			1/13/2025	MOST ASPHALT		YES			YES	61.059394
SW_Seg_3623	616	Polyline	3623	B	Good Condition	May be ADA compliant		33.901098			1/14/2025	BROKEN PANELS/GRINDS		YES	2-18.5	YES		33.901098
SW_Seg_3742	621	Polyline	3742	B	Good Condition	May be ADA compliant		147.196377			1/15/2025	BROKEN/CRACKED PANELS		YES			YES	147.196377
SW_Seg_3745	623	Polyline	3745	B	Good Condition	May be ADA compliant		30.20656			1/13/2025	MOST ASPHALT		YES			YES	30.20656
SW_Seg_3753	626	Polyline	3753	B	Good Condition	May be ADA compliant		25.251044			1/13/2025	SOME ASHAULT PATCHES		YES	4/6.7	YES		25.251044
SW_Seg_3760	627	Polyline	3760	B	Good Condition	May be ADA compliant		118.634131			1/13/2025		122	YES		3		118.634131
SW_Seg_3763	628	Polyline	3763	B	Good Condition	May be ADA compliant		112.154102			1/13/2025		202	YES		4.1		112.154102
SW_Seg_3781	630	Polyline	3781	B	Good Condition	May be ADA compliant		170.04009			1/14/2025	BROKEN PANELS/GRINDS		YES	1.2/8.9	YES		170.04009
SW_Seg_3785	634	Polyline	3785	B	Good Condition	May be ADA compliant		152.225535			1/14/2025	BROKEN PANELS/GRINDS		YES	2-18.5	YES		152.225535
SW_Seg_3787	636	Polyline	3787	B	Good Condition	May be ADA compliant		176.644579			1/14/2025	BROKEN PANELS		YES	1.5/4.5	YES		176.644579
SW_Seg_3789	638	Polyline	3789	B	Good Condition	May be ADA compliant		124.591639			1/14/2025	BROKEN PANELS/GRINDS		YES	-0.162790698	YES		124.591639
SW_Seg_3792	641	Polyline	3792	B	Good Condition													

SW ID	OBJECTID	Shape *	SW ID No	TSI Sidewalk Seg. Facility Grade	TSI Sidewalk Seg. Facility Condition	ADA2010	PROWAG2024	Shape Leng	Comment	Location	Date Ident	Notes	Date Groun	In Complia	Out of Com	Slope	REPAIR	Shape Length
SW_Seg_3809	647	Polyline	3809 B		Good Condition	May be ADA compliant		55.194892			1/13/2025	BROKEN SECTION			YES	4.4		55.194892
SW_Seg_3906	651	Polyline	3906 B		Good Condition	May be ADA compliant		154.703675			1/14/2025	WHOLE BLOCK			YES	2.3/6.4		154.703675
SW_Seg_3917	654	Polyline	3917 B		Good Condition	May be ADA compliant		28.849959			1/14/2025				YES			28.849959
SW_Seg_3921	657	Polyline	3921 B		Good Condition	May be ADA compliant		29.776654			1/14/2025				YES			29.776654
SW_Seg_3923	658	Polyline	3923 B		Good Condition	May be ADA compliant		18.457597			1/14/2025				YES			18.457597
SW_Seg_3933	659	Polyline	3933 B		Good Condition	May be ADA compliant		95.860165			1/14/2025	PEICES OF CURB ARE MISSING			YES	5.7	YES	95.860165
SW_Seg_4012	660	Polyline	4012 B		Good Condition	May be ADA compliant		67.398265			1/13/2025	BROKEN PANELS/TREES			YES			67.398265
SW_Seg_0006	6	Polyline	6 C		Worse Condition	Not ADA compliant	No	649.624121	Disintegrating sidewalk surface		<Null>			NO	YES			649.624121
SW_Seg_0007	7	Polyline	7 C		Worse Condition	Not ADA compliant	No	754.720788	Disintegrating sidewalk surface		<Null>			NO	YES			754.720788
SW_Seg_0008	8	Polyline	8 C		Worse Condition	Not ADA compliant	No	470.404601	Disintegrating sidewalk surface		1/9/2025	NEEDS FIXED 815			YES		BROKEN	470.404601
SW_Seg_0009	9	Polyline	9 C		Worse Condition	Not ADA compliant	No	176.875346	Disintegrating sidewalk surface		1/9/2025				YES	3.9		176.875346
SW_Seg_0010	10	Polyline	10 C		Worse Condition	Not ADA compliant	No	409.287646	Disintegrating sidewalk surface		<Null>			NO	YES			409.287646
SW_Seg_0011	11	Polyline	11 C		Worse Condition	Not ADA compliant	No	122.181839	Disintegrating sidewalk surface		<Null>				YES			122.181839
SW_Seg_0012	12	Polyline	12 C		Worse Condition	Not ADA compliant	No	414.768861	Disintegrating sidewalk surface		<Null>				YES			414.768861
SW_Seg_0013	13	Polyline	13 C		Worse Condition	Not ADA compliant	No	630.360793	Disintegrating sidewalk surface		<Null>				YES			630.360793
SW_Seg_0014	14	Polyline	14 C		Worse Condition	Not ADA compliant	No	128.621818	Disintegrating sidewalk surface		<Null>				YES			128.621818
SW_Seg_0015	15	Polyline	15 C		Worse Condition	Not ADA compliant	No	127.532282	Disintegrating sidewalk surface		<Null>				YES			127.532282
SW_Seg_0016	16	Polyline	16 C		Worse Condition	Not ADA compliant	No	410.967184	Disintegrating sidewalk surface		<Null>				YES			410.967184
SW_Seg_0017	17	Polyline	17 C		Worse Condition	Not ADA compliant	No	410.789999	Disintegrating sidewalk surface		<Null>				YES			410.789999
SW_Seg_0018	18	Polyline	18 C		Worse Condition	Not ADA compliant	No	265.756222	Disintegrating sidewalk surface		<Null>				YES			265.756222
SW_Seg_0019	19	Polyline	19 C		Worse Condition	Not ADA compliant	No	255.084049	Disintegrating sidewalk surface		<Null>				YES			255.084049
SW_Seg_0020	20	Polyline	20 C		Worse Condition	Not ADA compliant	No	357.257363	Disintegrating sidewalk surface		<Null>				YES			357.257363
SW_Seg_0021	21	Polyline	21 C		Worse Condition	Not ADA compliant	No	204.567227	Disintegrating sidewalk surface		<Null>				YES			204.567227
SW_Seg_0022	22	Polyline	22 C		Worse Condition	Not ADA compliant	No	600.77419	Disintegrating sidewalk surface		<Null>				YES			600.77419
SW_Seg_0035	23	Polyline	35 C		Worse Condition	Not ADA compliant	No	682.854104	Disintegrating sidewalk surface		1/9/2025	INFRONT OF RESIDENT BROKEN ALL UP 322 AND 414			YES	3.7	BROKEN/GRIND	682.854104
SW_Seg_0046	24	Polyline	46 C		Worse Condition	Not ADA compliant	No	679.010189	Disintegrating sidewalk surface		1/9/2025	522 KING					BROKEN	679.007358
SW_Seg_0084	29	Polyline	84 C		Worse Condition	Not ADA compliant	No	287.008955			1/14/2025	BROKEN PANELS			YES	4/3	YES	287.008955
SW_Seg_0087	30	Polyline	87 C		Worse Condition	Not ADA compliant	No	64.823953			1/15/2025	BROKEN PANELS/GRINDS			YES	2.2/3.7	YES	64.823953
SW_Seg_0120	33	Polyline	120 C		Worse Condition	Not ADA compliant	No	29.364916	Disintegrating sidewalk surface		1/9/2025				YES		5.7	29.33241
SW_Seg_0167	36	Polyline	167 C		Worse Condition	Not ADA compliant	No	265.464141	Disintegrating sidewalk surface		1/9/2025							265.464141
SW_Seg_0172	38	Polyline	172 C		Worse Condition	Not ADA compliant	No	99.724162	Disintegrating sidewalk surface		1/9/2025				YES	4.5/2.5	GRIND 2 SPOTS	99.724162
SW_Seg_0173	39	Polyline	173 C		Worse Condition	Not ADA compliant	No	89.150393	Disintegrating sidewalk surface		1/9/2025				YES	4.5/2.5	GRIND 2 SPOTS	89.150393
SW_Seg_0180	40	Polyline	180 C		Worse Condition	Not ADA compliant	No	119.907619	Disintegrating sidewalk surface		1/9/2025	NORTH OF SCOTT ON BLVD HALF BLOCK			YES		5	119.907619
SW_Seg_0181	41	Polyline	181 C		Worse Condition	Not ADA compliant	No	58.775513	Disintegrating sidewalk surface		1/9/2025	NORTH OF SCOTT ON BLVD HALF BLOCK			YES		5	58.775513
SW_Seg_0197	44	Polyline	197 C		Worse Condition	Not ADA compliant	No	176.406327	Disintegrating sidewalk surface		1/9/2025	INFRONT OF APARTMENT BEFORE CUSHING			YES		3.3	176.406327
SW_Seg_0265	46	Polyline	265 C		Worse Condition	Not ADA compliant	No	84.148595			1/15/2025	BROKEN PANELS			YES	4-6.7	YES	84.148595
SW_Seg_0268	47	Polyline	268 C		Worse Condition	Not ADA compliant	No	162.907744			1/15/2025	BROKEN PANELS			YES	4-6.7	YES	162.907744
SW_Seg_0269	48	Polyline	269 C		Worse Condition	Not ADA compliant	No	212.421986			1/15/2025	BROKEN PANELS			YES	4-6.7	YES	212.421986
SW_Seg_0277	51	Polyline	277 C		Worse Condition	Not ADA compliant	No	87.264106			1/15/2025	BROKEN PANELS/GRINDS			YES	0/2.9	YES	87.264106
SW_Seg_0287	53	Polyline	287 C		Worse Condition	Not ADA compliant	No	304.888373			1/15/2025	BROKEN PANELS			YES	1/5.2	YES	304.888373
SW_Seg_0291	55	Polyline	291 C		Worse Condition	Not ADA compliant	No	140.923785			1/15/2025	BROKEN PANELS			YES	4-6.7	YES	140.923785
SW_Seg_0340	61	Polyline	340 C		Worse Condition	Not ADA compliant	No	151.942174			1/15/2025	BROKEN PANELS			YES	1.2-12	YES	151.942174
SW_Seg_0343	62	Polyline	343 C		Worse Condition	Not ADA compliant	No	124.765007			1/15/2025	BROKEN PANELS			YES	1/8.4	YES	124.765007
SW_Seg_0349	67	Polyline	349 C		Worse Condition	Not ADA compliant	No	309.040974			1/15/2025	BROKEN PANELS			YES	1/8.4	YES	309.040974
SW_Seg_0350	68	Polyline	350 C		Worse Condition	Not ADA compliant	No	263.830774			1/15/2025	BROKEN PANELS/GRINDS			YES	9-10.7	YES	263.830774
SW_Seg_0363	72	Polyline	363 C		Worse Condition	Not ADA compliant	No	145.416972			1/14/2025	BROKEN PANELS			YES	3-16.8	YES	145.416972
SW_Seg_0371	74	Polyline	371 C		Worse Condition	Not ADA compliant	No	130.783539	Disintegrating sidewalk surface		1/15/2025	BROKEN PANELS			YES	1/8.4	YES	130.783539
SW_Seg_0372	75	Polyline	372 C		Worse Condition	Not ADA compliant	No	251.817498			1/15/2025	BROKEN PANELS			YES	1/8.4	YES	251.817498
SW_Seg_0373	76	Polyline	373 C		Worse Condition	Not ADA compliant	No	165.589842			1/15/2025	BROKEN PANELS			YES	1/8.4	YES	165.589842
SW_Seg_0375	78	Polyline	375 C		Worse Condition	Not ADA compliant	No	117.892451			1/15/2025	BROKEN PANELS			YES	1/6.9	YES	117.892451
SW_Seg_0376	79	Polyline	376 C		Worse Condition	Not ADA compliant	No	130.767304			1/15/2025	BROKEN PANELS			YES	1/6.9	YES	130.767304
SW_Seg_0378	81	Polyline	378 C		Worse Condition	Not ADA compliant	No	133.204168			1/15/2025	BROKEN PANELS			YES	1/5.9	YES	133.204168
SW_Seg_0379	82	Polyline	379 C		Worse Condition	Not ADA compliant	No	143.792025			1/15/2025	Varied Slopes. Broken Panel.						143.792025
SW_Seg_0382	83	Polyline	382 C		Worse Condition	Not ADA compliant	No	122.55569			1/15/2025	Varied Slopes. Broken Panel.						122.55569
SW_Seg_0389	86	Polyline	389 C		Worse Condition	Not ADA compliant	No	146.532762			1/15/2025	BROKEN PANELS			YES	1/6.9	YES	146.532762
SW_Seg_0420	88	Polyline	420 C		Worse Condition	Not ADA compliant	No	292.36221			1/15/2025	BROKEN PANELS/GRINDS			YES	9-10.7	YES	292.36221
SW_Seg_0441	95	Polyline	441 C		Worse Condition	Not ADA compliant	No	475.974517			1/15/2025	BROKEN PANELS			YES	1/5.9	YES	475.974517
SW_Seg_0443	96	Polyline	443 C		Worse Condition	Not ADA compliant	No	293.269465			1/14/2025	509 LIFTED PANELS			YES		3.1	293.269465
SW_Seg_0514	99	Polyline	514 C		Worse Condition	Not ADA compliant	No	91.811607			1/15/2025	408 NEEDS REPLACEMENT					YES	91.811607
SW_Seg_0535	103	Polyline	535 C		Worse Condition	Not ADA compliant	No	280.359005			1/14/2025	BROKEN PANELS/GRINDS			YES	1.2/8.9	YES	280.359005
SW_Seg_0545	106	Polyline	545 C		Worse Condition	Not ADA compliant	No	433.234056			1/14/2025	ASHPAHL PATCHES			YES	0/9.4	YES	433.234056
SW_Seg_0554	108	Polyline	554 C		Worse Condition	Not ADA compliant	No	124.957612			1/13/2025	BROKEN PANELS			YES		YES	124.957612
SW_Seg_0556	109	Polyline	556 C		Worse Condition	Not ADA compliant	No	311.808909			1/13/2025	ALL ASPHALT			YES		YES	311.808909
SW_Seg_0557	110	Polyline	557 C		Worse Condition	Not ADA compliant	No	245.339178			1/13/2025	HORRIBLE SHAPE 1419			YES		3.8	245.339178
SW_Seg_0558	111	Polyline	558 C		Worse Condition	Not ADA compliant	No	262.836451			1/13/2025	ALL ASPHALT			YES		YES	262.836451
SW_Seg_0564	114	Polyline	564 C		Worse Condition	Not ADA compliant	No	322.294269			1/13/2025	ASPHALT BROKEN UP			YES			322.270192
SW_Seg_0567	116	Polyline	567 C		Worse Condition	Not ADA compliant	No	64.296564			1/13/2025				YES		YES	64.296564
SW_Seg_0575	117	Polyline	575 C		Worse Condition	Not ADA compliant	No	305.876429			1/13/2025	400 LIFTED PANELS/TREES			X		6.5	305.876429
SW_Seg_0577	118	Polyline	577 C		Worse Condition	Not ADA compliant	No	78.837401			1/13/2025	LIFTED PANELS/TREES			YES		5.3	78.837401
SW_Seg_0592	127	Polyline	592 C		Worse Condition	Not ADA compliant	No	35.31985			1/14/2025	BROKEN PANELS/GRINDS			YES	2-18.5	YES	35.30635
SW_Seg_0593	128	Polyline	593 C		Worse Condition	Not ADA compliant	No	22.787867			1/14/2025	BROKEN PANELS/GRINDS			YES	2-18.5	YES	22.759691
SW_Seg_0595	130	Polyline	595 C		Worse Condition	Not ADA compliant	No	19.642051			1/14/2025	BROKEN PANELS/GRINDS			YES	2-18.5	YES	19.622357
SW_Seg_0596	131	Polyline	596 C		Worse Condition	Not ADA compliant	No	104.004875			1/14/2025	BROKEN PANELS/GRINDS			YES	2-18.5	YES	103.963089
SW_Seg_0597	132	Polyline	597 C		Worse Condition	Not ADA compliant	No	360.191942			1/14/2025	BROKEN PANELS/GRINDS			YES	2-18.5	YES	360.145495
SW_Seg_0681	145	Polyline	681 C		Worse Condition	Not ADA compliant	No	140.072794			1/15/2025	BROKEN PANELS			YES	6.2/5.1		140.072794
SW_Seg_0784	159	Polyline	784 C		Worse Condition	Not ADA compliant	No	21.385494			1/15/2025	Varied Slopes. Broken Panel.						21.376033
SW_Seg_0786	160	Polyline	786 C		Worse Condition	Not ADA compliant	No	188.880591			1/15/2025	Varied Slopes. Broken Panel.						188.880591
SW_Seg_0789	161	Polyline	789 C		Worse Condition	Not ADA compliant	No	24.520094			1/15/2025	BROKEN PANELS			YES	1/5.9	YES	24.520094
SW_Seg_0892	180	Polyline	892 C		Worse Condition	Not ADA compliant	No	68.1667										

SW ID	OBJECTID	Shape	SW ID No	TSI Sidewalk Seg. Facility Grade	TSI Sidewalk Seg. Facility Condition	ADA2010	PROWAG2024	Shape Leng	Comment	Location	Date Ident	Notes	Date Groun	In Complia	Out of Com	Slope	REPAIR	Shape Length
SW_Seg_0946	193	Polyline	946 C		Worse Condition	Not ADA compliant	No	76.440414			1/15/2025	GOOD SIDEWALK			YES	2.8/3.5		76.440414
SW_Seg_0964	197	Polyline	964 C		Worse Condition	Not ADA compliant	No	124.416594			1/15/2025	GOOD SIDEWALK			YES	3.5/3.7/2.8		124.416594
SW_Seg_1002	202	Polyline	1002 C		Worse Condition	Not ADA compliant	No	288.000344			1/15/2025	GRINDS/NEEDS REPLACE					YES	288.000344
SW_Seg_1005	204	Polyline	1005 C		Worse Condition	Not ADA compliant	No	269.099366			1/15/2025	BROKEN PANELS/ TREES		YES				269.099366
SW_Seg_1007	205	Polyline	1007 C		Worse Condition	Not ADA compliant	No	207.566394			1/15/2025	GRINDS					YES	207.566394
SW_Seg_1015	208	Polyline	1015 C		Worse Condition	Not ADA compliant	No	133.467659			1/15/2025	GRINDER					YES	133.467659
SW_Seg_1020	209	Polyline	1020 C		Worse Condition	Not ADA compliant	No	288.052077			1/15/2025	BROKEN		YES			YES	288.052077
SW_Seg_1024	211	Polyline	1024 C		Worse Condition	Not ADA compliant	No	269.898573	Disintegrating sidewalk surface		1/15/2025			YES				269.898573
SW_Seg_1079	216	Polyline	1079 C		Worse Condition	Not ADA compliant	No	220.623001			1/15/2025			YES		3.8		220.623001
SW_Seg_1095	218	Polyline	1095 C		Worse Condition	Not ADA compliant	No	142.721862	Disintegrating sidewalk surface		1/15/2025						YES	142.721862
SW_Seg_1138	220	Polyline	1138 C		Worse Condition	Not ADA compliant	No	223.045966			1/15/2025	WHOLE BLOCK FRANKLIN FIELD		YES		3	YES	223.045966
SW_Seg_1189	226	Polyline	1189 C		Worse Condition	Not ADA compliant	No	184.077686	Disintegrating sidewalk surface		1/15/2025						YES	184.077686
SW_Seg_1307	230	Polyline	1307 C		Worse Condition	Not ADA compliant	No	266.924766	Disintegrating sidewalk surface		1/14/2025	BROKEN SLABS		YES		3.4		266.924766
SW_Seg_1310	231	Polyline	1310 C		Worse Condition	Not ADA compliant	No	335.307161	Disintegrating sidewalk surface		1/14/2025	BROKEN SLABS		YES		3.4		335.307161
SW_Seg_1325	233	Polyline	1325 C		Worse Condition	Not ADA compliant	No	303.421608	Disintegrating sidewalk surface		1/23/2025	1519 BROKEN PANELS					YES	303.421608
SW_Seg_1342	236	Polyline	1342 C		Worse Condition	Not ADA compliant	No	161.904435	Disintegrating sidewalk surface		1/23/2025			YES		4.8		161.904435
SW_Seg_1429	239	Polyline	1429 C		Worse Condition	Not ADA compliant	No	286.53153	Disintegrating sidewalk surface		1/14/2025	BROKEN PANELS BOTH SIDES OF ROAD		YES		4.7	YES	286.53153
SW_Seg_1439	240	Polyline	1439 C		Worse Condition	Not ADA compliant	No	260.31081	Disintegrating sidewalk surface		1/14/2025	BROKEN PANELS BOTH SIDES OF ROAD		YES		3.6	YES	260.31081
SW_Seg_1446	241	Polyline	1446 C		Worse Condition	Not ADA compliant	No	253.581174	Disintegrating sidewalk surface		1/14/2025	1909 BROKEN PANELS	YES			1.1	YES	253.581174
SW_Seg_1514	244	Polyline	1514 C		Worse Condition	Not ADA compliant	No	159.725973	Disintegrating sidewalk surface		1/14/2025			YES			YES	159.725973
SW_Seg_1515	245	Polyline	1515 C		Worse Condition	Not ADA compliant	No	314.522926	Disintegrating sidewalk surface		1/14/2025			YES			YES	314.522926
SW_Seg_1516	246	Polyline	1516 C		Worse Condition	Not ADA compliant	No	310.241974	Disintegrating sidewalk surface		1/14/2025							310.241974
SW_Seg_1519	247	Polyline	1519 C		Worse Condition	Not ADA compliant	No	314.126116	Disintegrating sidewalk surface		1/14/2025							314.126116
SW_Seg_1527	248	Polyline	1527 C		Worse Condition	Not ADA compliant	No	304.195193	Disintegrating sidewalk surface		1/14/2025							304.195193
SW_Seg_1528	249	Polyline	1528 C		Worse Condition	Not ADA compliant	No	304.323569	Disintegrating sidewalk surface		1/14/2025							304.323569
SW_Seg_1532	250	Polyline	1532 C		Worse Condition	Not ADA compliant	No	305.716359	Disintegrating sidewalk surface		1/13/2025						YES	305.716359
SW_Seg_1533	251	Polyline	1533 C		Worse Condition	Not ADA compliant	No	314.326345	Disintegrating sidewalk surface		1/13/2025						YES	314.326345
SW_Seg_1549	252	Polyline	1549 C		Worse Condition	Not ADA compliant	No	462.915872	Disintegrating sidewalk surface		1/15/2025	BROKEN PANELS				2.2	YES	462.915872
SW_Seg_1566	254	Polyline	1566 C		Worse Condition	Not ADA compliant	No	308.266094	Disintegrating sidewalk surface		1/15/2025			YES		4.3	YES	308.266094
SW_Seg_1567	255	Polyline	1567 C		Worse Condition	Not ADA compliant	No	304.534035	Disintegrating sidewalk surface		1/15/2025			YES		4.3	YES	304.534035
SW_Seg_1568	256	Polyline	1568 C		Worse Condition	Not ADA compliant	No	309.056874	Disintegrating sidewalk surface		1/13/2025							309.056874
SW_Seg_1569	257	Polyline	1569 C		Worse Condition	Not ADA compliant	No	246.676655	Disintegrating sidewalk surface		1/13/2025							246.676655
SW_Seg_1570	258	Polyline	1570 C		Worse Condition	Not ADA compliant	No	307.474829	Disintegrating sidewalk surface		1/13/2025							307.474829
SW_Seg_1571	259	Polyline	1571 C		Worse Condition	Not ADA compliant	No	303.545203	Disintegrating sidewalk surface		1/13/2025							303.545203
SW_Seg_1572	260	Polyline	1572 C		Worse Condition	Not ADA compliant	No	290.728105	Disintegrating sidewalk surface		1/13/2025							290.728105
SW_Seg_1573	261	Polyline	1573 C		Worse Condition	Not ADA compliant	No	267.656527	Disintegrating sidewalk surface		1/13/2025	REPAIR 1913					YES	267.656527
SW_Seg_1574	262	Polyline	1574 C		Worse Condition	Not ADA compliant	No	290.312294	Disintegrating sidewalk surface		1/13/2025							290.312294
SW_Seg_1575	263	Polyline	1575 C		Worse Condition	Not ADA compliant	No	267.554517	Disintegrating sidewalk surface		1/13/2025	REPAIR 1913					YES	267.554517
SW_Seg_1586	264	Polyline	1586 C		Worse Condition	Not ADA compliant	No	277.246884	Disintegrating sidewalk surface		1/13/2025							277.246884
SW_Seg_1587	265	Polyline	1587 C		Worse Condition	Not ADA compliant	No	268.29112	Disintegrating sidewalk surface		1/13/2025					5.8	YES	268.29112
SW_Seg_1588	266	Polyline	1588 C		Worse Condition	Not ADA compliant	No	267.29564	Disintegrating sidewalk surface		1/13/2025					5.8	YES	267.29564
SW_Seg_1589	267	Polyline	1589 C		Worse Condition	Not ADA compliant	No	278.060605	Disintegrating sidewalk surface		1/13/2025							278.060605
SW_Seg_1598	268	Polyline	1598 C		Worse Condition	Not ADA compliant	No	254.662005	Disintegrating sidewalk surface		1/13/2025							254.662005
SW_Seg_1599	269	Polyline	1599 C		Worse Condition	Not ADA compliant	No	256.433205	Disintegrating sidewalk surface		1/13/2025							256.433205
SW_Seg_1600	270	Polyline	1600 C		Worse Condition	Not ADA compliant	No	280.048446	Disintegrating sidewalk surface		1/13/2025						YES	280.048446
SW_Seg_1601	271	Polyline	1601 C		Worse Condition	Not ADA compliant	No	282.238972	Disintegrating sidewalk surface		1/13/2025						YES	282.238972
SW_Seg_1602	272	Polyline	1602 C		Worse Condition	Not ADA compliant	No	264.065161	Disintegrating sidewalk surface		1/13/2025						YES	264.065161
SW_Seg_1603	273	Polyline	1603 C		Worse Condition	Not ADA compliant	No	259.449432	Disintegrating sidewalk surface		1/13/2025						YES	259.449432
SW_Seg_1611	274	Polyline	1611 C		Worse Condition	Not ADA compliant	No	34.642471	Disintegrating sidewalk surface		1/13/2025					3	YES	34.6407434
SW_Seg_1612	275	Polyline	1612 C		Worse Condition	Not ADA compliant	No	203.23129	Disintegrating sidewalk surface		1/13/2025					3	YES	203.23129
SW_Seg_1613	276	Polyline	1613 C		Worse Condition	Not ADA compliant	No	130.567296	Disintegrating sidewalk surface		1/13/2025					3	YES	130.567296
SW_Seg_1632	278	Polyline	1632 C		Worse Condition	Not ADA compliant	No	199.627257	Disintegrating sidewalk surface		1/13/2025					3	YES	199.627257
SW_Seg_1635	279	Polyline	1635 C		Worse Condition	Not ADA compliant	No	168.240887	Disintegrating sidewalk surface		1/13/2025						YES	168.240887
SW_Seg_1640	280	Polyline	1640 C		Worse Condition	Not ADA compliant	No	283.374496	Disintegrating sidewalk surface		1/13/2025	REPLACE					YES	283.374496
SW_Seg_1646	282	Polyline	1646 C		Worse Condition	Not ADA compliant	No	198.200668	Disintegrating sidewalk surface		1/13/2025					5.4	YES	198.200668
SW_Seg_1678	288	Polyline	1678 C		Worse Condition	Not ADA compliant	No	323.401626	Disintegrating sidewalk surface		1/13/2025	REPLACE					YES	323.401626
SW_Seg_1680	289	Polyline	1680 C		Worse Condition	Not ADA compliant	No	315.782479	Disintegrating sidewalk surface		1/13/2025	REPLACE					YES	315.782479
SW_Seg_1684	290	Polyline	1684 C		Worse Condition	Not ADA compliant	No	288.664492	Disintegrating sidewalk surface		1/13/2025	REPLACE					YES	288.664492
SW_Seg_1686	291	Polyline	1686 C		Worse Condition	Not ADA compliant	No	261.140234	Disintegrating sidewalk surface		1/13/2025	REPLACE					YES	261.140234
SW_Seg_1694	293	Polyline	1694 C		Worse Condition	Not ADA compliant	No	292.437312	Disintegrating sidewalk surface		1/13/2025						YES	292.437312
SW_Seg_1695	294	Polyline	1695 C		Worse Condition	Not ADA compliant	No	288.759885	Disintegrating sidewalk surface		1/13/2025						YES	288.759885
SW_Seg_1696	295	Polyline	1696 C		Worse Condition	Not ADA compliant	No	287.358361	Disintegrating sidewalk surface		1/13/2025						YES	287.358361
SW_Seg_1697	296	Polyline	1697 C		Worse Condition	Not ADA compliant	No	260.460704	Disintegrating sidewalk surface		1/13/2025						YES	260.460704
SW_Seg_1700	297	Polyline	1700 C		Worse Condition	Not ADA compliant	No	288.365816	Disintegrating sidewalk surface		1/13/2025						YES	288.365816
SW_Seg_1702	298	Polyline	1702 C		Worse Condition	Not ADA compliant	No	158.945571	Disintegrating sidewalk surface		1/13/2025						YES	158.945571
SW_Seg_1703	299	Polyline	1703 C		Worse Condition	Not ADA compliant	No	288.21523	Disintegrating sidewalk surface		1/13/2025						YES	288.21523
SW_Seg_1704	300	Polyline	1704 C		Worse Condition	Not ADA compliant	No	264.903207	Disintegrating sidewalk surface		1/13/2025						YES	264.903207
SW_Seg_1705	301	Polyline	1705 C		Worse Condition	Not ADA compliant	No	152.313221	Disintegrating sidewalk surface		1/13/2025							152.313221
SW_Seg_1706	302	Polyline	1706 C		Worse Condition	Not ADA compliant	No	104.958582	Disintegrating sidewalk surface		1/13/2025							104.958582
SW_Seg_1709	303	Polyline	1709 C		Worse Condition	Not ADA compliant	No	197.181931	Disintegrating sidewalk surface		1/13/2025							197.181931
SW_Seg_1712	305	Polyline	1712 C		Worse Condition	Not ADA compliant	No	36.309425	Disintegrating sidewalk surface		1/13/2025							36.309425
SW_Seg_1714	306	Polyline	1714 C		Worse Condition	Not ADA compliant	No	130.286165	Disintegrating sidewalk surface		1/13/2025	REPLACE					YES	130.286165
SW_Seg_1715	307	Polyline	1715 C		Worse Condition	Not ADA compliant	No	140.704866	Disintegrating sidewalk surface		1/13/2025	REPLACE					YES	140.704866
SW_Seg_1717	308	Polyline	1717 C		Worse Condition	Not ADA compliant	No	12.453718	Disintegrating sidewalk surface		1/13/2025	REPLACE					YES	12.453718
SW_Seg_1724	309	Polyline	1724 C		Worse Condition	Not ADA compliant	No	255.85329	Disintegrating sidewalk surface		1/10/2025			YES		5.2		255.85329
SW_Seg_1725	310	Polyline	1725 C		Worse Condition	Not ADA compliant	No	256.004684	Disintegrating sidewalk surface		1/10/2025			YES		5.2		256.004684
SW_Seg_1732	311	Polyline	1732 C		Worse Condition	Not ADA compliant	No	286.446232	Disintegrating sidewalk surface		1/13/2025	REPLACE					YES	286.446232
SW_Seg_1733	312	Polyline	1733 C		Worse Condition	Not ADA compliant	No	288.826236	Disintegrating sidewalk surface		1/13/2025	REPLACE					YES	288.826236
SW_Seg_1734	313	Polyline	1734 C		Worse Condition	Not ADA compliant	No	286.5273										

SW ID	OBJECTID	Shape	SW ID No	TSI Sidewalk Seg. Facility Grade	TSI Sidewalk Seg. Facility Condition	ADA2010	PROWAG2024	Shape Leng	Comment	Location	Date Ident	Notes	Date Groun	In Complia	Out of Com	Slope	REPAIR	Shape Length	
SW_Seg_1735	314	Polyline	1735	C	Worse Condition	Not ADA compliant	No	287.260958	Disintegrating sidewalk surface		1/13/2025	REPLACE					YES	287.260958	
SW_Seg_1739	315	Polyline	1739	C	Worse Condition	Not ADA compliant	No	177.228699	Disintegrating sidewalk surface		1/13/2025						YES	177.228699	
SW_Seg_1743	316	Polyline	1743	C	Worse Condition	Not ADA compliant	No	239.288944	Disintegrating sidewalk surface		1/13/2025						YES	239.288944	
SW_Seg_1748	317	Polyline	1748	C	Worse Condition	Not ADA compliant	No	228.257882	Disintegrating sidewalk surface		1/13/2025						YES	228.257882	
SW_Seg_1749	318	Polyline	1749	C	Worse Condition	Not ADA compliant	No	232.382857	Disintegrating sidewalk surface		1/13/2025						YES	232.382857	
SW_Seg_1751	319	Polyline	1751	C	Worse Condition	Not ADA compliant	No	116.748629	Disintegrating sidewalk surface		1/13/2025			YES				116.748629	
SW_Seg_1757	320	Polyline	1757	C	Worse Condition	Not ADA compliant	No	100.871613	Disintegrating sidewalk surface		1/13/2025						YES	100.871613	
SW_Seg_1759	321	Polyline	1759	C	Worse Condition	Not ADA compliant	No	208.360589	Disintegrating sidewalk surface		1/13/2025	PARTIAL 1716					YES	208.360589	
SW_Seg_1763	322	Polyline	1763	C	Worse Condition	Not ADA compliant	No	70.576954	Disintegrating sidewalk surface		1/13/2025						YES	70.576954	
SW_Seg_1770	323	Polyline	1770	C	Worse Condition	Not ADA compliant	No	175.804119	Disintegrating sidewalk surface		1/13/2025					3.2		175.804119	
SW_Seg_1772	324	Polyline	1772	C	Worse Condition	Not ADA compliant	No	316.690585	Disintegrating sidewalk surface		1/13/2025					3.3	YES	316.690585	
SW_Seg_1773	325	Polyline	1773	C	Worse Condition	Not ADA compliant	No	262.027381	Disintegrating sidewalk surface		1/13/2025	NEEDS REPLACE		YES			YES	262.027381	
SW_Seg_1774	326	Polyline	1774	C	Worse Condition	Not ADA compliant	No	207.783413	Disintegrating sidewalk surface		1/13/2025	NEEDS REPLACE		YES			YES	207.783413	
SW_Seg_1775	327	Polyline	1775	C	Worse Condition	Not ADA compliant	No	295.905626	Disintegrating sidewalk surface		1/13/2025				YES		3.8	YES	295.905626
SW_Seg_1776	328	Polyline	1776	C	Worse Condition	Not ADA compliant	No	237.575279	Disintegrating sidewalk surface		1/13/2025				YES		3.8	YES	237.575279
SW_Seg_1777	329	Polyline	1777	C	Worse Condition	Not ADA compliant	No	162.652875	Disintegrating sidewalk surface		1/13/2025						4		162.652875
SW_Seg_1778	330	Polyline	1778	C	Worse Condition	Not ADA compliant	No	320.889784	Disintegrating sidewalk surface		1/13/2025						4		320.889784
SW_Seg_1779	331	Polyline	1779	C	Worse Condition	Not ADA compliant	No	315.987487	Disintegrating sidewalk surface		1/13/2025				YES		YES	315.987487	
SW_Seg_1780	332	Polyline	1780	C	Worse Condition	Not ADA compliant	No	303.731844	Disintegrating sidewalk surface		1/13/2025				YES		YES	303.731844	
SW_Seg_1781	333	Polyline	1781	C	Worse Condition	Not ADA compliant	No	262.634107	Disintegrating sidewalk surface		1/13/2025						3.3	YES	262.634107
SW_Seg_1782	334	Polyline	1782	C	Worse Condition	Not ADA compliant	No	268.156959	Disintegrating sidewalk surface		1/13/2025						3.3	YES	268.156959
SW_Seg_1783	335	Polyline	1783	C	Worse Condition	Not ADA compliant	No	139.015273	Disintegrating sidewalk surface		1/13/2025						3	YES	139.015273
SW_Seg_1784	336	Polyline	1784	C	Worse Condition	Not ADA compliant	No	239.794205	Disintegrating sidewalk surface		1/13/2025						3	YES	239.794205
SW_Seg_1795	339	Polyline	1795	C	Worse Condition	Not ADA compliant	No	242.779489	Disintegrating sidewalk surface		1/13/2025				YES		3	NO	242.779489
SW_Seg_1801	340	Polyline	1801	C	Worse Condition	Not ADA compliant	No	131.221106	Disintegrating sidewalk surface		1/9/2025				YES		5.2		131.221106
SW_Seg_1802	341	Polyline	1802	C	Worse Condition	Not ADA compliant	No	116.5452	Disintegrating sidewalk surface		1/9/2025				YES		5.2		116.5452
SW_Seg_1803	342	Polyline	1803	C	Worse Condition	Not ADA compliant	No	125.84151	Disintegrating sidewalk surface		1/9/2025				YES		5.2		125.84151
SW_Seg_1831	346	Polyline	1831	C	Worse Condition	Not ADA compliant	No	130.87294	Disintegrating sidewalk surface		1/13/2025				YES		4	YES	130.87294
SW_Seg_1862	350	Polyline	1862	C	Worse Condition	Not ADA compliant	No	284.778743	Disintegrating sidewalk surface		1/14/2025		511		YES		3.1	NO	284.778743
SW_Seg_1893	353	Polyline	1893	C	Worse Condition	Not ADA compliant	No	307.663314	Disintegrating sidewalk surface		1/9/2025	917 GRIND					YES		307.663314
SW_Seg_1899	354	Polyline	1899	C	Worse Condition	Not ADA compliant	No	84.985772	Disintegrating sidewalk surface		1/9/2025				YES		5.2		84.985772
SW_Seg_1915	355	Polyline	1915	C	Worse Condition	Not ADA compliant	No	266.141614	Disintegrating sidewalk surface		1/9/2025				YES		5.6		266.141614
SW_Seg_1941	360	Polyline	1941	C	Worse Condition	Not ADA compliant	No	300.00466	Disintegrating sidewalk surface		1/9/2025	BOTH SIDES			YES		5.1		300.00466
SW_Seg_1942	361	Polyline	1942	C	Worse Condition	Not ADA compliant	No	320.595752	Disintegrating sidewalk surface		1/9/2025	NEEDS REPLACEMENT			YES		YES	320.595752	
SW_Seg_1945	364	Polyline	1945	C	Worse Condition	Not ADA compliant	No	283.888544	Disintegrating sidewalk surface		1/9/2025						4		283.888544
SW_Seg_1965	367	Polyline	1965	C	Worse Condition	Not ADA compliant	No	288.108855	Disintegrating sidewalk surface		1/15/2025	REPLACE					YES	288.108855	
SW_Seg_1966	368	Polyline	1966	C	Worse Condition	Not ADA compliant	No	75.86697	Disintegrating sidewalk surface		1/9/2025			YES			NO	75.86697	
SW_Seg_1975	373	Polyline	1975	C	Worse Condition	Not ADA compliant	No	127.353769	Disintegrating sidewalk surface		1/13/2025				YES		3.4	YES	127.353769
SW_Seg_1984	374	Polyline	1984	C	Worse Condition	Not ADA compliant	No	94.195258	Disintegrating sidewalk surface		1/13/2025				YES		3.4	YES	94.195258
SW_Seg_1991	376	Polyline	1991	C	Worse Condition	Not ADA compliant	No	130.796563	Disintegrating sidewalk surface		1/13/2025				YES		3.4	YES	130.796563
SW_Seg_2216	387	Polyline	2216	C	Worse Condition	Not ADA compliant	No	119.489401	Disintegrating sidewalk surface		1/15/2025	BROKEN PANELS			YES	1/5/9	YES	119.489401	
SW_Seg_2222	388	Polyline	2222	C	Worse Condition	Not ADA compliant	No	49.276256	Disintegrating sidewalk surface		1/15/2025	BROKEN PANELS/GRINDS			YES	2.2/3.7	YES	49.276256	
SW_Seg_2285	395	Polyline	2285	C	Worse Condition	Not ADA compliant	No	60.988967	Disintegrating sidewalk surface		1/13/2025	PARTIAL 1615					YES	60.988967	
SW_Seg_2286	396	Polyline	2286	C	Worse Condition	Not ADA compliant	No	50.142774	Disintegrating sidewalk surface		1/13/2025	PARTIAL 1615					YES	50.142774	
SW_Seg_2324	397	Polyline	2324	C	Worse Condition	Not ADA compliant	No	6.396464	Disintegrating sidewalk surface		1/9/2025	NORTH OF SCOTT ON BLVD HALF BLOCK			YES		5		6.396464
SW_Seg_2400	399	Polyline	2400	C	Worse Condition	Not ADA compliant	No	9.303419	Disintegrating sidewalk surface		1/9/2025				YES	5.4/5.7		9.293012	
SW_Seg_2401	400	Polyline	2401	C	Worse Condition	Not ADA compliant	No	21.179478	Disintegrating sidewalk surface		1/9/2025				YES		5.7		21.160646
SW_Seg_2472	410	Polyline	2472	C	Worse Condition	Not ADA compliant	No	20.756692	Disintegrating sidewalk surface		1/14/2025				YES		YES	20.756692	
SW_Seg_2473	411	Polyline	2473	C	Worse Condition	Not ADA compliant	No	20.83617	Disintegrating sidewalk surface		1/14/2025				YES		YES	20.83617	
SW_Seg_2491	415	Polyline	2491	C	Worse Condition	Not ADA compliant	No	106.417589	Disintegrating sidewalk surface		1/13/2025	REPLACE					YES	106.417589	
SW_Seg_2521	420	Polyline	2521	C	Worse Condition	Not ADA compliant	No	59.192146	Disintegrating sidewalk surface		1/13/2025	NEEDS REPLACE		YES			YES	59.192146	
SW_Seg_2524	422	Polyline	2524	C	Worse Condition	Not ADA compliant	No	55.835837	Disintegrating sidewalk surface		1/13/2025				YES		3.8	YES	55.835837
SW_Seg_2526	424	Polyline	2526	C	Worse Condition	Not ADA compliant	No	17.259279	Disintegrating sidewalk surface		1/13/2025				YES		3.8	YES	17.259279
SW_Seg_2528	426	Polyline	2528	C	Worse Condition	Not ADA compliant	No	109.941125	Disintegrating sidewalk surface		1/13/2025						4		109.941125
SW_Seg_2530	427	Polyline	2530	C	Worse Condition	Not ADA compliant	No	135.047203	Disintegrating sidewalk surface		1/13/2025	PARTIAL 1716					YES	135.047203	
SW_Seg_2537	428	Polyline	2537	C	Worse Condition	Not ADA compliant	No	268.634724	Disintegrating sidewalk surface		1/13/2025	REPLACE					YES	268.634724	
SW_Seg_2538	429	Polyline	2538	C	Worse Condition	Not ADA compliant	No	128.157456	Disintegrating sidewalk surface		1/13/2025						YES	128.157456	
SW_Seg_2539	430	Polyline	2539	C	Worse Condition	Not ADA compliant	No	131.187117	Disintegrating sidewalk surface		1/13/2025						YES	131.187117	
SW_Seg_2541	431	Polyline	2541	C	Worse Condition	Not ADA compliant	No	50.342231	Disintegrating sidewalk surface		1/13/2025						YES	50.342231	
SW_Seg_2585	437	Polyline	2585	C	Worse Condition	Not ADA compliant	No	87.817557	Disintegrating sidewalk surface		1/14/2025	BROKEN SLABS			YES		3.4		87.817557
SW_Seg_2597	438	Polyline	2597	C	Worse Condition	Not ADA compliant	No	59.610401	Disintegrating sidewalk surface		1/23/2025	BROKEN UP			YES			59.610401	
SW_Seg_2612	439	Polyline	2612	C	Worse Condition	Not ADA compliant	No	32.227531	Disintegrating sidewalk surface		1/9/2025				YES		5.2		32.227531
SW_Seg_2614	441	Polyline	2614	C	Worse Condition	Not ADA compliant	No	100.944571	Disintegrating sidewalk surface		1/9/2025	CLEANED UP			YES		4.6		100.944571
SW_Seg_2622	442	Polyline	2622	C	Worse Condition	Not ADA compliant	No	89.534254	Disintegrating sidewalk surface		1/13/2025						3	YES	89.534254
SW_Seg_2653	446	Polyline	2653	C	Worse Condition	Not ADA compliant	No	18.444316	Disintegrating sidewalk surface		1/9/2025						4		18.444316
SW_Seg_2655	448	Polyline	2655	C	Worse Condition	Not ADA compliant	No	43.349868	Disintegrating sidewalk surface		1/9/2025				YES		5.6		43.349868
SW_Seg_2715	451	Polyline	2715	C	Worse Condition	Not ADA compliant	No	7.986403	Disintegrating sidewalk surface		1/15/2025						YES	7.986403	
SW_Seg_2725	455	Polyline	2725	C	Worse Condition	Not ADA compliant	No	98.575385	Disintegrating sidewalk surface		1/15/2025						YES	98.575385	
SW_Seg_2727	457	Polyline	2727	C	Worse Condition	Not ADA compliant	No	125.417852	Disintegrating sidewalk surface		1/15/2025	REPLACE					YES	125.417852	
SW_Seg_2739	458	Polyline	2739	C	Worse Condition	Not ADA compliant	No	29.775807	Disintegrating sidewalk surface		1/15/2025						3.9	YES	29.775807
SW_Seg_2740	459	Polyline	2740	C	Worse Condition	Not ADA compliant	No	32.421427	Disintegrating sidewalk surface		1/15/2025							32.421427	
SW_Seg_2754	461	Polyline	2754	C	Worse Condition	Not ADA compliant	No	47.710386	Disintegrating sidewalk surface		1/13/2025				YES		3.4	YES	47.710386
SW_Seg_2755	462	Polyline	2755	C	Worse Condition	Not ADA compliant	No	44.547503	Disintegrating sidewalk surface		1/13/2025				YES		3.4	YES	44.547503
SW_Seg_2756	463	Polyline	2756	C	Worse Condition	Not ADA compliant	No	48.005243	Disintegrating sidewalk surface		1/13/2025				YES		3.4	YES	48.005243
SW_Seg_2769	464	Polyline	2769	C	Worse Condition	Not ADA compliant	No	6.5807	Disintegrating sidewalk surface		1/15/2025	WHOLE BLOCK FRANKLIN FIELD			YES		3	YES	6.578256
SW_Seg_2773	466	Polyline	2773	C	Worse Condition	Not ADA compliant	No	118.86539	Disintegrating sidewalk surface		1/9/2025	BOTH SIDES					6.5	YES	118.86539
SW_Seg_2784	468	Polyline	2784	C	Worse Condition	Not ADA compliant	No	100.056826	Disintegrating sidewalk surface		1/13/2025				YES		3	NO	

SW ID	OBJECTID	Shape	SW ID No	TSI Sidewalk Seg. Facility Grade	TSI Sidewalk Seg. Facility Condition	ADA2010	PROWAG2024	Shape Leng	Comment	Location	Date Ident	Notes	Date Groun	In Complia	Out of Com	Slope	REPAIR	Shape Length
SW_Seg_2827	471	Polyline	2827	C	Worse Condition	Not ADA compliant	No	89.008526	Disintegrating sidewalk surface		1/14/2025	BROKEN PANELS				3.1	YES	89.008526
SW_Seg_2831	472	Polyline	2831	C	Worse Condition	Not ADA compliant	No	27.349233	Disintegrating sidewalk surface		1/13/2025				YES	3	YES	27.349233
SW_Seg_2832	473	Polyline	2832	C	Worse Condition	Not ADA compliant	No	26.835099	Disintegrating sidewalk surface		1/13/2025	715 GRIND					4 NO	26.835099
SW_Seg_2833	474	Polyline	2833	C	Worse Condition	Not ADA compliant	No	63.327328	Disintegrating sidewalk surface		1/13/2025	715 GRIND					4 NO	63.327328
SW_Seg_2868	475	Polyline	2868	C	Worse Condition	Not ADA compliant	No	70.332952	Disintegrating sidewalk surface		1/15/2025	HOLE IN SIDEWALK 610						70.332952
SW_Seg_2880	477	Polyline	2880	C	Worse Condition	Not ADA compliant	No	44.139687	Disintegrating sidewalk surface		1/15/2025					2.8/2.6		44.139687
SW_Seg_3000	478	Polyline	3000	C	Worse Condition	Not ADA compliant	No	158.277964			1/15/2025	BROKEN PANELS		YES		4.6/7	YES	158.277964
SW_Seg_3002	480	Polyline	3002	C	Worse Condition	Not ADA compliant	No	101.684683			1/15/2025	BROKEN PANELS		YES		4.6/7	YES	101.684683
SW_Seg_3026	487	Polyline	3026	C	Worse Condition	Not ADA compliant	No	68.619963			1/9/2025	BROKEN PANELS				2.5/4.7	YES	68.619963
SW_Seg_3034	491	Polyline	3034	C	Worse Condition	Not ADA compliant	No	85.257056			1/9/2025	BROKEN PANELS					YES	85.257056
SW_Seg_3050	493	Polyline	3050	C	Worse Condition	Not ADA compliant	No	59.253467			1/15/2025			YES		4.6/7	YES	59.253467
SW_Seg_3115	497	Polyline	3115	C	Worse Condition	Not ADA compliant	No	57.334368			1/15/2025	BROKEN		YES		3.1		57.334368
SW_Seg_3120	499	Polyline	3120	C	Worse Condition	Not ADA compliant	No	46.57269			1/15/2025	WHOLE BLOCK				3.1		46.57269
SW_Seg_3121	500	Polyline	3121	C	Worse Condition	Not ADA compliant	No	46.171884			1/15/2025	WHOLE BLOCK FRANKLIN FIELD		YES		3	YES	46.171884
SW_Seg_3122	501	Polyline	3122	C	Worse Condition	Not ADA compliant	No	16.268912			1/15/2025	WHOLE BLOCK FRANKLIN FIELD		YES		3	YES	16.268912
SW_Seg_3124	503	Polyline	3124	C	Worse Condition	Not ADA compliant	No	10.696267			1/15/2025	WHOLE BLOCK				3.1		10.696267
SW_Seg_3137	505	Polyline	3137	C	Worse Condition	Not ADA compliant	No	48.435744			1/15/2025	WHOLE BLOCK				3.4		48.435744
SW_Seg_3140	507	Polyline	3140	C	Worse Condition	Not ADA compliant	No	54.960725			1/25/2025	BROKEN AND GRIND		YES			YES	54.960725
SW_Seg_3158	510	Polyline	3158	C	Worse Condition	Not ADA compliant	No	46.037983			1/15/2025	NEEDS REPLACEMENT					YES	46.037983
SW_Seg_3199	515	Polyline	3199	C	Worse Condition	Not ADA compliant	No	17.425716			1/15/2025	BROKEN PANELS		YES		1/6.9	YES	17.425716
SW_Seg_3201	517	Polyline	3201	C	Worse Condition	Not ADA compliant	No	20.094981			1/15/2025	BROKEN PANELS		YES		1/6.9	YES	20.094981
SW_Seg_3203	518	Polyline	3203	C	Worse Condition	Not ADA compliant	No	123.77612			1/15/2025	BROKEN PANELS		YES		1/8.4	YES	123.77612
SW_Seg_3205	520	Polyline	3205	C	Worse Condition	Not ADA compliant	No	126.988698			1/15/2025	BROKEN PANELS		YES		1/8.4	YES	126.988698
SW_Seg_3206	521	Polyline	3206	C	Worse Condition	Not ADA compliant	No	18.650436			1/15/2025	BROKEN PANELS		YES		1/8.4	YES	18.650436
SW_Seg_3220	522	Polyline	3220	C	Worse Condition	Not ADA compliant	No	72.81182			1/15/2025	BROKEN PANELS/GRINDS		YES		0/2.9	YES	72.81182
SW_Seg_3227	526	Polyline	3227	C	Worse Condition	Not ADA compliant	No	23.555536			1/15/2025	BROKEN PANELS/GRINDS		YES		9/3.6	YES	23.555536
SW_Seg_3229	528	Polyline	3229	C	Worse Condition	Not ADA compliant	No	30.740153			1/15/2025	BROKEN PANELS/GRINDS		YES		9/3.6	YES	30.740153
SW_Seg_3231	530	Polyline	3231	C	Worse Condition	Not ADA compliant	No	42.894503			1/15/2025	BROKEN PANELS		YES		1/5.2	YES	42.894503
SW_Seg_3232	531	Polyline	3232	C	Worse Condition	Not ADA compliant	No	76.677081			1/15/2025	BROKEN PANELS		YES		1/5.2	YES	76.677081
SW_Seg_3245	533	Polyline	3245	C	Worse Condition	Not ADA compliant	No	10.695307			1/15/2025	BROKEN PANELS		YES		1.2-12	YES	10.695307
SW_Seg_3247	535	Polyline	3247	C	Worse Condition	Not ADA compliant	No	8.073085			1/15/2025	BROKEN PANELS		YES		1.2-12	YES	8.073085
SW_Seg_3248	536	Polyline	3248	C	Worse Condition	Not ADA compliant	No	40.949206			1/15/2025	BROKEN PANELS		YES		1.2-12	YES	40.949206
SW_Seg_3252	539	Polyline	3252	C	Worse Condition	Not ADA compliant	No	141.875525			1/15/2025	BROKEN PANELS		YES		1.2-12	YES	141.875525
SW_Seg_3258	543	Polyline	3258	C	Worse Condition	Not ADA compliant	No	18.151935			1/15/2025	BROKEN PANELS		YES		1/6.9	YES	18.151935
SW_Seg_3262	546	Polyline	3262	C	Worse Condition	Not ADA compliant	No	16.534056			1/15/2025	BROKEN PANELS		YES		1/6.9	YES	16.534056
SW_Seg_3264	548	Polyline	3264	C	Worse Condition	Not ADA compliant	No	43.215135			1/15/2025	BROKEN PANELS		YES		1/5.9	YES	43.215135
SW_Seg_3265	549	Polyline	3265	C	Worse Condition	Not ADA compliant	No	24.316752			1/15/2025	BROKEN PANELS/GRINDS		YES		9-10.7	YES	24.316752
SW_Seg_3266	550	Polyline	3266	C	Worse Condition	Not ADA compliant	No	70.992547			1/15/2025	BROKEN PANELS/GRINDS		YES		9-10.7	YES	70.992547
SW_Seg_3270	553	Polyline	3270	C	Worse Condition	Not ADA compliant	No	118.665126			1/15/2025	BROKEN PANELS/GRINDS		YES		9-10.7	YES	118.665126
SW_Seg_3271	554	Polyline	3271	C	Worse Condition	Not ADA compliant	No	117.351295			1/14/2025	MOST OF BLOCK/BOTH SIDES OF ROAD		YES			YES	117.351295
SW_Seg_3281	555	Polyline	3281	C	Worse Condition	Not ADA compliant	No	5.760567			1/14/2025	BROKEN PANELS		YES				5.760567
SW_Seg_3282	556	Polyline	3282	C	Worse Condition	Not ADA compliant	No	12.586686			1/14/2025	BROKEN PANELS		YES				12.586686
SW_Seg_3283	557	Polyline	3283	C	Worse Condition	Not ADA compliant	No	141.072864			1/15/2025	GOOD SIDEWALK		YES		3.5/3.7/2.8		141.072864
SW_Seg_3285	558	Polyline	3285	C	Worse Condition	Not ADA compliant	No	129.625887			1/15/2025	GOOD SIDEWALK		YES		3.5/3.7/2.8		129.625887
SW_Seg_3287	559	Polyline	3287	C	Worse Condition	Not ADA compliant	No	7.855014			1/14/2025	BROKEN PANELS		YES				7.855014
SW_Seg_3288	560	Polyline	3288	C	Worse Condition	Not ADA compliant	No	12.872462			1/14/2025	BROKEN PANELS		YES				12.872462
SW_Seg_3293	561	Polyline	3293	C	Worse Condition	Not ADA compliant	No	99.429632			1/14/2025	BROKEN PANELS		YES				99.429632
SW_Seg_3294	562	Polyline	3294	C	Worse Condition	Not ADA compliant	No	11.987321			1/14/2025	BROKEN PANELS		YES				11.987321
SW_Seg_3295	563	Polyline	3295	C	Worse Condition	Not ADA compliant	No	8.091623			1/14/2025	BROKEN PANELS		YES				8.091623
SW_Seg_3296	564	Polyline	3296	C	Worse Condition	Not ADA compliant	No	12.233525			1/14/2025	BROKEN PANELS		YES				12.233525
SW_Seg_3306	569	Polyline	3306	C	Worse Condition	Not ADA compliant	No	107.876289			1/15/2025	BROKEN /TREES		YES		4.7		107.876289
SW_Seg_3317	571	Polyline	3317	C	Worse Condition	Not ADA compliant	No	89.544775			1/15/2025	BADLEY BROKEN. ALMOST BO SIDEWALK		YES				89.544775
SW_Seg_3325	573	Polyline	3325	C	Worse Condition	Not ADA compliant	No	69.061944			1/15/2025			YES		4.5		69.061944
SW_Seg_3336	577	Polyline	3336	C	Worse Condition	Not ADA compliant	No	58.483087			1/15/2025	SIDEWALK GOOD SHAPE		YES		3.5		58.483087
SW_Seg_3365	580	Polyline	3365	C	Worse Condition	Not ADA compliant	No	43.935997			1/14/2025			YES		3.2		43.935997
SW_Seg_3403	581	Polyline	3403	C	Worse Condition	Not ADA compliant	No	45.820648			1/14/2025	BROKEN PANELS		YES				45.820648
SW_Seg_3408	582	Polyline	3408	C	Worse Condition	Not ADA compliant	No	79.090373			1/14/2025	RAISED PANELS/TREES		YES				79.090373
SW_Seg_3453	583	Polyline	3453	C	Worse Condition	Not ADA compliant	No	126.252872			1/15/2025	BROKEN PANELS/ TREES		YES				126.252872
SW_Seg_3456	585	Polyline	3456	C	Worse Condition	Not ADA compliant	No	25.728248			1/15/2025	BROKEN PANELS/ TREES		YES				25.728248
SW_Seg_3484	586	Polyline	3484	C	Worse Condition	Not ADA compliant	No	44.578536			1/15/2025			YES		4.5		44.578536
SW_Seg_3497	588	Polyline	3497	C	Worse Condition	Not ADA compliant	No	91.951198			1/15/2025	BROKEN PANELS		YES		1.2-12	YES	91.951198
SW_Seg_3509	590	Polyline	3509	C	Worse Condition	Not ADA compliant	No	34.320394			1/15/2025	BROKEN/ TREES/ LIFTED		YES			YES	34.320394
SW_Seg_3546	592	Polyline	3546	C	Worse Condition	Not ADA compliant	No	25.668843			1/15/2025	Varied Slopes. Broken Panel.						25.668843
SW_Seg_3547	593	Polyline	3547	C	Worse Condition	Not ADA compliant	No	17.053827			1/15/2025	Varied Slopes. Broken Panel.						17.053827
SW_Seg_3550	596	Polyline	3550	C	Worse Condition	Not ADA compliant	No	118.112118			1/15/2025	BROKEN PANELS		YES		1/5.9	YES	118.112118
SW_Seg_3552	597	Polyline	3552	C	Worse Condition	Not ADA compliant	No	102.907801			1/15/2025	BROKEN PANELS/GRINDS		YES		9-10.7	YES	102.907801
SW_Seg_3553	598	Polyline	3553	C	Worse Condition	Not ADA compliant	No	61.975228			1/15/2025	BROKEN PANELS/GRINDS		YES		9-10.7	YES	61.975228
SW_Seg_3561	602	Polyline	3561	C	Worse Condition	Not ADA compliant	No	104.768154			1/15/2025	BROKEN PANELS		YES		1/6.9	YES	104.768154
SW_Seg_3565	604	Polyline	3565	C	Worse Condition	Not ADA compliant	No	27.075317			1/15/2025	Varied Slopes. Broken Panel.						27.075317
SW_Seg_3566	605	Polyline	3566	C	Worse Condition	Not ADA compliant	No	49.058019			1/15/2025	Varied Slopes. Broken Panel.						49.058019
SW_Seg_3568	607	Polyline	3568	C	Worse Condition	Not ADA compliant	No	11.445416			1/15/2025	Varied Slopes. Broken Panel.						11.445416
SW_Seg_3569	608	Polyline	3569	C	Worse Condition	Not ADA compliant	No	120.569683			1/15/2025	BROKEN PANELS		YES		1/6.9	YES	120.569683
SW_Seg_3572	609	Polyline	3572	C	Worse Condition	Not ADA compliant	No	149.898999			1/15/2025	BROKEN PANELS/GRINDS		YES		9-10.7	YES	149.898999
SW_Seg_3594	610	Polyline	3594	C	Worse Condition	Not ADA compliant	No	147.400174			1/13/2025	BROKEN PANELS		YES			YES	147.400174
SW_Seg_3608	614	Polyline	3608	C	Worse Condition	Not ADA compliant	No	28.33662			1/14/2025	BROKEN PANELS		YES		3-16.8	YES	28.33662
SW_Seg_3622	615	Polyline	3622	C	Worse Condition	Not ADA compliant	No	122.77334			1/14/2025	BROKEN PANELS/GRINDS		YES		2-18.5	YES	122.77334
SW_Seg_3624	617	Polyline	3624	C	Worse Condition	Not ADA compliant	No	17.401656			1/14/2025	BROKEN PANELS/GRINDS		YES		2-18.5	YES	17.401656
SW_Seg_3639	618	Polyline	3639	C	Worse Condition	Not ADA compliant	No	71.248598			1/14/2025	TREES/LIFTED PANELS						

SW_ID	OBJECTID	Shape	SW_ID_No	TSI Sidewalk Seg. Facility Grade	TSI Sidewalk Seg. Facility Condition	ADA2010	PROWAG2024	Shape_Leng	Comment	Location	Date_Ident	Notes	Date_Groun	In_Compla	Out_of_Com	Slope	REPAIR	Shape_Length
SW_Seg_3674	620	Polyline	3674	C	Worse Condition	Not ADA compliant	No	59.093107			1/14/2025				YES	4.3		59.093107
SW_Seg_3743	622	Polyline	3743	C	Worse Condition	Not ADA compliant		90.644808			1/15/2025	BROKEN/CRACKED PANELS			YES		YES	90.644808
SW_Seg_3751	624	Polyline	3751	C	Worse Condition	Not ADA compliant		77.47458			1/13/2025	SOME ASHAULT PATCHES			YES	4/6.7	YES	77.47458
SW_Seg_3752	625	Polyline	3752	C	Worse Condition	Not ADA compliant		58.223375			1/13/2025	SOME ASHAULT PATCHES			YES	4/6.7	YES	58.223375
SW_Seg_3780	629	Polyline	3780	C	Worse Condition	Not ADA compliant		130.383822			1/14/2025	BROKEN PANELS/GRINDS			YES	1.2/8.9	YES	130.383822
SW_Seg_3782	631	Polyline	3782	C	Worse Condition	Not ADA compliant		25.260288			1/14/2025	BROKEN PANELS/GRINDS			YES	1.2/8.9	YES	25.245492
SW_Seg_3783	632	Polyline	3783	C	Worse Condition	Not ADA compliant		85.049444			1/14/2025	BROKEN PANELS/GRINDS			YES	2.18.5	YES	85.049444
SW_Seg_3784	633	Polyline	3784	C	Worse Condition	Not ADA compliant		51.623589			1/14/2025	BROKEN PANELS/GRINDS			YES	2.18.5	YES	51.600952
SW_Seg_3786	635	Polyline	3786	C	Worse Condition	Not ADA compliant	No	73.479155			1/14/2025	BROKEN PANELS/GRINDS			YES	2.18.5	YES	73.479155
SW_Seg_3788	637	Polyline	3788	C	Worse Condition	Not ADA compliant	No	132.273245			1/14/2025	BROKEN PANELS			YES	1.5/4.5	YES	132.273245
SW_Seg_3790	639	Polyline	3790	C	Worse Condition	Not ADA compliant		62.947375			1/14/2025	BROKEN PANELS/GRINDS			YES	-0.162790698	YES	62.947375
SW_Seg_3791	640	Polyline	3791	C	Worse Condition	Not ADA compliant		117.676325			1/14/2025	BROKEN PANELS/GRINDS			YES	-0.162790698	YES	117.676325
SW_Seg_3793	642	Polyline	3793	C	Worse Condition	Not ADA compliant		13.93904			1/14/2025	BROKEN PANELS/GRINDS			YES	-0.162790698	YES	13.93904
SW_Seg_3794	643	Polyline	3794	C	Worse Condition	Not ADA compliant		12.98872			1/14/2025	BROKEN PANELS/GRINDS			YES	-0.162790698	YES	12.98872
SW_Seg_3795	644	Polyline	3795	C	Worse Condition	Not ADA compliant		12.128411			1/14/2025	BROKEN PANELS/GRINDS			YES	-0.162790698	YES	12.128411
SW_Seg_3806	645	Polyline	3806	C	Worse Condition	Not ADA compliant	No	13.498694			1/13/2025	BROKEN UP			YES			13.498694
SW_Seg_3808	646	Polyline	3808	C	Worse Condition	Not ADA compliant		25.315192			1/13/2025	LIFTED PANELS/TREES			YES	7.8		25.315192
SW_Seg_3831	648	Polyline	3831	C	Worse Condition	Not ADA compliant		163.833561			1/13/2025	BROKEN LIFTED			YES	6.4		163.833561
SW_Seg_3877	649	Polyline	3877	C	Worse Condition	Not ADA compliant		98.877912	Vegetation		1/15/2025				YES	3.1		98.877912
SW_Seg_3893	650	Polyline	3893	C	Worse Condition	Not ADA compliant		35.907055			1/14/2025	BROKEN PANELS			YES	3.8		35.907055
SW_Seg_3907	652	Polyline	3907	C	Worse Condition	Not ADA compliant	No	34.950671			1/14/2025	WHOLE BLOCK			YES	2.3/6.4		34.950671
SW_Seg_3916	653	Polyline	3916	C	Worse Condition	Not ADA compliant	No	15.471079			1/14/2025				YES			15.471079
SW_Seg_3918	655	Polyline	3918	C	Worse Condition	Not ADA compliant	No	29.207697			1/14/2025				YES			29.207697
SW_Seg_3920	656	Polyline	3920	C	Worse Condition	Not ADA compliant	No	19.023621			1/14/2025				YES			19.023621
SW_Seg_4046	662	Polyline	4046	C	Worse Condition	Not ADA compliant		8.608132			1/13/2025	BROKEN/ LIFTED TREES			YES	12		8.608132
SW_Seg_4064	663	Polyline	4064	C	Worse Condition	Not ADA compliant		46.576995			<Null>	LIFTED PANELS/ GRIND						46.576995
SW_Seg_4065	664	Polyline	4065	C	Worse Condition	Not ADA compliant		59.05534			1/13/2025	BROKEN/LIFTED			YES	6.8		59.05534
SW_Seg_2443	408	Polyline	2443	D	Missing	Not ADA compliant - Missing	No	47.113325	Sidewalk gap candidate		1/9/2025	NORTH OF SCOTT ON BLVD HALF BLOCK			YES	5		47.113325
SW_Seg_2494	417	Polyline	2494	D	Missing	Not ADA compliant - Missing	No	82.096715	Sidewalk gap candidate		1/13/2025	REPLACE			YES		YES	82.096715
SW_Seg_2495	418	Polyline	2495	D	Missing	Not ADA compliant - Missing	No	40.284411	Sidewalk gap candidate		1/13/2025	REPLACE					YES	40.284411
SW_Seg_2613	440	Polyline	2613	D	Missing	Not ADA compliant - Missing	No	17.380482	Sidewalk gap candidate		1/9/2025				YES	5.2		17.380482
SW_Seg_3505	589	Polyline	3505	D	Missing	Not ADA compliant - Missing	No	30.123687	Stairs		1/14/2025				YES	10.2		30.123687
SW_Seg_3567	606	Polyline	3567	D	Missing	Not ADA compliant - Missing	No	48.241068			1/15/2025	Varied Slopes. Broken Panel.						48.241068

City of Aberdeen
2025 ADA Transition Plan

Attribute Field	Alias	Data Type	Number Format	Length	Data Source	Attribute Answer Options	Notes
OBJECTID *	OBJECTID	Object ID	Numeric		City 2025_SW_SURVEY	ESRI default	
Shape *	Shape	Geometry			City 2025_SW_SURVEY	ESRI default	
SW_ID	SW_ID	Text		254	TSI deliverable	SW_Seg_####	Sidewalk Segment ID
SW_ID_No	SW_ID_No	Long	Numeric		TSI deliverable	ID as number	number only
TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Grade	Text		255	TSI deliverable	A, B, C or D	based on aerial and streetview
TSI_Sidewalk_Seg_Facility_Condition	TSI_Sidewalk_Seg_Facility_Condition	Text		255	TSI deliverable	Best Condition, Good Condition, Worse Condition, or Missing	based on aerial and streetview
ADA2010	ADA2010	Text		254	TSI deliverable	Most likely compliant, May be ADA compliant, Not ADA compliant, Not ADA compliant - Missing	based on aerial and streetview
PROWAG2024	PROWAG2024	Text		254	TSI deliverable	Candidate, No	based on aerial and streetview
Comment	Comment	Text		254	TSI deliverable	Varies	
Shape_Leng	Shape_Leng	Double	Numeric	254	City 2025_SW_SURVEY	ESRI default	
SIDEWALK_SURVEY_2025	SIDEWALK_SURVEY_2025	Text		254	City 2025_SW_SURVEY	Blank	
Shape_Length	Shape_Length	Double	Numeric		City 2025_SW_SURVEY	ESRI default	These are all from the City's 2025 Sidewalk Survey GIS digitized findings.

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0001	1	Polyline	1	A	Best Condition	297.317173	Most likely compliant	Candidate		2025 Sidewalk Survey	297.317173
SW_Seg_0002	2	Polyline	2	A	Best Condition	9.867434	Most likely compliant	Candidate		2025 Sidewalk Survey	9.867434
SW_Seg_0003	3	Polyline	3	A	Best Condition	7.689698	Most likely compliant	Candidate		2025 Sidewalk Survey	7.689698
SW_Seg_0004	4	Polyline	4	A	Best Condition	1408.13528	Most likely compliant	Candidate		2025 Sidewalk Survey	1408.13528
SW_Seg_0005	5	Polyline	5	A	Best Condition	21.801823	Most likely compliant	Candidate		2025 Sidewalk Survey	21.801823
SW_Seg_0006	6	Polyline	6	C	Worse Condition	649.624121	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	649.624121
SW_Seg_0007	7	Polyline	7	C	Worse Condition	754.720788	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	754.720788
SW_Seg_0008	8	Polyline	8	C	Worse Condition	470.404601	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	470.404601
SW_Seg_0009	9	Polyline	9	C	Worse Condition	176.875346	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	176.875346
SW_Seg_0010	10	Polyline	10	C	Worse Condition	409.287646	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	409.287646
SW_Seg_0011	11	Polyline	11	C	Worse Condition	122.181839	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	122.181839
SW_Seg_0012	12	Polyline	12	C	Worse Condition	414.768861	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	414.768861
SW_Seg_0013	13	Polyline	13	C	Worse Condition	630.360793	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	630.360793
SW_Seg_0014	14	Polyline	14	C	Worse Condition	128.621818	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	128.621818
SW_Seg_0015	15	Polyline	15	C	Worse Condition	127.532282	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	127.532282
SW_Seg_0016	16	Polyline	16	C	Worse Condition	410.967184	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	410.967184
SW_Seg_0017	17	Polyline	17	C	Worse Condition	410.789999	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	410.789999
SW_Seg_0018	18	Polyline	18	C	Worse Condition	265.756222	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	265.756222
SW_Seg_0019	19	Polyline	19	C	Worse Condition	255.084049	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	255.084049
SW_Seg_0020	20	Polyline	20	C	Worse Condition	357.257363	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	357.257363
SW_Seg_0021	21	Polyline	21	C	Worse Condition	204.567227	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	204.567227
SW_Seg_0022	22	Polyline	22	C	Worse Condition	600.77419	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	600.77419
SW_Seg_0023	23	Polyline	23	C	Worse Condition	216.461074	Not ADA compliant	No	Disintegrating sidewalk surface		216.461074
SW_Seg_0024	24	Polyline	24	C	Worse Condition	879.074715	Not ADA compliant	No	Disintegrating sidewalk surface		879.074715
SW_Seg_0025	25	Polyline	25	C	Worse Condition	909.62119	Not ADA compliant	No	Disintegrating sidewalk surface		909.62119
SW_Seg_0026	26	Polyline	26	C	Worse Condition	45.605692	Not ADA compliant	No	Disintegrating sidewalk surface		45.605692
SW_Seg_0027	27	Polyline	27	C	Worse Condition	418.47441	Not ADA compliant	No	Disintegrating sidewalk surface		418.47441
SW_Seg_0028	28	Polyline	28	C	Worse Condition	413.796488	Not ADA compliant	No	Disintegrating sidewalk surface		413.796488
SW_Seg_0029	29	Polyline	29	C	Worse Condition	328.642949	Not ADA compliant	No	Disintegrating sidewalk surface		328.642949
SW_Seg_0030	30	Polyline	30	A	Best Condition	199.672408	Most likely compliant	Candidate			199.672408
SW_Seg_0031	31	Polyline	31	C	Worse Condition	261.210326	Not ADA compliant	No	Disintegrating sidewalk surface		261.210326
SW_Seg_0032	32	Polyline	32	C	Worse Condition	339.962193	Not ADA compliant	No	Disintegrating sidewalk surface		339.962193
SW_Seg_0033	33	Polyline	33	C	Worse Condition	300.997777	Not ADA compliant	No	Disintegrating sidewalk surface		300.997777
SW_Seg_0034	34	Polyline	34	C	Worse Condition	1391.623563	Not ADA compliant	No	Disintegrating sidewalk surface		1391.623563
SW_Seg_0035	35	Polyline	35	C	Worse Condition	682.854104	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	682.854104
SW_Seg_0036	36	Polyline	36	C	Worse Condition	340.209466	Not ADA compliant	No	Disintegrating sidewalk surface		340.209466
SW_Seg_0037	37	Polyline	37	C	Worse Condition	314.19526	Not ADA compliant	No	Disintegrating sidewalk surface		314.19526
SW_Seg_0038	38	Polyline	38	C	Worse Condition	155.084278	Not ADA compliant	No	Disintegrating sidewalk surface		155.084278
SW_Seg_0039	39	Polyline	39	C	Worse Condition	258.613431	Not ADA compliant	No	Disintegrating sidewalk surface		258.613431
SW_Seg_0040	40	Polyline	40	C	Worse Condition	156.067205	Not ADA compliant	No	Disintegrating sidewalk surface		156.067205
SW_Seg_0041	41	Polyline	41	B	Good Condition	92.431228	May be ADA compliant				92.431228
SW_Seg_0042	42	Polyline	42	B	Good Condition	69.814584	May be ADA compliant				69.814584
SW_Seg_0043	43	Polyline	43	C	Worse Condition	158.12659	Not ADA compliant	No	Disintegrating sidewalk surface		158.12659
SW_Seg_0044	44	Polyline	44	C	Worse Condition	132.164424	Not ADA compliant	No	Disintegrating sidewalk surface		132.164424
SW_Seg_0045	45	Polyline	45	C	Worse Condition	268.687967	Not ADA compliant	No	Disintegrating sidewalk surface		268.687967
SW_Seg_0046	46	Polyline	46	C	Worse Condition	679.007326	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	679.007358
SW_Seg_0047	47	Polyline	47	C	Worse Condition	659.087654	Not ADA compliant	No	Disintegrating sidewalk surface		659.087654
SW_Seg_0048	48	Polyline	48	C	Worse Condition	688.203833	Not ADA compliant	No	Disintegrating sidewalk surface		688.203833
SW_Seg_0049	49	Polyline	49	C	Worse Condition	347.669509	Not ADA compliant	No	Disintegrating sidewalk surface		347.669509
SW_Seg_0050	50	Polyline	50	C	Worse Condition	145.606627	Not ADA compliant	No	Disintegrating sidewalk surface		145.606627
SW_Seg_0051	51	Polyline	51	C	Worse Condition	175.352729	Not ADA compliant	No	Disintegrating sidewalk surface		175.352729
SW_Seg_0052	52	Polyline	52	A	Best Condition	259.410621	Most likely compliant	Candidate			259.410621
SW_Seg_0053	53	Polyline	53	C	Worse Condition	291.430115	Not ADA compliant	No	Disintegrating sidewalk surface		291.430115
SW_Seg_0054	54	Polyline	54	A	Best Condition	653.881958	Most likely compliant	Candidate			653.881958

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0055	55	Polyline	55	A	Best Condition	1346.619221	Most likely compliant	Candidate			1346.619221
SW_Seg_0056	56	Polyline	56	A	Best Condition	288.841533	Most likely compliant	Candidate			288.841533
SW_Seg_0057	57	Polyline	57	A	Best Condition	106.224039	Most likely compliant	Candidate			106.224039
SW_Seg_0058	58	Polyline	58	B	Good Condition	127.051557	May be ADA compliant				127.051557
SW_Seg_0059	59	Polyline	59	C	Worse Condition	243.776396	Not ADA compliant	No	Disintegrating sidewalk surface		243.776396
SW_Seg_0060	60	Polyline	60	A	Best Condition	26.130918	Most likely compliant	Candidate			26.130918
SW_Seg_0061	61	Polyline	61	B	Good Condition	31.018232	May be ADA compliant				31.018232
SW_Seg_0062	62	Polyline	62	B	Good Condition	207.335936	May be ADA compliant				207.335936
SW_Seg_0063	63	Polyline	63	B	Good Condition	709.355111	May be ADA compliant				709.355111
SW_Seg_0064	64	Polyline	64	B	Good Condition	288.878693	May be ADA compliant				288.878693
SW_Seg_0065	65	Polyline	65	B	Good Condition	205.024828	May be ADA compliant			2025 Sidewalk Survey	205.024828
SW_Seg_0066	66	Polyline	66	B	Good Condition	218.14084	May be ADA compliant				218.14084
SW_Seg_0067	67	Polyline	67	B	Good Condition	272.076157	May be ADA compliant				272.076157
SW_Seg_0068	68	Polyline	68	B	Good Condition	332.31109	May be ADA compliant				332.31109
SW_Seg_0069	69	Polyline	69	B	Good Condition	335.958916	May be ADA compliant			2025 Sidewalk Survey	335.958916
SW_Seg_0070	70	Polyline	70	B	Good Condition	278.450679	May be ADA compliant				278.450679
SW_Seg_0071	71	Polyline	71	B	Good Condition	148.013088	May be ADA compliant				148.013088
SW_Seg_0072	72	Polyline	72	B	Good Condition	495.046978	May be ADA compliant			2025 Sidewalk Survey	495.046978
SW_Seg_0073	73	Polyline	73	B	Good Condition	145.959719	May be ADA compliant			2025 Sidewalk Survey	145.959719
SW_Seg_0074	74	Polyline	74	B	Good Condition	238.538509	May be ADA compliant				238.538509
SW_Seg_0075	75	Polyline	75	A	Best Condition	405.102285	Most likely compliant	Candidate			405.102285
SW_Seg_0076	76	Polyline	76	B	Good Condition	245.681501	May be ADA compliant				245.681501
SW_Seg_0077	77	Polyline	77	A	Best Condition	23.298638	Most likely compliant	Candidate			23.298638
SW_Seg_0078	78	Polyline	78	A	Best Condition	28.118688	Most likely compliant	Candidate			28.118688
SW_Seg_0079	79	Polyline	79	A	Best Condition	29.082237	Most likely compliant	Candidate			29.082237
SW_Seg_0080	80	Polyline	80	A	Best Condition	31.099002	Most likely compliant	Candidate			31.099002
SW_Seg_0081	81	Polyline	81	A	Best Condition	25.794735	Most likely compliant	Candidate			25.794735
SW_Seg_0082	82	Polyline	82	A	Best Condition	26.264787	Most likely compliant	Candidate			26.264787
SW_Seg_0083	83	Polyline	83	B	Good Condition	78.058034	May be ADA compliant				78.058034
SW_Seg_0084	84	Polyline	84	C	Worse Condition	287.008955	Not ADA compliant	No		2025 Sidewalk Survey	287.008955
SW_Seg_0085	85	Polyline	85	B	Good Condition	27.425869	May be ADA compliant				27.425869
SW_Seg_0086	86	Polyline	86	A	Best Condition	67.109709	Most likely compliant	Candidate			67.109709
SW_Seg_0087	87	Polyline	87	C	Worse Condition	64.823953	Not ADA compliant			2025 Sidewalk Survey	64.823953
SW_Seg_0088	88	Polyline	88	B	Good Condition	468.225089	May be ADA compliant				468.225089
SW_Seg_0089	89	Polyline	89	C	Worse Condition	193.521604	Not ADA compliant	No			193.521604
SW_Seg_0090	90	Polyline	90	D	Missing	101.966536	Not ADA compliant - Missing	No			101.966536
SW_Seg_0091	91	Polyline	91	A	Best Condition	355.425878	Most likely compliant	Candidate			355.425878
SW_Seg_0092	92	Polyline	92	A	Best Condition	175.200379	Most likely compliant	Candidate			175.200379
SW_Seg_0093	93	Polyline	93	A	Best Condition	251.127641	Most likely compliant	Candidate			251.127641
SW_Seg_0094	94	Polyline	94	A	Best Condition	1155.62322	Most likely compliant	Candidate			1155.62322
SW_Seg_0095	95	Polyline	95	A	Best Condition	1226.621706	Most likely compliant	Candidate			1226.621706
SW_Seg_0096	96	Polyline	96	A	Best Condition	206.159918	Most likely compliant	Candidate			206.159918
SW_Seg_0097	97	Polyline	97	A	Best Condition	226.997664	Most likely compliant	Candidate			226.997664
SW_Seg_0098	98	Polyline	98	A	Best Condition	190.298766	Most likely compliant	Candidate			190.298766
SW_Seg_0099	99	Polyline	99	A	Best Condition	190.046248	Most likely compliant	Candidate			190.046248
SW_Seg_0100	100	Polyline	100	A	Best Condition	97.512409	Most likely compliant	Candidate		2025 Sidewalk Survey	97.512409
SW_Seg_0101	101	Polyline	101	A	Best Condition	215.985279	Most likely compliant	Candidate		2025 Sidewalk Survey	215.985279
SW_Seg_0102	102	Polyline	102	A	Best Condition	514.242483	Most likely compliant	Candidate			514.242483
SW_Seg_0103	103	Polyline	103	A	Best Condition	232.175246	Most likely compliant	Candidate			232.175246
SW_Seg_0104	104	Polyline	104	A	Best Condition	220.493262	Most likely compliant	Candidate			220.493262
SW_Seg_0105	105	Polyline	105	C	Worse Condition	17.086125	Not ADA compliant	No	Disintegrating sidewalk surface		17.086108
SW_Seg_0106	106	Polyline	106	C	Worse Condition	25.571762	Not ADA compliant	No	Disintegrating sidewalk surface		25.571799
SW_Seg_0107	107	Polyline	107	C	Worse Condition	18.904221	Not ADA compliant	No	Disintegrating sidewalk surface		18.904184
SW_Seg_0108	108	Polyline	108	C	Worse Condition	12.231783	Not ADA compliant	No	Disintegrating sidewalk surface		12.23181

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0109	109	Polyline	109	C	Worse Condition	21.101968	Not ADA compliant	No	Disintegrating sidewalk surface		21.10198
SW_Seg_0110	110	Polyline	110	C	Worse Condition	276.393577	Not ADA compliant	No	Disintegrating sidewalk surface		276.393577
SW_Seg_0111	111	Polyline	111	C	Worse Condition	35.672494	Not ADA compliant	No	Disintegrating sidewalk surface		35.672456
SW_Seg_0112	112	Polyline	112	C	Worse Condition	19.75936	Not ADA compliant	No	Disintegrating sidewalk surface		19.759373
SW_Seg_0113	113	Polyline	113	C	Worse Condition	17.680046	Not ADA compliant	No	Disintegrating sidewalk surface		17.680049
SW_Seg_0114	114	Polyline	114	C	Worse Condition	25.023466	Not ADA compliant	No	Disintegrating sidewalk surface		25.023451
SW_Seg_0115	115	Polyline	115	C	Worse Condition	46.666102	Not ADA compliant	No	Disintegrating sidewalk surface		46.6661
SW_Seg_0116	116	Polyline	116	C	Worse Condition	26.17729	Not ADA compliant	No	Disintegrating sidewalk surface		26.177269
SW_Seg_0117	117	Polyline	117	C	Worse Condition	26.456224	Not ADA compliant	No	Disintegrating sidewalk surface		26.456136
SW_Seg_0118	118	Polyline	118	C	Worse Condition	19.448306	Not ADA compliant	No	Disintegrating sidewalk surface		19.448295
SW_Seg_0119	119	Polyline	119	A	Best Condition	36.061486	Most likely compliant	Candidate			36.061556
SW_Seg_0120	120	Polyline	120	C	Worse Condition	29.333226	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	29.333241
SW_Seg_0121	121	Polyline	121	A	Best Condition	22.756351	Most likely compliant	Candidate		2025 Sidewalk Survey	22.756308
SW_Seg_0122	122	Polyline	122	A	Best Condition	29.816356	Most likely compliant	Candidate		2025 Sidewalk Survey	29.816386
SW_Seg_0123	123	Polyline	123	A	Best Condition	28.332071	Most likely compliant	Candidate			28.332062
SW_Seg_0124	124	Polyline	124	A	Best Condition	30.206015	Most likely compliant	Candidate			30.206022
SW_Seg_0125	125	Polyline	125	A	Best Condition	34.452612	Most likely compliant	Candidate			34.452626
SW_Seg_0126	126	Polyline	126	A	Best Condition	27.837452	Most likely compliant	Candidate			27.837449
SW_Seg_0127	127	Polyline	127	A	Best Condition	39.775293	Most likely compliant	Candidate			39.775308
SW_Seg_0128	128	Polyline	128	A	Best Condition	21.416291	Most likely compliant	Candidate			21.416313
SW_Seg_0129	129	Polyline	129	A	Best Condition	23.988619	Most likely compliant	Candidate			23.988611
SW_Seg_0130	130	Polyline	130	A	Best Condition	38.474424	Most likely compliant	Candidate			38.474424
SW_Seg_0131	131	Polyline	131	A	Best Condition	27.759564	Most likely compliant	Candidate			27.759574
SW_Seg_0132	132	Polyline	132	A	Best Condition	30.315077	Most likely compliant	Candidate			30.315057
SW_Seg_0133	133	Polyline	133	A	Best Condition	13.113767	Most likely compliant	Candidate			13.11375
SW_Seg_0134	134	Polyline	134	A	Best Condition	60.472206	Most likely compliant	Candidate			60.472199
SW_Seg_0135	135	Polyline	135	A	Best Condition	50.915739	Most likely compliant	Candidate			50.915696
SW_Seg_0136	136	Polyline	136	C	Worse Condition	17.380279	Not ADA compliant	No	Disintegrating sidewalk surface		17.380315
SW_Seg_0137	137	Polyline	137	C	Worse Condition	18.348174	Not ADA compliant	No	Disintegrating sidewalk surface		18.348138
SW_Seg_0138	138	Polyline	138	C	Worse Condition	19.282887	Not ADA compliant	No	Disintegrating sidewalk surface		19.282853
SW_Seg_0139	139	Polyline	139	C	Worse Condition	18.37803	Not ADA compliant	No	Disintegrating sidewalk surface		18.377988
SW_Seg_0140	140	Polyline	140	C	Worse Condition	16.981057	Not ADA compliant	No	Disintegrating sidewalk surface		16.981033
SW_Seg_0141	141	Polyline	141	A	Best Condition	21.32318	Most likely compliant	Candidate			21.32318
SW_Seg_0142	142	Polyline	142	A	Best Condition	25.61594	Most likely compliant	Candidate			25.615918
SW_Seg_0143	143	Polyline	143	C	Worse Condition	22.988484	Not ADA compliant	No	Disintegrating sidewalk surface		22.988495
SW_Seg_0144	144	Polyline	144	A	Best Condition	502.56204	Most likely compliant	Candidate			502.56204
SW_Seg_0145	145	Polyline	145	C	Worse Condition	47.113887	Not ADA compliant	No	Disintegrating sidewalk surface		47.113894
SW_Seg_0146	146	Polyline	146	A	Best Condition	17.046487	Most likely compliant	Candidate			17.04648
SW_Seg_0147	147	Polyline	147	A	Best Condition	1168.945431	Most likely compliant	Candidate			1168.945431
SW_Seg_0148	148	Polyline	148	A	Best Condition	20.299886	Most likely compliant	Candidate			20.299942
SW_Seg_0149	149	Polyline	149	A	Best Condition	24.923265	Most likely compliant	Candidate			24.923302
SW_Seg_0150	150	Polyline	150	A	Best Condition	227.227723	Most likely compliant	Candidate			227.227723
SW_Seg_0151	151	Polyline	151	C	Worse Condition	13.165013	Not ADA compliant	No	Disintegrating sidewalk surface		13.165038
SW_Seg_0152	152	Polyline	152	C	Worse Condition	8.306308	Not ADA compliant	No	Disintegrating sidewalk surface		8.306308
SW_Seg_0153	153	Polyline	153	C	Worse Condition	20.279042	Not ADA compliant	No	Disintegrating sidewalk surface		20.279046
SW_Seg_0154	154	Polyline	154	A	Best Condition	246.164394	Most likely compliant	Candidate			246.164394
SW_Seg_0155	155	Polyline	155	A	Best Condition	21.655756	Most likely compliant	Candidate			21.655756
SW_Seg_0156	156	Polyline	156	C	Worse Condition	29.217981	Not ADA compliant	No	Disintegrating sidewalk surface		29.217956
SW_Seg_0157	157	Polyline	157	A	Best Condition	83.52274	Most likely compliant	Candidate			83.522774
SW_Seg_0158	158	Polyline	158	A	Best Condition	373.479352	Most likely compliant	Candidate			373.479352
SW_Seg_0159	159	Polyline	159	A	Best Condition	38.449697	Most likely compliant	Candidate			38.449743
SW_Seg_0160	160	Polyline	160	C	Worse Condition	17.404733	Not ADA compliant	No	Disintegrating sidewalk surface		17.404749
SW_Seg_0161	161	Polyline	161	C	Worse Condition	21.358923	Not ADA compliant	No	Disintegrating sidewalk surface		21.358906
SW_Seg_0162	162	Polyline	162	C	Worse Condition	12.552882	Not ADA compliant	No	Disintegrating sidewalk surface		12.552875

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0163	163	Polyline	163	C	Worse Condition	0.614993	Not ADA compliant				0.614993
SW_Seg_0164	164	Polyline	164	C	Worse Condition	22.553901	Not ADA compliant	No	Disintegrating sidewalk surface		22.55382
SW_Seg_0165	165	Polyline	165	B	Good Condition	47.472751	May be ADA compliant				47.472796
SW_Seg_0166	166	Polyline	166	C	Worse Condition	114.409916	Not ADA compliant	No	Disintegrating sidewalk surface		114.409916
SW_Seg_0167	167	Polyline	167	C	Worse Condition	265.464141	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	265.464141
SW_Seg_0168	168	Polyline	168	B	Good Condition	12.723084	May be ADA compliant				12.723024
SW_Seg_0169	169	Polyline	169	B	Good Condition	161.932167	May be ADA compliant			2025 Sidewalk Survey	161.932167
SW_Seg_0170	170	Polyline	170	C	Worse Condition	67.911826	Not ADA compliant	No	Disintegrating sidewalk surface		67.911826
SW_Seg_0171	171	Polyline	171	C	Worse Condition	41.522324	Not ADA compliant	No	Disintegrating sidewalk surface		41.522324
SW_Seg_0172	172	Polyline	172	C	Worse Condition	99.724162	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	99.724162
SW_Seg_0173	173	Polyline	173	C	Worse Condition	89.150393	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	89.150393
SW_Seg_0174	174	Polyline	174	C	Worse Condition	36.66611	Not ADA compliant	No	Disintegrating sidewalk surface		36.66611
SW_Seg_0175	175	Polyline	175	C	Worse Condition	41.693571	Not ADA compliant	No	Disintegrating sidewalk surface		41.693571
SW_Seg_0176	176	Polyline	176	C	Worse Condition	319.99936	Not ADA compliant	No	Disintegrating sidewalk surface		319.99936
SW_Seg_0177	177	Polyline	177	C	Worse Condition	31.563225	Not ADA compliant	No	Disintegrating sidewalk surface		31.563225
SW_Seg_0178	178	Polyline	178	C	Worse Condition	32.268752	Not ADA compliant	No	Disintegrating sidewalk surface		32.268752
SW_Seg_0179	179	Polyline	179	C	Worse Condition	165.766177	Not ADA compliant	No	Disintegrating sidewalk surface		165.766177
SW_Seg_0180	180	Polyline	180	C	Worse Condition	119.907619	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	119.907619
SW_Seg_0181	181	Polyline	181	C	Worse Condition	58.775513	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	58.775513
SW_Seg_0182	182	Polyline	182	A	Best Condition	32.110025	Most likely compliant	Candidate		2025 Sidewalk Survey	32.110025
SW_Seg_0183	183	Polyline	183	C	Worse Condition	317.712489	Not ADA compliant	No	Disintegrating sidewalk surface		317.712489
SW_Seg_0184	184	Polyline	184	B	Good Condition	95.599952	May be ADA compliant				95.599952
SW_Seg_0185	185	Polyline	185	C	Worse Condition	109.481535	Not ADA compliant	No	Disintegrating sidewalk surface		109.481535
SW_Seg_0186	186	Polyline	186	B	Good Condition	83.583576	May be ADA compliant				83.583576
SW_Seg_0187	187	Polyline	187	A	Best Condition	333.367957	Most likely compliant	Candidate			333.367957
SW_Seg_0188	188	Polyline	188	A	Best Condition	425.677946	Most likely compliant	Candidate			425.677946
SW_Seg_0189	189	Polyline	189	A	Best Condition	423.567587	Most likely compliant	Candidate			423.567587
SW_Seg_0190	190	Polyline	190	A	Best Condition	422.643399	Most likely compliant	Candidate		2025 Sidewalk Survey	422.643399
SW_Seg_0191	191	Polyline	191	A	Best Condition	49.709496	Most likely compliant	Candidate			49.709496
SW_Seg_0192	192	Polyline	192	C	Worse Condition	334.806795	Not ADA compliant	No	Disintegrating sidewalk surface		334.806795
SW_Seg_0193	193	Polyline	193	C	Worse Condition	239.333065	Not ADA compliant	No	Disintegrating sidewalk surface		239.333065
SW_Seg_0194	194	Polyline	194	C	Worse Condition	679.022352	Not ADA compliant	No	Disintegrating sidewalk surface		679.022352
SW_Seg_0195	195	Polyline	195	C	Worse Condition	208.013678	Not ADA compliant	No	Disintegrating sidewalk surface		208.013678
SW_Seg_0196	196	Polyline	196	C	Worse Condition	344.189096	Not ADA compliant	No	Disintegrating sidewalk surface		344.189096
SW_Seg_0197	197	Polyline	197	C	Worse Condition	176.406327	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	176.406327
SW_Seg_0198	198	Polyline	198	A	Best Condition	418.456281	Most likely compliant	Candidate			418.456281
SW_Seg_0199	199	Polyline	199	B	Good Condition	419.050057	May be ADA compliant				419.050057
SW_Seg_0200	200	Polyline	200	B	Good Condition	403.8609	May be ADA compliant			2025 Sidewalk Survey	403.8609
SW_Seg_0201	201	Polyline	201	C	Worse Condition	78.906125	Not ADA compliant	No	Disintegrating sidewalk surface		78.906125
SW_Seg_0202	202	Polyline	202	A	Best Condition	350.307289	Most likely compliant	Candidate			350.307289
SW_Seg_0203	203	Polyline	203	A	Best Condition	11.97734	Most likely compliant	Candidate			11.977328
SW_Seg_0204	204	Polyline	204	A	Best Condition	34.170786	Most likely compliant	Candidate			34.170773
SW_Seg_0205	205	Polyline	205	A	Best Condition	20.380858	Most likely compliant	Candidate			20.380839
SW_Seg_0206	206	Polyline	206	C	Worse Condition	18.020029	Not ADA compliant	No	Disintegrating sidewalk surface		18.020067
SW_Seg_0207	207	Polyline	207	A	Best Condition	220.146703	Most likely compliant	Candidate			220.146703
SW_Seg_0208	208	Polyline	208	A	Best Condition	318.108279	Most likely compliant	Candidate			318.108279
SW_Seg_0209	209	Polyline	209	A	Best Condition	104.860507	Most likely compliant	Candidate			104.860507
SW_Seg_0210	210	Polyline	210	C	Worse Condition	347.987355	Not ADA compliant	No	Disintegrating sidewalk surface		347.987355
SW_Seg_0211	211	Polyline	211	A	Best Condition	192.638752	Most likely compliant	Candidate			192.638752
SW_Seg_0212	212	Polyline	212	A	Best Condition	113.716749	Most likely compliant	Candidate			113.716749
SW_Seg_0213	213	Polyline	213	C	Worse Condition	22.016608	Not ADA compliant	No	Disintegrating sidewalk surface		22.016632
SW_Seg_0214	214	Polyline	214	A	Best Condition	145.466399	Most likely compliant	Candidate			145.466399
SW_Seg_0215	215	Polyline	215	B	Good Condition	204.204685	May be ADA compliant				204.204685
SW_Seg_0216	216	Polyline	216	B	Good Condition	10.316725	May be ADA compliant				10.316737

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0217	217	Polyline	217	B	Good Condition	21.154305	May be ADA compliant				21.154368
SW_Seg_0218	218	Polyline	218	A	Best Condition	10.227723	Most likely compliant	Candidate			10.227711
SW_Seg_0219	219	Polyline	219	A	Best Condition	108.683778	Most likely compliant	Candidate			108.683778
SW_Seg_0220	220	Polyline	220	B	Good Condition	15.154156	May be ADA compliant				15.154142
SW_Seg_0221	221	Polyline	221	B	Good Condition	17.816149	May be ADA compliant				17.816123
SW_Seg_0222	222	Polyline	222	B	Good Condition	17.879983	May be ADA compliant				17.880061
SW_Seg_0223	223	Polyline	223	B	Good Condition	19.737746	May be ADA compliant				19.737719
SW_Seg_0224	224	Polyline	224	B	Good Condition	14.147883	May be ADA compliant				14.147942
SW_Seg_0225	225	Polyline	225	B	Good Condition	16.068504	May be ADA compliant				16.068481
SW_Seg_0226	226	Polyline	226	B	Good Condition	18.762762	May be ADA compliant				18.762862
SW_Seg_0227	227	Polyline	227	B	Good Condition	17.708065	May be ADA compliant				17.708049
SW_Seg_0228	228	Polyline	228	B	Good Condition	98.427034	May be ADA compliant				98.427034
SW_Seg_0229	229	Polyline	229	B	Good Condition	291.395011	May be ADA compliant				291.395011
SW_Seg_0230	230	Polyline	230	C	Worse Condition	289.085141	Not ADA compliant	No	Disintegrating sidewalk surface		289.085141
SW_Seg_0231	231	Polyline	231	A	Best Condition	123.786455	Most likely compliant	Candidate			123.786455
SW_Seg_0232	232	Polyline	232	B	Good Condition	293.154321	May be ADA compliant				293.154321
SW_Seg_0233	233	Polyline	233	B	Good Condition	122.437811	May be ADA compliant				122.437811
SW_Seg_0234	234	Polyline	234	A	Best Condition	289.275881	Most likely compliant	Candidate			289.275881
SW_Seg_0235	235	Polyline	235	B	Good Condition	257.809438	May be ADA compliant				257.809438
SW_Seg_0236	236	Polyline	236	B	Good Condition	290.808266	May be ADA compliant				290.808266
SW_Seg_0237	237	Polyline	237	C	Worse Condition	141.746475	Not ADA compliant	No	Disintegrating sidewalk surface		141.746475
SW_Seg_0238	238	Polyline	238	C	Worse Condition	312.699997	Not ADA compliant	No	Disintegrating sidewalk surface		312.699997
SW_Seg_0239	239	Polyline	239	C	Worse Condition	139.085195	Not ADA compliant	No	Disintegrating sidewalk surface		139.085195
SW_Seg_0240	240	Polyline	240	C	Worse Condition	13.52346	Not ADA compliant	No	Disintegrating sidewalk surface		13.523494
SW_Seg_0241	241	Polyline	241	B	Good Condition	145.170312	May be ADA compliant				145.170312
SW_Seg_0242	242	Polyline	242	C	Worse Condition	139.149853	Not ADA compliant	No	Disintegrating sidewalk surface		139.149853
SW_Seg_0243	243	Polyline	243	C	Worse Condition	113.255259	Not ADA compliant	No	Disintegrating sidewalk surface		113.255259
SW_Seg_0244	244	Polyline	244	B	Good Condition	142.614672	May be ADA compliant				142.614672
SW_Seg_0245	245	Polyline	245	A	Best Condition	45.249761	Most likely compliant	Candidate			45.249761
SW_Seg_0246	246	Polyline	246	B	Good Condition	21.875014	May be ADA compliant				21.87505
SW_Seg_0247	247	Polyline	247	B	Good Condition	290.187989	May be ADA compliant				290.187989
SW_Seg_0248	248	Polyline	248	C	Worse Condition	99.635867	Not ADA compliant	No	Disintegrating sidewalk surface		99.635867
SW_Seg_0249	249	Polyline	249	B	Good Condition	309.201252	May be ADA compliant				309.201252
SW_Seg_0250	250	Polyline	250	B	Good Condition	173.161255	May be ADA compliant				173.161255
SW_Seg_0251	251	Polyline	251	B	Good Condition	281.714512	May be ADA compliant				281.714512
SW_Seg_0252	252	Polyline	252	B	Good Condition	292.912527	May be ADA compliant				292.912527
SW_Seg_0253	253	Polyline	253	B	Good Condition	19.884408	May be ADA compliant				19.884463
SW_Seg_0254	254	Polyline	254	B	Good Condition	14.468834	May be ADA compliant				14.468795
SW_Seg_0255	255	Polyline	255	C	Worse Condition	312.998699	Not ADA compliant	No	Disintegrating sidewalk surface		312.998699
SW_Seg_0256	256	Polyline	256	C	Worse Condition	65.00644	Not ADA compliant	No	Disintegrating sidewalk surface		65.00644
SW_Seg_0257	257	Polyline	257	C	Worse Condition	151.327403	Not ADA compliant	No	Disintegrating sidewalk surface		151.327403
SW_Seg_0258	258	Polyline	258	C	Worse Condition	173.759505	Not ADA compliant	No	Disintegrating sidewalk surface		173.759505
SW_Seg_0259	259	Polyline	259	C	Worse Condition	127.481397	Not ADA compliant	No	Disintegrating sidewalk surface		127.481397
SW_Seg_0260	260	Polyline	260	C	Worse Condition	181.729294	Not ADA compliant	No	Disintegrating sidewalk surface		181.729294
SW_Seg_0261	261	Polyline	261	C	Worse Condition	91.384212	Not ADA compliant	No	Disintegrating sidewalk surface		91.384212
SW_Seg_0262	262	Polyline	262	C	Worse Condition	121.19279	Not ADA compliant	No	Disintegrating sidewalk surface		121.19279
SW_Seg_0263	263	Polyline	263	A	Best Condition	456.64592	Most likely compliant	Candidate			456.64592
SW_Seg_0264	264	Polyline	264	C	Worse Condition	288.485738	Not ADA compliant	No			288.485738
SW_Seg_0265	265	Polyline	265	C	Worse Condition	84.148595	Not ADA compliant			2025 Sidewalk Survey	84.148595
SW_Seg_0266	266	Polyline	266	B	Good Condition	29.566261	May be ADA compliant				29.566261
SW_Seg_0267	267	Polyline	267	C	Worse Condition	355.653964	Not ADA compliant		Less than 3 feet		355.653964
SW_Seg_0268	268	Polyline	268	C	Worse Condition	162.907744	Not ADA compliant			2025 Sidewalk Survey	162.907744
SW_Seg_0269	269	Polyline	269	C	Worse Condition	212.421986	Not ADA compliant	No		2025 Sidewalk Survey	212.421986
SW_Seg_0270	270	Polyline	270	B	Good Condition	46.38841	May be ADA compliant				46.38841

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0271	271	Polyline	271	B	Good Condition	246.341177	May be ADA compliant				246.341177
SW_Seg_0272	272	Polyline	272	B	Good Condition	12.845051	May be ADA compliant				12.845048
SW_Seg_0273	273	Polyline	273	B	Good Condition	275.355338	May be ADA compliant				275.355338
SW_Seg_0274	274	Polyline	274	B	Good Condition	220.716404	May be ADA compliant	No		2025 Sidewalk Survey	220.716404
SW_Seg_0275	275	Polyline	275	B	Good Condition	141.142628	May be ADA compliant			2025 Sidewalk Survey	141.142628
SW_Seg_0276	276	Polyline	276	B	Good Condition	110.908304	May be ADA compliant				110.908304
SW_Seg_0277	277	Polyline	277	C	Worse Condition	87.264106	Not ADA compliant			2025 Sidewalk Survey	87.264106
SW_Seg_0278	278	Polyline	278	B	Good Condition	193.133713	May be ADA compliant			2025 Sidewalk Survey	193.133713
SW_Seg_0279	279	Polyline	279	C	Worse Condition	18.941995	Not ADA compliant	No			18.941984
SW_Seg_0280	280	Polyline	280	B	Good Condition	133.68786	May be ADA compliant				133.68786
SW_Seg_0281	281	Polyline	281	A	Best Condition	25.335241	Most likely compliant	Candidate			25.335221
SW_Seg_0282	282	Polyline	282	B	Good Condition	200.341521	May be ADA compliant				200.341521
SW_Seg_0283	283	Polyline	283	B	Good Condition	285.006536	May be ADA compliant				285.006536
SW_Seg_0284	284	Polyline	284	A	Best Condition	32.241659	Most likely compliant	Candidate			32.241697
SW_Seg_0285	285	Polyline	285	B	Good Condition	66.732791	May be ADA compliant				66.732791
SW_Seg_0286	286	Polyline	286	C	Worse Condition	34.565962	Not ADA compliant	No			34.565962
SW_Seg_0287	287	Polyline	287	C	Worse Condition	304.888373	Not ADA compliant			2025 Sidewalk Survey	304.888373
SW_Seg_0288	288	Polyline	288	A	Best Condition	17.168276	Most likely compliant	Candidate			17.168283
SW_Seg_0289	289	Polyline	289	B	Good Condition	188.169558	May be ADA compliant			2025 Sidewalk Survey	188.169558
SW_Seg_0290	290	Polyline	290	C	Worse Condition	109.461508	Not ADA compliant	No			109.461508
SW_Seg_0291	291	Polyline	291	C	Worse Condition	140.923785	Not ADA compliant	No		2025 Sidewalk Survey	140.923785
SW_Seg_0292	292	Polyline	292	C	Worse Condition	76.770486	Not ADA compliant	No			76.770486
SW_Seg_0293	293	Polyline	293	B	Good Condition	126.924752	May be ADA compliant				126.924752
SW_Seg_0294	294	Polyline	294	C	Worse Condition	127.190884	Not ADA compliant				127.190884
SW_Seg_0295	295	Polyline	295	B	Good Condition	126.026495	May be ADA compliant				126.026495
SW_Seg_0296	296	Polyline	296	B	Good Condition	240.008832	May be ADA compliant				240.008832
SW_Seg_0297	297	Polyline	297	C	Worse Condition	9.952892	Not ADA compliant	No			9.952892
SW_Seg_0298	298	Polyline	298	B	Good Condition	242.782407	May be ADA compliant				242.782407
SW_Seg_0299	299	Polyline	299	C	Worse Condition	128.392751	Not ADA compliant	No			128.39275
SW_Seg_0300	300	Polyline	300	C	Worse Condition	80.577795	Not ADA compliant	No			80.577795
SW_Seg_0301	301	Polyline	301	B	Good Condition	244.895224	May be ADA compliant			2025 Sidewalk Survey	244.895224
SW_Seg_0302	302	Polyline	302	C	Worse Condition	126.683774	Not ADA compliant	No			126.683774
SW_Seg_0303	303	Polyline	303	B	Good Condition	249.969516	May be ADA compliant			2025 Sidewalk Survey	249.969516
SW_Seg_0304	304	Polyline	304	C	Worse Condition	57.796328	Not ADA compliant	No			57.796328
SW_Seg_0305	305	Polyline	305	B	Good Condition	22.159516	May be ADA compliant				22.159493
SW_Seg_0306	306	Polyline	306	B	Good Condition	249.803201	May be ADA compliant				249.803201
SW_Seg_0307	307	Polyline	307	C	Worse Condition	15.747672	Not ADA compliant				15.747724
SW_Seg_0308	308	Polyline	308	B	Good Condition	227.407399	May be ADA compliant				227.407399
SW_Seg_0309	309	Polyline	309	A	Best Condition	298.754516	Most likely compliant	Candidate			298.754516
SW_Seg_0310	310	Polyline	310	B	Good Condition	51.671058	May be ADA compliant			2025 Sidewalk Survey	51.671058
SW_Seg_0311	311	Polyline	311	A	Best Condition	126.452343	Most likely compliant	Candidate			126.452343
SW_Seg_0312	312	Polyline	312	B	Good Condition	129.397616	May be ADA compliant			2025 Sidewalk Survey	129.397616
SW_Seg_0313	313	Polyline	313	A	Best Condition	24.537438	Most likely compliant	Candidate			24.53742
SW_Seg_0314	314	Polyline	314	B	Good Condition	77.554271	May be ADA compliant				77.554271
SW_Seg_0315	315	Polyline	315	A	Best Condition	21.190279	Most likely compliant	Candidate			21.190317
SW_Seg_0316	316	Polyline	316	B	Good Condition	250.291947	May be ADA compliant				250.291947
SW_Seg_0317	317	Polyline	317	A	Best Condition	15.846847	Most likely compliant	Candidate			15.846788
SW_Seg_0318	318	Polyline	318	B	Good Condition	219.081312	May be ADA compliant				219.081312
SW_Seg_0319	319	Polyline	319	C	Worse Condition	268.6441	Not ADA compliant	No	Disintegrating sidewalk surface		268.6441
SW_Seg_0320	320	Polyline	320	B	Good Condition	19.253635	May be ADA compliant				19.253635
SW_Seg_0321	321	Polyline	321	A	Best Condition	26.985284	Most likely compliant	Candidate			26.985274
SW_Seg_0322	322	Polyline	322	A	Best Condition	25.551079	Most likely compliant	Candidate			25.551138
SW_Seg_0323	323	Polyline	323	A	Best Condition	25.051423	Most likely compliant	Candidate			25.051408
SW_Seg_0324	324	Polyline	324	A	Best Condition	29.332766	Most likely compliant	Candidate			29.332725

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0325	325	Polyline	325	A	Best Condition	26.791421	Most likely compliant	Candidate			26.791385
SW_Seg_0326	326	Polyline	326	A	Best Condition	18.240236	Most likely compliant	Candidate			18.240237
SW_Seg_0327	327	Polyline	327	A	Best Condition	28.164453	Most likely compliant	Candidate			28.164458
SW_Seg_0328	328	Polyline	328	A	Best Condition	24.695301	Most likely compliant	Candidate			24.695299
SW_Seg_0329	329	Polyline	329	A	Best Condition	30.812844	Most likely compliant	Candidate			30.812727
SW_Seg_0330	330	Polyline	330	A	Best Condition	23.344439	Most likely compliant	Candidate			23.344429
SW_Seg_0331	331	Polyline	331	A	Best Condition	25.005759	Most likely compliant	Candidate			25.005755
SW_Seg_0332	332	Polyline	332	A	Best Condition	27.054674	Most likely compliant	Candidate			27.054713
SW_Seg_0333	333	Polyline	333	A	Best Condition	23.367581	Most likely compliant	Candidate			23.367528
SW_Seg_0334	334	Polyline	334	A	Best Condition	31.810159	Most likely compliant	Candidate			31.810153
SW_Seg_0335	335	Polyline	335	A	Best Condition	30.792584	Most likely compliant	Candidate			30.792586
SW_Seg_0336	336	Polyline	336	A	Best Condition	23.921886	Most likely compliant	Candidate			23.921865
SW_Seg_0337	337	Polyline	337	A	Best Condition	16.892958	Most likely compliant	Candidate			16.892939
SW_Seg_0338	338	Polyline	338	A	Best Condition	19.910967	Most likely compliant	Candidate			19.911063
SW_Seg_0339	339	Polyline	339	B	Good Condition	152.110069	May be ADA compliant			2025 Sidewalk Survey	152.110069
SW_Seg_0340	340	Polyline	340	C	Worse Condition	151.942174	Not ADA compliant	No		2025 Sidewalk Survey	151.942174
SW_Seg_0341	341	Polyline	341	B	Good Condition	66.617616	May be ADA compliant				66.617616
SW_Seg_0342	342	Polyline	342	B	Good Condition	285.826176	May be ADA compliant				285.826176
SW_Seg_0343	343	Polyline	343	C	Worse Condition	124.765007	Not ADA compliant			2025 Sidewalk Survey	124.765007
SW_Seg_0344	344	Polyline	344	B	Good Condition	124.027453	May be ADA compliant			2025 Sidewalk Survey	124.027453
SW_Seg_0345	345	Polyline	345	B	Good Condition	282.161343	May be ADA compliant			2025 Sidewalk Survey	282.161343
SW_Seg_0346	346	Polyline	346	B	Good Condition	125.081781	May be ADA compliant			2025 Sidewalk Survey	125.081781
SW_Seg_0347	347	Polyline	347	B	Good Condition	315.074975	May be ADA compliant				315.074975
SW_Seg_0348	348	Polyline	348	B	Good Condition	179.649648	May be ADA compliant			2025 Sidewalk Survey	179.649648
SW_Seg_0349	349	Polyline	349	C	Worse Condition	309.040974	Not ADA compliant	No		2025 Sidewalk Survey	309.040974
SW_Seg_0350	350	Polyline	350	C	Worse Condition	263.830774	Not ADA compliant	No		2025 Sidewalk Survey	263.830774
SW_Seg_0351	351	Polyline	351	B	Good Condition	120.836475	May be ADA compliant			2025 Sidewalk Survey	120.836475
SW_Seg_0352	352	Polyline	352	B	Good Condition	162.929241	May be ADA compliant			2025 Sidewalk Survey	162.929241
SW_Seg_0353	353	Polyline	353	B	Good Condition	130.662052	May be ADA compliant				130.662052
SW_Seg_0354	354	Polyline	354	B	Good Condition	124.88039	May be ADA compliant				124.88039
SW_Seg_0355	355	Polyline	355	B	Good Condition	146.972921	May be ADA compliant				146.972928
SW_Seg_0356	356	Polyline	356	A	Best Condition	28.58202	Most likely compliant	Candidate			28.582023
SW_Seg_0357	357	Polyline	357	B	Good Condition	144.422142	May be ADA compliant				144.422142
SW_Seg_0358	358	Polyline	358	C	Worse Condition	41.255697	Not ADA compliant	No			41.255686
SW_Seg_0359	359	Polyline	359	B	Good Condition	259.403066	May be ADA compliant				259.403066
SW_Seg_0360	360	Polyline	360	B	Good Condition	62.709783	May be ADA compliant				62.709742
SW_Seg_0361	361	Polyline	361	B	Good Condition	101.385466	May be ADA compliant			2025 Sidewalk Survey	101.385466
SW_Seg_0362	362	Polyline	362	A	Best Condition	20.600022	Most likely compliant	Candidate			20.600015
SW_Seg_0363	363	Polyline	363	C	Worse Condition	145.416972	Not ADA compliant	No		2025 Sidewalk Survey	145.416972
SW_Seg_0364	364	Polyline	364	A	Best Condition	17.809819	Most likely compliant	Candidate			17.809798
SW_Seg_0365	365	Polyline	365	B	Good Condition	595.75279	May be ADA compliant				595.75279
SW_Seg_0366	366	Polyline	366	C	Worse Condition	80.716886	Not ADA compliant	No			80.716877
SW_Seg_0367	367	Polyline	367	C	Worse Condition	34.991945	Not ADA compliant	No			34.991989
SW_Seg_0368	368	Polyline	368	B	Good Condition	71.053433	May be ADA compliant				71.053433
SW_Seg_0369	369	Polyline	369	B	Good Condition	216.780639	May be ADA compliant				216.780639
SW_Seg_0370	370	Polyline	370	B	Good Condition	186.457331	May be ADA compliant			2025 Sidewalk Survey	186.457331
SW_Seg_0371	371	Polyline	371	C	Worse Condition	130.783539	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	130.783539
SW_Seg_0372	372	Polyline	372	C	Worse Condition	251.817498	Not ADA compliant	No		2025 Sidewalk Survey	251.817498
SW_Seg_0373	373	Polyline	373	C	Worse Condition	165.589842	Not ADA compliant	No		2025 Sidewalk Survey	165.589842
SW_Seg_0374	374	Polyline	374	B	Good Condition	170.17522	May be ADA compliant			2025 Sidewalk Survey	170.17522
SW_Seg_0375	375	Polyline	375	C	Worse Condition	117.892451	Not ADA compliant	No		2025 Sidewalk Survey	117.892451
SW_Seg_0376	376	Polyline	376	C	Worse Condition	130.767304	Not ADA compliant	No		2025 Sidewalk Survey	130.767304
SW_Seg_0377	377	Polyline	377	B	Good Condition	215.836083	May be ADA compliant			2025 Sidewalk Survey	215.836083
SW_Seg_0378	378	Polyline	378	C	Worse Condition	133.204168	Not ADA compliant	No		2025 Sidewalk Survey	133.204168

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0379	379	Polyline	379	C	Worse Condition	143.792025	Not ADA compliant	No		2025 Sidewalk Survey	143.792025
SW_Seg_0380	380	Polyline	380	C	Worse Condition	13.749455	Not ADA compliant	No			13.749422
SW_Seg_0381	381	Polyline	381	C	Worse Condition	15.230425	Not ADA compliant	No			15.230409
SW_Seg_0382	382	Polyline	382	C	Worse Condition	122.55569	Not ADA compliant	No		2025 Sidewalk Survey	122.55569
SW_Seg_0383	383	Polyline	383	A	Best Condition	31.611238	Most likely compliant	Candidate			31.611307
SW_Seg_0384	384	Polyline	384	A	Best Condition	27.01436	Most likely compliant	Candidate			27.014431
SW_Seg_0385	385	Polyline	385	A	Best Condition	21.441353	Most likely compliant	Candidate			21.441367
SW_Seg_0386	386	Polyline	386	A	Best Condition	185.181102	Most likely compliant	Candidate		2025 Sidewalk Survey	185.181102
SW_Seg_0387	387	Polyline	387	A	Best Condition	31.894356	Most likely compliant	Candidate			31.894315
SW_Seg_0388	388	Polyline	388	B	Good Condition	151.313402	May be ADA compliant			2025 Sidewalk Survey	151.313402
SW_Seg_0389	389	Polyline	389	C	Worse Condition	146.532762	Not ADA compliant			2025 Sidewalk Survey	146.532762
SW_Seg_0390	390	Polyline	390	A	Best Condition	133.003828	Most likely compliant	Candidate			133.003828
SW_Seg_0391	391	Polyline	391	B	Good Condition	21.472714	May be ADA compliant				21.472743
SW_Seg_0392	392	Polyline	392	C	Worse Condition	23.549912	Not ADA compliant				23.549873
SW_Seg_0393	393	Polyline	393	B	Good Condition	33.221465	May be ADA compliant				33.221465
SW_Seg_0394	394	Polyline	394	B	Good Condition	711.74809	May be ADA compliant				711.74809
SW_Seg_0395	395	Polyline	395	A	Best Condition	24.478575	Most likely compliant	Candidate			24.478629
SW_Seg_0396	396	Polyline	396	A	Best Condition	18.562235	Most likely compliant	Candidate			18.56224
SW_Seg_0397	397	Polyline	397	B	Good Condition	164.199522	May be ADA compliant				164.199522
SW_Seg_0398	398	Polyline	398	C	Worse Condition	128.771741	Not ADA compliant				128.771741
SW_Seg_0399	399	Polyline	399	C	Worse Condition	8.715524	Not ADA compliant				8.715492
SW_Seg_0400	400	Polyline	400	B	Good Condition	46.577305	May be ADA compliant				46.577305
SW_Seg_0401	401	Polyline	401	A	Best Condition	17.107009	Most likely compliant	Candidate			17.106997
SW_Seg_0402	402	Polyline	402	A	Best Condition	29.327756	Most likely compliant	Candidate			29.327756
SW_Seg_0403	403	Polyline	403	A	Best Condition	203.508126	Most likely compliant	Candidate			203.508126
SW_Seg_0404	404	Polyline	404	A	Best Condition	133.710284	Most likely compliant	Candidate			133.710284
SW_Seg_0405	405	Polyline	405	A	Best Condition	225.693723	Most likely compliant	Candidate			225.693723
SW_Seg_0406	406	Polyline	406	B	Good Condition	12.199485	May be ADA compliant				12.199547
SW_Seg_0407	407	Polyline	407	C	Worse Condition	15.686675	Not ADA compliant				15.686643
SW_Seg_0408	408	Polyline	408	A	Best Condition	303.121403	Most likely compliant	Candidate			303.121403
SW_Seg_0409	409	Polyline	409	B	Good Condition	40.611465	May be ADA compliant				40.611455
SW_Seg_0410	410	Polyline	410	A	Best Condition	249.271652	Most likely compliant	Candidate			249.271652
SW_Seg_0411	411	Polyline	411	B	Good Condition	53.378068	May be ADA compliant				53.378049
SW_Seg_0412	412	Polyline	412	A	Best Condition	236.847907	Most likely compliant	Candidate			236.847907
SW_Seg_0413	413	Polyline	413	A	Best Condition	43.218144	Most likely compliant	Candidate			43.218205
SW_Seg_0414	414	Polyline	414	A	Best Condition	25.974293	Most likely compliant	Candidate			25.974385
SW_Seg_0415	415	Polyline	415	A	Best Condition	253.986684	Most likely compliant	Candidate			253.986684
SW_Seg_0416	416	Polyline	416	B	Good Condition	61.10173	May be ADA compliant			2025 Sidewalk Survey	61.10173
SW_Seg_0417	417	Polyline	417	A	Best Condition	14.552354	Most likely compliant	Candidate			14.552329
SW_Seg_0418	418	Polyline	418	C	Worse Condition	37.033707	Not ADA compliant	No			37.03377
SW_Seg_0419	419	Polyline	419	B	Good Condition	127.893398	May be ADA compliant				127.893398
SW_Seg_0420	420	Polyline	420	C	Worse Condition	292.36221	Not ADA compliant	No		2025 Sidewalk Survey	292.36221
SW_Seg_0421	421	Polyline	421	C	Worse Condition	27.497205	Not ADA compliant	No			27.497217
SW_Seg_0422	422	Polyline	422	A	Best Condition	184.369858	Most likely compliant	Candidate			184.369858
SW_Seg_0423	423	Polyline	423	B	Good Condition	284.328725	May be ADA compliant			2025 Sidewalk Survey	284.328725
SW_Seg_0424	424	Polyline	424	B	Good Condition	231.895637	May be ADA compliant			2025 Sidewalk Survey	231.895637
SW_Seg_0425	425	Polyline	425	A	Best Condition	24.382728	Most likely compliant	Candidate			24.382728
SW_Seg_0426	426	Polyline	426	A	Best Condition	22.247308	Most likely compliant	Candidate			22.247271
SW_Seg_0427	427	Polyline	427	B	Good Condition	20.054094	May be ADA compliant				20.054166
SW_Seg_0428	428	Polyline	428	A	Best Condition	20.170339	Most likely compliant	Candidate			20.170349
SW_Seg_0429	429	Polyline	429	A	Best Condition	19.9741	Most likely compliant	Candidate			19.97416
SW_Seg_0430	430	Polyline	430	A	Best Condition	17.662	Most likely compliant	Candidate			17.661926
SW_Seg_0431	431	Polyline	431	A	Best Condition	25.352069	Most likely compliant	Candidate			25.352081
SW_Seg_0432	432	Polyline	432	A	Best Condition	29.908295	Most likely compliant	Candidate			29.908329

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0433	433	Polyline	433	A	Best Condition	25.144649	Most likely compliant	Candidate			25.144665
SW_Seg_0434	434	Polyline	434	B	Good Condition	194.459533	May be ADA compliant				194.459533
SW_Seg_0435	435	Polyline	435	B	Good Condition	284.549985	May be ADA compliant			2025 Sidewalk Survey	284.549985
SW_Seg_0436	436	Polyline	436	B	Good Condition	131.464343	May be ADA compliant			2025 Sidewalk Survey	131.464343
SW_Seg_0437	437	Polyline	437	A	Best Condition	115.794746	Most likely compliant	Candidate			115.794746
SW_Seg_0438	438	Polyline	438	A	Best Condition	171.890064	Most likely compliant	Candidate		2025 Sidewalk Survey	171.890064
SW_Seg_0439	439	Polyline	439	B	Good Condition	276.480042	May be ADA compliant				276.480042
SW_Seg_0440	440	Polyline	440	B	Good Condition	149.08018	May be ADA compliant			2025 Sidewalk Survey	149.08018
SW_Seg_0441	441	Polyline	441	C	Worse Condition	475.974517	Not ADA compliant	No		2025 Sidewalk Survey	475.974517
SW_Seg_0442	442	Polyline	442	D	Missing	16.448129	Not ADA compliant - Missing	No			16.4482
SW_Seg_0443	443	Polyline	443	C	Worse Condition	293.269465	Not ADA compliant			2025 Sidewalk Survey	293.269465
SW_Seg_0444	444	Polyline	444	B	Good Condition	424.994944	May be ADA compliant				424.994944
SW_Seg_0445	445	Polyline	445	A	Best Condition	17.394787	Most likely compliant	Candidate			17.394717
SW_Seg_0446	446	Polyline	446	A	Best Condition	35.018038	Most likely compliant	Candidate			35.018068
SW_Seg_0447	447	Polyline	447	A	Best Condition	60.493872	Most likely compliant	Candidate			60.49387
SW_Seg_0448	448	Polyline	448	A	Best Condition	158.468899	Most likely compliant	Candidate			158.468919
SW_Seg_0449	449	Polyline	449	A	Best Condition	55.842759	Most likely compliant	Candidate			55.842768
SW_Seg_0450	450	Polyline	450	A	Best Condition	105.30429	Most likely compliant	Candidate			105.30429
SW_Seg_0451	451	Polyline	451	A	Best Condition	25.846301	Most likely compliant	Candidate			25.846304
SW_Seg_0452	452	Polyline	452	A	Best Condition	106.071496	Most likely compliant	Candidate			106.071491
SW_Seg_0453	453	Polyline	453	A	Best Condition	94.932136	Most likely compliant	Candidate			94.932093
SW_Seg_0454	454	Polyline	454	A	Best Condition	464.139475	Most likely compliant	Candidate			464.139475
SW_Seg_0455	455	Polyline	455	C	Worse Condition	10.427748	Not ADA compliant	No	Disintegrating sidewalk surface		10.427778
SW_Seg_0456	456	Polyline	456	A	Best Condition	37.598519	Most likely compliant	Candidate			37.598519
SW_Seg_0457	457	Polyline	457	C	Worse Condition	15.99092	Not ADA compliant	No	Disintegrating sidewalk surface		15.990891
SW_Seg_0458	458	Polyline	458	A	Best Condition	128.570563	Most likely compliant	Candidate			128.570588
SW_Seg_0459	459	Polyline	459	A	Best Condition	38.614411	Most likely compliant	Candidate			38.614395
SW_Seg_0460	460	Polyline	460	A	Best Condition	59.083497	Most likely compliant	Candidate			59.083434
SW_Seg_0461	461	Polyline	461	A	Best Condition	194.034458	Most likely compliant	Candidate			194.034466
SW_Seg_0462	462	Polyline	462	C	Worse Condition	9.318337	Not ADA compliant	No	Disintegrating sidewalk surface		9.31832
SW_Seg_0463	463	Polyline	463	A	Best Condition	87.665581	Most likely compliant	Candidate			87.665581
SW_Seg_0464	464	Polyline	464	A	Best Condition	87.836338	Most likely compliant	Candidate			87.836324
SW_Seg_0465	465	Polyline	465	A	Best Condition	83.929869	Most likely compliant	Candidate			83.929898
SW_Seg_0466	466	Polyline	466	C	Worse Condition	10.175784	Not ADA compliant	No	Disintegrating sidewalk surface		10.17579
SW_Seg_0467	467	Polyline	467	A	Best Condition	51.907136	Most likely compliant	Candidate			51.907136
SW_Seg_0468	468	Polyline	468	A	Best Condition	156.563588	Most likely compliant	Candidate			156.563588
SW_Seg_0469	469	Polyline	469	A	Best Condition	124.479229	Most likely compliant	Candidate			124.479229
SW_Seg_0470	470	Polyline	470	A	Best Condition	74.812462	Most likely compliant	Candidate			74.812497
SW_Seg_0471	471	Polyline	471	A	Best Condition	135.694785	Most likely compliant	Candidate			135.69479
SW_Seg_0472	472	Polyline	472	A	Best Condition	9.47835	Most likely compliant	Candidate			9.47833
SW_Seg_0473	473	Polyline	473	A	Best Condition	226.501559	Most likely compliant	Candidate			226.501559
SW_Seg_0474	474	Polyline	474	A	Best Condition	185.547898	Most likely compliant	Candidate			185.547863
SW_Seg_0475	475	Polyline	475	A	Best Condition	98.422368	Most likely compliant	Candidate			98.422443
SW_Seg_0476	476	Polyline	476	A	Best Condition	19.111704	Most likely compliant	Candidate			19.111755
SW_Seg_0477	477	Polyline	477	A	Best Condition	122.458325	Most likely compliant	Candidate			122.458333
SW_Seg_0478	478	Polyline	478	A	Best Condition	345.757458	Most likely compliant	Candidate			345.757469
SW_Seg_0479	479	Polyline	479	A	Best Condition	21.327588	Most likely compliant	Candidate			21.327588
SW_Seg_0480	480	Polyline	480	A	Best Condition	30.430675	Most likely compliant	Candidate			30.430649
SW_Seg_0481	481	Polyline	481	A	Best Condition	11.987325	Most likely compliant	Candidate			11.987318
SW_Seg_0482	482	Polyline	482	A	Best Condition	869.386956	Most likely compliant	Candidate			869.386971
SW_Seg_0483	483	Polyline	483	A	Best Condition	517.74725	Most likely compliant	Candidate			517.747253
SW_Seg_0484	484	Polyline	484	A	Best Condition	27.192818	Most likely compliant	Candidate			27.192818
SW_Seg_0485	485	Polyline	485	A	Best Condition	19.676497	Most likely compliant	Candidate			19.676497
SW_Seg_0486	486	Polyline	486	A	Best Condition	209.699299	Most likely compliant	Candidate			209.699299

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0487	487	Polyline	487	A	Best Condition	209.3311	Most likely compliant	Candidate			209.331109
SW_Seg_0488	488	Polyline	488	A	Best Condition	180.296133	Most likely compliant	Candidate			180.296141
SW_Seg_0489	489	Polyline	489	A	Best Condition	20.563268	Most likely compliant	Candidate			20.563268
SW_Seg_0490	490	Polyline	490	A	Best Condition	174.216141	Most likely compliant	Candidate			174.216141
SW_Seg_0491	491	Polyline	491	A	Best Condition	14.509413	Most likely compliant	Candidate			14.509387
SW_Seg_0492	492	Polyline	492	A	Best Condition	16.624081	Most likely compliant	Candidate			16.624084
SW_Seg_0493	493	Polyline	493	B	Good Condition	279.751284	May be ADA compliant				279.751284
SW_Seg_0494	494	Polyline	494	C	Worse Condition	361.539106	Not ADA compliant	No	Disintegrating sidewalk surface		361.539106
SW_Seg_0495	495	Polyline	495	B	Good Condition	294.760553	May be ADA compliant				294.760553
SW_Seg_0496	496	Polyline	496	B	Good Condition	642.292136	May be ADA compliant				642.292136
SW_Seg_0497	497	Polyline	497	B	Good Condition	243.800213	May be ADA compliant			2025 Sidewalk Survey	243.800213
SW_Seg_0498	498	Polyline	498	B	Good Condition	36.43375	May be ADA compliant				36.433744
SW_Seg_0499	499	Polyline	499	A	Best Condition	17.867666	Most likely compliant	Candidate			17.867663
SW_Seg_0500	500	Polyline	500	B	Good Condition	430.703611	May be ADA compliant				430.703594
SW_Seg_0501	501	Polyline	501	A	Best Condition	42.093825	Most likely compliant	Candidate			42.093842
SW_Seg_0502	502	Polyline	502	B	Good Condition	27.164603	May be ADA compliant				27.164596
SW_Seg_0503	503	Polyline	503	B	Good Condition	194.966859	May be ADA compliant				194.966859
SW_Seg_0504	504	Polyline	504	A	Best Condition	1065.050218	Most likely compliant	Candidate			1065.050185
SW_Seg_0505	505	Polyline	505	A	Best Condition	281.682731	Most likely compliant	Candidate			281.682731
SW_Seg_0506	506	Polyline	506	B	Good Condition	286.155406	May be ADA compliant				286.155406
SW_Seg_0507	507	Polyline	507	A	Best Condition	31.989192	Most likely compliant	Candidate			31.989119
SW_Seg_0508	508	Polyline	508	A	Best Condition	242.815036	Most likely compliant	Candidate			242.815036
SW_Seg_0509	509	Polyline	509	B	Good Condition	274.933988	May be ADA compliant			2025 Sidewalk Survey	274.933988
SW_Seg_0510	510	Polyline	510	A	Best Condition	25.646136	Most likely compliant	Candidate			25.646024
SW_Seg_0511	511	Polyline	511	B	Good Condition	41.248457	May be ADA compliant				41.248457
SW_Seg_0512	512	Polyline	512	B	Good Condition	150.694698	May be ADA compliant				150.694698
SW_Seg_0513	513	Polyline	513	A	Best Condition	17.07067	Most likely compliant	Candidate			17.070645
SW_Seg_0514	514	Polyline	514	C	Worse Condition	91.811607	Not ADA compliant			2025 Sidewalk Survey	91.811607
SW_Seg_0515	515	Polyline	515	A	Best Condition	25.079171	Most likely compliant	Candidate			25.079163
SW_Seg_0516	516	Polyline	516	B	Good Condition	248.662616	May be ADA compliant				248.662616
SW_Seg_0517	517	Polyline	517	B	Good Condition	274.591153	May be ADA compliant				274.591153
SW_Seg_0518	518	Polyline	518	A	Best Condition	18.561319	Most likely compliant	Candidate			18.56132
SW_Seg_0519	519	Polyline	519	A	Best Condition	676.47316	Most likely compliant	Candidate			676.47316
SW_Seg_0520	520	Polyline	520	A	Best Condition	49.816218	Most likely compliant	Candidate			49.816211
SW_Seg_0521	521	Polyline	521	A	Best Condition	22.509258	Most likely compliant	Candidate			22.509258
SW_Seg_0522	522	Polyline	522	A	Best Condition	272.747086	Most likely compliant	Candidate			272.747086
SW_Seg_0523	523	Polyline	523	B	Good Condition	435.111284	May be ADA compliant			2025 Sidewalk Survey	435.111284
SW_Seg_0524	524	Polyline	524	C	Worse Condition	19.379275	Not ADA compliant	No			19.379247
SW_Seg_0525	525	Polyline	525	B	Good Condition	134.026063	May be ADA compliant				134.026063
SW_Seg_0526	526	Polyline	526	C	Worse Condition	44.238067	Not ADA compliant	No			44.238067
SW_Seg_0527	527	Polyline	527	C	Worse Condition	145.727066	Not ADA compliant	No			145.727066
SW_Seg_0528	528	Polyline	528	C	Worse Condition	202.079248	Not ADA compliant	No			202.079248
SW_Seg_0529	529	Polyline	529	A	Best Condition	57.997637	Most likely compliant	Candidate			57.997637
SW_Seg_0530	530	Polyline	530	C	Worse Condition	342.714472	Not ADA compliant	No			342.714472
SW_Seg_0531	531	Polyline	531	C	Worse Condition	240.77146	Not ADA compliant	No			240.771491
SW_Seg_0532	532	Polyline	532	B	Good Condition	424.987962	May be ADA compliant				424.98795
SW_Seg_0533	533	Polyline	533	B	Good Condition	143.314191	May be ADA compliant			2025 Sidewalk Survey	143.314191
SW_Seg_0534	534	Polyline	534	B	Good Condition	140.842601	May be ADA compliant			2025 Sidewalk Survey	140.842601
SW_Seg_0535	535	Polyline	535	C	Worse Condition	280.359005	Not ADA compliant			2025 Sidewalk Survey	280.359005
SW_Seg_0536	536	Polyline	536	A	Best Condition	106.957635	Most likely compliant	Candidate			106.957635
SW_Seg_0537	537	Polyline	537	B	Good Condition	169.241677	May be ADA compliant				169.241677
SW_Seg_0538	538	Polyline	538	C	Worse Condition	139.864046	Not ADA compliant	No			139.864046
SW_Seg_0539	539	Polyline	539	B	Good Condition	129.13433	May be ADA compliant				129.13433
SW_Seg_0540	540	Polyline	540	C	Worse Condition	126.304294	Not ADA compliant				126.304294

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0541	541	Polyline	541	B	Good Condition	125.507253	May be ADA compliant				125.507253
SW_Seg_0542	542	Polyline	542	B	Good Condition	127.859258	May be ADA compliant				127.859258
SW_Seg_0543	543	Polyline	543	B	Good Condition	122.504735	May be ADA compliant			2025 Sidewalk Survey	122.504735
SW_Seg_0544	544	Polyline	544	B	Good Condition	72.319769	May be ADA compliant			2025 Sidewalk Survey	72.319769
SW_Seg_0545	545	Polyline	545	C	Worse Condition	433.234056	Not ADA compliant	No		2025 Sidewalk Survey	433.234056
SW_Seg_0546	546	Polyline	546	B	Good Condition	298.055988	May be ADA compliant			2025 Sidewalk Survey	298.055988
SW_Seg_0547	547	Polyline	547	B	Good Condition	136.827979	May be ADA compliant				136.827979
SW_Seg_0548	548	Polyline	548	A	Best Condition	64.953003	Most likely compliant	Candidate			64.953003
SW_Seg_0549	549	Polyline	549	B	Good Condition	44.908417	May be ADA compliant				44.908417
SW_Seg_0550	550	Polyline	550	B	Good Condition	44.320724	May be ADA compliant				44.320724
SW_Seg_0551	551	Polyline	551	B	Good Condition	330.649156	May be ADA compliant				330.649156
SW_Seg_0552	552	Polyline	552	C	Worse Condition	159.554569	Not ADA compliant	No			159.554569
SW_Seg_0553	553	Polyline	553	B	Good Condition	113.63904	May be ADA compliant				113.63904
SW_Seg_0554	554	Polyline	554	C	Worse Condition	124.957612	Not ADA compliant	No		2025 Sidewalk Survey	124.957612
SW_Seg_0555	555	Polyline	555	C	Worse Condition	101.722924	Not ADA compliant	No			101.722924
SW_Seg_0556	556	Polyline	556	C	Worse Condition	311.808909	Not ADA compliant	No		2025 Sidewalk Survey	311.808909
SW_Seg_0557	557	Polyline	557	C	Worse Condition	245.339178	Not ADA compliant	No		2025 Sidewalk Survey	245.339178
SW_Seg_0558	558	Polyline	558	C	Worse Condition	262.836451	Not ADA compliant	No		2025 Sidewalk Survey	262.836451
SW_Seg_0559	559	Polyline	559	C	Worse Condition	6.362201	Not ADA compliant	No			6.362187
SW_Seg_0560	560	Polyline	560	B	Good Condition	63.19342	May be ADA compliant				63.19342
SW_Seg_0561	561	Polyline	561	B	Good Condition	95.405602	May be ADA compliant			2025 Sidewalk Survey	95.405602
SW_Seg_0562	562	Polyline	562	A	Best Condition	157.722072	Most likely compliant	Candidate			157.722072
SW_Seg_0563	563	Polyline	563	B	Good Condition	308.705022	May be ADA compliant			2025 Sidewalk Survey	308.705022
SW_Seg_0564	564	Polyline	564	C	Worse Condition	322.270192	Not ADA compliant	No		2025 Sidewalk Survey	322.270192
SW_Seg_0565	565	Polyline	565	C	Worse Condition	16.964431	Not ADA compliant	No			16.964394
SW_Seg_0566	566	Polyline	566	B	Good Condition	202.76772	May be ADA compliant			2025 Sidewalk Survey	202.76772
SW_Seg_0567	567	Polyline	567	C	Worse Condition	64.296564	Not ADA compliant	No		2025 Sidewalk Survey	64.296564
SW_Seg_0568	568	Polyline	568	A	Best Condition	92.572488	Most likely compliant	Candidate			92.572488
SW_Seg_0569	569	Polyline	569	A	Best Condition	61.397831	Most likely compliant	Candidate			61.397831
SW_Seg_0570	570	Polyline	570	B	Good Condition	104.370149	May be ADA compliant				104.370149
SW_Seg_0571	571	Polyline	571	B	Good Condition	127.293572	May be ADA compliant				127.293572
SW_Seg_0572	572	Polyline	572	B	Good Condition	119.97418	May be ADA compliant				119.97418
SW_Seg_0573	573	Polyline	573	B	Good Condition	274.854699	May be ADA compliant				274.854699
SW_Seg_0574	574	Polyline	574	C	Worse Condition	107.579061	Not ADA compliant	No			107.579061
SW_Seg_0575	575	Polyline	575	C	Worse Condition	305.876429	Not ADA compliant	No		2025 Sidewalk Survey	305.876429
SW_Seg_0576	576	Polyline	576	A	Best Condition	93.971072	Most likely compliant	Candidate			93.971072
SW_Seg_0577	577	Polyline	577	C	Worse Condition	78.837401	Not ADA compliant			2025 Sidewalk Survey	78.837401
SW_Seg_0578	578	Polyline	578	B	Good Condition	327.348019	May be ADA compliant			2025 Sidewalk Survey	327.348019
SW_Seg_0579	579	Polyline	579	B	Good Condition	177.742779	May be ADA compliant			2025 Sidewalk Survey	177.742779
SW_Seg_0580	580	Polyline	580	B	Good Condition	127.501577	May be ADA compliant				127.501577
SW_Seg_0581	581	Polyline	581	B	Good Condition	156.334942	May be ADA compliant				156.334942
SW_Seg_0582	582	Polyline	582	B	Good Condition	121.776282	May be ADA compliant				121.776282
SW_Seg_0583	583	Polyline	583	B	Good Condition	125.765664	May be ADA compliant				125.765664
SW_Seg_0584	584	Polyline	584	B	Good Condition	215.497725	May be ADA compliant			2025 Sidewalk Survey	215.497725
SW_Seg_0585	585	Polyline	585	B	Good Condition	169.177304	May be ADA compliant			2025 Sidewalk Survey	169.177304
SW_Seg_0586	586	Polyline	586	C	Worse Condition	246.501879	Not ADA compliant				246.501879
SW_Seg_0587	587	Polyline	587	B	Good Condition	301.725942	May be ADA compliant			2025 Sidewalk Survey	301.725942
SW_Seg_0588	588	Polyline	588	B	Good Condition	83.393941	May be ADA compliant			2025 Sidewalk Survey	83.393941
SW_Seg_0589	589	Polyline	589	C	Worse Condition	106.824784	Not ADA compliant	No			106.824784
SW_Seg_0590	590	Polyline	590	B	Good Condition	98.416492	May be ADA compliant			2025 Sidewalk Survey	98.416492
SW_Seg_0591	591	Polyline	591	B	Good Condition	47.669922	May be ADA compliant			2025 Sidewalk Survey	47.669896
SW_Seg_0592	592	Polyline	592	C	Worse Condition	35.306364	Not ADA compliant			2025 Sidewalk Survey	35.30635
SW_Seg_0593	593	Polyline	593	C	Worse Condition	22.759666	Not ADA compliant			2025 Sidewalk Survey	22.759691
SW_Seg_0594	594	Polyline	594	B	Good Condition	100.960326	May be ADA compliant			2025 Sidewalk Survey	100.960326

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0595	595	Polyline	595	C	Worse Condition	19.622344	Not ADA compliant	No		2025 Sidewalk Survey	19.622357
SW_Seg_0596	596	Polyline	596	C	Worse Condition	103.963086	Not ADA compliant	No		2025 Sidewalk Survey	103.963089
SW_Seg_0597	597	Polyline	597	C	Worse Condition	360.145502	Not ADA compliant	No		2025 Sidewalk Survey	360.145495
SW_Seg_0598	598	Polyline	598	B	Good Condition	78.816439	May be ADA compliant				78.816439
SW_Seg_0599	599	Polyline	599	B	Good Condition	276.86111	May be ADA compliant			2025 Sidewalk Survey	276.86111
SW_Seg_0600	600	Polyline	600	A	Best Condition	33.554486	Most likely compliant	Candidate			33.554555
SW_Seg_0601	601	Polyline	601	B	Good Condition	145.799743	May be ADA compliant			2025 Sidewalk Survey	145.799743
SW_Seg_0602	602	Polyline	602	A	Best Condition	25.705818	Most likely compliant	Candidate			25.705744
SW_Seg_0603	603	Polyline	603	A	Best Condition	27.307117	Most likely compliant	Candidate			27.307131
SW_Seg_0604	604	Polyline	604	A	Best Condition	29.206917	Most likely compliant	Candidate			29.20693
SW_Seg_0605	605	Polyline	605	C	Worse Condition	124.479865	Not ADA compliant	No			124.479865
SW_Seg_0606	606	Polyline	606	B	Good Condition	277.941053	May be ADA compliant				277.941053
SW_Seg_0607	607	Polyline	607	B	Good Condition	152.853505	May be ADA compliant				152.853505
SW_Seg_0608	608	Polyline	608	B	Good Condition	303.527397	May be ADA compliant				303.527397
SW_Seg_0609	609	Polyline	609	B	Good Condition	127.461014	May be ADA compliant				127.461014
SW_Seg_0610	610	Polyline	610	B	Good Condition	130.027507	May be ADA compliant				130.027507
SW_Seg_0611	611	Polyline	611	A	Best Condition	9.158072	Most likely compliant	Candidate			9.158063
SW_Seg_0612	612	Polyline	612	A	Best Condition	18.332476	Most likely compliant	Candidate			18.332535
SW_Seg_0613	613	Polyline	613	A	Best Condition	23.276067	Most likely compliant	Candidate			23.27608
SW_Seg_0614	614	Polyline	614	A	Best Condition	118.393565	Most likely compliant	Candidate			118.393565
SW_Seg_0615	615	Polyline	615	A	Best Condition	28.199866	Most likely compliant	Candidate			28.199942
SW_Seg_0616	616	Polyline	616	B	Good Condition	137.758843	May be ADA compliant				137.758843
SW_Seg_0617	617	Polyline	617	A	Best Condition	275.434416	Most likely compliant	Candidate			275.434416
SW_Seg_0618	618	Polyline	618	A	Best Condition	19.047444	Most likely compliant	Candidate			19.047474
SW_Seg_0619	619	Polyline	619	B	Good Condition	22.355902	May be ADA compliant				22.355918
SW_Seg_0620	620	Polyline	620	A	Best Condition	30.843515	Most likely compliant	Candidate			30.843445
SW_Seg_0621	621	Polyline	621	A	Best Condition	18.30811	Most likely compliant	Candidate			18.308111
SW_Seg_0622	622	Polyline	622	B	Good Condition	18.436773	May be ADA compliant				18.436774
SW_Seg_0623	623	Polyline	623	A	Best Condition	287.679309	Most likely compliant	Candidate			287.679309
SW_Seg_0624	624	Polyline	624	B	Good Condition	225.188167	May be ADA compliant				225.188167
SW_Seg_0625	625	Polyline	625	A	Best Condition	276.948955	Most likely compliant	Candidate			276.948955
SW_Seg_0626	626	Polyline	626	A	Best Condition	283.039817	Most likely compliant	Candidate			283.039817
SW_Seg_0627	627	Polyline	627	A	Best Condition	23.634305	Most likely compliant	Candidate			23.63428
SW_Seg_0628	628	Polyline	628	A	Best Condition	22.327911	Most likely compliant	Candidate			22.32798
SW_Seg_0629	629	Polyline	629	A	Best Condition	27.521137	Most likely compliant	Candidate			27.521174
SW_Seg_0630	630	Polyline	630	C	Worse Condition	43.490726	Not ADA compliant	No			43.49075
SW_Seg_0631	631	Polyline	631	A	Best Condition	281.566455	Most likely compliant	Candidate			281.566455
SW_Seg_0632	632	Polyline	632	A	Best Condition	255.748288	Most likely compliant	Candidate			255.748288
SW_Seg_0633	633	Polyline	633	A	Best Condition	159.540966	Most likely compliant	Candidate			159.540966
SW_Seg_0634	634	Polyline	634	A	Best Condition	274.507443	Most likely compliant	Candidate			274.507443
SW_Seg_0635	635	Polyline	635	B	Good Condition	135.803371	May be ADA compliant				135.803371
SW_Seg_0636	636	Polyline	636	A	Best Condition	20.331544	Most likely compliant	Candidate			20.331562
SW_Seg_0637	637	Polyline	637	A	Best Condition	245.790843	Most likely compliant	Candidate			245.790843
SW_Seg_0638	638	Polyline	638	A	Best Condition	294.404181	Most likely compliant	Candidate			294.404181
SW_Seg_0639	639	Polyline	639	A	Best Condition	118.584726	Most likely compliant	Candidate			118.584726
SW_Seg_0640	640	Polyline	640	A	Best Condition	18.386749	Most likely compliant	Candidate			18.386718
SW_Seg_0641	641	Polyline	641	A	Best Condition	282.591364	Most likely compliant	Candidate		2025 Sidewalk Survey	282.591364
SW_Seg_0642	642	Polyline	642	B	Good Condition	276.470273	May be ADA compliant			2025 Sidewalk Survey	276.470273
SW_Seg_0643	643	Polyline	643	B	Good Condition	271.737101	May be ADA compliant				271.737101
SW_Seg_0644	644	Polyline	644	A	Best Condition	307.916931	Most likely compliant	Candidate			307.916931
SW_Seg_0645	645	Polyline	645	B	Good Condition	20.800429	May be ADA compliant				20.800497
SW_Seg_0646	646	Polyline	646	B	Good Condition	246.634609	May be ADA compliant			2025 Sidewalk Survey	246.634609
SW_Seg_0647	647	Polyline	647	A	Best Condition	10.66358	Most likely compliant	Candidate			10.663601
SW_Seg_0648	648	Polyline	648	A	Best Condition	304.355088	Most likely compliant	Candidate			304.355088

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0649	649	Polyline	649	B	Good Condition	277.573853	May be ADA compliant				277.573853
SW_Seg_0650	650	Polyline	650	B	Good Condition	305.052622	May be ADA compliant			2025 Sidewalk Survey	305.052622
SW_Seg_0651	651	Polyline	651	C	Worse Condition	222.095999	Not ADA compliant				222.095999
SW_Seg_0652	652	Polyline	652	B	Good Condition	214.070105	May be ADA compliant				214.070105
SW_Seg_0653	653	Polyline	653	C	Worse Condition	155.656714	Not ADA compliant				155.656714
SW_Seg_0654	654	Polyline	654	B	Good Condition	136.655825	May be ADA compliant				136.655825
SW_Seg_0655	655	Polyline	655	B	Good Condition	138.764544	May be ADA compliant				138.764544
SW_Seg_0656	656	Polyline	656	B	Good Condition	317.102241	May be ADA compliant				317.102241
SW_Seg_0657	657	Polyline	657	B	Good Condition	144.758378	May be ADA compliant				144.758378
SW_Seg_0658	658	Polyline	658	B	Good Condition	137.03312	May be ADA compliant			2025 Sidewalk Survey	137.03312
SW_Seg_0659	659	Polyline	659	B	Good Condition	116.672824	May be ADA compliant			2025 Sidewalk Survey	116.672824
SW_Seg_0660	660	Polyline	660	A	Best Condition	12.533187	Most likely compliant	Candidate			12.533208
SW_Seg_0661	661	Polyline	661	A	Best Condition	18.458167	Most likely compliant	Candidate			18.458138
SW_Seg_0662	662	Polyline	662	B	Good Condition	60.541497	May be ADA compliant				60.541497
SW_Seg_0663	663	Polyline	663	A	Best Condition	253.431422	Most likely compliant	Candidate			253.431422
SW_Seg_0664	664	Polyline	664	B	Good Condition	138.424971	May be ADA compliant			2025 Sidewalk Survey	138.424971
SW_Seg_0665	665	Polyline	665	A	Best Condition	23.587177	Most likely compliant	Candidate			23.58724
SW_Seg_0666	666	Polyline	666	B	Good Condition	125.614056	May be ADA compliant			2025 Sidewalk Survey	125.614056
SW_Seg_0667	667	Polyline	667	B	Good Condition	191.621005	May be ADA compliant				191.621005
SW_Seg_0668	668	Polyline	668	B	Good Condition	128.219458	May be ADA compliant				128.219458
SW_Seg_0669	669	Polyline	669	B	Good Condition	136.771726	May be ADA compliant				136.771726
SW_Seg_0670	670	Polyline	670	A	Best Condition	16.294469	Most likely compliant	Candidate			16.294514
SW_Seg_0671	671	Polyline	671	A	Best Condition	18.04125	Most likely compliant	Candidate			18.041217
SW_Seg_0672	672	Polyline	672	A	Best Condition	8.468141	Most likely compliant	Candidate			8.468079
SW_Seg_0673	673	Polyline	673	B	Good Condition	281.485633	May be ADA compliant				281.485633
SW_Seg_0674	674	Polyline	674	A	Best Condition	219.04233	Most likely compliant	Candidate		2025 Sidewalk Survey	219.04233
SW_Seg_0675	675	Polyline	675	B	Good Condition	92.74596	May be ADA compliant			2025 Sidewalk Survey	92.74596
SW_Seg_0676	676	Polyline	676	A	Best Condition	116.488384	Most likely compliant	Candidate			116.488384
SW_Seg_0677	677	Polyline	677	B	Good Condition	208.190795	May be ADA compliant				208.190795
SW_Seg_0678	678	Polyline	678	B	Good Condition	296.885394	May be ADA compliant				296.885394
SW_Seg_0679	679	Polyline	679	B	Good Condition	177.353556	May be ADA compliant				177.353556
SW_Seg_0680	680	Polyline	680	B	Good Condition	15.563984	May be ADA compliant				15.564004
SW_Seg_0681	681	Polyline	681	C	Worse Condition	140.072794	Not ADA compliant			2025 Sidewalk Survey	140.072794
SW_Seg_0682	682	Polyline	682	A	Best Condition	168.470153	Most likely compliant	Candidate			168.470153
SW_Seg_0683	683	Polyline	683	A	Best Condition	122.456777	Most likely compliant	Candidate			122.456777
SW_Seg_0684	684	Polyline	684	A	Best Condition	23.006539	Most likely compliant	Candidate			23.006463
SW_Seg_0685	685	Polyline	685	B	Good Condition	194.675473	May be ADA compliant				194.675473
SW_Seg_0686	686	Polyline	686	B	Good Condition	303.776139	May be ADA compliant				303.776139
SW_Seg_0687	687	Polyline	687	B	Good Condition	177.935511	May be ADA compliant				177.935511
SW_Seg_0688	688	Polyline	688	A	Best Condition	274.695225	Most likely compliant	Candidate			274.695225
SW_Seg_0689	689	Polyline	689	A	Best Condition	32.963241	Most likely compliant	Candidate			32.963241
SW_Seg_0690	690	Polyline	690	A	Best Condition	457.082497	Most likely compliant	Candidate			457.082497
SW_Seg_0691	691	Polyline	691	B	Good Condition	323.940801	May be ADA compliant				323.940801
SW_Seg_0692	692	Polyline	692	A	Best Condition	26.820881	Most likely compliant	Candidate			26.820941
SW_Seg_0693	693	Polyline	693	A	Best Condition	26.23764	Most likely compliant	Candidate			26.237663
SW_Seg_0694	694	Polyline	694	A	Best Condition	288.652147	Most likely compliant	Candidate			288.652147
SW_Seg_0695	695	Polyline	695	B	Good Condition	633.658494	May be ADA compliant				633.658494
SW_Seg_0696	696	Polyline	696	B	Good Condition	291.624204	May be ADA compliant			2025 Sidewalk Survey	291.624204
SW_Seg_0697	697	Polyline	697	B	Good Condition	374.485932	May be ADA compliant				374.485932
SW_Seg_0698	698	Polyline	698	B	Good Condition	295.203431	May be ADA compliant				295.203431
SW_Seg_0699	699	Polyline	699	B	Good Condition	312.630493	May be ADA compliant				312.630493
SW_Seg_0700	700	Polyline	700	B	Good Condition	38.341747	May be ADA compliant				38.341747
SW_Seg_0701	701	Polyline	701	B	Good Condition	12.110549	May be ADA compliant				12.110549
SW_Seg_0702	702	Polyline	702	B	Good Condition	5.471408	May be ADA compliant				5.471403

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0703	703	Polyline	703	B	Good Condition	158.152859	May be ADA compliant				158.152859
SW_Seg_0704	704	Polyline	704	C	Worse Condition	28.363544	Not ADA compliant				28.363579
SW_Seg_0705	705	Polyline	705	B	Good Condition	152.36375	May be ADA compliant				152.36375
SW_Seg_0706	706	Polyline	706	B	Good Condition	281.819934	May be ADA compliant			2025 Sidewalk Survey	281.819934
SW_Seg_0707	707	Polyline	707	B	Good Condition	148.591101	May be ADA compliant				148.591101
SW_Seg_0708	708	Polyline	708	B	Good Condition	267.629978	May be ADA compliant			2025 Sidewalk Survey	267.629978
SW_Seg_0709	709	Polyline	709	B	Good Condition	226.879312	May be ADA compliant				226.879312
SW_Seg_0710	710	Polyline	710	B	Good Condition	239.077657	May be ADA compliant				239.077657
SW_Seg_0711	711	Polyline	711	B	Good Condition	297.714181	May be ADA compliant				297.714181
SW_Seg_0712	712	Polyline	712	C	Worse Condition	115.15713	Not ADA compliant	No			115.15713
SW_Seg_0713	713	Polyline	713	A	Best Condition	27.012065	Most likely compliant	Candidate			27.012065
SW_Seg_0714	714	Polyline	714	B	Good Condition	214.744172	May be ADA compliant				214.744172
SW_Seg_0715	715	Polyline	715	B	Good Condition	316.867202	May be ADA compliant				316.867202
SW_Seg_0716	716	Polyline	716	B	Good Condition	315.195747	May be ADA compliant				315.195747
SW_Seg_0717	717	Polyline	717	B	Good Condition	142.272749	May be ADA compliant				142.272749
SW_Seg_0718	718	Polyline	718	C	Worse Condition	18.42794	Not ADA compliant	No			18.42784
SW_Seg_0719	719	Polyline	719	A	Best Condition	14.613878	Most likely compliant	Candidate			14.613913
SW_Seg_0720	720	Polyline	720	B	Good Condition	78.590727	May be ADA compliant				78.590727
SW_Seg_0721	721	Polyline	721	B	Good Condition	217.608522	May be ADA compliant			2025 Sidewalk Survey	217.608522
SW_Seg_0722	722	Polyline	722	A	Best Condition	327.523444	Most likely compliant	Candidate			327.523444
SW_Seg_0723	723	Polyline	723	B	Good Condition	402.084574	May be ADA compliant				402.084574
SW_Seg_0724	724	Polyline	724	B	Good Condition	174.805147	May be ADA compliant				174.805147
SW_Seg_0725	725	Polyline	725	B	Good Condition	297.553138	May be ADA compliant				297.553138
SW_Seg_0726	726	Polyline	726	B	Good Condition	372.640257	May be ADA compliant				372.640257
SW_Seg_0727	727	Polyline	727	B	Good Condition	298.679047	May be ADA compliant				298.679047
SW_Seg_0728	728	Polyline	728	A	Best Condition	177.828013	Most likely compliant	Candidate			177.828013
SW_Seg_0729	729	Polyline	729	A	Best Condition	323.872013	Most likely compliant	Candidate			323.872013
SW_Seg_0730	730	Polyline	730	A	Best Condition	185.975841	Most likely compliant	Candidate			185.975896
SW_Seg_0731	731	Polyline	731	B	Good Condition	105.234831	May be ADA compliant				105.234831
SW_Seg_0732	732	Polyline	732	B	Good Condition	212.682706	May be ADA compliant			2025 Sidewalk Survey	212.682706
SW_Seg_0733	733	Polyline	733	A	Best Condition	286.338044	Most likely compliant	Candidate			286.338044
SW_Seg_0734	734	Polyline	734	B	Good Condition	265.078081	May be ADA compliant				265.078081
SW_Seg_0735	735	Polyline	735	B	Good Condition	278.501309	May be ADA compliant				278.501309
SW_Seg_0736	736	Polyline	736	B	Good Condition	194.846114	May be ADA compliant			2025 Sidewalk Survey	194.846114
SW_Seg_0737	737	Polyline	737	B	Good Condition	85.478364	May be ADA compliant				85.478364
SW_Seg_0738	738	Polyline	738	B	Good Condition	113.768749	May be ADA compliant				113.768749
SW_Seg_0739	739	Polyline	739	A	Best Condition	147.462195	Most likely compliant	Candidate			147.462195
SW_Seg_0740	740	Polyline	740	A	Best Condition	100.746997	Most likely compliant	Candidate			100.746997
SW_Seg_0741	741	Polyline	741	B	Good Condition	203.668531	May be ADA compliant				203.668531
SW_Seg_0742	742	Polyline	742	B	Good Condition	179.590026	May be ADA compliant				179.590026
SW_Seg_0743	743	Polyline	743	B	Good Condition	388.472844	May be ADA compliant				388.472844
SW_Seg_0744	744	Polyline	744	B	Good Condition	413.102304	May be ADA compliant			2025 Sidewalk Survey	413.102304
SW_Seg_0745	745	Polyline	745	C	Worse Condition	16.704109	Not ADA compliant	No			16.704104
SW_Seg_0746	746	Polyline	746	B	Good Condition	192.118703	May be ADA compliant				192.118703
SW_Seg_0747	747	Polyline	747	B	Good Condition	167.514167	May be ADA compliant				167.514167
SW_Seg_0748	748	Polyline	748	B	Good Condition	421.402947	May be ADA compliant				421.402947
SW_Seg_0749	749	Polyline	749	C	Worse Condition	28.551135	Not ADA compliant				28.551099
SW_Seg_0750	750	Polyline	750	B	Good Condition	66.765433	May be ADA compliant				66.765433
SW_Seg_0751	751	Polyline	751	A	Best Condition	135.976104	Most likely compliant	Candidate			135.976104
SW_Seg_0752	752	Polyline	752	B	Good Condition	157.768337	May be ADA compliant	No		2025 Sidewalk Survey	157.768337
SW_Seg_0753	753	Polyline	753	C	Worse Condition	22.274047	Not ADA compliant	No			22.274096
SW_Seg_0754	754	Polyline	754	B	Good Condition	96.258361	May be ADA compliant			2025 Sidewalk Survey	96.258361
SW_Seg_0755	755	Polyline	755	B	Good Condition	177.521543	May be ADA compliant				177.521543
SW_Seg_0756	756	Polyline	756	B	Good Condition	153.107612	May be ADA compliant				153.107612

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0757	757	Polyline	757	B	Good Condition	313.584989	May be ADA compliant				313.584989
SW_Seg_0758	758	Polyline	758	A	Best Condition	140.389998	Most likely compliant	Candidate			140.389998
SW_Seg_0759	759	Polyline	759	B	Good Condition	306.27032	May be ADA compliant				306.27032
SW_Seg_0760	760	Polyline	760	B	Good Condition	137.450559	May be ADA compliant			2025 Sidewalk Survey	137.450559
SW_Seg_0761	761	Polyline	761	B	Good Condition	310.300387	May be ADA compliant				310.300387
SW_Seg_0762	762	Polyline	762	B	Good Condition	139.419135	May be ADA compliant				139.419135
SW_Seg_0763	763	Polyline	763	B	Good Condition	209.728422	May be ADA compliant			2025 Sidewalk Survey	209.728422
SW_Seg_0764	764	Polyline	764	B	Good Condition	230.786098	May be ADA compliant			2025 Sidewalk Survey	230.786098
SW_Seg_0765	765	Polyline	765	B	Good Condition	155.052874	May be ADA compliant				155.052874
SW_Seg_0766	766	Polyline	766	C	Worse Condition	127.276251	Not ADA compliant	No	Disintegrating sidewalk surface		127.276251
SW_Seg_0767	767	Polyline	767	C	Worse Condition	69.759437	Not ADA compliant	No	Disintegrating sidewalk surface		69.759395
SW_Seg_0768	768	Polyline	768	A	Best Condition	106.798045	Most likely compliant	Candidate			106.798045
SW_Seg_0769	769	Polyline	769	B	Good Condition	153.438871	May be ADA compliant				153.438851
SW_Seg_0770	770	Polyline	770	A	Best Condition	106.644417	Most likely compliant	Candidate			106.64445
SW_Seg_0771	771	Polyline	771	A	Best Condition	30.18796	Most likely compliant	Candidate			30.187957
SW_Seg_0772	772	Polyline	772	A	Best Condition	53.816996	Most likely compliant	Candidate			53.817022
SW_Seg_0773	773	Polyline	773	A	Best Condition	121.532638	Most likely compliant	Candidate			121.532626
SW_Seg_0774	774	Polyline	774	A	Best Condition	284.240158	Most likely compliant	Candidate			284.240161
SW_Seg_0775	775	Polyline	775	A	Best Condition	56.831292	Most likely compliant	Candidate			56.831313
SW_Seg_0776	776	Polyline	776	A	Best Condition	34.368552	Most likely compliant	Candidate			34.368588
SW_Seg_0777	777	Polyline	777	A	Best Condition	31.937351	Most likely compliant	Candidate			31.937298
SW_Seg_0778	778	Polyline	778	A	Best Condition	13.932773	Most likely compliant	Candidate			13.932784
SW_Seg_0779	779	Polyline	779	A	Best Condition	29.198308	Most likely compliant	Candidate			29.198329
SW_Seg_0780	780	Polyline	780	A	Best Condition	278.986091	Most likely compliant	Candidate			278.986091
SW_Seg_0781	781	Polyline	781	B	Good Condition	121.869073	May be ADA compliant				121.869073
SW_Seg_0782	782	Polyline	782	A	Best Condition	231.92488	Most likely compliant	Candidate		2025 Sidewalk Survey	231.92488
SW_Seg_0783	783	Polyline	783	B	Good Condition	254.165275	May be ADA compliant				254.165275
SW_Seg_0784	784	Polyline	784	C	Worse Condition	21.37607	Not ADA compliant	No		2025 Sidewalk Survey	21.376033
SW_Seg_0785	785	Polyline	785	B	Good Condition	11.690509	May be ADA compliant				11.690577
SW_Seg_0786	786	Polyline	786	C	Worse Condition	188.880591	Not ADA compliant	No		2025 Sidewalk Survey	188.880591
SW_Seg_0787	787	Polyline	787	A	Best Condition	18.441468	Most likely compliant	Candidate			18.441472
SW_Seg_0788	788	Polyline	788	A	Best Condition	75.790454	Most likely compliant	Candidate			75.790454
SW_Seg_0789	789	Polyline	789	C	Worse Condition	24.520094	Not ADA compliant	No		2025 Sidewalk Survey	24.520094
SW_Seg_0790	790	Polyline	790	B	Good Condition	132.146935	May be ADA compliant			2025 Sidewalk Survey	132.146873
SW_Seg_0791	791	Polyline	791	B	Good Condition	314.881116	May be ADA compliant				314.881116
SW_Seg_0792	792	Polyline	792	B	Good Condition	312.547051	May be ADA compliant				312.547051
SW_Seg_0793	793	Polyline	793	B	Good Condition	169.494735	May be ADA compliant				169.494735
SW_Seg_0794	794	Polyline	794	A	Best Condition	171.844336	Most likely compliant	Candidate			171.844336
SW_Seg_0795	795	Polyline	795	B	Good Condition	197.824004	May be ADA compliant			2025 Sidewalk Survey	197.824004
SW_Seg_0796	796	Polyline	796	B	Good Condition	290.498959	May be ADA compliant				290.498959
SW_Seg_0797	797	Polyline	797	B	Good Condition	295.699854	May be ADA compliant				295.699854
SW_Seg_0798	798	Polyline	798	B	Good Condition	262.280292	May be ADA compliant				262.280292
SW_Seg_0799	799	Polyline	799	B	Good Condition	227.893988	May be ADA compliant				227.893988
SW_Seg_0800	800	Polyline	800	B	Good Condition	296.918789	May be ADA compliant				296.918789
SW_Seg_0801	801	Polyline	801	B	Good Condition	223.035751	May be ADA compliant			2025 Sidewalk Survey	223.035751
SW_Seg_0802	802	Polyline	802	B	Good Condition	158.146612	May be ADA compliant				158.146612
SW_Seg_0803	803	Polyline	803	B	Good Condition	417.619611	May be ADA compliant				417.619611
SW_Seg_0804	804	Polyline	804	B	Good Condition	78.772164	May be ADA compliant				78.772164
SW_Seg_0805	805	Polyline	805	B	Good Condition	117.471965	May be ADA compliant				117.471965
SW_Seg_0806	806	Polyline	806	B	Good Condition	395.828992	May be ADA compliant			2025 Sidewalk Survey	395.828992
SW_Seg_0807	807	Polyline	807	A	Best Condition	86.10399	Most likely compliant	Candidate			86.10399
SW_Seg_0808	808	Polyline	808	B	Good Condition	90.088911	May be ADA compliant				90.088911
SW_Seg_0809	809	Polyline	809	B	Good Condition	295.627893	May be ADA compliant				295.627893
SW_Seg_0810	810	Polyline	810	B	Good Condition	295.979795	May be ADA compliant				295.979795

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0811	811	Polyline	811	B	Good Condition	294.789918	May be ADA compliant				294.789918
SW_Seg_0812	812	Polyline	812	B	Good Condition	407.681998	May be ADA compliant			2025 Sidewalk Survey	407.681998
SW_Seg_0813	813	Polyline	813	A	Best Condition	89.944286	Most likely compliant	Candidate			89.944286
SW_Seg_0814	814	Polyline	814	B	Good Condition	132.633048	May be ADA compliant				132.633048
SW_Seg_0815	815	Polyline	815	B	Good Condition	318.636924	May be ADA compliant				318.636924
SW_Seg_0816	816	Polyline	816	B	Good Condition	135.122103	May be ADA compliant			2025 Sidewalk Survey	135.122103
SW_Seg_0817	817	Polyline	817	B	Good Condition	279.857035	May be ADA compliant				279.857035
SW_Seg_0818	818	Polyline	818	B	Good Condition	187.101571	May be ADA compliant				187.101571
SW_Seg_0819	819	Polyline	819	C	Worse Condition	73.798677	Not ADA compliant	No			73.798677
SW_Seg_0820	820	Polyline	820	B	Good Condition	315.79714	May be ADA compliant				315.79714
SW_Seg_0821	821	Polyline	821	B	Good Condition	118.303801	May be ADA compliant				118.303801
SW_Seg_0822	822	Polyline	822	B	Good Condition	420.4941	May be ADA compliant				420.4941
SW_Seg_0823	823	Polyline	823	B	Good Condition	446.977289	May be ADA compliant			2025 Sidewalk Survey	446.977289
SW_Seg_0824	824	Polyline	824	B	Good Condition	527.966648	May be ADA compliant				527.966648
SW_Seg_0825	825	Polyline	825	B	Good Condition	526.434171	May be ADA compliant				526.434171
SW_Seg_0826	826	Polyline	826	B	Good Condition	391.022752	May be ADA compliant			2025 Sidewalk Survey	391.022752
SW_Seg_0827	827	Polyline	827	B	Good Condition	300.342489	May be ADA compliant				300.342489
SW_Seg_0828	828	Polyline	828	B	Good Condition	298.580489	May be ADA compliant				298.580489
SW_Seg_0829	829	Polyline	829	B	Good Condition	306.516296	May be ADA compliant				306.516296
SW_Seg_0830	830	Polyline	830	B	Good Condition	143.081467	May be ADA compliant				143.081467
SW_Seg_0831	831	Polyline	831	B	Good Condition	298.019691	May be ADA compliant				298.019691
SW_Seg_0832	832	Polyline	832	B	Good Condition	315.372936	May be ADA compliant				315.372936
SW_Seg_0833	833	Polyline	833	B	Good Condition	297.494833	May be ADA compliant			2025 Sidewalk Survey	297.494833
SW_Seg_0834	834	Polyline	834	B	Good Condition	318.636196	May be ADA compliant				318.636196
SW_Seg_0835	835	Polyline	835	A	Best Condition	120.883425	Most likely compliant	Candidate			120.883425
SW_Seg_0836	836	Polyline	836	C	Worse Condition	29.498476	Not ADA compliant	No			29.498463
SW_Seg_0837	837	Polyline	837	B	Good Condition	211.15794	May be ADA compliant				211.15794
SW_Seg_0838	838	Polyline	838	B	Good Condition	120.43232	May be ADA compliant				120.43232
SW_Seg_0839	839	Polyline	839	B	Good Condition	207.09666	May be ADA compliant			2025 Sidewalk Survey	207.09666
SW_Seg_0840	840	Polyline	840	B	Good Condition	207.619553	May be ADA compliant			2025 Sidewalk Survey	207.619553
SW_Seg_0841	841	Polyline	841	B	Good Condition	413.871583	May be ADA compliant			2025 Sidewalk Survey	413.871583
SW_Seg_0842	842	Polyline	842	B	Good Condition	206.07942	May be ADA compliant				206.07942
SW_Seg_0843	843	Polyline	843	B	Good Condition	199.319912	May be ADA compliant				199.319912
SW_Seg_0844	844	Polyline	844	B	Good Condition	354.289661	May be ADA compliant				354.289661
SW_Seg_0845	845	Polyline	845	C	Worse Condition	200.075474	Not ADA compliant				200.075474
SW_Seg_0846	846	Polyline	846	B	Good Condition	158.517326	May be ADA compliant				158.517326
SW_Seg_0847	847	Polyline	847	A	Best Condition	45.176439	Most likely compliant	Candidate			45.176453
SW_Seg_0848	848	Polyline	848	B	Good Condition	147.147764	May be ADA compliant			2025 Sidewalk Survey	147.147764
SW_Seg_0849	849	Polyline	849	B	Good Condition	413.524172	May be ADA compliant				413.524172
SW_Seg_0850	850	Polyline	850	B	Good Condition	207.474113	May be ADA compliant			2025 Sidewalk Survey	207.474113
SW_Seg_0851	851	Polyline	851	B	Good Condition	102.03895	May be ADA compliant				102.03895
SW_Seg_0852	852	Polyline	852	B	Good Condition	316.18198	May be ADA compliant				316.18198
SW_Seg_0853	853	Polyline	853	B	Good Condition	332.71926	May be ADA compliant			2025 Sidewalk Survey	332.71926
SW_Seg_0854	854	Polyline	854	B	Good Condition	304.446574	May be ADA compliant				304.446574
SW_Seg_0855	855	Polyline	855	B	Good Condition	332.216135	May be ADA compliant				332.216135
SW_Seg_0856	856	Polyline	856	B	Good Condition	290.330013	May be ADA compliant				290.330013
SW_Seg_0857	857	Polyline	857	B	Good Condition	134.481713	May be ADA compliant				134.481713
SW_Seg_0858	858	Polyline	858	B	Good Condition	138.252402	May be ADA compliant				138.252402
SW_Seg_0859	859	Polyline	859	B	Good Condition	288.369805	May be ADA compliant				288.369805
SW_Seg_0860	860	Polyline	860	B	Good Condition	139.400868	May be ADA compliant				139.400868
SW_Seg_0861	861	Polyline	861	B	Good Condition	224.338892	May be ADA compliant				224.338892
SW_Seg_0862	862	Polyline	862	A	Best Condition	157.340127	Most likely compliant	Candidate			157.340127
SW_Seg_0863	863	Polyline	863	B	Good Condition	263.956221	May be ADA compliant			2025 Sidewalk Survey	263.956221
SW_Seg_0864	864	Polyline	864	A	Best Condition	283.079371	Most likely compliant	Candidate			283.079371

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0865	865	Polyline	865	B	Good Condition	298.678228	May be ADA compliant				298.678228
SW_Seg_0866	866	Polyline	866	B	Good Condition	170.444744	May be ADA compliant				170.444744
SW_Seg_0867	867	Polyline	867	A	Best Condition	220.17329	Most likely compliant	Candidate			220.17329
SW_Seg_0868	868	Polyline	868	B	Good Condition	245.589199	May be ADA compliant				245.589199
SW_Seg_0869	869	Polyline	869	B	Good Condition	138.442645	May be ADA compliant				138.442645
SW_Seg_0870	870	Polyline	870	A	Best Condition	218.49488	Most likely compliant	Candidate			218.49488
SW_Seg_0871	871	Polyline	871	B	Good Condition	135.395369	May be ADA compliant				135.395369
SW_Seg_0872	872	Polyline	872	B	Good Condition	115.725222	May be ADA compliant				115.725222
SW_Seg_0873	873	Polyline	873	B	Good Condition	50.244851	May be ADA compliant				50.244851
SW_Seg_0874	874	Polyline	874	B	Good Condition	128.707417	May be ADA compliant				128.707417
SW_Seg_0875	875	Polyline	875	B	Good Condition	306.910694	May be ADA compliant			2025 Sidewalk Survey	306.910694
SW_Seg_0876	876	Polyline	876	B	Good Condition	314.950157	May be ADA compliant				314.950157
SW_Seg_0877	877	Polyline	877	A	Best Condition	253.190435	Most likely compliant	Candidate			253.190435
SW_Seg_0878	878	Polyline	878	B	Good Condition	149.637078	May be ADA compliant			2025 Sidewalk Survey	149.637078
SW_Seg_0879	879	Polyline	879	A	Best Condition	143.285425	Most likely compliant	Candidate			143.285425
SW_Seg_0880	880	Polyline	880	A	Best Condition	11.673458	Most likely compliant	Candidate			11.673439
SW_Seg_0881	881	Polyline	881	B	Good Condition	130.823678	May be ADA compliant				130.823678
SW_Seg_0882	882	Polyline	882	B	Good Condition	79.277101	May be ADA compliant				79.277101
SW_Seg_0883	883	Polyline	883	A	Best Condition	21.521457	Most likely compliant	Candidate			21.521509
SW_Seg_0884	884	Polyline	884	A	Best Condition	202.697464	Most likely compliant	Candidate			202.697464
SW_Seg_0885	885	Polyline	885	B	Good Condition	16.184808	May be ADA compliant				16.184809
SW_Seg_0886	886	Polyline	886	B	Good Condition	195.76714	May be ADA compliant				195.76714
SW_Seg_0887	887	Polyline	887	A	Best Condition	135.774919	Most likely compliant	Candidate			135.774919
SW_Seg_0888	888	Polyline	888	A	Best Condition	33.857189	Most likely compliant	Candidate			33.85722
SW_Seg_0889	889	Polyline	889	B	Good Condition	140.739294	May be ADA compliant				140.739294
SW_Seg_0890	890	Polyline	890	A	Best Condition	32.609669	Most likely compliant	Candidate			32.609701
SW_Seg_0891	891	Polyline	891	B	Good Condition	274.5453	May be ADA compliant				274.5453
SW_Seg_0892	892	Polyline	892	C	Worse Condition	68.16679	Not ADA compliant	No		2025 Sidewalk Survey	68.16679
SW_Seg_0893	893	Polyline	893	B	Good Condition	233.526105	May be ADA compliant			2025 Sidewalk Survey	233.526105
SW_Seg_0894	894	Polyline	894	B	Good Condition	142.201428	May be ADA compliant				142.201428
SW_Seg_0895	895	Polyline	895	B	Good Condition	312.885605	May be ADA compliant				312.885605
SW_Seg_0896	896	Polyline	896	B	Good Condition	139.313547	May be ADA compliant				139.313547
SW_Seg_0897	897	Polyline	897	A	Best Condition	31.0032	Most likely compliant	Candidate		2025 Sidewalk Survey	31.0032
SW_Seg_0898	898	Polyline	898	B	Good Condition	72.803766	May be ADA compliant				72.803766
SW_Seg_0899	899	Polyline	899	B	Good Condition	206.237362	May be ADA compliant				206.237362
SW_Seg_0900	900	Polyline	900	B	Good Condition	136.635126	May be ADA compliant				136.635126
SW_Seg_0901	901	Polyline	901	B	Good Condition	139.46063	May be ADA compliant				139.46063
SW_Seg_0902	902	Polyline	902	C	Worse Condition	10.230837	Not ADA compliant	No			10.230837
SW_Seg_0903	903	Polyline	903	B	Good Condition	135.062298	May be ADA compliant				135.062298
SW_Seg_0904	904	Polyline	904	B	Good Condition	201.536239	May be ADA compliant				201.536239
SW_Seg_0905	905	Polyline	905	B	Good Condition	142.241501	May be ADA compliant				142.241501
SW_Seg_0906	906	Polyline	906	B	Good Condition	96.288759	May be ADA compliant				96.288759
SW_Seg_0907	907	Polyline	907	C	Worse Condition	9.746912	Not ADA compliant				9.746912
SW_Seg_0908	908	Polyline	908	B	Good Condition	253.967808	May be ADA compliant				253.967808
SW_Seg_0909	909	Polyline	909	B	Good Condition	221.213669	May be ADA compliant			2025 Sidewalk Survey	221.213669
SW_Seg_0910	910	Polyline	910	C	Worse Condition	16.970424	Not ADA compliant	No			16.970424
SW_Seg_0911	911	Polyline	911	B	Good Condition	209.617961	May be ADA compliant				209.617961
SW_Seg_0912	912	Polyline	912	B	Good Condition	136.180595	May be ADA compliant				136.180595
SW_Seg_0913	913	Polyline	913	C	Worse Condition	140.461519	Not ADA compliant	No			140.461519
SW_Seg_0914	914	Polyline	914	B	Good Condition	160.791279	May be ADA compliant			2025 Sidewalk Survey	160.791279
SW_Seg_0915	915	Polyline	915	B	Good Condition	213.441024	May be ADA compliant				213.441024
SW_Seg_0916	916	Polyline	916	B	Good Condition	303.364836	May be ADA compliant				303.364836
SW_Seg_0917	917	Polyline	917	A	Best Condition	287.839751	Most likely compliant	Candidate			287.839751
SW_Seg_0918	918	Polyline	918	B	Good Condition	237.928858	May be ADA compliant				237.928858

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0919	919	Polyline	919	B	Good Condition	303.778038	May be ADA compliant				303.778038
SW_Seg_0920	920	Polyline	920	B	Good Condition	266.96302	May be ADA compliant				266.96302
SW_Seg_0921	921	Polyline	921	A	Best Condition	253.928028	Most likely compliant	Candidate			253.928028
SW_Seg_0922	922	Polyline	922	A	Best Condition	24.046518	Most likely compliant	Candidate			24.046447
SW_Seg_0923	923	Polyline	923	B	Good Condition	168.573547	May be ADA compliant				168.573547
SW_Seg_0924	924	Polyline	924	B	Good Condition	299.543497	May be ADA compliant				299.543497
SW_Seg_0925	925	Polyline	925	B	Good Condition	296.726894	May be ADA compliant			2025 Sidewalk Survey	296.726894
SW_Seg_0926	926	Polyline	926	C	Worse Condition	292.584079	Not ADA compliant	No	Disintegrating sidewalk surface		292.584079
SW_Seg_0927	927	Polyline	927	B	Good Condition	294.512646	May be ADA compliant			2025 Sidewalk Survey	294.512646
SW_Seg_0928	928	Polyline	928	B	Good Condition	119.711425	May be ADA compliant				119.711425
SW_Seg_0929	929	Polyline	929	C	Worse Condition	182.006987	Not ADA compliant	No			182.006987
SW_Seg_0930	930	Polyline	930	C	Worse Condition	316.907635	Not ADA compliant	No			316.907635
SW_Seg_0931	931	Polyline	931	B	Good Condition	289.6881	May be ADA compliant				289.6881
SW_Seg_0932	932	Polyline	932	B	Good Condition	139.948921	May be ADA compliant				139.948921
SW_Seg_0933	933	Polyline	933	C	Worse Condition	319.644668	Not ADA compliant	No			319.644668
SW_Seg_0934	934	Polyline	934	C	Worse Condition	92.626226	Not ADA compliant	No	Disintegrating sidewalk surface		92.626226
SW_Seg_0935	935	Polyline	935	A	Best Condition	161.105883	Most likely compliant	Candidate		2025 Sidewalk Survey	161.105883
SW_Seg_0936	936	Polyline	936	B	Good Condition	246.275583	May be ADA compliant				246.275583
SW_Seg_0937	937	Polyline	937	B	Good Condition	277.220375	May be ADA compliant			2025 Sidewalk Survey	277.220375
SW_Seg_0938	938	Polyline	938	B	Good Condition	314.349565	May be ADA compliant			2025 Sidewalk Survey	314.349565
SW_Seg_0939	939	Polyline	939	B	Good Condition	83.49953	May be ADA compliant			2025 Sidewalk Survey	83.49953
SW_Seg_0940	940	Polyline	940	B	Good Condition	149.275959	May be ADA compliant				149.275959
SW_Seg_0941	941	Polyline	941	B	Good Condition	134.269583	May be ADA compliant				134.269583
SW_Seg_0942	942	Polyline	942	B	Good Condition	143.065063	May be ADA compliant			2025 Sidewalk Survey	143.065063
SW_Seg_0943	943	Polyline	943	B	Good Condition	141.499694	May be ADA compliant			2025 Sidewalk Survey	141.499694
SW_Seg_0944	944	Polyline	944	C	Worse Condition	280.052818	Not ADA compliant	No			280.052818
SW_Seg_0945	945	Polyline	945	A	Best Condition	20.990699	Most likely compliant	Candidate			20.990715
SW_Seg_0946	946	Polyline	946	C	Worse Condition	76.440414	Not ADA compliant	No		2025 Sidewalk Survey	76.440414
SW_Seg_0947	947	Polyline	947	A	Best Condition	31.069204	Most likely compliant	Candidate			31.069232
SW_Seg_0948	948	Polyline	948	B	Good Condition	326.486188	May be ADA compliant			2025 Sidewalk Survey	326.486188
SW_Seg_0949	949	Polyline	949	C	Worse Condition	12.421222	Not ADA compliant	No			12.421222
SW_Seg_0950	950	Polyline	950	B	Good Condition	142.27658	May be ADA compliant			2025 Sidewalk Survey	142.27658
SW_Seg_0951	951	Polyline	951	C	Worse Condition	204.625017	Not ADA compliant	No			204.625017
SW_Seg_0952	952	Polyline	952	A	Best Condition	161.861802	Most likely compliant	Candidate			161.861802
SW_Seg_0953	953	Polyline	953	B	Good Condition	301.981048	May be ADA compliant			2025 Sidewalk Survey	301.981048
SW_Seg_0954	954	Polyline	954	B	Good Condition	302.62126	May be ADA compliant				302.62126
SW_Seg_0955	955	Polyline	955	A	Best Condition	277.051408	Most likely compliant	Candidate			277.051408
SW_Seg_0956	956	Polyline	956	C	Worse Condition	301.38099	Not ADA compliant	No	Disintegrating sidewalk surface		301.38099
SW_Seg_0957	957	Polyline	957	C	Worse Condition	142.4052	Not ADA compliant	No			142.4052
SW_Seg_0958	958	Polyline	958	B	Good Condition	128.680729	May be ADA compliant				128.680729
SW_Seg_0959	959	Polyline	959	A	Best Condition	28.654334	Most likely compliant	Candidate			28.654341
SW_Seg_0960	960	Polyline	960	A	Best Condition	32.162706	Most likely compliant	Candidate			32.162798
SW_Seg_0961	961	Polyline	961	A	Best Condition	36.565349	Most likely compliant	Candidate			36.565345
SW_Seg_0962	962	Polyline	962	A	Best Condition	42.751597	Most likely compliant	Candidate			42.751617
SW_Seg_0963	963	Polyline	963	B	Good Condition	276.982868	May be ADA compliant				276.982868
SW_Seg_0964	964	Polyline	964	C	Worse Condition	124.416594	Not ADA compliant	No		2025 Sidewalk Survey	124.416594
SW_Seg_0965	965	Polyline	965	B	Good Condition	146.66086	May be ADA compliant			2025 Sidewalk Survey	146.66086
SW_Seg_0966	966	Polyline	966	B	Good Condition	288.803769	May be ADA compliant			2025 Sidewalk Survey	288.803769
SW_Seg_0967	967	Polyline	967	C	Worse Condition	104.829138	Not ADA compliant	No	Disintegrating sidewalk surface		104.829138
SW_Seg_0968	968	Polyline	968	C	Worse Condition	270.608117	Not ADA compliant	No	Disintegrating sidewalk surface		270.608117
SW_Seg_0969	969	Polyline	969	C	Worse Condition	13.750376	Not ADA compliant	No			13.750376
SW_Seg_0970	970	Polyline	970	C	Worse Condition	11.652344	Not ADA compliant	No			11.652344
SW_Seg_0971	971	Polyline	971	C	Worse Condition	12.998395	Not ADA compliant	No			12.998395
SW_Seg_0972	972	Polyline	972	C	Worse Condition	13.051591	Not ADA compliant	No			13.051591

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_0973	973	Polyline	973	C	Worse Condition	16.392142	Not ADA compliant	No			16.392142
SW_Seg_0974	974	Polyline	974	A	Best Condition	19.802985	Most likely compliant	Candidate			19.803024
SW_Seg_0975	975	Polyline	975	A	Best Condition	21.849944	Most likely compliant	Candidate			21.849928
SW_Seg_0976	976	Polyline	976	A	Best Condition	24.912043	Most likely compliant	Candidate			24.911958
SW_Seg_0977	977	Polyline	977	A	Best Condition	20.356915	Most likely compliant	Candidate			20.356864
SW_Seg_0978	978	Polyline	978	A	Best Condition	16.64509	Most likely compliant	Candidate			16.645155
SW_Seg_0979	979	Polyline	979	A	Best Condition	20.865559	Most likely compliant	Candidate			20.865594
SW_Seg_0980	980	Polyline	980	A	Best Condition	20.120504	Most likely compliant	Candidate			20.120533
SW_Seg_0981	981	Polyline	981	A	Best Condition	26.322077	Most likely compliant	Candidate			26.322057
SW_Seg_0982	982	Polyline	982	A	Best Condition	28.169859	Most likely compliant	Candidate			28.169879
SW_Seg_0983	983	Polyline	983	A	Best Condition	21.164261	Most likely compliant	Candidate			21.164233
SW_Seg_0984	984	Polyline	984	A	Best Condition	22.074294	Most likely compliant	Candidate			22.07428
SW_Seg_0985	985	Polyline	985	A	Best Condition	29.207977	Most likely compliant	Candidate			29.20795
SW_Seg_0986	986	Polyline	986	A	Best Condition	33.960709	Most likely compliant	Candidate			33.960751
SW_Seg_0987	987	Polyline	987	A	Best Condition	31.294072	Most likely compliant	Candidate			31.294141
SW_Seg_0988	988	Polyline	988	A	Best Condition	49.958527	Most likely compliant	Candidate			49.958511
SW_Seg_0989	989	Polyline	989	A	Best Condition	25.56814	Most likely compliant	Candidate			25.568157
SW_Seg_0990	990	Polyline	990	A	Best Condition	17.78552	Most likely compliant	Candidate			17.785483
SW_Seg_0991	991	Polyline	991	A	Best Condition	9.101394	Most likely compliant	Candidate			9.101387
SW_Seg_0992	992	Polyline	992	A	Best Condition	11.201055	Most likely compliant	Candidate			11.201074
SW_Seg_0993	993	Polyline	993	A	Best Condition	8.741788	Most likely compliant	Candidate			8.741756
SW_Seg_0994	994	Polyline	994	A	Best Condition	23.649969	Most likely compliant	Candidate			23.649934
SW_Seg_0995	995	Polyline	995	A	Best Condition	25.216411	Most likely compliant	Candidate			25.216427
SW_Seg_0996	996	Polyline	996	A	Best Condition	12.327145	Most likely compliant	Candidate			12.327194
SW_Seg_0997	997	Polyline	997	B	Good Condition	27.916988	May be ADA compliant			2025 Sidewalk Survey	27.916963
SW_Seg_0998	998	Polyline	998	A	Best Condition	26.246224	Most likely compliant	Candidate			26.246269
SW_Seg_0999	999	Polyline	999	B	Good Condition	39.675561	May be ADA compliant				39.675498
SW_Seg_1000	1000	Polyline	1000	A	Best Condition	16.219334	Most likely compliant	Candidate			16.21937
SW_Seg_1001	1001	Polyline	1001	B	Good Condition	38.399797	May be ADA compliant			2025 Sidewalk Survey	38.399883
SW_Seg_1002	1002	Polyline	1002	C	Worse Condition	288.000344	Not ADA compliant	No		2025 Sidewalk Survey	288.000344
SW_Seg_1003	1003	Polyline	1003	B	Good Condition	141.776446	May be ADA compliant				141.776446
SW_Seg_1004	1004	Polyline	1004	B	Good Condition	185.52752	May be ADA compliant			2025 Sidewalk Survey	185.52752
SW_Seg_1005	1005	Polyline	1005	C	Worse Condition	269.099366	Not ADA compliant	No		2025 Sidewalk Survey	269.099366
SW_Seg_1006	1006	Polyline	1006	A	Best Condition	20.843318	Most likely compliant	Candidate			20.843318
SW_Seg_1007	1007	Polyline	1007	C	Worse Condition	207.566394	Not ADA compliant	No		2025 Sidewalk Survey	207.566394
SW_Seg_1008	1008	Polyline	1008	A	Best Condition	64.496311	Most likely compliant	Candidate			64.496311
SW_Seg_1009	1009	Polyline	1009	B	Good Condition	294.805342	May be ADA compliant				294.805342
SW_Seg_1010	1010	Polyline	1010	B	Good Condition	70.207221	May be ADA compliant			2025 Sidewalk Survey	70.207221
SW_Seg_1011	1011	Polyline	1011	B	Good Condition	270.78421	May be ADA compliant				270.78421
SW_Seg_1012	1012	Polyline	1012	B	Good Condition	198.734387	May be ADA compliant				198.734387
SW_Seg_1013	1013	Polyline	1013	B	Good Condition	271.76194	May be ADA compliant				271.76194
SW_Seg_1014	1014	Polyline	1014	B	Good Condition	288.953081	May be ADA compliant			2025 Sidewalk Survey	288.953081
SW_Seg_1015	1015	Polyline	1015	C	Worse Condition	133.467659	Not ADA compliant	No		2025 Sidewalk Survey	133.467659
SW_Seg_1016	1016	Polyline	1016	B	Good Condition	124.928388	May be ADA compliant				124.928388
SW_Seg_1017	1017	Polyline	1017	A	Best Condition	276.494221	Most likely compliant	Candidate			276.494221
SW_Seg_1018	1018	Polyline	1018	C	Worse Condition	147.603729	Not ADA compliant	No			147.603729
SW_Seg_1019	1019	Polyline	1019	A	Best Condition	288.699752	Most likely compliant	Candidate			288.699752
SW_Seg_1020	1020	Polyline	1020	C	Worse Condition	288.052077	Not ADA compliant	No		2025 Sidewalk Survey	288.052077
SW_Seg_1021	1021	Polyline	1021	B	Good Condition	144.976327	May be ADA compliant				144.976327
SW_Seg_1022	1022	Polyline	1022	B	Good Condition	129.139099	May be ADA compliant				129.139099
SW_Seg_1023	1023	Polyline	1023	B	Good Condition	192.392161	May be ADA compliant			2025 Sidewalk Survey	192.392161
SW_Seg_1024	1024	Polyline	1024	C	Worse Condition	269.898573	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	269.898573
SW_Seg_1025	1025	Polyline	1025	B	Good Condition	190.962719	May be ADA compliant				190.962719
SW_Seg_1026	1026	Polyline	1026	B	Good Condition	214.254365	May be ADA compliant			2025 Sidewalk Survey	214.254365

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1027	1027	Polyline	1027	C	Worse Condition	125.024195	Not ADA compliant	No	Disintegrating sidewalk surface		125.024195
SW_Seg_1028	1028	Polyline	1028	B	Good Condition	102.066868	May be ADA compliant				102.066868
SW_Seg_1029	1029	Polyline	1029	B	Good Condition	103.240211	May be ADA compliant				103.240211
SW_Seg_1030	1030	Polyline	1030	A	Best Condition	44.328551	Most likely compliant	Candidate			44.328534
SW_Seg_1031	1031	Polyline	1031	A	Best Condition	24.919131	Most likely compliant	Candidate			24.919083
SW_Seg_1032	1032	Polyline	1032	A	Best Condition	14.360356	Most likely compliant	Candidate			14.36047
SW_Seg_1033	1033	Polyline	1033	A	Best Condition	24.860596	Most likely compliant	Candidate			24.860585
SW_Seg_1034	1034	Polyline	1034	A	Best Condition	277.20824	Most likely compliant	Candidate		2025 Sidewalk Survey	277.20824
SW_Seg_1035	1035	Polyline	1035	A	Best Condition	278.826774	Most likely compliant	Candidate			278.826774
SW_Seg_1036	1036	Polyline	1036	A	Best Condition	286.136886	Most likely compliant	Candidate			286.136886
SW_Seg_1037	1037	Polyline	1037	A	Best Condition	268.420386	Most likely compliant	Candidate			268.420386
SW_Seg_1038	1038	Polyline	1038	B	Good Condition	22.924584	May be ADA compliant				22.92458
SW_Seg_1039	1039	Polyline	1039	A	Best Condition	20.81027	Most likely compliant	Candidate			20.810235
SW_Seg_1040	1040	Polyline	1040	A	Best Condition	22.938295	Most likely compliant	Candidate			22.938345
SW_Seg_1041	1041	Polyline	1041	A	Best Condition	18.426503	Most likely compliant	Candidate			18.426532
SW_Seg_1042	1042	Polyline	1042	A	Best Condition	24.053943	Most likely compliant	Candidate			24.053916
SW_Seg_1043	1043	Polyline	1043	A	Best Condition	30.875311	Most likely compliant	Candidate			30.875282
SW_Seg_1044	1044	Polyline	1044	A	Best Condition	18.679652	Most likely compliant	Candidate			18.679706
SW_Seg_1045	1045	Polyline	1045	A	Best Condition	38.985797	Most likely compliant	Candidate			38.985813
SW_Seg_1046	1046	Polyline	1046	A	Best Condition	26.327088	Most likely compliant	Candidate			26.327058
SW_Seg_1047	1047	Polyline	1047	A	Best Condition	28.487914	Most likely compliant	Candidate			28.487848
SW_Seg_1048	1048	Polyline	1048	A	Best Condition	11.598859	Most likely compliant	Candidate			11.598746
SW_Seg_1049	1049	Polyline	1049	A	Best Condition	12.797673	Most likely compliant	Candidate			12.797757
SW_Seg_1050	1050	Polyline	1050	A	Best Condition	23.054773	Most likely compliant	Candidate			23.054828
SW_Seg_1051	1051	Polyline	1051	A	Best Condition	12.824841	Most likely compliant	Candidate			12.82477
SW_Seg_1052	1052	Polyline	1052	A	Best Condition	26.313287	Most likely compliant	Candidate			26.31331
SW_Seg_1053	1053	Polyline	1053	A	Best Condition	12.917484	Most likely compliant	Candidate			12.917398
SW_Seg_1054	1054	Polyline	1054	A	Best Condition	12.07411	Most likely compliant	Candidate			12.074051
SW_Seg_1055	1055	Polyline	1055	A	Best Condition	16.918588	Most likely compliant	Candidate			16.918674
SW_Seg_1056	1056	Polyline	1056	A	Best Condition	10.844216	Most likely compliant	Candidate			10.844256
SW_Seg_1057	1057	Polyline	1057	A	Best Condition	8.616206	Most likely compliant	Candidate			8.616225
SW_Seg_1058	1058	Polyline	1058	B	Good Condition	14.106537	May be ADA compliant				14.106582
SW_Seg_1059	1059	Polyline	1059	A	Best Condition	15.927187	Most likely compliant	Candidate			15.92721
SW_Seg_1060	1060	Polyline	1060	B	Good Condition	17.555236	May be ADA compliant				17.555195
SW_Seg_1061	1061	Polyline	1061	A	Best Condition	22.022622	Most likely compliant	Candidate			22.022634
SW_Seg_1062	1062	Polyline	1062	B	Good Condition	27.526331	May be ADA compliant				27.526342
SW_Seg_1063	1063	Polyline	1063	A	Best Condition	20.764283	Most likely compliant	Candidate			20.764181
SW_Seg_1064	1064	Polyline	1064	A	Best Condition	285.733562	Most likely compliant	Candidate			285.733562
SW_Seg_1065	1065	Polyline	1065	A	Best Condition	121.214505	Most likely compliant	Candidate			121.214505
SW_Seg_1066	1066	Polyline	1066	B	Good Condition	211.455824	May be ADA compliant			2025 Sidewalk Survey	211.455824
SW_Seg_1067	1067	Polyline	1067	A	Best Condition	115.639082	Most likely compliant	Candidate			115.639082
SW_Seg_1068	1068	Polyline	1068	A	Best Condition	125.70619	Most likely compliant	Candidate			125.70619
SW_Seg_1069	1069	Polyline	1069	A	Best Condition	156.354932	Most likely compliant	Candidate			156.354932
SW_Seg_1070	1070	Polyline	1070	A	Best Condition	221.436571	Most likely compliant	Candidate			221.436571
SW_Seg_1071	1071	Polyline	1071	A	Best Condition	292.008481	Most likely compliant	Candidate			292.008481
SW_Seg_1072	1072	Polyline	1072	A	Best Condition	275.295492	Most likely compliant	Candidate			275.295492
SW_Seg_1073	1073	Polyline	1073	A	Best Condition	292.831273	Most likely compliant	Candidate			292.831273
SW_Seg_1074	1074	Polyline	1074	A	Best Condition	274.450652	Most likely compliant	Candidate		2025 Sidewalk Survey	274.450652
SW_Seg_1075	1075	Polyline	1075	A	Best Condition	300.080334	Most likely compliant	Candidate			300.080334
SW_Seg_1076	1076	Polyline	1076	A	Best Condition	301.725942	Most likely compliant	Candidate			301.725942
SW_Seg_1077	1077	Polyline	1077	A	Best Condition	279.679761	Most likely compliant	Candidate			279.679761
SW_Seg_1078	1078	Polyline	1078	A	Best Condition	273.340351	Most likely compliant	Candidate			273.340351
SW_Seg_1079	1079	Polyline	1079	C	Worse Condition	220.623001	Not ADA compliant	No		2025 Sidewalk Survey	220.623001
SW_Seg_1080	1080	Polyline	1080	A	Best Condition	289.837449	Most likely compliant	Candidate			289.837449

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1081	1081	Polyline	1081	A	Best Condition	289.334955	Most likely compliant	Candidate			289.334955
SW_Seg_1082	1082	Polyline	1082	A	Best Condition	28.124907	Most likely compliant	Candidate			28.124925
SW_Seg_1083	1083	Polyline	1083	A	Best Condition	27.434582	Most likely compliant	Candidate			27.434574
SW_Seg_1084	1084	Polyline	1084	A	Best Condition	54.051627	Most likely compliant	Candidate			54.051629
SW_Seg_1085	1085	Polyline	1085	A	Best Condition	25.628406	Most likely compliant	Candidate			25.628377
SW_Seg_1086	1086	Polyline	1086	A	Best Condition	60.495714	Most likely compliant	Candidate			60.495702
SW_Seg_1087	1087	Polyline	1087	A	Best Condition	30.990469	Most likely compliant	Candidate			30.990548
SW_Seg_1088	1088	Polyline	1088	A	Best Condition	57.213215	Most likely compliant	Candidate			57.213255
SW_Seg_1089	1089	Polyline	1089	B	Good Condition	89.734215	May be ADA compliant			2025 Sidewalk Survey	89.734215
SW_Seg_1090	1090	Polyline	1090	A	Best Condition	137.203377	Most likely compliant	Candidate			137.203377
SW_Seg_1091	1091	Polyline	1091	C	Worse Condition	225.739667	Not ADA compliant	No			225.739667
SW_Seg_1092	1092	Polyline	1092	B	Good Condition	109.181923	May be ADA compliant				109.181923
SW_Seg_1093	1093	Polyline	1093	A	Best Condition	187.648314	Most likely compliant	Candidate			187.648314
SW_Seg_1094	1094	Polyline	1094	A	Best Condition	271.052847	Most likely compliant	Candidate			271.052847
SW_Seg_1095	1095	Polyline	1095	C	Worse Condition	142.721862	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	142.721862
SW_Seg_1096	1096	Polyline	1096	A	Best Condition	283.684617	Most likely compliant	Candidate			283.684617
SW_Seg_1097	1097	Polyline	1097	A	Best Condition	283.027216	Most likely compliant	Candidate			283.027216
SW_Seg_1098	1098	Polyline	1098	A	Best Condition	31.654881	Most likely compliant	Candidate			31.654963
SW_Seg_1099	1099	Polyline	1099	C	Worse Condition	145.158264	Not ADA compliant	No			145.158265
SW_Seg_1100	1100	Polyline	1100	A	Best Condition	30.789194	Most likely compliant	Candidate			30.789197
SW_Seg_1101	1101	Polyline	1101	A	Best Condition	7.226457	Most likely compliant	Candidate			7.226457
SW_Seg_1102	1102	Polyline	1102	A	Best Condition	3.97201	Most likely compliant	Candidate			3.97201
SW_Seg_1103	1103	Polyline	1103	A	Best Condition	6.63886	Most likely compliant	Candidate			6.63886
SW_Seg_1104	1104	Polyline	1104	A	Best Condition	135.92476	Most likely compliant	Candidate			135.92476
SW_Seg_1105	1105	Polyline	1105	A	Best Condition	10.399893	Most likely compliant	Candidate			10.399893
SW_Seg_1106	1106	Polyline	1106	A	Best Condition	305.975516	Most likely compliant	Candidate			305.975516
SW_Seg_1107	1107	Polyline	1107	A	Best Condition	316.114774	Most likely compliant	Candidate			316.114774
SW_Seg_1108	1108	Polyline	1108	A	Best Condition	34.915711	Most likely compliant	Candidate			34.915709
SW_Seg_1109	1109	Polyline	1109	B	Good Condition	34.748486	May be ADA compliant				34.748487
SW_Seg_1110	1110	Polyline	1110	A	Best Condition	132.815386	Most likely compliant	Candidate			132.815386
SW_Seg_1111	1111	Polyline	1111	C	Worse Condition	167.055829	Not ADA compliant	No	Disintegrating sidewalk surface		167.055829
SW_Seg_1112	1112	Polyline	1112	C	Worse Condition	51.301473	Not ADA compliant	No	Disintegrating sidewalk surface		51.301485
SW_Seg_1113	1113	Polyline	1113	A	Best Condition	33.069787	Most likely compliant	Candidate			33.069805
SW_Seg_1114	1114	Polyline	1114	A	Best Condition	75.92458	Most likely compliant	Candidate			75.924623
SW_Seg_1115	1115	Polyline	1115	A	Best Condition	15.41334	Most likely compliant	Candidate			15.413303
SW_Seg_1116	1116	Polyline	1116	A	Best Condition	58.799441	Most likely compliant	Candidate			58.799458
SW_Seg_1117	1117	Polyline	1117	A	Best Condition	35.603822	Most likely compliant	Candidate			35.603786
SW_Seg_1118	1118	Polyline	1118	A	Best Condition	15.60607	Most likely compliant	Candidate			15.606132
SW_Seg_1119	1119	Polyline	1119	A	Best Condition	16.589455	Most likely compliant	Candidate			16.58936
SW_Seg_1120	1120	Polyline	1120	B	Good Condition	28.455908	May be ADA compliant				28.455976
SW_Seg_1121	1121	Polyline	1121	A	Best Condition	14.197835	Most likely compliant	Candidate			14.197762
SW_Seg_1122	1122	Polyline	1122	A	Best Condition	36.126888	Most likely compliant	Candidate			36.126953
SW_Seg_1123	1123	Polyline	1123	A	Best Condition	64.969265	Most likely compliant	Candidate			64.969306
SW_Seg_1124	1124	Polyline	1124	A	Best Condition	47.242552	Most likely compliant	Candidate			47.242525
SW_Seg_1125	1125	Polyline	1125	A	Best Condition	225.314404	Most likely compliant	Candidate			225.314404
SW_Seg_1126	1126	Polyline	1126	A	Best Condition	35.621545	Most likely compliant	Candidate			35.621483
SW_Seg_1127	1127	Polyline	1127	A	Best Condition	50.112099	Most likely compliant	Candidate			50.112079
SW_Seg_1128	1128	Polyline	1128	A	Best Condition	246.245283	Most likely compliant	Candidate			246.245283
SW_Seg_1129	1129	Polyline	1129	A	Best Condition	276.790954	Most likely compliant	Candidate			276.790954
SW_Seg_1130	1130	Polyline	1130	A	Best Condition	84.06634	Most likely compliant	Candidate			84.06634
SW_Seg_1131	1131	Polyline	1131	A	Best Condition	114.672504	Most likely compliant	Candidate			114.672504
SW_Seg_1132	1132	Polyline	1132	A	Best Condition	124.540998	Most likely compliant	Candidate			124.540998
SW_Seg_1133	1133	Polyline	1133	A	Best Condition	123.974849	Most likely compliant	Candidate			123.974849
SW_Seg_1134	1134	Polyline	1134	C	Worse Condition	162.590795	Not ADA compliant	No			162.590795

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1135	1135	Polyline	1135	B	Good Condition	134.47938	May be ADA compliant			2025 Sidewalk Survey	134.47938
SW_Seg_1136	1136	Polyline	1136	C	Worse Condition	136.266584	Not ADA compliant	No			136.266584
SW_Seg_1137	1137	Polyline	1137	C	Worse Condition	138.146247	Not ADA compliant	No			138.146247
SW_Seg_1138	1138	Polyline	1138	C	Worse Condition	223.045966	Not ADA compliant	No		2025 Sidewalk Survey	223.045966
SW_Seg_1139	1139	Polyline	1139	B	Good Condition	157.685459	May be ADA compliant				157.685459
SW_Seg_1140	1140	Polyline	1140	A	Best Condition	139.715461	Most likely compliant	Candidate			139.715461
SW_Seg_1141	1141	Polyline	1141	A	Best Condition	14.392926	Most likely compliant	Candidate			14.392926
SW_Seg_1142	1142	Polyline	1142	A	Best Condition	38.536223	Most likely compliant	Candidate			38.53617
SW_Seg_1143	1143	Polyline	1143	A	Best Condition	26.058242	Most likely compliant	Candidate			26.058176
SW_Seg_1144	1144	Polyline	1144	A	Best Condition	35.89875	Most likely compliant	Candidate			35.898767
SW_Seg_1145	1145	Polyline	1145	A	Best Condition	28.32932	Most likely compliant	Candidate			28.32929
SW_Seg_1146	1146	Polyline	1146	A	Best Condition	38.111278	Most likely compliant	Candidate			38.11129
SW_Seg_1147	1147	Polyline	1147	A	Best Condition	19.384864	Most likely compliant	Candidate			19.384864
SW_Seg_1148	1148	Polyline	1148	B	Good Condition	247.42488	May be ADA compliant			2025 Sidewalk Survey	247.42488
SW_Seg_1149	1149	Polyline	1149	A	Best Condition	275.679983	Most likely compliant	Candidate			275.679983
SW_Seg_1150	1150	Polyline	1150	A	Best Condition	210.492724	Most likely compliant	Candidate			210.492724
SW_Seg_1151	1151	Polyline	1151	A	Best Condition	149.882632	Most likely compliant	Candidate			149.882632
SW_Seg_1152	1152	Polyline	1152	A	Best Condition	286.311247	Most likely compliant	Candidate			286.311247
SW_Seg_1153	1153	Polyline	1153	B	Good Condition	198.646842	May be ADA compliant				198.646842
SW_Seg_1154	1154	Polyline	1154	A	Best Condition	145.120091	Most likely compliant	Candidate			145.120053
SW_Seg_1155	1155	Polyline	1155	C	Worse Condition	212.760086	Not ADA compliant	No	Disintegrating sidewalk surface		212.760086
SW_Seg_1156	1156	Polyline	1156	C	Worse Condition	48.4417	Not ADA compliant	No	Disintegrating sidewalk surface		48.441723
SW_Seg_1157	1157	Polyline	1157	C	Worse Condition	46.383919	Not ADA compliant	No	Disintegrating sidewalk surface		46.383933
SW_Seg_1158	1158	Polyline	1158	B	Good Condition	244.5568	May be ADA compliant			2025 Sidewalk Survey	244.5568
SW_Seg_1159	1159	Polyline	1159	A	Best Condition	274.683184	Most likely compliant	Candidate			274.683184
SW_Seg_1160	1160	Polyline	1160	B	Good Condition	246.909824	May be ADA compliant				246.909824
SW_Seg_1161	1161	Polyline	1161	C	Worse Condition	21.08895	Not ADA compliant	No			21.089
SW_Seg_1162	1162	Polyline	1162	C	Worse Condition	33.371143	Not ADA compliant	No			33.371101
SW_Seg_1163	1163	Polyline	1163	C	Worse Condition	278.118736	Not ADA compliant	No			278.118736
SW_Seg_1164	1164	Polyline	1164	C	Worse Condition	103.632642	Not ADA compliant	No			103.632642
SW_Seg_1165	1165	Polyline	1165	A	Best Condition	34.931681	Most likely compliant	Candidate			34.931688
SW_Seg_1166	1166	Polyline	1166	A	Best Condition	27.721347	Most likely compliant	Candidate			27.72139
SW_Seg_1167	1167	Polyline	1167	A	Best Condition	18.079792	Most likely compliant	Candidate			18.079857
SW_Seg_1168	1168	Polyline	1168	A	Best Condition	39.62332	Most likely compliant	Candidate			39.62328
SW_Seg_1169	1169	Polyline	1169	A	Best Condition	32.199045	Most likely compliant	Candidate			32.199059
SW_Seg_1170	1170	Polyline	1170	A	Best Condition	20.706084	Most likely compliant	Candidate			20.706075
SW_Seg_1171	1171	Polyline	1171	A	Best Condition	20.835958	Most likely compliant	Candidate			20.835961
SW_Seg_1172	1172	Polyline	1172	A	Best Condition	29.642891	Most likely compliant	Candidate			29.642957
SW_Seg_1173	1173	Polyline	1173	A	Best Condition	37.139669	Most likely compliant	Candidate			37.139607
SW_Seg_1174	1174	Polyline	1174	A	Best Condition	23.932337	Most likely compliant	Candidate			23.932368
SW_Seg_1175	1175	Polyline	1175	A	Best Condition	44.808544	Most likely compliant	Candidate			44.808541
SW_Seg_1176	1176	Polyline	1176	A	Best Condition	59.888271	Most likely compliant	Candidate			59.88833
SW_Seg_1177	1177	Polyline	1177	A	Best Condition	638.473364	Most likely compliant	Candidate		2025 Sidewalk Survey	638.473364
SW_Seg_1178	1178	Polyline	1178	A	Best Condition	277.165945	Most likely compliant	Candidate		2025 Sidewalk Survey	277.165945
SW_Seg_1179	1179	Polyline	1179	A	Best Condition	288.810012	Most likely compliant	Candidate		2025 Sidewalk Survey	288.810012
SW_Seg_1180	1180	Polyline	1180	B	Good Condition	162.849755	May be ADA compliant				162.849755
SW_Seg_1181	1181	Polyline	1181	B	Good Condition	181.742659	May be ADA compliant				181.742659
SW_Seg_1182	1182	Polyline	1182	A	Best Condition	151.497392	Most likely compliant	Candidate			151.497392
SW_Seg_1183	1183	Polyline	1183	A	Best Condition	142.447424	Most likely compliant	Candidate			142.447424
SW_Seg_1184	1184	Polyline	1184	C	Worse Condition	259.480306	Not ADA compliant	No			259.480306
SW_Seg_1185	1185	Polyline	1185	A	Best Condition	254.0681	Most likely compliant	Candidate			254.0681
SW_Seg_1186	1186	Polyline	1186	A	Best Condition	15.852477	Most likely compliant	Candidate			15.852605
SW_Seg_1187	1187	Polyline	1187	A	Best Condition	16.545226	Most likely compliant	Candidate			16.545219
SW_Seg_1188	1188	Polyline	1188	A	Best Condition	48.896454	Most likely compliant	Candidate			48.896413

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1189	1189	Polyline	1189	C	Worse Condition	184.077686	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	184.077686
SW_Seg_1190	1190	Polyline	1190	A	Best Condition	247.540943	Most likely compliant	Candidate			247.540943
SW_Seg_1191	1191	Polyline	1191	A	Best Condition	245.937393	Most likely compliant	Candidate			245.937393
SW_Seg_1192	1192	Polyline	1192	A	Best Condition	286.013708	Most likely compliant	Candidate			286.013708
SW_Seg_1193	1193	Polyline	1193	A	Best Condition	280.175506	Most likely compliant	Candidate			280.175506
SW_Seg_1194	1194	Polyline	1194	B	Good Condition	142.553415	May be ADA compliant				142.553415
SW_Seg_1195	1195	Polyline	1195	A	Best Condition	285.747763	Most likely compliant	Candidate			285.747763
SW_Seg_1196	1196	Polyline	1196	B	Good Condition	180.725186	May be ADA compliant			2025 Sidewalk Survey	180.725186
SW_Seg_1197	1197	Polyline	1197	A	Best Condition	31.081538	Most likely compliant	Candidate			31.081463
SW_Seg_1198	1198	Polyline	1198	B	Good Condition	185.670927	May be ADA compliant				185.670927
SW_Seg_1199	1199	Polyline	1199	B	Good Condition	196.356611	May be ADA compliant				196.356611
SW_Seg_1200	1200	Polyline	1200	B	Good Condition	236.314662	May be ADA compliant				236.314662
SW_Seg_1201	1201	Polyline	1201	B	Good Condition	136.409861	May be ADA compliant				136.409861
SW_Seg_1202	1202	Polyline	1202	A	Best Condition	143.388788	Most likely compliant	Candidate			143.388788
SW_Seg_1203	1203	Polyline	1203	A	Best Condition	30.185097	Most likely compliant	Candidate			30.185136
SW_Seg_1204	1204	Polyline	1204	A	Best Condition	31.884239	Most likely compliant	Candidate			31.884272
SW_Seg_1205	1205	Polyline	1205	A	Best Condition	44.513253	Most likely compliant	Candidate			44.513249
SW_Seg_1206	1206	Polyline	1206	A	Best Condition	220.37629	Most likely compliant	Candidate			220.37629
SW_Seg_1207	1207	Polyline	1207	A	Best Condition	36.017413	Most likely compliant	Candidate			36.017409
SW_Seg_1208	1208	Polyline	1208	A	Best Condition	12.262404	Most likely compliant	Candidate			12.262402
SW_Seg_1209	1209	Polyline	1209	B	Good Condition	146.658405	May be ADA compliant				146.658405
SW_Seg_1210	1210	Polyline	1210	A	Best Condition	142.546876	Most likely compliant	Candidate			142.546876
SW_Seg_1211	1211	Polyline	1211	A	Best Condition	42.317801	Most likely compliant	Candidate			42.317834
SW_Seg_1212	1212	Polyline	1212	A	Best Condition	264.065319	Most likely compliant	Candidate			264.065319
SW_Seg_1213	1213	Polyline	1213	B	Good Condition	186.257421	May be ADA compliant			2025 Sidewalk Survey	186.257421
SW_Seg_1214	1214	Polyline	1214	A	Best Condition	122.204429	Most likely compliant	Candidate			122.204429
SW_Seg_1215	1215	Polyline	1215	A	Best Condition	113.726343	Most likely compliant	Candidate			113.726343
SW_Seg_1216	1216	Polyline	1216	A	Best Condition	142.554302	Most likely compliant	Candidate			142.554302
SW_Seg_1217	1217	Polyline	1217	A	Best Condition	266.362411	Most likely compliant	Candidate			266.362411
SW_Seg_1218	1218	Polyline	1218	A	Best Condition	54.097914	Most likely compliant	Candidate			54.097871
SW_Seg_1219	1219	Polyline	1219	A	Best Condition	36.295999	Most likely compliant	Candidate			36.296028
SW_Seg_1220	1220	Polyline	1220	A	Best Condition	32.416469	Most likely compliant	Candidate			32.416546
SW_Seg_1221	1221	Polyline	1221	A	Best Condition	55.829237	Most likely compliant	Candidate			55.829211
SW_Seg_1222	1222	Polyline	1222	A	Best Condition	41.434234	Most likely compliant	Candidate			41.434224
SW_Seg_1223	1223	Polyline	1223	A	Best Condition	723.471976	Most likely compliant	Candidate			723.471976
SW_Seg_1224	1224	Polyline	1224	A	Best Condition	37.220811	Most likely compliant	Candidate			37.220878
SW_Seg_1225	1225	Polyline	1225	A	Best Condition	38.790907	Most likely compliant	Candidate			38.790879
SW_Seg_1226	1226	Polyline	1226	A	Best Condition	33.727126	Most likely compliant	Candidate			33.727143
SW_Seg_1227	1227	Polyline	1227	A	Best Condition	34.963085	Most likely compliant	Candidate			34.963124
SW_Seg_1228	1228	Polyline	1228	A	Best Condition	29.382352	Most likely compliant	Candidate			29.382284
SW_Seg_1229	1229	Polyline	1229	A	Best Condition	42.632457	Most likely compliant	Candidate			42.632444
SW_Seg_1230	1230	Polyline	1230	A	Best Condition	51.20859	Most likely compliant	Candidate			51.208476
SW_Seg_1231	1231	Polyline	1231	A	Best Condition	58.083191	Most likely compliant	Candidate			58.083189
SW_Seg_1232	1232	Polyline	1232	A	Best Condition	32.232171	Most likely compliant	Candidate			32.23217
SW_Seg_1233	1233	Polyline	1233	A	Best Condition	28.908171	Most likely compliant	Candidate			28.908169
SW_Seg_1234	1234	Polyline	1234	A	Best Condition	18.94332	Most likely compliant	Candidate			18.943299
SW_Seg_1235	1235	Polyline	1235	A	Best Condition	19.726475	Most likely compliant	Candidate			19.726523
SW_Seg_1236	1236	Polyline	1236	A	Best Condition	18.466713	Most likely compliant	Candidate			18.466679
SW_Seg_1237	1237	Polyline	1237	A	Best Condition	17.930786	Most likely compliant	Candidate			17.930758
SW_Seg_1238	1238	Polyline	1238	A	Best Condition	30.117314	Most likely compliant	Candidate			30.117338
SW_Seg_1239	1239	Polyline	1239	A	Best Condition	19.508623	Most likely compliant	Candidate			19.508572
SW_Seg_1240	1240	Polyline	1240	A	Best Condition	27.415618	Most likely compliant	Candidate			27.415658
SW_Seg_1241	1241	Polyline	1241	A	Best Condition	33.157065	Most likely compliant	Candidate			33.157067
SW_Seg_1242	1242	Polyline	1242	A	Best Condition	31.911863	Most likely compliant	Candidate			31.91189

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1243	1243	Polyline	1243	A	Best Condition	32.116758	Most likely compliant	Candidate			32.116754
SW_Seg_1244	1244	Polyline	1244	A	Best Condition	30.037606	Most likely compliant	Candidate			30.037584
SW_Seg_1245	1245	Polyline	1245	A	Best Condition	30.830838	Most likely compliant	Candidate			30.830813
SW_Seg_1246	1246	Polyline	1246	A	Best Condition	34.821855	Most likely compliant	Candidate			34.821872
SW_Seg_1247	1247	Polyline	1247	A	Best Condition	39.371724	Most likely compliant	Candidate			39.371681
SW_Seg_1248	1248	Polyline	1248	A	Best Condition	26.46336	Most likely compliant	Candidate			26.463384
SW_Seg_1249	1249	Polyline	1249	A	Best Condition	30.862858	Most likely compliant	Candidate			30.862861
SW_Seg_1250	1250	Polyline	1250	A	Best Condition	35.900211	Most likely compliant	Candidate			35.900215
SW_Seg_1251	1251	Polyline	1251	A	Best Condition	33.70091	Most likely compliant	Candidate			33.700969
SW_Seg_1252	1252	Polyline	1252	A	Best Condition	45.390844	Most likely compliant	Candidate			45.390856
SW_Seg_1253	1253	Polyline	1253	B	Good Condition	59.210309	May be ADA compliant				59.210309
SW_Seg_1254	1254	Polyline	1254	A	Best Condition	51.280492	Most likely compliant	Candidate			51.280492
SW_Seg_1255	1255	Polyline	1255	A	Best Condition	11.742138	Most likely compliant	Candidate			11.742178
SW_Seg_1256	1256	Polyline	1256	A	Best Condition	37.712002	Most likely compliant	Candidate			37.712025
SW_Seg_1257	1257	Polyline	1257	A	Best Condition	33.613725	Most likely compliant	Candidate			33.613708
SW_Seg_1258	1258	Polyline	1258	A	Best Condition	17.744524	Most likely compliant	Candidate			17.744546
SW_Seg_1259	1259	Polyline	1259	A	Best Condition	0.595553	Most likely compliant	Candidate			0.595553
SW_Seg_1260	1260	Polyline	1260	B	Good Condition	146.733043	May be ADA compliant				146.733043
SW_Seg_1261	1261	Polyline	1261	C	Worse Condition	28.182072	Not ADA compliant	No	Disintegrating sidewalk surface		28.181994
SW_Seg_1262	1262	Polyline	1262	C	Worse Condition	31.216953	Not ADA compliant	No	Disintegrating sidewalk surface		31.216946
SW_Seg_1263	1263	Polyline	1263	B	Good Condition	108.273677	May be ADA compliant			2025 Sidewalk Survey	108.273677
SW_Seg_1264	1264	Polyline	1264	B	Good Condition	239.958706	May be ADA compliant				239.958706
SW_Seg_1265	1265	Polyline	1265	B	Good Condition	236.75839	May be ADA compliant				236.75839
SW_Seg_1266	1266	Polyline	1266	C	Worse Condition	21.224581	Not ADA compliant	No	Disintegrating sidewalk surface		21.224616
SW_Seg_1267	1267	Polyline	1267	C	Worse Condition	43.178524	Not ADA compliant	No	Disintegrating sidewalk surface		43.178541
SW_Seg_1268	1268	Polyline	1268	C	Worse Condition	39.65768	Not ADA compliant	No	Disintegrating sidewalk surface		39.657735
SW_Seg_1269	1269	Polyline	1269	C	Worse Condition	32.264729	Not ADA compliant	No	Disintegrating sidewalk surface		32.264739
SW_Seg_1270	1270	Polyline	1270	C	Worse Condition	19.91969	Not ADA compliant	No	Disintegrating sidewalk surface		19.919767
SW_Seg_1271	1271	Polyline	1271	C	Worse Condition	18.042632	Not ADA compliant	No	Disintegrating sidewalk surface		18.042668
SW_Seg_1272	1272	Polyline	1272	C	Worse Condition	21.79744	Not ADA compliant	No	Disintegrating sidewalk surface		21.797436
SW_Seg_1273	1273	Polyline	1273	A	Best Condition	25.830827	Most likely compliant	Candidate			25.830785
SW_Seg_1274	1274	Polyline	1274	C	Worse Condition	24.678098	Not ADA compliant	No	Disintegrating sidewalk surface		24.678028
SW_Seg_1275	1275	Polyline	1275	C	Worse Condition	21.684219	Not ADA compliant	No	Disintegrating sidewalk surface		21.684233
SW_Seg_1276	1276	Polyline	1276	C	Worse Condition	21.988169	Not ADA compliant	No	Disintegrating sidewalk surface		21.988146
SW_Seg_1277	1277	Polyline	1277	C	Worse Condition	23.228492	Not ADA compliant	No	Disintegrating sidewalk surface		23.228526
SW_Seg_1278	1278	Polyline	1278	B	Good Condition	17.500819	May be ADA compliant				17.50083
SW_Seg_1279	1279	Polyline	1279	B	Good Condition	23.437438	May be ADA compliant				23.437493
SW_Seg_1280	1280	Polyline	1280	C	Worse Condition	34.851767	Not ADA compliant	No	Disintegrating sidewalk surface		34.851848
SW_Seg_1281	1281	Polyline	1281	B	Good Condition	17.885314	May be ADA compliant				17.885253
SW_Seg_1282	1282	Polyline	1282	B	Good Condition	20.272894	May be ADA compliant				20.272943
SW_Seg_1283	1283	Polyline	1283	B	Good Condition	241.688104	May be ADA compliant				241.688104
SW_Seg_1284	1284	Polyline	1284	B	Good Condition	250.903603	May be ADA compliant				250.903603
SW_Seg_1285	1285	Polyline	1285	A	Best Condition	34.479006	Most likely compliant	Candidate			34.479023
SW_Seg_1286	1286	Polyline	1286	C	Worse Condition	238.588083	Not ADA compliant	No	Disintegrating sidewalk surface		238.588083
SW_Seg_1287	1287	Polyline	1287	B	Good Condition	248.828581	May be ADA compliant				248.828581
SW_Seg_1288	1288	Polyline	1288	A	Best Condition	237.299649	Most likely compliant	Candidate			237.299649
SW_Seg_1289	1289	Polyline	1289	A	Best Condition	52.471879	Most likely compliant	Candidate			52.471879
SW_Seg_1290	1290	Polyline	1290	B	Good Condition	266.299454	May be ADA compliant				266.299454
SW_Seg_1291	1291	Polyline	1291	B	Good Condition	250.293468	May be ADA compliant				250.293468
SW_Seg_1292	1292	Polyline	1292	A	Best Condition	244.627705	Most likely compliant	Candidate			244.627705
SW_Seg_1293	1293	Polyline	1293	B	Good Condition	159.308635	May be ADA compliant				159.308635
SW_Seg_1294	1294	Polyline	1294	B	Good Condition	263.762967	May be ADA compliant				263.762967
SW_Seg_1295	1295	Polyline	1295	A	Best Condition	116.656143	Most likely compliant	Candidate			116.656143
SW_Seg_1296	1296	Polyline	1296	A	Best Condition	243.282319	Most likely compliant	Candidate			243.282319

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1297	1297	Polyline	1297	B	Good Condition	264.75146	May be ADA compliant				264.75146
SW_Seg_1298	1298	Polyline	1298	A	Best Condition	244.701193	Most likely compliant	Candidate			244.701193
SW_Seg_1299	1299	Polyline	1299	A	Best Condition	242.551771	Most likely compliant	Candidate			242.551771
SW_Seg_1300	1300	Polyline	1300	B	Good Condition	248.937163	May be ADA compliant				248.937163
SW_Seg_1301	1301	Polyline	1301	C	Worse Condition	104.672988	Not ADA compliant	No	Disintegrating sidewalk surface		104.672988
SW_Seg_1302	1302	Polyline	1302	A	Best Condition	240.815552	Most likely compliant	Candidate			240.815552
SW_Seg_1303	1303	Polyline	1303	B	Good Condition	104.201421	May be ADA compliant				104.201399
SW_Seg_1304	1304	Polyline	1304	B	Good Condition	41.458518	May be ADA compliant				41.458518
SW_Seg_1305	1305	Polyline	1305	B	Good Condition	172.166159	May be ADA compliant				172.166159
SW_Seg_1306	1306	Polyline	1306	B	Good Condition	176.508189	May be ADA compliant				176.508189
SW_Seg_1307	1307	Polyline	1307	C	Worse Condition	266.924766	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	266.924766
SW_Seg_1308	1308	Polyline	1308	B	Good Condition	44.061907	May be ADA compliant				44.061829
SW_Seg_1309	1309	Polyline	1309	B	Good Condition	51.481642	May be ADA compliant				51.481642
SW_Seg_1310	1310	Polyline	1310	C	Worse Condition	335.307161	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	335.307161
SW_Seg_1311	1311	Polyline	1311	B	Good Condition	230.466605	May be ADA compliant				230.466605
SW_Seg_1312	1312	Polyline	1312	B	Good Condition	250.249702	May be ADA compliant				250.249702
SW_Seg_1313	1313	Polyline	1313	B	Good Condition	265.42054	May be ADA compliant				265.42054
SW_Seg_1314	1314	Polyline	1314	B	Good Condition	329.069007	May be ADA compliant				329.069007
SW_Seg_1315	1315	Polyline	1315	B	Good Condition	27.566827	May be ADA compliant				27.566799
SW_Seg_1316	1316	Polyline	1316	B	Good Condition	177.807428	May be ADA compliant				177.807428
SW_Seg_1317	1317	Polyline	1317	B	Good Condition	23.131333	May be ADA compliant				23.131326
SW_Seg_1318	1318	Polyline	1318	B	Good Condition	670.828709	May be ADA compliant				670.828709
SW_Seg_1319	1319	Polyline	1319	C	Worse Condition	332.381168	Not ADA compliant	No	Disintegrating sidewalk surface		332.381168
SW_Seg_1320	1320	Polyline	1320	C	Worse Condition	332.901822	Not ADA compliant	No	Disintegrating sidewalk surface		332.901822
SW_Seg_1321	1321	Polyline	1321	B	Good Condition	45.225489	May be ADA compliant				45.225489
SW_Seg_1322	1322	Polyline	1322	B	Good Condition	97.111574	May be ADA compliant				97.111574
SW_Seg_1323	1323	Polyline	1323	B	Good Condition	269.59314	May be ADA compliant				269.59314
SW_Seg_1324	1324	Polyline	1324	B	Good Condition	308.19974	May be ADA compliant			2025 Sidewalk Survey	308.19974
SW_Seg_1325	1325	Polyline	1325	C	Worse Condition	303.421608	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	303.421608
SW_Seg_1326	1326	Polyline	1326	C	Worse Condition	137.362276	Not ADA compliant	No	Disintegrating sidewalk surface		137.362276
SW_Seg_1327	1327	Polyline	1327	B	Good Condition	282.274696	May be ADA compliant				282.274696
SW_Seg_1328	1328	Polyline	1328	B	Good Condition	310.859226	May be ADA compliant			2025 Sidewalk Survey	310.859226
SW_Seg_1329	1329	Polyline	1329	B	Good Condition	65.929318	May be ADA compliant				65.929318
SW_Seg_1330	1330	Polyline	1330	B	Good Condition	285.049676	May be ADA compliant				285.049676
SW_Seg_1331	1331	Polyline	1331	A	Best Condition	125.023102	Most likely compliant	Candidate			125.023102
SW_Seg_1332	1332	Polyline	1332	C	Worse Condition	275.975487	Not ADA compliant	No	Disintegrating sidewalk surface		275.975487
SW_Seg_1333	1333	Polyline	1333	B	Good Condition	97.879516	May be ADA compliant				97.879516
SW_Seg_1334	1334	Polyline	1334	C	Worse Condition	21.020424	Not ADA compliant	No	Disintegrating sidewalk surface		21.020424
SW_Seg_1335	1335	Polyline	1335	C	Worse Condition	58.657049	Not ADA compliant	No	Disintegrating sidewalk surface		58.657049
SW_Seg_1336	1336	Polyline	1336	B	Good Condition	29.157769	May be ADA compliant				29.157769
SW_Seg_1337	1337	Polyline	1337	C	Worse Condition	47.12629	Not ADA compliant	No	Disintegrating sidewalk surface		47.12629
SW_Seg_1338	1338	Polyline	1338	B	Good Condition	64.736251	May be ADA compliant				64.736251
SW_Seg_1339	1339	Polyline	1339	C	Worse Condition	29.438314	Not ADA compliant	No	Disintegrating sidewalk surface		29.438314
SW_Seg_1340	1340	Polyline	1340	B	Good Condition	304.8535	May be ADA compliant			2025 Sidewalk Survey	304.8535
SW_Seg_1341	1341	Polyline	1341	B	Good Condition	75.569874	May be ADA compliant				75.569874
SW_Seg_1342	1342	Polyline	1342	C	Worse Condition	161.904435	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	161.904435
SW_Seg_1343	1343	Polyline	1343	B	Good Condition	73.646985	May be ADA compliant				73.646985
SW_Seg_1344	1344	Polyline	1344	A	Best Condition	20.157639	Most likely compliant	Candidate			20.157713
SW_Seg_1345	1345	Polyline	1345	B	Good Condition	283.052187	May be ADA compliant			2025 Sidewalk Survey	283.052187
SW_Seg_1346	1346	Polyline	1346	B	Good Condition	237.233603	May be ADA compliant				237.233603
SW_Seg_1347	1347	Polyline	1347	C	Worse Condition	215.009068	Not ADA compliant	No	Disintegrating sidewalk surface		215.009068
SW_Seg_1348	1348	Polyline	1348	B	Good Condition	205.912991	May be ADA compliant			2025 Sidewalk Survey	205.912991
SW_Seg_1349	1349	Polyline	1349	B	Good Condition	161.929796	May be ADA compliant				161.929796
SW_Seg_1350	1350	Polyline	1350	A	Best Condition	94.94638	Most likely compliant	Candidate			94.94638

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1351	1351	Polyline	1351	B	Good Condition	59.423475	May be ADA compliant				59.423508
SW_Seg_1352	1352	Polyline	1352	B	Good Condition	39.11973	May be ADA compliant				39.11973
SW_Seg_1353	1353	Polyline	1353	B	Good Condition	22.965935	May be ADA compliant				22.965935
SW_Seg_1354	1354	Polyline	1354	C	Worse Condition	320.351177	Not ADA compliant	No	Disintegrating sidewalk surface		320.351177
SW_Seg_1355	1355	Polyline	1355	B	Good Condition	20.012646	May be ADA compliant				20.012665
SW_Seg_1356	1356	Polyline	1356	B	Good Condition	28.373613	May be ADA compliant				28.373606
SW_Seg_1357	1357	Polyline	1357	B	Good Condition	262.422538	May be ADA compliant				262.422538
SW_Seg_1358	1358	Polyline	1358	C	Worse Condition	29.789514	Not ADA compliant	No	Disintegrating sidewalk surface		29.789456
SW_Seg_1359	1359	Polyline	1359	B	Good Condition	91.761291	May be ADA compliant				91.761291
SW_Seg_1360	1360	Polyline	1360	B	Good Condition	26.211215	May be ADA compliant				26.211196
SW_Seg_1361	1361	Polyline	1361	B	Good Condition	14.934491	May be ADA compliant				14.934533
SW_Seg_1362	1362	Polyline	1362	C	Worse Condition	272.537962	Not ADA compliant	No	Disintegrating sidewalk surface		272.537962
SW_Seg_1363	1363	Polyline	1363	B	Good Condition	97.9388	May be ADA compliant				97.9388
SW_Seg_1364	1364	Polyline	1364	C	Worse Condition	183.795102	Not ADA compliant	No	Disintegrating sidewalk surface		183.795102
SW_Seg_1365	1365	Polyline	1365	A	Best Condition	267.217299	Most likely compliant	Candidate			267.217299
SW_Seg_1366	1366	Polyline	1366	A	Best Condition	264.616463	Most likely compliant	Candidate			264.616463
SW_Seg_1367	1367	Polyline	1367	A	Best Condition	269.859636	Most likely compliant	Candidate			269.859636
SW_Seg_1368	1368	Polyline	1368	A	Best Condition	270.561469	Most likely compliant	Candidate			270.561469
SW_Seg_1369	1369	Polyline	1369	A	Best Condition	262.098142	Most likely compliant	Candidate			262.098142
SW_Seg_1370	1370	Polyline	1370	A	Best Condition	245.492351	Most likely compliant	Candidate			245.492351
SW_Seg_1371	1371	Polyline	1371	A	Best Condition	244.018347	Most likely compliant	Candidate			244.018347
SW_Seg_1372	1372	Polyline	1372	A	Best Condition	231.835046	Most likely compliant	Candidate			231.835046
SW_Seg_1373	1373	Polyline	1373	A	Best Condition	842.37922	Most likely compliant	Candidate			842.37922
SW_Seg_1374	1374	Polyline	1374	C	Worse Condition	228.221442	Not ADA compliant	No	Disintegrating sidewalk surface		228.221442
SW_Seg_1375	1375	Polyline	1375	B	Good Condition	490.443659	May be ADA compliant				490.443659
SW_Seg_1376	1376	Polyline	1376	A	Best Condition	37.925327	Most likely compliant	Candidate			37.925321
SW_Seg_1377	1377	Polyline	1377	A	Best Condition	19.073367	Most likely compliant	Candidate			19.073362
SW_Seg_1378	1378	Polyline	1378	A	Best Condition	28.177195	Most likely compliant	Candidate			28.177195
SW_Seg_1379	1379	Polyline	1379	A	Best Condition	99.403879	Most likely compliant	Candidate			99.403879
SW_Seg_1380	1380	Polyline	1380	A	Best Condition	378.931354	Most likely compliant	Candidate			378.931339
SW_Seg_1381	1381	Polyline	1381	A	Best Condition	355.265699	Most likely compliant	Candidate			355.26575
SW_Seg_1382	1382	Polyline	1382	A	Best Condition	22.037244	Most likely compliant	Candidate			22.037254
SW_Seg_1383	1383	Polyline	1383	A	Best Condition	121.944807	Most likely compliant	Candidate			121.944825
SW_Seg_1384	1384	Polyline	1384	A	Best Condition	79.034339	Most likely compliant	Candidate			79.034332
SW_Seg_1385	1385	Polyline	1385	A	Best Condition	72.579847	Most likely compliant	Candidate			72.579843
SW_Seg_1386	1386	Polyline	1386	A	Best Condition	154.974364	Most likely compliant	Candidate			154.97436
SW_Seg_1387	1387	Polyline	1387	A	Best Condition	86.346061	Most likely compliant	Candidate			86.346049
SW_Seg_1388	1388	Polyline	1388	A	Best Condition	41.733212	Most likely compliant	Candidate			41.733212
SW_Seg_1389	1389	Polyline	1389	A	Best Condition	772.115647	Most likely compliant	Candidate			772.115635
SW_Seg_1390	1390	Polyline	1390	A	Best Condition	126.582758	Most likely compliant	Candidate			126.582758
SW_Seg_1391	1391	Polyline	1391	A	Best Condition	62.341735	Most likely compliant	Candidate			62.341702
SW_Seg_1392	1392	Polyline	1392	A	Best Condition	109.701151	Most likely compliant	Candidate			109.701151
SW_Seg_1393	1393	Polyline	1393	A	Best Condition	99.966307	Most likely compliant	Candidate			99.966307
SW_Seg_1394	1394	Polyline	1394	A	Best Condition	94.89693	Most likely compliant	Candidate			94.896972
SW_Seg_1395	1395	Polyline	1395	A	Best Condition	29.948393	Most likely compliant	Candidate			29.948293
SW_Seg_1396	1396	Polyline	1396	A	Best Condition	19.415074	Most likely compliant	Candidate			19.415077
SW_Seg_1397	1397	Polyline	1397	B	Good Condition	249.927172	May be ADA compliant				249.927172
SW_Seg_1398	1398	Polyline	1398	A	Best Condition	14.569541	Most likely compliant	Candidate			14.569522
SW_Seg_1399	1399	Polyline	1399	A	Best Condition	12.282643	Most likely compliant	Candidate			12.282643
SW_Seg_1400	1400	Polyline	1400	A	Best Condition	38.841617	Most likely compliant	Candidate			38.841646
SW_Seg_1401	1401	Polyline	1401	A	Best Condition	11.83285	Most likely compliant	Candidate			11.832904
SW_Seg_1402	1402	Polyline	1402	A	Best Condition	25.503707	Most likely compliant	Candidate			25.503769
SW_Seg_1403	1403	Polyline	1403	A	Best Condition	26.278975	Most likely compliant	Candidate			26.278952
SW_Seg_1404	1404	Polyline	1404	A	Best Condition	25.030459	Most likely compliant	Candidate			25.030548

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1405	1405	Polyline	1405	A	Best Condition	27.298767	Most likely compliant	Candidate			27.298737
SW_Seg_1406	1406	Polyline	1406	A	Best Condition	21.38014	Most likely compliant	Candidate			21.380187
SW_Seg_1407	1407	Polyline	1407	A	Best Condition	15.476426	Most likely compliant	Candidate			15.47637
SW_Seg_1408	1408	Polyline	1408	C	Worse Condition	278.5412	Not ADA compliant	No	Disintegrating sidewalk surface		278.5412
SW_Seg_1409	1409	Polyline	1409	C	Worse Condition	275.837233	Not ADA compliant	No	Disintegrating sidewalk surface		275.837233
SW_Seg_1410	1410	Polyline	1410	C	Worse Condition	290.444057	Not ADA compliant	No	Disintegrating sidewalk surface		290.444057
SW_Seg_1411	1411	Polyline	1411	C	Worse Condition	276.167929	Not ADA compliant	No	Disintegrating sidewalk surface		276.167929
SW_Seg_1412	1412	Polyline	1412	A	Best Condition	245.791117	Most likely compliant	Candidate			245.791117
SW_Seg_1413	1413	Polyline	1413	A	Best Condition	242.390832	Most likely compliant	Candidate			242.390832
SW_Seg_1414	1414	Polyline	1414	C	Worse Condition	154.528969	Not ADA compliant	No	Disintegrating sidewalk surface		154.528969
SW_Seg_1415	1415	Polyline	1415	A	Best Condition	28.945659	Most likely compliant	Candidate			28.945684
SW_Seg_1416	1416	Polyline	1416	C	Worse Condition	364.283527	Not ADA compliant	No	Disintegrating sidewalk surface		364.283527
SW_Seg_1417	1417	Polyline	1417	A	Best Condition	280.497806	Most likely compliant	Candidate			280.497806
SW_Seg_1418	1418	Polyline	1418	C	Worse Condition	288.496297	Not ADA compliant	No	Disintegrating sidewalk surface		288.496297
SW_Seg_1419	1419	Polyline	1419	C	Worse Condition	279.671814	Not ADA compliant	No	Disintegrating sidewalk surface		279.671814
SW_Seg_1420	1420	Polyline	1420	B	Good Condition	37.741658	May be ADA compliant				37.741764
SW_Seg_1421	1421	Polyline	1421	A	Best Condition	111.540191	Most likely compliant	Candidate			111.540191
SW_Seg_1422	1422	Polyline	1422	A	Best Condition	35.812274	Most likely compliant	Candidate			35.812139
SW_Seg_1423	1423	Polyline	1423	A	Best Condition	25.73863	Most likely compliant	Candidate			25.738679
SW_Seg_1424	1424	Polyline	1424	A	Best Condition	33.761505	Most likely compliant	Candidate			33.761551
SW_Seg_1425	1425	Polyline	1425	A	Best Condition	14.241474	Most likely compliant	Candidate			14.241474
SW_Seg_1426	1426	Polyline	1426	A	Best Condition	16.033524	Most likely compliant	Candidate			16.033472
SW_Seg_1427	1427	Polyline	1427	A	Best Condition	103.784641	Most likely compliant	Candidate			103.784641
SW_Seg_1428	1428	Polyline	1428	B	Good Condition	277.706355	May be ADA compliant				277.706355
SW_Seg_1429	1429	Polyline	1429	C	Worse Condition	286.53153	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	286.53153
SW_Seg_1430	1430	Polyline	1430	C	Worse Condition	283.667683	Not ADA compliant	No	Disintegrating sidewalk surface		283.667683
SW_Seg_1431	1431	Polyline	1431	A	Best Condition	14.055455	Most likely compliant	Candidate			14.055503
SW_Seg_1432	1432	Polyline	1432	A	Best Condition	25.539368	Most likely compliant	Candidate			25.539461
SW_Seg_1433	1433	Polyline	1433	A	Best Condition	30.893253	Most likely compliant	Candidate			30.893263
SW_Seg_1434	1434	Polyline	1434	A	Best Condition	22.663041	Most likely compliant	Candidate			22.66305
SW_Seg_1435	1435	Polyline	1435	A	Best Condition	37.436018	Most likely compliant	Candidate			37.436029
SW_Seg_1436	1436	Polyline	1436	A	Best Condition	27.178737	Most likely compliant	Candidate			27.178737
SW_Seg_1437	1437	Polyline	1437	A	Best Condition	21.944043	Most likely compliant	Candidate			21.944044
SW_Seg_1438	1438	Polyline	1438	C	Worse Condition	83.639789	Not ADA compliant	No	Disintegrating sidewalk surface		83.639789
SW_Seg_1439	1439	Polyline	1439	C	Worse Condition	260.31081	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	260.31081
SW_Seg_1440	1440	Polyline	1440	B	Good Condition	71.003607	May be ADA compliant				71.003607
SW_Seg_1441	1441	Polyline	1441	A	Best Condition	36.177695	Most likely compliant	Candidate			36.177643
SW_Seg_1442	1442	Polyline	1442	A	Best Condition	13.717911	Most likely compliant	Candidate			13.717832
SW_Seg_1443	1443	Polyline	1443	A	Best Condition	26.54906	Most likely compliant	Candidate			26.549111
SW_Seg_1444	1444	Polyline	1444	A	Best Condition	18.349473	Most likely compliant	Candidate			18.349537
SW_Seg_1445	1445	Polyline	1445	C	Worse Condition	218.847472	Not ADA compliant	No	Disintegrating sidewalk surface		218.847472
SW_Seg_1446	1446	Polyline	1446	C	Worse Condition	253.581174	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	253.581174
SW_Seg_1447	1447	Polyline	1447	C	Worse Condition	138.761349	Not ADA compliant	No	Disintegrating sidewalk surface		138.761349
SW_Seg_1448	1448	Polyline	1448	A	Best Condition	155.618372	Most likely compliant	Candidate			155.618372
SW_Seg_1449	1449	Polyline	1449	A	Best Condition	46.647587	Most likely compliant	Candidate			46.647514
SW_Seg_1450	1450	Polyline	1450	A	Best Condition	210.399864	Most likely compliant	Candidate			210.399864
SW_Seg_1451	1451	Polyline	1451	B	Good Condition	37.893194	May be ADA compliant				37.893152
SW_Seg_1452	1452	Polyline	1452	B	Good Condition	264.878226	May be ADA compliant				264.878226
SW_Seg_1453	1453	Polyline	1453	B	Good Condition	135.658855	May be ADA compliant				135.658855
SW_Seg_1454	1454	Polyline	1454	A	Best Condition	25.384882	Most likely compliant	Candidate			25.38487
SW_Seg_1455	1455	Polyline	1455	A	Best Condition	33.524175	Most likely compliant	Candidate			33.524189
SW_Seg_1456	1456	Polyline	1456	A	Best Condition	88.382641	Most likely compliant	Candidate			88.382641
SW_Seg_1457	1457	Polyline	1457	A	Best Condition	13.869513	Most likely compliant	Candidate			13.869409
SW_Seg_1458	1458	Polyline	1458	A	Best Condition	16.850343	Most likely compliant	Candidate			16.850379

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1459	1459	Polyline	1459	A	Best Condition	104.633311	Most likely compliant	Candidate			104.633311
SW_Seg_1460	1460	Polyline	1460	A	Best Condition	91.262334	Most likely compliant	Candidate			91.262334
SW_Seg_1461	1461	Polyline	1461	A	Best Condition	121.698919	Most likely compliant	Candidate			121.698919
SW_Seg_1462	1462	Polyline	1462	A	Best Condition	18.705298	Most likely compliant	Candidate			18.705316
SW_Seg_1463	1463	Polyline	1463	A	Best Condition	45.181829	Most likely compliant	Candidate			45.181926
SW_Seg_1464	1464	Polyline	1464	A	Best Condition	45.881021	Most likely compliant	Candidate			45.881039
SW_Seg_1465	1465	Polyline	1465	A	Best Condition	251.569936	Most likely compliant	Candidate			251.569936
SW_Seg_1466	1466	Polyline	1466	A	Best Condition	189.167994	Most likely compliant	Candidate			189.167994
SW_Seg_1467	1467	Polyline	1467	B	Good Condition	99.263733	May be ADA compliant				99.263733
SW_Seg_1468	1468	Polyline	1468	A	Best Condition	120.586727	Most likely compliant	Candidate			120.586727
SW_Seg_1469	1469	Polyline	1469	A	Best Condition	31.849525	Most likely compliant	Candidate			31.849535
SW_Seg_1470	1470	Polyline	1470	A	Best Condition	27.995325	Most likely compliant	Candidate			27.99532
SW_Seg_1471	1471	Polyline	1471	A	Best Condition	20.738621	Most likely compliant	Candidate			20.738476
SW_Seg_1472	1472	Polyline	1472	A	Best Condition	28.539782	Most likely compliant	Candidate			28.539722
SW_Seg_1473	1473	Polyline	1473	A	Best Condition	29.476259	Most likely compliant	Candidate			29.476303
SW_Seg_1474	1474	Polyline	1474	A	Best Condition	27.454061	Most likely compliant	Candidate			27.454167
SW_Seg_1475	1475	Polyline	1475	A	Best Condition	151.508835	Most likely compliant	Candidate			151.508835
SW_Seg_1476	1476	Polyline	1476	C	Worse Condition	155.847378	Not ADA compliant	No	Disintegrating sidewalk surface		155.847378
SW_Seg_1477	1477	Polyline	1477	B	Good Condition	129.814742	May be ADA compliant				129.814742
SW_Seg_1478	1478	Polyline	1478	B	Good Condition	117.651681	May be ADA compliant				117.651681
SW_Seg_1479	1479	Polyline	1479	A	Best Condition	17.001522	Most likely compliant	Candidate			17.001432
SW_Seg_1480	1480	Polyline	1480	A	Best Condition	33.801622	Most likely compliant	Candidate			33.801574
SW_Seg_1481	1481	Polyline	1481	A	Best Condition	194.113288	Most likely compliant	Candidate		2025 Sidewalk Survey	194.113288
SW_Seg_1482	1482	Polyline	1482	A	Best Condition	243.539674	Most likely compliant	Candidate			243.539674
SW_Seg_1483	1483	Polyline	1483	A	Best Condition	19.032809	Most likely compliant	Candidate			19.032925
SW_Seg_1484	1484	Polyline	1484	A	Best Condition	25.278265	Most likely compliant	Candidate			25.278214
SW_Seg_1485	1485	Polyline	1485	A	Best Condition	15.428992	Most likely compliant	Candidate			15.428974
SW_Seg_1486	1486	Polyline	1486	A	Best Condition	27.063488	Most likely compliant	Candidate			27.063458
SW_Seg_1487	1487	Polyline	1487	B	Good Condition	258.641169	May be ADA compliant				258.641169
SW_Seg_1488	1488	Polyline	1488	A	Best Condition	158.026701	Most likely compliant	Candidate			158.026701
SW_Seg_1489	1489	Polyline	1489	A	Best Condition	41.270272	Most likely compliant	Candidate			41.270276
SW_Seg_1490	1490	Polyline	1490	A	Best Condition	24.921156	Most likely compliant	Candidate			24.921151
SW_Seg_1491	1491	Polyline	1491	A	Best Condition	106.019882	Most likely compliant	Candidate			106.019882
SW_Seg_1492	1492	Polyline	1492	A	Best Condition	252.136889	Most likely compliant	Candidate			252.136889
SW_Seg_1493	1493	Polyline	1493	B	Good Condition	94.477778	May be ADA compliant			2025 Sidewalk Survey	94.477778
SW_Seg_1494	1494	Polyline	1494	C	Worse Condition	46.130766	Not ADA compliant	No	Disintegrating sidewalk surface		46.130766
SW_Seg_1495	1495	Polyline	1495	A	Best Condition	112.055871	Most likely compliant	Candidate			112.055871
SW_Seg_1496	1496	Polyline	1496	A	Best Condition	29.251004	Most likely compliant	Candidate			29.251004
SW_Seg_1497	1497	Polyline	1497	A	Best Condition	27.516926	Most likely compliant	Candidate			27.516926
SW_Seg_1498	1498	Polyline	1498	A	Best Condition	30.380837	Most likely compliant	Candidate			30.380837
SW_Seg_1499	1499	Polyline	1499	A	Best Condition	44.314213	Most likely compliant	Candidate			44.314119
SW_Seg_1500	1500	Polyline	1500	A	Best Condition	240.013085	Most likely compliant	Candidate			240.013085
SW_Seg_1501	1501	Polyline	1501	A	Best Condition	32.62898	Most likely compliant	Candidate			32.629007
SW_Seg_1502	1502	Polyline	1502	A	Best Condition	35.787343	Most likely compliant	Candidate			35.787321
SW_Seg_1503	1503	Polyline	1503	A	Best Condition	41.886316	Most likely compliant	Candidate			41.886434
SW_Seg_1504	1504	Polyline	1504	A	Best Condition	19.476376	Most likely compliant	Candidate			19.476374
SW_Seg_1505	1505	Polyline	1505	A	Best Condition	19.629587	Most likely compliant	Candidate			19.629598
SW_Seg_1506	1506	Polyline	1506	B	Good Condition	90.690301	May be ADA compliant				90.690301
SW_Seg_1507	1507	Polyline	1507	B	Good Condition	105.037241	May be ADA compliant				105.037241
SW_Seg_1508	1508	Polyline	1508	C	Worse Condition	117.441879	Not ADA compliant	No	Disintegrating sidewalk surface		117.441879
SW_Seg_1509	1509	Polyline	1509	C	Worse Condition	108.768247	Not ADA compliant	No	Disintegrating sidewalk surface		108.768247
SW_Seg_1510	1510	Polyline	1510	C	Worse Condition	81.156439	Not ADA compliant	No	Disintegrating sidewalk surface		81.156439
SW_Seg_1511	1511	Polyline	1511	C	Worse Condition	144.451281	Not ADA compliant	No	Disintegrating sidewalk surface		144.451281
SW_Seg_1512	1512	Polyline	1512	C	Worse Condition	87.647395	Not ADA compliant	No	Disintegrating sidewalk surface		87.647395

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1513	1513	Polyline	1513	A	Best Condition	117.533427	Most likely compliant	Candidate			117.533427
SW_Seg_1514	1514	Polyline	1514	C	Worse Condition	159.725973	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	159.725973
SW_Seg_1515	1515	Polyline	1515	C	Worse Condition	314.522926	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	224.904031
SW_Seg_1516	1516	Polyline	1516	C	Worse Condition	310.241974	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	310.241974
SW_Seg_1517	1517	Polyline	1517	C	Worse Condition	311.841437	Not ADA compliant	No	Disintegrating sidewalk surface		311.841437
SW_Seg_1518	1518	Polyline	1518	C	Worse Condition	307.42867	Not ADA compliant	No	Disintegrating sidewalk surface		307.42867
SW_Seg_1519	1519	Polyline	1519	C	Worse Condition	314.126116	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	314.126116
SW_Seg_1520	1520	Polyline	1520	C	Worse Condition	20.57153	Not ADA compliant	No	Disintegrating sidewalk surface		20.571457
SW_Seg_1521	1521	Polyline	1521	C	Worse Condition	20.565208	Not ADA compliant	No	Disintegrating sidewalk surface		20.565258
SW_Seg_1522	1522	Polyline	1522	C	Worse Condition	22.074626	Not ADA compliant	No	Disintegrating sidewalk surface		22.074666
SW_Seg_1523	1523	Polyline	1523	C	Worse Condition	24.60206	Not ADA compliant	No	Disintegrating sidewalk surface		24.602064
SW_Seg_1524	1524	Polyline	1524	C	Worse Condition	258.894211	Not ADA compliant	No	Disintegrating sidewalk surface		258.894211
SW_Seg_1525	1525	Polyline	1525	C	Worse Condition	123.054904	Not ADA compliant	No	Disintegrating sidewalk surface		123.054904
SW_Seg_1526	1526	Polyline	1526	A	Best Condition	116.183374	Most likely compliant	Candidate			116.183374
SW_Seg_1527	1527	Polyline	1527	C	Worse Condition	304.195193	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	304.195193
SW_Seg_1528	1528	Polyline	1528	C	Worse Condition	304.323569	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	304.323569
SW_Seg_1529	1529	Polyline	1529	A	Best Condition	114.411129	Most likely compliant	Candidate			114.411129
SW_Seg_1530	1530	Polyline	1530	A	Best Condition	115.218508	Most likely compliant	Candidate			115.218508
SW_Seg_1531	1531	Polyline	1531	C	Worse Condition	316.781767	Not ADA compliant	No	Disintegrating sidewalk surface		316.781767
SW_Seg_1532	1532	Polyline	1532	C	Worse Condition	305.716359	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	305.716359
SW_Seg_1533	1533	Polyline	1533	C	Worse Condition	314.326345	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	314.326345
SW_Seg_1534	1534	Polyline	1534	C	Worse Condition	317.993873	Not ADA compliant	No	Disintegrating sidewalk surface		317.993873
SW_Seg_1535	1535	Polyline	1535	A	Best Condition	85.054366	Most likely compliant	Candidate			85.054366
SW_Seg_1536	1536	Polyline	1536	C	Worse Condition	201.78134	Not ADA compliant	No	Disintegrating sidewalk surface		201.78134
SW_Seg_1537	1537	Polyline	1537	C	Worse Condition	272.087273	Not ADA compliant	No	Disintegrating sidewalk surface		272.087273
SW_Seg_1538	1538	Polyline	1538	A	Best Condition	22.402001	Most likely compliant	Candidate			22.402007
SW_Seg_1539	1539	Polyline	1539	B	Good Condition	23.054528	May be ADA compliant				23.054573
SW_Seg_1540	1540	Polyline	1540	A	Best Condition	22.548262	Most likely compliant	Candidate			22.548244
SW_Seg_1541	1541	Polyline	1541	A	Best Condition	21.7666	Most likely compliant	Candidate			21.766536
SW_Seg_1542	1542	Polyline	1542	C	Worse Condition	142.254754	Not ADA compliant	No	Disintegrating sidewalk surface		142.254754
SW_Seg_1543	1543	Polyline	1543	C	Worse Condition	263.364551	Not ADA compliant	No	Disintegrating sidewalk surface		263.364551
SW_Seg_1544	1544	Polyline	1544	B	Good Condition	17.152714	May be ADA compliant				17.152672
SW_Seg_1545	1545	Polyline	1545	B	Good Condition	69.739969	May be ADA compliant				69.739969
SW_Seg_1546	1546	Polyline	1546	B	Good Condition	162.501949	May be ADA compliant				162.501949
SW_Seg_1547	1547	Polyline	1547	C	Worse Condition	42.844266	Not ADA compliant	No	Disintegrating sidewalk surface		42.844245
SW_Seg_1548	1548	Polyline	1548	C	Worse Condition	363.971768	Not ADA compliant	No	Disintegrating sidewalk surface		363.971768
SW_Seg_1549	1549	Polyline	1549	C	Worse Condition	319.849476	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	319.84961
SW_Seg_1550	1550	Polyline	1550	B	Good Condition	277.385169	May be ADA compliant				277.385169
SW_Seg_1551	1551	Polyline	1551	B	Good Condition	26.927015	May be ADA compliant				26.927053
SW_Seg_1552	1552	Polyline	1552	B	Good Condition	22.082543	May be ADA compliant				22.082627
SW_Seg_1553	1553	Polyline	1553	B	Good Condition	30.725509	May be ADA compliant				30.725465
SW_Seg_1554	1554	Polyline	1554	B	Good Condition	29.707893	May be ADA compliant				29.707897
SW_Seg_1555	1555	Polyline	1555	C	Worse Condition	300.350594	Not ADA compliant	No	Disintegrating sidewalk surface		300.350594
SW_Seg_1556	1556	Polyline	1556	B	Good Condition	295.962049	May be ADA compliant				295.962049
SW_Seg_1557	1557	Polyline	1557	B	Good Condition	40.875294	May be ADA compliant			2025 Sidewalk Survey	40.875294
SW_Seg_1558	1558	Polyline	1558	C	Worse Condition	23.663068	Not ADA compliant	No	Disintegrating sidewalk surface		23.663094
SW_Seg_1559	1559	Polyline	1559	C	Worse Condition	22.95103	Not ADA compliant	No	Disintegrating sidewalk surface		22.95106
SW_Seg_1560	1560	Polyline	1560	C	Worse Condition	24.900526	Not ADA compliant	No	Disintegrating sidewalk surface		24.900603
SW_Seg_1561	1561	Polyline	1561	C	Worse Condition	24.840518	Not ADA compliant	No	Disintegrating sidewalk surface		24.840573
SW_Seg_1562	1562	Polyline	1562	C	Worse Condition	300.258299	Not ADA compliant	No	Disintegrating sidewalk surface		300.258299
SW_Seg_1563	1563	Polyline	1563	C	Worse Condition	301.251312	Not ADA compliant	No	Disintegrating sidewalk surface		301.251312
SW_Seg_1564	1564	Polyline	1564	C	Worse Condition	267.690225	Not ADA compliant	No	Disintegrating sidewalk surface		267.690225
SW_Seg_1565	1565	Polyline	1565	C	Worse Condition	266.868973	Not ADA compliant	No	Disintegrating sidewalk surface		266.868973
SW_Seg_1566	1566	Polyline	1566	C	Worse Condition	308.266094	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	308.266094

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1567	1567	Polyline	1567	C	Worse Condition	304.534035	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	304.534035
SW_Seg_1568	1568	Polyline	1568	C	Worse Condition	309.056874	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	309.056874
SW_Seg_1569	1569	Polyline	1569	C	Worse Condition	246.676655	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	246.676655
SW_Seg_1570	1570	Polyline	1570	C	Worse Condition	307.474829	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	307.474829
SW_Seg_1571	1571	Polyline	1571	C	Worse Condition	303.545203	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	303.545203
SW_Seg_1572	1572	Polyline	1572	C	Worse Condition	290.728105	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	290.728105
SW_Seg_1573	1573	Polyline	1573	C	Worse Condition	267.656527	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	267.656527
SW_Seg_1574	1574	Polyline	1574	C	Worse Condition	290.312294	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	290.312294
SW_Seg_1575	1575	Polyline	1575	C	Worse Condition	267.554517	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	267.554517
SW_Seg_1576	1576	Polyline	1576	B	Good Condition	20.882487	May be ADA compliant				20.882384
SW_Seg_1577	1577	Polyline	1577	C	Worse Condition	28.844812	Not ADA compliant	No	Disintegrating sidewalk surface		28.844795
SW_Seg_1578	1578	Polyline	1578	C	Worse Condition	27.236303	Not ADA compliant	No	Disintegrating sidewalk surface		27.236217
SW_Seg_1579	1579	Polyline	1579	C	Worse Condition	36.146582	Not ADA compliant	No	Disintegrating sidewalk surface		36.146647
SW_Seg_1580	1580	Polyline	1580	C	Worse Condition	256.085512	Not ADA compliant	No	Disintegrating sidewalk surface		256.085512
SW_Seg_1581	1581	Polyline	1581	C	Worse Condition	249.460177	Not ADA compliant	No	Disintegrating sidewalk surface		249.460177
SW_Seg_1582	1582	Polyline	1582	C	Worse Condition	252.226937	Not ADA compliant	No	Disintegrating sidewalk surface		252.226937
SW_Seg_1583	1583	Polyline	1583	C	Worse Condition	27.075978	Not ADA compliant	No	Disintegrating sidewalk surface		27.075968
SW_Seg_1584	1584	Polyline	1584	C	Worse Condition	262.833004	Not ADA compliant	No	Disintegrating sidewalk surface		262.833004
SW_Seg_1585	1585	Polyline	1585	A	Best Condition	109.756751	Most likely compliant	Candidate			109.756751
SW_Seg_1586	1586	Polyline	1586	C	Worse Condition	277.246884	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	277.246884
SW_Seg_1587	1587	Polyline	1587	C	Worse Condition	268.29112	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	268.29112
SW_Seg_1588	1588	Polyline	1588	C	Worse Condition	267.29564	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	267.29564
SW_Seg_1589	1589	Polyline	1589	C	Worse Condition	278.060605	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	278.060605
SW_Seg_1590	1590	Polyline	1590	A	Best Condition	22.682209	Most likely compliant	Candidate			22.682273
SW_Seg_1591	1591	Polyline	1591	A	Best Condition	26.191229	Most likely compliant	Candidate			26.191232
SW_Seg_1592	1592	Polyline	1592	A	Best Condition	26.008371	Most likely compliant	Candidate			26.008381
SW_Seg_1593	1593	Polyline	1593	A	Best Condition	26.044134	Most likely compliant	Candidate			26.044061
SW_Seg_1594	1594	Polyline	1594	C	Worse Condition	266.802997	Not ADA compliant	No	Disintegrating sidewalk surface		266.802997
SW_Seg_1595	1595	Polyline	1595	B	Good Condition	265.060062	May be ADA compliant				265.060062
SW_Seg_1596	1596	Polyline	1596	A	Best Condition	12.714696	Most likely compliant	Candidate			12.714665
SW_Seg_1597	1597	Polyline	1597	A	Best Condition	11.401599	Most likely compliant	Candidate			11.40167
SW_Seg_1598	1598	Polyline	1598	C	Worse Condition	254.662005	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	254.662005
SW_Seg_1599	1599	Polyline	1599	C	Worse Condition	256.433205	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	256.433205
SW_Seg_1600	1600	Polyline	1600	C	Worse Condition	280.048446	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	280.048446
SW_Seg_1601	1601	Polyline	1601	C	Worse Condition	282.238972	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	282.238972
SW_Seg_1602	1602	Polyline	1602	C	Worse Condition	264.065161	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	264.065161
SW_Seg_1603	1603	Polyline	1603	C	Worse Condition	259.449432	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	259.449432
SW_Seg_1604	1604	Polyline	1604	C	Worse Condition	39.385823	Not ADA compliant	No	Disintegrating sidewalk surface		39.385863
SW_Seg_1605	1605	Polyline	1605	C	Worse Condition	31.86	Not ADA compliant	No	Disintegrating sidewalk surface		31.86004
SW_Seg_1606	1606	Polyline	1606	C	Worse Condition	45.562785	Not ADA compliant	No	Disintegrating sidewalk surface		45.562721
SW_Seg_1607	1607	Polyline	1607	C	Worse Condition	41.457201	Not ADA compliant	No	Disintegrating sidewalk surface		41.457201
SW_Seg_1608	1608	Polyline	1608	C	Worse Condition	250.569005	Not ADA compliant	No	Disintegrating sidewalk surface		250.569005
SW_Seg_1609	1609	Polyline	1609	C	Worse Condition	22.122312	Not ADA compliant	No	Disintegrating sidewalk surface		22.122283
SW_Seg_1610	1610	Polyline	1610	B	Good Condition	253.620417	May be ADA compliant				253.620417
SW_Seg_1611	1611	Polyline	1611	C	Worse Condition	34.607434	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	34.607434
SW_Seg_1612	1612	Polyline	1612	C	Worse Condition	203.23129	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	203.23129
SW_Seg_1613	1613	Polyline	1613	C	Worse Condition	130.567296	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	130.567296
SW_Seg_1614	1614	Polyline	1614	C	Worse Condition	39.121475	Not ADA compliant	No	Disintegrating sidewalk surface		39.121494
SW_Seg_1615	1615	Polyline	1615	C	Worse Condition	56.276735	Not ADA compliant	No	Disintegrating sidewalk surface		56.276735
SW_Seg_1616	1616	Polyline	1616	C	Worse Condition	25.928765	Not ADA compliant	No	Disintegrating sidewalk surface		25.928757
SW_Seg_1617	1617	Polyline	1617	C	Worse Condition	25.6573	Not ADA compliant	No	Disintegrating sidewalk surface		25.657293
SW_Seg_1618	1618	Polyline	1618	C	Worse Condition	30.189431	Not ADA compliant	No	Disintegrating sidewalk surface		30.189465
SW_Seg_1619	1619	Polyline	1619	C	Worse Condition	296.066708	Not ADA compliant	No	Disintegrating sidewalk surface		296.066708
SW_Seg_1620	1620	Polyline	1620	C	Worse Condition	293.723342	Not ADA compliant	No	Disintegrating sidewalk surface		293.723342

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1621	1621	Polyline	1621	C	Worse Condition	268.633405	Not ADA compliant	No	Disintegrating sidewalk surface		268.633405
SW_Seg_1622	1622	Polyline	1622	B	Good Condition	265.07776	May be ADA compliant				265.07776
SW_Seg_1623	1623	Polyline	1623	C	Worse Condition	116.843316	Not ADA compliant	No	Disintegrating sidewalk surface		116.843316
SW_Seg_1624	1624	Polyline	1624	A	Best Condition	133.005675	Most likely compliant	Candidate			133.005675
SW_Seg_1625	1625	Polyline	1625	B	Good Condition	31.628486	May be ADA compliant				31.628486
SW_Seg_1626	1626	Polyline	1626	C	Worse Condition	297.917098	Not ADA compliant	No	Disintegrating sidewalk surface		297.917098
SW_Seg_1627	1627	Polyline	1627	B	Good Condition	259.843142	May be ADA compliant			2025 Sidewalk Survey	259.843142
SW_Seg_1628	1628	Polyline	1628	C	Worse Condition	214.34353	Not ADA compliant	No	Disintegrating sidewalk surface		214.34353
SW_Seg_1629	1629	Polyline	1629	C	Worse Condition	122.40689	Not ADA compliant	No	Disintegrating sidewalk surface		122.40689
SW_Seg_1630	1630	Polyline	1630	C	Worse Condition	23.314686	Not ADA compliant	No	Disintegrating sidewalk surface		23.314754
SW_Seg_1631	1631	Polyline	1631	C	Worse Condition	115.630949	Not ADA compliant	No	Disintegrating sidewalk surface		115.630949
SW_Seg_1632	1632	Polyline	1632	C	Worse Condition	199.627257	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	199.627257
SW_Seg_1633	1633	Polyline	1633	C	Worse Condition	101.866183	Not ADA compliant	No	Disintegrating sidewalk surface		101.866183
SW_Seg_1634	1634	Polyline	1634	C	Worse Condition	89.645984	Not ADA compliant	No	Disintegrating sidewalk surface		89.645984
SW_Seg_1635	1635	Polyline	1635	C	Worse Condition	168.240887	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	168.240887
SW_Seg_1636	1636	Polyline	1636	C	Worse Condition	26.775997	Not ADA compliant	No	Disintegrating sidewalk surface		26.776027
SW_Seg_1637	1637	Polyline	1637	C	Worse Condition	64.277864	Not ADA compliant	No	Disintegrating sidewalk surface		64.277864
SW_Seg_1638	1638	Polyline	1638	A	Best Condition	35.364113	Most likely compliant	Candidate			35.364084
SW_Seg_1639	1639	Polyline	1639	A	Best Condition	18.112863	Most likely compliant	Candidate			18.112926
SW_Seg_1640	1640	Polyline	1640	C	Worse Condition	283.374496	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	283.374496
SW_Seg_1641	1641	Polyline	1641	C	Worse Condition	272.637837	Not ADA compliant	No	Disintegrating sidewalk surface		272.637837
SW_Seg_1642	1642	Polyline	1642	A	Best Condition	26.803424	Most likely compliant	Candidate			26.803484
SW_Seg_1643	1643	Polyline	1643	A	Best Condition	31.634973	Most likely compliant	Candidate			31.634973
SW_Seg_1644	1644	Polyline	1644	B	Good Condition	298.483477	May be ADA compliant				298.483477
SW_Seg_1645	1645	Polyline	1645	B	Good Condition	254.456683	May be ADA compliant			2025 Sidewalk Survey	254.456683
SW_Seg_1646	1646	Polyline	1646	C	Worse Condition	198.200668	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	198.200668
SW_Seg_1647	1647	Polyline	1647	A	Best Condition	20.959899	Most likely compliant	Candidate			20.959953
SW_Seg_1648	1648	Polyline	1648	A	Best Condition	24.317909	Most likely compliant	Candidate			24.317866
SW_Seg_1649	1649	Polyline	1649	A	Best Condition	25.410031	Most likely compliant	Candidate			25.410043
SW_Seg_1650	1650	Polyline	1650	A	Best Condition	32.221969	Most likely compliant	Candidate			32.221903
SW_Seg_1651	1651	Polyline	1651	A	Best Condition	23.225538	Most likely compliant	Candidate			23.225548
SW_Seg_1652	1652	Polyline	1652	A	Best Condition	23.834522	Most likely compliant	Candidate			23.834554
SW_Seg_1653	1653	Polyline	1653	B	Good Condition	264.093414	May be ADA compliant			2025 Sidewalk Survey	264.093414
SW_Seg_1654	1654	Polyline	1654	B	Good Condition	251.515116	May be ADA compliant			2025 Sidewalk Survey	251.515116
SW_Seg_1655	1655	Polyline	1655	C	Worse Condition	25.449935	Not ADA compliant	No	Disintegrating sidewalk surface		25.450003
SW_Seg_1656	1656	Polyline	1656	B	Good Condition	252.243039	May be ADA compliant			2025 Sidewalk Survey	252.243039
SW_Seg_1657	1657	Polyline	1657	C	Worse Condition	24.50611	Not ADA compliant	No	Disintegrating sidewalk surface		24.506051
SW_Seg_1658	1658	Polyline	1658	C	Worse Condition	27.070707	Not ADA compliant	No	Disintegrating sidewalk surface		27.070769
SW_Seg_1659	1659	Polyline	1659	C	Worse Condition	25.112626	Not ADA compliant	No	Disintegrating sidewalk surface		25.112604
SW_Seg_1660	1660	Polyline	1660	B	Good Condition	258.119216	May be ADA compliant				258.119216
SW_Seg_1661	1661	Polyline	1661	C	Worse Condition	23.682529	Not ADA compliant	No	Disintegrating sidewalk surface		23.682508
SW_Seg_1662	1662	Polyline	1662	C	Worse Condition	19.527376	Not ADA compliant	No	Disintegrating sidewalk surface		19.527393
SW_Seg_1663	1663	Polyline	1663	C	Worse Condition	20.051173	Not ADA compliant	No	Disintegrating sidewalk surface		20.051167
SW_Seg_1664	1664	Polyline	1664	C	Worse Condition	27.215094	Not ADA compliant	No	Disintegrating sidewalk surface		27.215033
SW_Seg_1665	1665	Polyline	1665	B	Good Condition	258.346254	May be ADA compliant			2025 Sidewalk Survey	258.346254
SW_Seg_1666	1666	Polyline	1666	B	Good Condition	252.284341	May be ADA compliant				252.284341
SW_Seg_1667	1667	Polyline	1667	C	Worse Condition	37.909193	Not ADA compliant	No	Disintegrating sidewalk surface		37.909221
SW_Seg_1668	1668	Polyline	1668	C	Worse Condition	28.696294	Not ADA compliant	No	Disintegrating sidewalk surface		28.696291
SW_Seg_1669	1669	Polyline	1669	B	Good Condition	252.92421	May be ADA compliant			2025 Sidewalk Survey	252.92421
SW_Seg_1670	1670	Polyline	1670	B	Good Condition	252.742373	May be ADA compliant				252.742373
SW_Seg_1671	1671	Polyline	1671	B	Good Condition	248.126746	May be ADA compliant				248.126746
SW_Seg_1672	1672	Polyline	1672	B	Good Condition	322.749092	May be ADA compliant				322.749092
SW_Seg_1673	1673	Polyline	1673	C	Worse Condition	68.557664	Not ADA compliant	No	Disintegrating sidewalk surface		68.557699
SW_Seg_1674	1674	Polyline	1674	C	Worse Condition	142.298458	Not ADA compliant	No	Disintegrating sidewalk surface		142.298458

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1675	1675	Polyline	1675	C	Worse Condition	159.850082	Not ADA compliant	No	Disintegrating sidewalk surface		159.850082
SW_Seg_1676	1676	Polyline	1676	C	Worse Condition	323.45887	Not ADA compliant	No	Disintegrating sidewalk surface		323.45887
SW_Seg_1677	1677	Polyline	1677	C	Worse Condition	321.09604	Not ADA compliant	No	Disintegrating sidewalk surface		321.09604
SW_Seg_1678	1678	Polyline	1678	C	Worse Condition	323.401626	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	323.401626
SW_Seg_1679	1679	Polyline	1679	C	Worse Condition	317.540176	Not ADA compliant	No	Disintegrating sidewalk surface		317.540176
SW_Seg_1680	1680	Polyline	1680	C	Worse Condition	315.782479	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	315.782479
SW_Seg_1681	1681	Polyline	1681	C	Worse Condition	253.079302	Not ADA compliant	No	Disintegrating sidewalk surface		253.079302
SW_Seg_1682	1682	Polyline	1682	C	Worse Condition	12.688197	Not ADA compliant	No	Disintegrating sidewalk surface		12.688193
SW_Seg_1683	1683	Polyline	1683	A	Best Condition	71.301802	Most likely compliant	Candidate			71.301772
SW_Seg_1684	1684	Polyline	1684	C	Worse Condition	288.664492	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	288.664492
SW_Seg_1685	1685	Polyline	1685	C	Worse Condition	106.480518	Not ADA compliant	No	Disintegrating sidewalk surface		106.480518
SW_Seg_1686	1686	Polyline	1686	C	Worse Condition	261.140234	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	261.140234
SW_Seg_1687	1687	Polyline	1687	C	Worse Condition	229.597366	Not ADA compliant	No	Disintegrating sidewalk surface		229.597365
SW_Seg_1688	1688	Polyline	1688	C	Worse Condition	41.052781	Not ADA compliant	No	Disintegrating sidewalk surface		41.052786
SW_Seg_1689	1689	Polyline	1689	C	Worse Condition	44.922949	Not ADA compliant	No	Disintegrating sidewalk surface		44.922876
SW_Seg_1690	1690	Polyline	1690	C	Worse Condition	134.63786	Not ADA compliant	No	Disintegrating sidewalk surface		134.63786
SW_Seg_1691	1691	Polyline	1691	C	Worse Condition	40.348039	Not ADA compliant	No	Disintegrating sidewalk surface		40.348053
SW_Seg_1692	1692	Polyline	1692	B	Good Condition	189.460772	May be ADA compliant				189.460772
SW_Seg_1693	1693	Polyline	1693	B	Good Condition	333.577394	May be ADA compliant			2025 Sidewalk Survey	333.577394
SW_Seg_1694	1694	Polyline	1694	C	Worse Condition	292.437312	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	292.437312
SW_Seg_1695	1695	Polyline	1695	C	Worse Condition	288.759885	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	288.759885
SW_Seg_1696	1696	Polyline	1696	C	Worse Condition	287.358361	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	287.358361
SW_Seg_1697	1697	Polyline	1697	C	Worse Condition	260.460704	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	260.460704
SW_Seg_1698	1698	Polyline	1698	C	Worse Condition	45.671846	Not ADA compliant	No	Disintegrating sidewalk surface		45.67184
SW_Seg_1699	1699	Polyline	1699	C	Worse Condition	269.424986	Not ADA compliant	No	Disintegrating sidewalk surface		269.424986
SW_Seg_1700	1700	Polyline	1700	C	Worse Condition	288.365816	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	288.365816
SW_Seg_1701	1701	Polyline	1701	A	Best Condition	50.985327	Most likely compliant	Candidate			50.985327
SW_Seg_1702	1702	Polyline	1702	C	Worse Condition	158.945571	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	158.945571
SW_Seg_1703	1703	Polyline	1703	C	Worse Condition	288.21523	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	288.21523
SW_Seg_1704	1704	Polyline	1704	C	Worse Condition	264.903207	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	264.903207
SW_Seg_1705	1705	Polyline	1705	C	Worse Condition	152.313221	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	152.313221
SW_Seg_1706	1706	Polyline	1706	C	Worse Condition	104.958582	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	104.958582
SW_Seg_1707	1707	Polyline	1707	C	Worse Condition	29.073347	Not ADA compliant	No	Disintegrating sidewalk surface		29.07341
SW_Seg_1708	1708	Polyline	1708	B	Good Condition	99.658301	May be ADA compliant				99.658301
SW_Seg_1709	1709	Polyline	1709	C	Worse Condition	197.181931	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	197.181931
SW_Seg_1710	1710	Polyline	1710	B	Good Condition	20.295372	May be ADA compliant				20.295321
SW_Seg_1711	1711	Polyline	1711	B	Good Condition	188.576456	May be ADA compliant			2025 Sidewalk Survey	188.576456
SW_Seg_1712	1712	Polyline	1712	C	Worse Condition	36.309425	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	36.309425
SW_Seg_1713	1713	Polyline	1713	A	Best Condition	67.353571	Most likely compliant	Candidate			67.353579
SW_Seg_1714	1714	Polyline	1714	C	Worse Condition	130.286165	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	130.286165
SW_Seg_1715	1715	Polyline	1715	C	Worse Condition	140.704866	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	140.704866
SW_Seg_1716	1716	Polyline	1716	C	Worse Condition	14.014976	Not ADA compliant	No	Disintegrating sidewalk surface		14.014987
SW_Seg_1717	1717	Polyline	1717	C	Worse Condition	12.453718	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	12.453718
SW_Seg_1718	1718	Polyline	1718	C	Worse Condition	279.399308	Not ADA compliant	No	Disintegrating sidewalk surface		279.399308
SW_Seg_1719	1719	Polyline	1719	C	Worse Condition	274.028869	Not ADA compliant	No	Disintegrating sidewalk surface		274.028869
SW_Seg_1720	1720	Polyline	1720	C	Worse Condition	34.525267	Not ADA compliant	No	Disintegrating sidewalk surface		34.525218
SW_Seg_1721	1721	Polyline	1721	C	Worse Condition	25.976542	Not ADA compliant	No	Disintegrating sidewalk surface		25.976509
SW_Seg_1722	1722	Polyline	1722	C	Worse Condition	20.529344	Not ADA compliant	No	Disintegrating sidewalk surface		20.529368
SW_Seg_1723	1723	Polyline	1723	C	Worse Condition	27.826424	Not ADA compliant	No	Disintegrating sidewalk surface		27.826408
SW_Seg_1724	1724	Polyline	1724	C	Worse Condition	255.85329	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	255.85329
SW_Seg_1725	1725	Polyline	1725	C	Worse Condition	256.004684	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	256.004684
SW_Seg_1726	1726	Polyline	1726	C	Worse Condition	282.433896	Not ADA compliant	No	Disintegrating sidewalk surface		282.433896
SW_Seg_1727	1727	Polyline	1727	C	Worse Condition	282.327736	Not ADA compliant	No	Disintegrating sidewalk surface		282.327736
SW_Seg_1728	1728	Polyline	1728	C	Worse Condition	129.336979	Not ADA compliant	No	Disintegrating sidewalk surface		129.336979

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1729	1729	Polyline	1729	C	Worse Condition	173.476106	Not ADA compliant	No	Disintegrating sidewalk surface		173.476106
SW_Seg_1730	1730	Polyline	1730	C	Worse Condition	30.037277	Not ADA compliant	No	Disintegrating sidewalk surface		30.037343
SW_Seg_1731	1731	Polyline	1731	C	Worse Condition	92.616797	Not ADA compliant	No	Disintegrating sidewalk surface		92.616797
SW_Seg_1732	1732	Polyline	1732	C	Worse Condition	286.446232	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	286.446232
SW_Seg_1733	1733	Polyline	1733	C	Worse Condition	288.826236	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	288.826236
SW_Seg_1734	1734	Polyline	1734	C	Worse Condition	286.527333	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	286.527333
SW_Seg_1735	1735	Polyline	1735	C	Worse Condition	287.260958	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	287.260958
SW_Seg_1736	1736	Polyline	1736	A	Best Condition	12.972658	Most likely compliant	Candidate			12.972604
SW_Seg_1737	1737	Polyline	1737	A	Best Condition	17.299587	Most likely compliant	Candidate			17.299565
SW_Seg_1738	1738	Polyline	1738	A	Best Condition	24.673848	Most likely compliant	Candidate			24.673848
SW_Seg_1739	1739	Polyline	1739	C	Worse Condition	177.228699	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	177.228699
SW_Seg_1740	1740	Polyline	1740	A	Best Condition	93.210258	Most likely compliant	Candidate			93.210258
SW_Seg_1741	1741	Polyline	1741	A	Best Condition	13.226718	Most likely compliant	Candidate			13.226679
SW_Seg_1742	1742	Polyline	1742	A	Best Condition	24.37991	Most likely compliant	Candidate			24.379855
SW_Seg_1743	1743	Polyline	1743	C	Worse Condition	239.288944	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	239.288944
SW_Seg_1744	1744	Polyline	1744	A	Best Condition	22.333134	Most likely compliant	Candidate			22.333123
SW_Seg_1745	1745	Polyline	1745	A	Best Condition	18.685651	Most likely compliant	Candidate			18.685675
SW_Seg_1746	1746	Polyline	1746	A	Best Condition	33.055946	Most likely compliant	Candidate			33.055931
SW_Seg_1747	1747	Polyline	1747	A	Best Condition	24.176867	Most likely compliant	Candidate			24.176865
SW_Seg_1748	1748	Polyline	1748	C	Worse Condition	228.257882	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	228.257882
SW_Seg_1749	1749	Polyline	1749	C	Worse Condition	232.382857	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	232.382857
SW_Seg_1750	1750	Polyline	1750	B	Good Condition	34.47497	May be ADA compliant				34.474983
SW_Seg_1751	1751	Polyline	1751	C	Worse Condition	116.748629	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	116.748629
SW_Seg_1752	1752	Polyline	1752	B	Good Condition	136.136568	May be ADA compliant				136.136568
SW_Seg_1753	1753	Polyline	1753	C	Worse Condition	12.123616	Not ADA compliant	No	Disintegrating sidewalk surface		12.123545
SW_Seg_1754	1754	Polyline	1754	C	Worse Condition	20.495819	Not ADA compliant	No	Disintegrating sidewalk surface		20.495861
SW_Seg_1755	1755	Polyline	1755	C	Worse Condition	261.139935	Not ADA compliant	No	Disintegrating sidewalk surface		261.139935
SW_Seg_1756	1756	Polyline	1756	C	Worse Condition	264.760345	Not ADA compliant	No	Disintegrating sidewalk surface		264.760345
SW_Seg_1757	1757	Polyline	1757	C	Worse Condition	100.871613	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	100.871613
SW_Seg_1758	1758	Polyline	1758	A	Best Condition	123.809839	Most likely compliant	Candidate			123.809839
SW_Seg_1759	1759	Polyline	1759	C	Worse Condition	208.360589	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	208.360589
SW_Seg_1760	1760	Polyline	1760	A	Best Condition	305.501218	Most likely compliant	Candidate			305.501218
SW_Seg_1761	1761	Polyline	1761	C	Worse Condition	22.509939	Not ADA compliant	No	Disintegrating sidewalk surface		22.509885
SW_Seg_1762	1762	Polyline	1762	C	Worse Condition	128.393904	Not ADA compliant	No	Disintegrating sidewalk surface		128.393904
SW_Seg_1763	1763	Polyline	1763	C	Worse Condition	70.576954	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	70.576954
SW_Seg_1764	1764	Polyline	1764	C	Worse Condition	107.672695	Not ADA compliant	No	Disintegrating sidewalk surface		107.672695
SW_Seg_1765	1765	Polyline	1765	A	Best Condition	52.632329	Most likely compliant	Candidate			52.632329
SW_Seg_1766	1766	Polyline	1766	A	Best Condition	165.553871	Most likely compliant	Candidate			165.553871
SW_Seg_1767	1767	Polyline	1767	A	Best Condition	23.25268	Most likely compliant	Candidate			23.25268
SW_Seg_1768	1768	Polyline	1768	A	Best Condition	101.145696	Most likely compliant	Candidate			101.145696
SW_Seg_1769	1769	Polyline	1769	A	Best Condition	331.230552	Most likely compliant	Candidate			331.230552
SW_Seg_1770	1770	Polyline	1770	C	Worse Condition	175.804119	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	175.804119
SW_Seg_1771	1771	Polyline	1771	A	Best Condition	109.872786	Most likely compliant	Candidate			109.872786
SW_Seg_1772	1772	Polyline	1772	C	Worse Condition	316.690585	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	316.690585
SW_Seg_1773	1773	Polyline	1773	C	Worse Condition	262.027381	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	262.027381
SW_Seg_1774	1774	Polyline	1774	C	Worse Condition	207.783413	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	207.783413
SW_Seg_1775	1775	Polyline	1775	C	Worse Condition	295.905626	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	295.905626
SW_Seg_1776	1776	Polyline	1776	C	Worse Condition	237.575279	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	237.575279
SW_Seg_1777	1777	Polyline	1777	C	Worse Condition	162.652875	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	162.652875
SW_Seg_1778	1778	Polyline	1778	C	Worse Condition	320.889784	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	320.889784
SW_Seg_1779	1779	Polyline	1779	C	Worse Condition	315.987487	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	315.987487
SW_Seg_1780	1780	Polyline	1780	C	Worse Condition	303.731844	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	303.731844
SW_Seg_1781	1781	Polyline	1781	C	Worse Condition	262.634107	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	262.634107
SW_Seg_1782	1782	Polyline	1782	C	Worse Condition	268.156959	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	268.156959

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1783	1783	Polyline	1783	C	Worse Condition	139.015273	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	139.015273
SW_Seg_1784	1784	Polyline	1784	C	Worse Condition	239.794205	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	239.794205
SW_Seg_1785	1785	Polyline	1785	A	Best Condition	86.54094	Most likely compliant	Candidate			86.54094
SW_Seg_1786	1786	Polyline	1786	B	Good Condition	90.832418	May be ADA compliant				90.832418
SW_Seg_1787	1787	Polyline	1787	A	Best Condition	68.266167	Most likely compliant	Candidate			68.26607
SW_Seg_1788	1788	Polyline	1788	B	Good Condition	227.586553	May be ADA compliant				227.586553
SW_Seg_1789	1789	Polyline	1789	C	Worse Condition	90.316582	Not ADA compliant	No	Disintegrating sidewalk surface		90.316582
SW_Seg_1790	1790	Polyline	1790	C	Worse Condition	11.51904	Not ADA compliant	No	Disintegrating sidewalk surface		11.519023
SW_Seg_1791	1791	Polyline	1791	C	Worse Condition	65.070516	Not ADA compliant	No	Disintegrating sidewalk surface		65.070516
SW_Seg_1792	1792	Polyline	1792	C	Worse Condition	10.674715	Not ADA compliant	No	Disintegrating sidewalk surface		10.674713
SW_Seg_1793	1793	Polyline	1793	B	Good Condition	250.778945	May be ADA compliant			2025 Sidewalk Survey	250.778945
SW_Seg_1794	1794	Polyline	1794	B	Good Condition	140.029821	May be ADA compliant			2025 Sidewalk Survey	140.029821
SW_Seg_1795	1795	Polyline	1795	C	Worse Condition	242.779489	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	242.779489
SW_Seg_1796	1796	Polyline	1796	A	Best Condition	165.154264	Most likely compliant	Candidate			165.154264
SW_Seg_1797	1797	Polyline	1797	B	Good Condition	219.883716	May be ADA compliant				219.883716
SW_Seg_1798	1798	Polyline	1798	A	Best Condition	297.571695	Most likely compliant	Candidate			297.571695
SW_Seg_1799	1799	Polyline	1799	C	Worse Condition	169.46261	Not ADA compliant	No	Disintegrating sidewalk surface		169.46261
SW_Seg_1800	1800	Polyline	1800	A	Best Condition	103.336322	Most likely compliant	Candidate			103.336322
SW_Seg_1801	1801	Polyline	1801	C	Worse Condition	131.221106	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	131.221106
SW_Seg_1802	1802	Polyline	1802	C	Worse Condition	116.5452	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	116.5452
SW_Seg_1803	1803	Polyline	1803	C	Worse Condition	125.84151	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	125.84151
SW_Seg_1804	1804	Polyline	1804	A	Best Condition	28.178936	Most likely compliant	Candidate			28.178937
SW_Seg_1805	1805	Polyline	1805	C	Worse Condition	185.729053	Not ADA compliant	No	Disintegrating sidewalk surface		185.729053
SW_Seg_1806	1806	Polyline	1806	C	Worse Condition	89.649859	Not ADA compliant	No	Disintegrating sidewalk surface		89.649868
SW_Seg_1807	1807	Polyline	1807	C	Worse Condition	57.083062	Not ADA compliant	No	Disintegrating sidewalk surface		57.083111
SW_Seg_1808	1808	Polyline	1808	C	Worse Condition	23.080875	Not ADA compliant	No	Disintegrating sidewalk surface		23.080881
SW_Seg_1809	1809	Polyline	1809	B	Good Condition	292.820895	May be ADA compliant				292.820895
SW_Seg_1810	1810	Polyline	1810	A	Best Condition	119.000161	Most likely compliant	Candidate			119.000161
SW_Seg_1811	1811	Polyline	1811	B	Good Condition	321.214858	May be ADA compliant			2025 Sidewalk Survey	321.214858
SW_Seg_1812	1812	Polyline	1812	B	Good Condition	316.843847	May be ADA compliant			2025 Sidewalk Survey	316.843847
SW_Seg_1813	1813	Polyline	1813	C	Worse Condition	92.608899	Not ADA compliant	No	Disintegrating sidewalk surface		92.608899
SW_Seg_1814	1814	Polyline	1814	C	Worse Condition	327.998556	Not ADA compliant	No	Disintegrating sidewalk surface		327.998556
SW_Seg_1815	1815	Polyline	1815	B	Good Condition	136.496974	May be ADA compliant				136.496974
SW_Seg_1816	1816	Polyline	1816	C	Worse Condition	300.225436	Not ADA compliant	No	Disintegrating sidewalk surface		300.225436
SW_Seg_1817	1817	Polyline	1817	B	Good Condition	313.268668	May be ADA compliant				313.268668
SW_Seg_1818	1818	Polyline	1818	B	Good Condition	59.9075	May be ADA compliant				59.9075
SW_Seg_1819	1819	Polyline	1819	A	Best Condition	25.799849	Most likely compliant	Candidate			25.799824
SW_Seg_1820	1820	Polyline	1820	C	Worse Condition	206.462458	Not ADA compliant	No	Disintegrating sidewalk surface		206.462458
SW_Seg_1821	1821	Polyline	1821	A	Best Condition	31.623336	Most likely compliant	Candidate			31.623357
SW_Seg_1822	1822	Polyline	1822	A	Best Condition	33.247287	Most likely compliant	Candidate			33.247312
SW_Seg_1823	1823	Polyline	1823	A	Best Condition	28.081507	Most likely compliant	Candidate			28.081375
SW_Seg_1824	1824	Polyline	1824	A	Best Condition	18.591685	Most likely compliant	Candidate			18.591615
SW_Seg_1825	1825	Polyline	1825	B	Good Condition	288.097209	May be ADA compliant			2025 Sidewalk Survey	288.097209
SW_Seg_1826	1826	Polyline	1826	B	Good Condition	290.074305	May be ADA compliant				290.074305
SW_Seg_1827	1827	Polyline	1827	A	Best Condition	16.471712	Most likely compliant	Candidate			16.471713
SW_Seg_1828	1828	Polyline	1828	A	Best Condition	14.495619	Most likely compliant	Candidate			14.495642
SW_Seg_1829	1829	Polyline	1829	A	Best Condition	14.215434	Most likely compliant	Candidate			14.215546
SW_Seg_1830	1830	Polyline	1830	A	Best Condition	14.9847	Most likely compliant	Candidate			14.984679
SW_Seg_1831	1831	Polyline	1831	C	Worse Condition	130.87294	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	130.87294
SW_Seg_1832	1832	Polyline	1832	A	Best Condition	219.405611	Most likely compliant	Candidate			219.405611
SW_Seg_1833	1833	Polyline	1833	B	Good Condition	240.490282	May be ADA compliant				240.490282
SW_Seg_1834	1834	Polyline	1834	A	Best Condition	149.340116	Most likely compliant	Candidate			149.340116
SW_Seg_1835	1835	Polyline	1835	B	Good Condition	232.015049	May be ADA compliant				232.015049
SW_Seg_1836	1836	Polyline	1836	C	Worse Condition	157.924145	Not ADA compliant	No	Disintegrating sidewalk surface		157.924145

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1837	1837	Polyline	1837	B	Good Condition	305.950471	May be ADA compliant			2025 Sidewalk Survey	305.950471
SW_Seg_1838	1838	Polyline	1838	A	Best Condition	108.284082	Most likely compliant	Candidate			108.284082
SW_Seg_1839	1839	Polyline	1839	A	Best Condition	179.794545	Most likely compliant	Candidate			179.794545
SW_Seg_1840	1840	Polyline	1840	B	Good Condition	292.673088	May be ADA compliant			2025 Sidewalk Survey	292.673088
SW_Seg_1841	1841	Polyline	1841	B	Good Condition	247.282142	May be ADA compliant			2025 Sidewalk Survey	247.282142
SW_Seg_1842	1842	Polyline	1842	A	Best Condition	18.40046	Most likely compliant	Candidate			18.40046
SW_Seg_1843	1843	Polyline	1843	B	Good Condition	279.784721	May be ADA compliant				279.784721
SW_Seg_1844	1844	Polyline	1844	A	Best Condition	23.074776	Most likely compliant	Candidate			23.074776
SW_Seg_1845	1845	Polyline	1845	B	Good Condition	148.370131	May be ADA compliant				148.370131
SW_Seg_1846	1846	Polyline	1846	A	Best Condition	20.756148	Most likely compliant	Candidate			20.756148
SW_Seg_1847	1847	Polyline	1847	B	Good Condition	198.09639	May be ADA compliant				198.09639
SW_Seg_1848	1848	Polyline	1848	B	Good Condition	177.134258	May be ADA compliant				177.134258
SW_Seg_1849	1849	Polyline	1849	A	Best Condition	22.5396	Most likely compliant	Candidate			22.53964
SW_Seg_1850	1850	Polyline	1850	A	Best Condition	17.143367	Most likely compliant	Candidate			17.14337
SW_Seg_1851	1851	Polyline	1851	A	Best Condition	21.263383	Most likely compliant	Candidate			21.263393
SW_Seg_1852	1852	Polyline	1852	A	Best Condition	17.58077	Most likely compliant	Candidate			17.580781
SW_Seg_1853	1853	Polyline	1853	B	Good Condition	286.712248	May be ADA compliant				286.712248
SW_Seg_1854	1854	Polyline	1854	C	Worse Condition	151.973719	Not ADA compliant	No	Disintegrating sidewalk surface		151.973719
SW_Seg_1855	1855	Polyline	1855	C	Worse Condition	147.29458	Not ADA compliant	No	Disintegrating sidewalk surface		147.29458
SW_Seg_1856	1856	Polyline	1856	A	Best Condition	133.841791	Most likely compliant	Candidate			133.841791
SW_Seg_1857	1857	Polyline	1857	C	Worse Condition	11.063996	Not ADA compliant	No	Disintegrating sidewalk surface		11.064008
SW_Seg_1858	1858	Polyline	1858	A	Best Condition	56.341912	Most likely compliant	Candidate			56.341912
SW_Seg_1859	1859	Polyline	1859	A	Best Condition	9.196646	Most likely compliant	Candidate			9.196688
SW_Seg_1860	1860	Polyline	1860	B	Good Condition	131.020719	May be ADA compliant				131.020719
SW_Seg_1861	1861	Polyline	1861	A	Best Condition	13.722023	Most likely compliant	Candidate			13.722023
SW_Seg_1862	1862	Polyline	1862	C	Worse Condition	284.778743	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	284.778743
SW_Seg_1863	1863	Polyline	1863	B	Good Condition	90.047834	May be ADA compliant				90.047855
SW_Seg_1864	1864	Polyline	1864	B	Good Condition	38.703706	May be ADA compliant				38.703719
SW_Seg_1865	1865	Polyline	1865	B	Good Condition	108.991818	May be ADA compliant				108.991818
SW_Seg_1866	1866	Polyline	1866	A	Best Condition	47.247113	Most likely compliant	Candidate			47.247094
SW_Seg_1867	1867	Polyline	1867	B	Good Condition	247.959236	May be ADA compliant				247.959236
SW_Seg_1868	1868	Polyline	1868	A	Best Condition	181.869806	Most likely compliant	Candidate			181.869806
SW_Seg_1869	1869	Polyline	1869	A	Best Condition	50.482181	Most likely compliant	Candidate			50.482181
SW_Seg_1870	1870	Polyline	1870	A	Best Condition	52.120353	Most likely compliant	Candidate			52.120353
SW_Seg_1871	1871	Polyline	1871	A	Best Condition	29.044746	Most likely compliant	Candidate			29.044671
SW_Seg_1872	1872	Polyline	1872	A	Best Condition	28.833825	Most likely compliant	Candidate			28.833895
SW_Seg_1873	1873	Polyline	1873	C	Worse Condition	22.604313	Not ADA compliant	No	Disintegrating sidewalk surface		22.604389
SW_Seg_1874	1874	Polyline	1874	C	Worse Condition	256.147916	Not ADA compliant	No	Disintegrating sidewalk surface		256.147916
SW_Seg_1875	1875	Polyline	1875	B	Good Condition	228.344142	May be ADA compliant				228.344145
SW_Seg_1876	1876	Polyline	1876	A	Best Condition	33.76303	Most likely compliant	Candidate			33.763013
SW_Seg_1877	1877	Polyline	1877	A	Best Condition	21.602088	Most likely compliant	Candidate			21.602124
SW_Seg_1878	1878	Polyline	1878	B	Good Condition	317.905046	May be ADA compliant			2025 Sidewalk Survey	317.905046
SW_Seg_1879	1879	Polyline	1879	A	Best Condition	170.795216	Most likely compliant	Candidate			170.795216
SW_Seg_1880	1880	Polyline	1880	B	Good Condition	133.022146	May be ADA compliant				133.022146
SW_Seg_1881	1881	Polyline	1881	A	Best Condition	275.43985	Most likely compliant	Candidate			275.43985
SW_Seg_1882	1882	Polyline	1882	A	Best Condition	173.735293	Most likely compliant	Candidate			173.735293
SW_Seg_1883	1883	Polyline	1883	A	Best Condition	52.296676	Most likely compliant	Candidate			52.296676
SW_Seg_1884	1884	Polyline	1884	A	Best Condition	35.454345	Most likely compliant	Candidate			35.454326
SW_Seg_1885	1885	Polyline	1885	B	Good Condition	276.624345	May be ADA compliant			2025 Sidewalk Survey	276.624345
SW_Seg_1886	1886	Polyline	1886	A	Best Condition	75.048946	Most likely compliant	Candidate			75.048961
SW_Seg_1887	1887	Polyline	1887	A	Best Condition	34.48063	Most likely compliant	Candidate			34.480638
SW_Seg_1888	1888	Polyline	1888	A	Best Condition	42.243082	Most likely compliant	Candidate			42.243076
SW_Seg_1889	1889	Polyline	1889	A	Best Condition	41.8556	Most likely compliant	Candidate			41.855583
SW_Seg_1890	1890	Polyline	1890	B	Good Condition	154.920189	May be ADA compliant				154.920189

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1891	1891	Polyline	1891	B	Good Condition	277.380731	May be ADA compliant				277.380731
SW_Seg_1892	1892	Polyline	1892	A	Best Condition	141.136055	Most likely compliant	Candidate			141.136055
SW_Seg_1893	1893	Polyline	1893	C	Worse Condition	307.663314	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	307.663314
SW_Seg_1894	1894	Polyline	1894	B	Good Condition	286.198305	May be ADA compliant				286.198305
SW_Seg_1895	1895	Polyline	1895	C	Worse Condition	85.29483	Not ADA compliant	No	Disintegrating sidewalk surface		85.29483
SW_Seg_1896	1896	Polyline	1896	A	Best Condition	286.994585	Most likely compliant	Candidate			286.994585
SW_Seg_1897	1897	Polyline	1897	B	Good Condition	280.971401	May be ADA compliant				280.971401
SW_Seg_1898	1898	Polyline	1898	A	Best Condition	14.304835	Most likely compliant	Candidate			14.304835
SW_Seg_1899	1899	Polyline	1899	C	Worse Condition	84.985772	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	84.985772
SW_Seg_1900	1900	Polyline	1900	A	Best Condition	27.359082	Most likely compliant	Candidate			27.359033
SW_Seg_1901	1901	Polyline	1901	A	Best Condition	25.012892	Most likely compliant	Candidate			25.012861
SW_Seg_1902	1902	Polyline	1902	A	Best Condition	149.890013	Most likely compliant	Candidate			149.890013
SW_Seg_1903	1903	Polyline	1903	B	Good Condition	285.988336	May be ADA compliant				285.988336
SW_Seg_1904	1904	Polyline	1904	B	Good Condition	79.008225	May be ADA compliant				79.008225
SW_Seg_1905	1905	Polyline	1905	B	Good Condition	96.953377	May be ADA compliant				96.953377
SW_Seg_1906	1906	Polyline	1906	A	Best Condition	29.534909	Most likely compliant	Candidate			29.535001
SW_Seg_1907	1907	Polyline	1907	A	Best Condition	26.612547	Most likely compliant	Candidate			26.612519
SW_Seg_1908	1908	Polyline	1908	B	Good Condition	100.358336	May be ADA compliant				100.358336
SW_Seg_1909	1909	Polyline	1909	A	Best Condition	36.722885	Most likely compliant	Candidate			36.722873
SW_Seg_1910	1910	Polyline	1910	A	Best Condition	26.183733	Most likely compliant	Candidate			26.18371
SW_Seg_1911	1911	Polyline	1911	A	Best Condition	24.746701	Most likely compliant	Candidate			24.74668
SW_Seg_1912	1912	Polyline	1912	B	Good Condition	241.179072	May be ADA compliant				241.179072
SW_Seg_1913	1913	Polyline	1913	A	Best Condition	25.015644	Most likely compliant	Candidate			25.015644
SW_Seg_1914	1914	Polyline	1914	B	Good Condition	276.632588	May be ADA compliant				276.632588
SW_Seg_1915	1915	Polyline	1915	C	Worse Condition	266.141614	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	266.141614
SW_Seg_1916	1916	Polyline	1916	B	Good Condition	148.242917	May be ADA compliant				148.242917
SW_Seg_1917	1917	Polyline	1917	A	Best Condition	6.604905	Most likely compliant	Candidate			6.604905
SW_Seg_1918	1918	Polyline	1918	A	Best Condition	10.08065	Most likely compliant	Candidate			10.080653
SW_Seg_1919	1919	Polyline	1919	B	Good Condition	131.629586	May be ADA compliant				131.629586
SW_Seg_1920	1920	Polyline	1920	A	Best Condition	276.849748	Most likely compliant	Candidate			276.849748
SW_Seg_1921	1921	Polyline	1921	C	Worse Condition	152.782876	Not ADA compliant	No	Disintegrating sidewalk surface		152.782876
SW_Seg_1922	1922	Polyline	1922	B	Good Condition	242.232001	May be ADA compliant				242.232001
SW_Seg_1923	1923	Polyline	1923	A	Best Condition	44.544841	Most likely compliant	Candidate			44.544837
SW_Seg_1924	1924	Polyline	1924	B	Good Condition	255.623176	May be ADA compliant			2025 Sidewalk Survey	255.623176
SW_Seg_1925	1925	Polyline	1925	A	Best Condition	30.434998	Most likely compliant	Candidate			30.435051
SW_Seg_1926	1926	Polyline	1926	A	Best Condition	29.08403	Most likely compliant	Candidate			29.084016
SW_Seg_1927	1927	Polyline	1927	A	Best Condition	91.192963	Most likely compliant	Candidate			91.193009
SW_Seg_1928	1928	Polyline	1928	A	Best Condition	27.902169	Most likely compliant	Candidate			27.902196
SW_Seg_1929	1929	Polyline	1929	A	Best Condition	20.606496	Most likely compliant	Candidate			20.606572
SW_Seg_1930	1930	Polyline	1930	A	Best Condition	23.948311	Most likely compliant	Candidate			23.948259
SW_Seg_1931	1931	Polyline	1931	A	Best Condition	27.76448	Most likely compliant	Candidate			27.764445
SW_Seg_1932	1932	Polyline	1932	B	Good Condition	281.984063	May be ADA compliant				281.984063
SW_Seg_1933	1933	Polyline	1933	B	Good Condition	283.047606	May be ADA compliant				283.047606
SW_Seg_1934	1934	Polyline	1934	B	Good Condition	253.840747	May be ADA compliant				253.840747
SW_Seg_1935	1935	Polyline	1935	B	Good Condition	232.483974	May be ADA compliant				232.483974
SW_Seg_1936	1936	Polyline	1936	A	Best Condition	129.594829	Most likely compliant	Candidate			129.594829
SW_Seg_1937	1937	Polyline	1937	B	Good Condition	299.422537	May be ADA compliant			2025 Sidewalk Survey	299.422537
SW_Seg_1938	1938	Polyline	1938	B	Good Condition	269.420336	May be ADA compliant			2025 Sidewalk Survey	269.420336
SW_Seg_1939	1939	Polyline	1939	B	Good Condition	146.14093	May be ADA compliant				146.14093
SW_Seg_1940	1940	Polyline	1940	A	Best Condition	297.568646	Most likely compliant	Candidate		2025 Sidewalk Survey	297.568646
SW_Seg_1941	1941	Polyline	1941	C	Worse Condition	300.00466	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	300.00466
SW_Seg_1942	1942	Polyline	1942	C	Worse Condition	320.595752	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	320.595752
SW_Seg_1943	1943	Polyline	1943	B	Good Condition	124.063488	May be ADA compliant			2025 Sidewalk Survey	124.063488
SW_Seg_1944	1944	Polyline	1944	B	Good Condition	302.35446	May be ADA compliant			2025 Sidewalk Survey	302.35446

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1945	1945	Polyline	1945	C	Worse Condition	283.888544	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	283.888544
SW_Seg_1946	1946	Polyline	1946	B	Good Condition	239.80128	May be ADA compliant				239.80128
SW_Seg_1947	1947	Polyline	1947	B	Good Condition	310.066528	May be ADA compliant				310.066528
SW_Seg_1948	1948	Polyline	1948	A	Best Condition	27.595544	Most likely compliant	Candidate			27.595548
SW_Seg_1949	1949	Polyline	1949	C	Worse Condition	64.674847	Not ADA compliant	No	Disintegrating sidewalk surface		64.674847
SW_Seg_1950	1950	Polyline	1950	A	Best Condition	149.431544	Most likely compliant	Candidate			149.431544
SW_Seg_1951	1951	Polyline	1951	C	Worse Condition	144.812941	Not ADA compliant	No	Disintegrating sidewalk surface		144.812941
SW_Seg_1952	1952	Polyline	1952	C	Worse Condition	21.144519	Not ADA compliant	No	Disintegrating sidewalk surface		21.144513
SW_Seg_1953	1953	Polyline	1953	A	Best Condition	45.688199	Most likely compliant	Candidate			45.688199
SW_Seg_1954	1954	Polyline	1954	C	Worse Condition	19.120364	Not ADA compliant	No	Disintegrating sidewalk surface		19.120383
SW_Seg_1955	1955	Polyline	1955	B	Good Condition	307.118211	May be ADA compliant			2025 Sidewalk Survey	307.118211
SW_Seg_1956	1956	Polyline	1956	C	Worse Condition	29.47629	Not ADA compliant	No	Disintegrating sidewalk surface		29.476323
SW_Seg_1957	1957	Polyline	1957	B	Good Condition	293.895079	May be ADA compliant				293.895079
SW_Seg_1958	1958	Polyline	1958	C	Worse Condition	19.542175	Not ADA compliant	No	Disintegrating sidewalk surface		19.542214
SW_Seg_1959	1959	Polyline	1959	C	Worse Condition	29.824939	Not ADA compliant	No	Disintegrating sidewalk surface		29.824961
SW_Seg_1960	1960	Polyline	1960	A	Best Condition	114.735959	Most likely compliant	Candidate			114.735959
SW_Seg_1961	1961	Polyline	1961	A	Best Condition	201.976181	Most likely compliant	Candidate			201.976181
SW_Seg_1962	1962	Polyline	1962	C	Worse Condition	19.180543	Not ADA compliant	No	Disintegrating sidewalk surface		19.180572
SW_Seg_1963	1963	Polyline	1963	A	Best Condition	46.613908	Most likely compliant	Candidate			46.613957
SW_Seg_1964	1964	Polyline	1964	B	Good Condition	211.895724	May be ADA compliant			2025 Sidewalk Survey	211.895724
SW_Seg_1965	1965	Polyline	1965	C	Worse Condition	288.108855	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	288.108855
SW_Seg_1966	1966	Polyline	1966	C	Worse Condition	75.86697	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	75.86697
SW_Seg_1967	1967	Polyline	1967	A	Best Condition	54.343835	Most likely compliant	Candidate			54.343845
SW_Seg_1968	1968	Polyline	1968	B	Good Condition	33.770428	May be ADA compliant				33.770497
SW_Seg_1969	1969	Polyline	1969	A	Best Condition	250.244427	Most likely compliant	Candidate		2025 Sidewalk Survey	250.244427
SW_Seg_1970	1970	Polyline	1970	B	Good Condition	30.095444	May be ADA compliant				30.095487
SW_Seg_1971	1971	Polyline	1971	B	Good Condition	25.314649	May be ADA compliant				25.314622
SW_Seg_1972	1972	Polyline	1972	A	Best Condition	39.052157	Most likely compliant	Candidate		2025 Sidewalk Survey	39.052226
SW_Seg_1973	1973	Polyline	1973	A	Best Condition	156.046327	Most likely compliant	Candidate		2025 Sidewalk Survey	156.046327
SW_Seg_1974	1974	Polyline	1974	A	Best Condition	256.304395	Most likely compliant	Candidate		2025 Sidewalk Survey	256.304395
SW_Seg_1975	1975	Polyline	1975	C	Worse Condition	127.353769	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	127.353769
SW_Seg_1976	1976	Polyline	1976	A	Best Condition	85.885619	Most likely compliant	Candidate			85.885619
SW_Seg_1977	1977	Polyline	1977	B	Good Condition	17.858899	May be ADA compliant				17.858976
SW_Seg_1978	1978	Polyline	1978	C	Worse Condition	125.45354	Not ADA compliant	No	Disintegrating sidewalk surface		125.45354
SW_Seg_1979	1979	Polyline	1979	B	Good Condition	42.199566	May be ADA compliant				42.199578
SW_Seg_1980	1980	Polyline	1980	A	Best Condition	258.444909	Most likely compliant	Candidate			258.444909
SW_Seg_1981	1981	Polyline	1981	A	Best Condition	46.627095	Most likely compliant	Candidate			46.627057
SW_Seg_1982	1982	Polyline	1982	A	Best Condition	52.749252	Most likely compliant	Candidate			52.749394
SW_Seg_1983	1983	Polyline	1983	A	Best Condition	32.833165	Most likely compliant	Candidate			32.833167
SW_Seg_1984	1984	Polyline	1984	C	Worse Condition	94.195258	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	94.195258
SW_Seg_1985	1985	Polyline	1985	A	Best Condition	35.977895	Most likely compliant	Candidate			35.977895
SW_Seg_1986	1986	Polyline	1986	A	Best Condition	141.445359	Most likely compliant	Candidate			141.4453
SW_Seg_1987	1987	Polyline	1987	A	Best Condition	53.720602	Most likely compliant	Candidate			53.720552
SW_Seg_1988	1988	Polyline	1988	C	Worse Condition	199.661405	Not ADA compliant	No	Disintegrating sidewalk surface		199.661405
SW_Seg_1989	1989	Polyline	1989	A	Best Condition	249.055517	Most likely compliant	Candidate			249.055517
SW_Seg_1990	1990	Polyline	1990	A	Best Condition	258.381771	Most likely compliant	Candidate		2025 Sidewalk Survey	258.381771
SW_Seg_1991	1991	Polyline	1991	C	Worse Condition	130.796563	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	130.796563
SW_Seg_1992	1992	Polyline	1992	A	Best Condition	45.634624	Most likely compliant	Candidate			45.634649
SW_Seg_1993	1993	Polyline	1993	A	Best Condition	158.742283	Most likely compliant	Candidate			158.742283
SW_Seg_1994	1994	Polyline	1994	A	Best Condition	265.111265	Most likely compliant	Candidate			265.111265
SW_Seg_1995	1995	Polyline	1995	A	Best Condition	183.943393	Most likely compliant	Candidate			183.943393
SW_Seg_1996	1996	Polyline	1996	A	Best Condition	37.432405	Most likely compliant	Candidate			37.432405
SW_Seg_1997	1997	Polyline	1997	B	Good Condition	91.696938	May be ADA compliant				91.696938
SW_Seg_1998	1998	Polyline	1998	A	Best Condition	21.386453	Most likely compliant	Candidate			21.386425

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_1999	1999	Polyline	1999	B	Good Condition	18.272359	May be ADA compliant				18.272408
SW_Seg_2000	2000	Polyline	2000	A	Best Condition	172.266454	Most likely compliant	Candidate			172.266454
SW_Seg_2001	2001	Polyline	2001	B	Good Condition	30.234219	May be ADA compliant				30.234185
SW_Seg_2002	2002	Polyline	2002	B	Good Condition	161.658853	May be ADA compliant				161.658853
SW_Seg_2003	2003	Polyline	2003	A	Best Condition	32.244441	Most likely compliant	Candidate			32.244448
SW_Seg_2004	2004	Polyline	2004	A	Best Condition	42.815798	Most likely compliant	Candidate			42.815842
SW_Seg_2005	2005	Polyline	2005	A	Best Condition	273.86752	Most likely compliant	Candidate		2025 Sidewalk Survey	273.86752
SW_Seg_2006	2006	Polyline	2006	A	Best Condition	117.478814	Most likely compliant	Candidate			117.478814
SW_Seg_2007	2007	Polyline	2007	A	Best Condition	44.516898	Most likely compliant	Candidate			44.516928
SW_Seg_2008	2008	Polyline	2008	A	Best Condition	116.535736	Most likely compliant	Candidate			116.535736
SW_Seg_2009	2009	Polyline	2009	A	Best Condition	33.68483	Most likely compliant	Candidate			33.684828
SW_Seg_2010	2010	Polyline	2010	C	Worse Condition	29.003474	Not ADA compliant	No	Disintegrating sidewalk surface		29.00355
SW_Seg_2011	2011	Polyline	2011	A	Best Condition	265.730521	Most likely compliant	Candidate			265.730521
SW_Seg_2012	2012	Polyline	2012	B	Good Condition	41.671208	May be ADA compliant				41.671208
SW_Seg_2013	2013	Polyline	2013	A	Best Condition	42.829979	Most likely compliant	Candidate			42.830066
SW_Seg_2014	2014	Polyline	2014	B	Good Condition	179.213836	May be ADA compliant				179.213836
SW_Seg_2015	2015	Polyline	2015	C	Worse Condition	81.503272	Not ADA compliant	No	Disintegrating sidewalk surface		81.503272
SW_Seg_2016	2016	Polyline	2016	A	Best Condition	93.2309	Most likely compliant	Candidate			93.230905
SW_Seg_2017	2017	Polyline	2017	A	Best Condition	24.247622	Most likely compliant	Candidate			24.247581
SW_Seg_2018	2018	Polyline	2018	A	Best Condition	9.866483	Most likely compliant	Candidate			9.866483
SW_Seg_2019	2019	Polyline	2019	A	Best Condition	79.010726	Most likely compliant	Candidate			79.010721
SW_Seg_2020	2020	Polyline	2020	A	Best Condition	364.608327	Most likely compliant	Candidate			364.608327
SW_Seg_2021	2021	Polyline	2021	A	Best Condition	25.97808	Most likely compliant	Candidate			25.978092
SW_Seg_2022	2022	Polyline	2022	C	Worse Condition	9.755389	Not ADA compliant	No	Disintegrating sidewalk surface		9.75536
SW_Seg_2023	2023	Polyline	2023	A	Best Condition	219.247763	Most likely compliant	Candidate			219.247764
SW_Seg_2024	2024	Polyline	2024	A	Best Condition	119.760685	Most likely compliant	Candidate			119.760685
SW_Seg_2025	2025	Polyline	2025	A	Best Condition	197.315588	Most likely compliant	Candidate			197.315588
SW_Seg_2026	2026	Polyline	2026	A	Best Condition	148.653266	Most likely compliant	Candidate			148.653243
SW_Seg_2027	2027	Polyline	2027	A	Best Condition	448.890745	Most likely compliant	Candidate			448.890675
SW_Seg_2028	2028	Polyline	2028	A	Best Condition	10.598814	Most likely compliant	Candidate			10.598814
SW_Seg_2029	2029	Polyline	2029	A	Best Condition	79.387664	Most likely compliant	Candidate			79.38763
SW_Seg_2030	2030	Polyline	2030	A	Best Condition	183.010081	Most likely compliant	Candidate			183.010111
SW_Seg_2031	2031	Polyline	2031	A	Best Condition	73.932284	Most likely compliant	Candidate			73.932284
SW_Seg_2032	2032	Polyline	2032	A	Best Condition	48.824203	Most likely compliant	Candidate			48.824138
SW_Seg_2033	2033	Polyline	2033	A	Best Condition	116.401749	Most likely compliant	Candidate			116.401749
SW_Seg_2034	2034	Polyline	2034	A	Best Condition	70.218303	Most likely compliant	Candidate			70.218326
SW_Seg_2035	2035	Polyline	2035	B	Good Condition	63.978811	May be ADA compliant				63.978811
SW_Seg_2036	2036	Polyline	2036	A	Best Condition	62.299252	Most likely compliant	Candidate			62.299252
SW_Seg_2037	2037	Polyline	2037	B	Good Condition	409.530405	May be ADA compliant				409.530405
SW_Seg_2038	2038	Polyline	2038	B	Good Condition	124.250753	May be ADA compliant				124.250753
SW_Seg_2039	2039	Polyline	2039	B	Good Condition	529.637404	May be ADA compliant				529.637428
SW_Seg_2040	2040	Polyline	2040	B	Good Condition	204.982962	May be ADA compliant				204.982962
SW_Seg_2041	2041	Polyline	2041	A	Best Condition	94.304775	Most likely compliant	Candidate		2025 Sidewalk Survey	94.304767
SW_Seg_2042	2042	Polyline	2042	A	Best Condition	95.434861	Most likely compliant	Candidate			95.434885
SW_Seg_2043	2043	Polyline	2043	A	Best Condition	131.608358	Most likely compliant	Candidate		2025 Sidewalk Survey	131.608358
SW_Seg_2044	2044	Polyline	2044	A	Best Condition	302.157547	Most likely compliant	Candidate			302.157547
SW_Seg_2045	2045	Polyline	2045	A	Best Condition	155.347769	Most likely compliant	Candidate		2025 Sidewalk Survey	155.347769
SW_Seg_2046	2046	Polyline	2046	A	Best Condition	93.199545	Most likely compliant	Candidate			93.199545
SW_Seg_2047	2047	Polyline	2047	A	Best Condition	74.581918	Most likely compliant	Candidate			74.581908
SW_Seg_2048	2048	Polyline	2048	A	Best Condition	73.870983	Most likely compliant	Candidate			73.871012
SW_Seg_2049	2049	Polyline	2049	A	Best Condition	93.663174	Most likely compliant	Candidate		2025 Sidewalk Survey	93.663161
SW_Seg_2050	2050	Polyline	2050	A	Best Condition	36.37725	Most likely compliant	Candidate			36.37725
SW_Seg_2051	2051	Polyline	2051	A	Best Condition	46.605283	Most likely compliant	Candidate			46.605257
SW_Seg_2052	2052	Polyline	2052	A	Best Condition	12.84103	Most likely compliant	Candidate			12.841042

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2053	2053	Polyline	2053	A	Best Condition	271.723469	Most likely compliant	Candidate			271.723469
SW_Seg_2054	2054	Polyline	2054	A	Best Condition	235.666085	Most likely compliant	Candidate			235.666057
SW_Seg_2055	2055	Polyline	2055	A	Best Condition	36.945516	Most likely compliant	Candidate			36.945517
SW_Seg_2056	2056	Polyline	2056	A	Best Condition	73.794293	Most likely compliant	Candidate			73.794304
SW_Seg_2057	2057	Polyline	2057	A	Best Condition	238.806637	Most likely compliant	Candidate		2025 Sidewalk Survey	238.806637
SW_Seg_2058	2058	Polyline	2058	A	Best Condition	202.54171	Most likely compliant	Candidate			202.541689
SW_Seg_2059	2059	Polyline	2059	C	Worse Condition	307.131614	Not ADA compliant	No	Disintegrating sidewalk surface		307.131614
SW_Seg_2060	2060	Polyline	2060	A	Best Condition	82.687805	Most likely compliant	Candidate			82.687805
SW_Seg_2061	2061	Polyline	2061	A	Best Condition	72.763349	Most likely compliant	Candidate			72.763338
SW_Seg_2062	2062	Polyline	2062	A	Best Condition	38.209027	Most likely compliant	Candidate			38.209052
SW_Seg_2063	2063	Polyline	2063	A	Best Condition	27.76359	Most likely compliant	Candidate			27.76359
SW_Seg_2064	2064	Polyline	2064	A	Best Condition	64.006725	Most likely compliant	Candidate			64.006725
SW_Seg_2065	2065	Polyline	2065	A	Best Condition	61.683256	Most likely compliant	Candidate			61.683245
SW_Seg_2066	2066	Polyline	2066	B	Good Condition	29.049279	May be ADA compliant				29.049238
SW_Seg_2067	2067	Polyline	2067	B	Good Condition	159.66422	May be ADA compliant				159.664217
SW_Seg_2068	2068	Polyline	2068	B	Good Condition	138.403759	May be ADA compliant				138.403768
SW_Seg_2069	2069	Polyline	2069	B	Good Condition	202.453897	May be ADA compliant				202.453834
SW_Seg_2070	2070	Polyline	2070	B	Good Condition	755.77547	May be ADA compliant			2025 Sidewalk Survey	755.77547
SW_Seg_2071	2071	Polyline	2071	B	Good Condition	30.168513	May be ADA compliant				30.168527
SW_Seg_2072	2072	Polyline	2072	A	Best Condition	26.568552	Most likely compliant	Candidate			26.568568
SW_Seg_2073	2073	Polyline	2073	B	Good Condition	6.612595	May be ADA compliant				6.612544
SW_Seg_2074	2074	Polyline	2074	A	Best Condition	18.752697	Most likely compliant	Candidate			18.752753
SW_Seg_2075	2075	Polyline	2075	A	Best Condition	22.585283	Most likely compliant	Candidate			22.585229
SW_Seg_2076	2076	Polyline	2076	A	Best Condition	18.622703	Most likely compliant	Candidate			18.622629
SW_Seg_2077	2077	Polyline	2077	A	Best Condition	20.672429	Most likely compliant	Candidate			20.672444
SW_Seg_2078	2078	Polyline	2078	A	Best Condition	19.156202	Most likely compliant	Candidate			19.156151
SW_Seg_2079	2079	Polyline	2079	A	Best Condition	20.552732	Most likely compliant	Candidate			20.5527
SW_Seg_2080	2080	Polyline	2080	A	Best Condition	25.103839	Most likely compliant	Candidate			25.10382
SW_Seg_2081	2081	Polyline	2081	B	Good Condition	149.542189	May be ADA compliant				149.542189
SW_Seg_2082	2082	Polyline	2082	B	Good Condition	33.636757	May be ADA compliant				33.636688
SW_Seg_2083	2083	Polyline	2083	B	Good Condition	44.6735	May be ADA compliant				44.673505
SW_Seg_2084	2084	Polyline	2084	B	Good Condition	114.982688	May be ADA compliant				114.982676
SW_Seg_2085	2085	Polyline	2085	B	Good Condition	134.232199	May be ADA compliant				134.232199
SW_Seg_2086	2086	Polyline	2086	B	Good Condition	174.474453	May be ADA compliant				174.474374
SW_Seg_2087	2087	Polyline	2087	B	Good Condition	206.248979	May be ADA compliant				206.248979
SW_Seg_2088	2088	Polyline	2088	B	Good Condition	66.542277	May be ADA compliant				66.542289
SW_Seg_2089	2089	Polyline	2089	A	Best Condition	83.962577	Most likely compliant	Candidate			83.962577
SW_Seg_2090	2090	Polyline	2090	B	Good Condition	131.545715	May be ADA compliant				131.545731
SW_Seg_2091	2091	Polyline	2091	B	Good Condition	152.32572	May be ADA compliant				152.32572
SW_Seg_2092	2092	Polyline	2092	B	Good Condition	79.131084	May be ADA compliant				79.131031
SW_Seg_2093	2093	Polyline	2093	A	Best Condition	15.383188	Most likely compliant	Candidate			15.383188
SW_Seg_2094	2094	Polyline	2094	B	Good Condition	14.530786	May be ADA compliant				14.530798
SW_Seg_2095	2095	Polyline	2095	B	Good Condition	116.831967	May be ADA compliant				116.831967
SW_Seg_2096	2096	Polyline	2096	B	Good Condition	95.557121	May be ADA compliant				95.557129
SW_Seg_2097	2097	Polyline	2097	B	Good Condition	110.955234	May be ADA compliant				110.95523
SW_Seg_2098	2098	Polyline	2098	B	Good Condition	112.026598	May be ADA compliant				112.026616
SW_Seg_2099	2099	Polyline	2099	B	Good Condition	113.780343	May be ADA compliant				113.780332
SW_Seg_2100	2100	Polyline	2100	B	Good Condition	163.060626	May be ADA compliant				163.060615
SW_Seg_2101	2101	Polyline	2101	C	Worse Condition	53.671054	Not ADA compliant	No			53.671054
SW_Seg_2102	2102	Polyline	2102	C	Worse Condition	39.44422	Not ADA compliant	No			39.444213
SW_Seg_2103	2103	Polyline	2103	B	Good Condition	120.862162	May be ADA compliant				120.862162
SW_Seg_2104	2104	Polyline	2104	B	Good Condition	59.965387	May be ADA compliant				59.965382
SW_Seg_2105	2105	Polyline	2105	A	Best Condition	20.815461	Most likely compliant	Candidate			20.815453
SW_Seg_2106	2106	Polyline	2106	A	Best Condition	25.06245	Most likely compliant	Candidate			25.062437

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2107	2107	Polyline	2107	B	Good Condition	118.096919	May be ADA compliant				118.096919
SW_Seg_2108	2108	Polyline	2108	A	Best Condition	20.580232	Most likely compliant	Candidate			20.580227
SW_Seg_2109	2109	Polyline	2109	A	Best Condition	22.081348	Most likely compliant	Candidate			22.08134
SW_Seg_2110	2110	Polyline	2110	C	Worse Condition	16.757715	Not ADA compliant	No			16.757715
SW_Seg_2111	2111	Polyline	2111	B	Good Condition	14.439067	May be ADA compliant				14.439051
SW_Seg_2112	2112	Polyline	2112	A	Best Condition	56.785092	Most likely compliant	Candidate			56.785129
SW_Seg_2113	2113	Polyline	2113	A	Best Condition	22.792509	Most likely compliant	Candidate			22.792608
SW_Seg_2114	2114	Polyline	2114	A	Best Condition	24.215705	Most likely compliant	Candidate			24.215625
SW_Seg_2115	2115	Polyline	2115	A	Best Condition	26.852016	Most likely compliant	Candidate			26.852068
SW_Seg_2116	2116	Polyline	2116	B	Good Condition	109.276772	May be ADA compliant				109.276772
SW_Seg_2117	2117	Polyline	2117	B	Good Condition	5.783029	May be ADA compliant				5.783086
SW_Seg_2118	2118	Polyline	2118	B	Good Condition	478.060786	May be ADA compliant			2025 Sidewalk Survey	478.060786
SW_Seg_2119	2119	Polyline	2119	C	Worse Condition	13.49331	Not ADA compliant	No			13.493285
SW_Seg_2120	2120	Polyline	2120	C	Worse Condition	216.89128	Not ADA compliant	No	Disintegrating sidewalk surface		216.891299
SW_Seg_2121	2121	Polyline	2121	A	Best Condition	45.292529	Most likely compliant	Candidate			45.292524
SW_Seg_2122	2122	Polyline	2122	A	Best Condition	40.828457	Most likely compliant	Candidate			40.828459
SW_Seg_2123	2123	Polyline	2123	A	Best Condition	103.802973	Most likely compliant	Candidate			103.802973
SW_Seg_2124	2124	Polyline	2124	A	Best Condition	138.645806	Most likely compliant	Candidate			138.645806
SW_Seg_2125	2125	Polyline	2125	A	Best Condition	17.211929	Most likely compliant	Candidate			17.211929
SW_Seg_2126	2126	Polyline	2126	A	Best Condition	16.190892	Most likely compliant	Candidate			16.190892
SW_Seg_2127	2127	Polyline	2127	A	Best Condition	35.670206	Most likely compliant	Candidate			35.670206
SW_Seg_2128	2128	Polyline	2128	C	Worse Condition	529.220853	Not ADA compliant	No	Disintegrating sidewalk surface		529.220853
SW_Seg_2129	2129	Polyline	2129	C	Worse Condition	68.70182	Not ADA compliant	No	Disintegrating sidewalk surface		68.70182
SW_Seg_2130	2130	Polyline	2130	B	Good Condition	44.803228	May be ADA compliant			2025 Sidewalk Survey	44.803228
SW_Seg_2131	2131	Polyline	2131	A	Best Condition	33.37458	Most likely compliant	Candidate			33.37458
SW_Seg_2132	2132	Polyline	2132	A	Best Condition	97.250137	Most likely compliant	Candidate			97.250137
SW_Seg_2133	2133	Polyline	2133	A	Best Condition	163.138674	Most likely compliant	Candidate			163.138674
SW_Seg_2134	2134	Polyline	2134	B	Good Condition	21.926178	May be ADA compliant				21.926178
SW_Seg_2135	2135	Polyline	2135	C	Worse Condition	7.708486	Not ADA compliant	No			7.708484
SW_Seg_2136	2136	Polyline	2136	A	Best Condition	26.400267	Most likely compliant	Candidate			26.400267
SW_Seg_2137	2137	Polyline	2137	B	Good Condition	12.245158	May be ADA compliant				12.245181
SW_Seg_2138	2138	Polyline	2138	A	Best Condition	16.649081	Most likely compliant	Candidate			16.649081
SW_Seg_2139	2139	Polyline	2139	B	Good Condition	88.23604	May be ADA compliant				88.23604
SW_Seg_2140	2140	Polyline	2140	B	Good Condition	80.465203	May be ADA compliant				80.465203
SW_Seg_2141	2141	Polyline	2141	A	Best Condition	20.306971	Most likely compliant	Candidate			20.306971
SW_Seg_2142	2142	Polyline	2142	A	Best Condition	23.661702	Most likely compliant	Candidate			23.661702
SW_Seg_2143	2143	Polyline	2143	A	Best Condition	19.771001	Most likely compliant	Candidate			19.771001
SW_Seg_2144	2144	Polyline	2144	A	Best Condition	19.045486	Most likely compliant	Candidate			19.045486
SW_Seg_2145	2145	Polyline	2145	A	Best Condition	20.251909	Most likely compliant	Candidate			20.251909
SW_Seg_2146	2146	Polyline	2146	A	Best Condition	20.661419	Most likely compliant	Candidate			20.661419
SW_Seg_2147	2147	Polyline	2147	B	Good Condition	61.41561	May be ADA compliant				61.41561
SW_Seg_2148	2148	Polyline	2148	A	Best Condition	33.96726	Most likely compliant	Candidate			33.96726
SW_Seg_2149	2149	Polyline	2149	A	Best Condition	4.675425	Most likely compliant	Candidate			4.675425
SW_Seg_2150	2150	Polyline	2150	C	Worse Condition	131.34747	Not ADA compliant	No	Disintegrating sidewalk surface		131.347471
SW_Seg_2151	2151	Polyline	2151	A	Best Condition	86.02431	Most likely compliant	Candidate			86.02431
SW_Seg_2152	2152	Polyline	2152	A	Best Condition	40.419833	Most likely compliant	Candidate			40.419833
SW_Seg_2153	2153	Polyline	2153	A	Best Condition	45.522596	Most likely compliant	Candidate			45.522596
SW_Seg_2154	2154	Polyline	2154	A	Best Condition	24.454051	Most likely compliant	Candidate			24.454051
SW_Seg_2155	2155	Polyline	2155	A	Best Condition	16.970846	Most likely compliant	Candidate			16.970846
SW_Seg_2156	2156	Polyline	2156	A	Best Condition	14.887434	Most likely compliant	Candidate			14.887434
SW_Seg_2157	2157	Polyline	2157	A	Best Condition	19.618292	Most likely compliant	Candidate			19.618292
SW_Seg_2158	2158	Polyline	2158	A	Best Condition	18.620635	Most likely compliant	Candidate			18.620635
SW_Seg_2159	2159	Polyline	2159	A	Best Condition	25.492873	Most likely compliant	Candidate			25.492873
SW_Seg_2160	2160	Polyline	2160	A	Best Condition	20.219378	Most likely compliant	Candidate			20.219378

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2161	2161	Polyline	2161	A	Best Condition	27.393597	Most likely compliant	Candidate			27.393597
SW_Seg_2162	2162	Polyline	2162	A	Best Condition	16.240511	Most likely compliant	Candidate			16.240511
SW_Seg_2163	2163	Polyline	2163	A	Best Condition	17.566702	Most likely compliant	Candidate			17.566702
SW_Seg_2164	2164	Polyline	2164	A	Best Condition	19.151226	Most likely compliant	Candidate			19.151226
SW_Seg_2165	2165	Polyline	2165	A	Best Condition	19.801159	Most likely compliant	Candidate			19.801159
SW_Seg_2166	2166	Polyline	2166	A	Best Condition	7.480332	Most likely compliant	Candidate			7.480353
SW_Seg_2167	2167	Polyline	2167	A	Best Condition	23.090935	Most likely compliant	Candidate			23.090932
SW_Seg_2168	2168	Polyline	2168	C	Worse Condition	287.450376	Not ADA compliant	No	Disintegrating sidewalk surface		287.450376
SW_Seg_2169	2169	Polyline	2169	A	Best Condition	25.169217	Most likely compliant	Candidate			25.169217
SW_Seg_2170	2170	Polyline	2170	A	Best Condition	21.069553	Most likely compliant	Candidate			21.069553
SW_Seg_2171	2171	Polyline	2171	A	Best Condition	21.30638	Most likely compliant	Candidate			21.30638
SW_Seg_2172	2172	Polyline	2172	B	Good Condition	138.003265	May be ADA compliant				138.003265
SW_Seg_2173	2173	Polyline	2173	A	Best Condition	62.227533	Most likely compliant	Candidate			62.227533
SW_Seg_2174	2174	Polyline	2174	A	Best Condition	16.843467	Most likely compliant	Candidate			16.843467
SW_Seg_2175	2175	Polyline	2175	A	Best Condition	24.362538	Most likely compliant	Candidate			24.362538
SW_Seg_2176	2176	Polyline	2176	A	Best Condition	151.894107	Most likely compliant	Candidate			151.894107
SW_Seg_2177	2177	Polyline	2177	A	Best Condition	118.809767	Most likely compliant	Candidate			118.809767
SW_Seg_2178	2178	Polyline	2178	A	Best Condition	14.759023	Most likely compliant	Candidate			14.759023
SW_Seg_2179	2179	Polyline	2179	A	Best Condition	6.820606	Most likely compliant	Candidate			6.820606
SW_Seg_2180	2180	Polyline	2180	A	Best Condition	5.969026	Most likely compliant	Candidate			5.969026
SW_Seg_2181	2181	Polyline	2181	A	Best Condition	14.067294	Most likely compliant	Candidate			14.067294
SW_Seg_2182	2182	Polyline	2182	A	Best Condition	39.094741	Most likely compliant	Candidate			39.094741
SW_Seg_2183	2183	Polyline	2183	A	Best Condition	33.635473	Most likely compliant	Candidate			33.635473
SW_Seg_2184	2184	Polyline	2184	A	Best Condition	41.676594	Most likely compliant	Candidate			41.676594
SW_Seg_2185	2185	Polyline	2185	A	Best Condition	33.63797	Most likely compliant	Candidate			33.63797
SW_Seg_2186	2186	Polyline	2186	A	Best Condition	25.666358	Most likely compliant	Candidate			25.666358
SW_Seg_2187	2187	Polyline	2187	A	Best Condition	24.64486	Most likely compliant	Candidate			24.64486
SW_Seg_2188	2188	Polyline	2188	C	Worse Condition	80.218588	Not ADA compliant				80.218588
SW_Seg_2189	2189	Polyline	2189	A	Best Condition	48.062699	Most likely compliant	Candidate			48.062699
SW_Seg_2190	2190	Polyline	2190	A	Best Condition	30.480028	Most likely compliant	Candidate			30.480028
SW_Seg_2191	2191	Polyline	2191	A	Best Condition	38.768519	Most likely compliant	Candidate			38.768519
SW_Seg_2192	2192	Polyline	2192	A	Best Condition	41.403749	Most likely compliant	Candidate			41.403749
SW_Seg_2193	2193	Polyline	2193	A	Best Condition	22.759873	Most likely compliant	Candidate			22.759873
SW_Seg_2194	2194	Polyline	2194	A	Best Condition	24.892716	Most likely compliant	Candidate			24.892716
SW_Seg_2195	2195	Polyline	2195	A	Best Condition	13.419576	Most likely compliant	Candidate			13.419576
SW_Seg_2196	2196	Polyline	2196	A	Best Condition	14.140202	Most likely compliant	Candidate			14.140202
SW_Seg_2197	2197	Polyline	2197	A	Best Condition	6.267618	Most likely compliant	Candidate			6.267618
SW_Seg_2198	2198	Polyline	2198	A	Best Condition	7.135941	Most likely compliant	Candidate			7.135941
SW_Seg_2199	2199	Polyline	2199	A	Best Condition	22.490635	Most likely compliant	Candidate			22.490635
SW_Seg_2200	2200	Polyline	2200	A	Best Condition	15.771193	Most likely compliant	Candidate			15.771193
SW_Seg_2201	2201	Polyline	2201	A	Best Condition	17.707338	Most likely compliant	Candidate			17.707338
SW_Seg_2202	2202	Polyline	2202	A	Best Condition	9.275695	Most likely compliant	Candidate			9.275695
SW_Seg_2203	2203	Polyline	2203	A	Best Condition	14.511325	Most likely compliant	Candidate			14.511325
SW_Seg_2204	2204	Polyline	2204	A	Best Condition	9.94288	Most likely compliant	Candidate			9.94288
SW_Seg_2205	2205	Polyline	2205	A	Best Condition	6.474843	Most likely compliant	Candidate			6.474843
SW_Seg_2206	2206	Polyline	2206	A	Best Condition	8.573691	Most likely compliant	Candidate			8.573691
SW_Seg_2207	2207	Polyline	2207	A	Best Condition	6.23	Most likely compliant	Candidate			6.23
SW_Seg_2208	2208	Polyline	2208	A	Best Condition	5.308985	Most likely compliant	Candidate			5.308985
SW_Seg_2209	2209	Polyline	2209	A	Best Condition	31.626304	Most likely compliant	Candidate			31.626304
SW_Seg_2210	2210	Polyline	2210	A	Best Condition	28.12041	Most likely compliant	Candidate			28.12041
SW_Seg_2211	2211	Polyline	2211	A	Best Condition	122.557905	Most likely compliant	Candidate			122.557905
SW_Seg_2212	2212	Polyline	2212	B	Good Condition	21.017521	May be ADA compliant			2025 Sidewalk Survey	21.017521
SW_Seg_2213	2213	Polyline	2213	A	Best Condition	78.353498	Most likely compliant	Candidate			78.353498
SW_Seg_2214	2214	Polyline	2214	A	Best Condition	53.155571	Most likely compliant	Candidate			53.155571

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2215	2215	Polyline	2215	A	Best Condition	82.620983	Most likely compliant	Candidate			82.620983
SW_Seg_2216	2216	Polyline	2216	C	Worse Condition	119.489401	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	119.489401
SW_Seg_2217	2217	Polyline	2217	A	Best Condition	23.756971	Most likely compliant	Candidate			23.756971
SW_Seg_2218	2218	Polyline	2218	A	Best Condition	21.548602	Most likely compliant	Candidate			21.548602
SW_Seg_2219	2219	Polyline	2219	A	Best Condition	8.771046	Most likely compliant	Candidate			8.771046
SW_Seg_2220	2220	Polyline	2220	A	Best Condition	11.625394	Most likely compliant	Candidate			11.625394
SW_Seg_2221	2221	Polyline	2221	A	Best Condition	10.680467	Most likely compliant	Candidate			10.680467
SW_Seg_2222	2222	Polyline	2222	C	Worse Condition	49.276256	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	49.276256
SW_Seg_2223	2223	Polyline	2223	B	Good Condition	47.340536	May be ADA compliant			2025 Sidewalk Survey	47.340536
SW_Seg_2224	2224	Polyline	2224	A	Best Condition	12.553938	Most likely compliant	Candidate			12.553938
SW_Seg_2225	2225	Polyline	2225	A	Best Condition	9.028596	Most likely compliant	Candidate			9.028623
SW_Seg_2226	2226	Polyline	2226	A	Best Condition	19.498417	Most likely compliant	Candidate			19.498417
SW_Seg_2227	2227	Polyline	2227	B	Good Condition	6.283719	May be ADA compliant				6.283719
SW_Seg_2228	2228	Polyline	2228	B	Good Condition	5.933681	May be ADA compliant				5.933681
SW_Seg_2229	2229	Polyline	2229	B	Good Condition	10.906189	May be ADA compliant				10.906196
SW_Seg_2230	2230	Polyline	2230	B	Good Condition	9.178344	May be ADA compliant				9.178321
SW_Seg_2231	2231	Polyline	2231	A	Best Condition	11.790991	Most likely compliant	Candidate			11.791007
SW_Seg_2232	2232	Polyline	2232	A	Best Condition	40.182834	Most likely compliant	Candidate			40.182834
SW_Seg_2233	2233	Polyline	2233	B	Good Condition	4.452601	May be ADA compliant				4.452601
SW_Seg_2234	2234	Polyline	2234	B	Good Condition	8.986575	May be ADA compliant				8.98657
SW_Seg_2235	2235	Polyline	2235	C	Worse Condition	124.475139	Not ADA compliant	No			124.475139
SW_Seg_2236	2236	Polyline	2236	A	Best Condition	54.736533	Most likely compliant	Candidate			54.736533
SW_Seg_2237	2237	Polyline	2237	A	Best Condition	8.613283	Most likely compliant	Candidate			8.613283
SW_Seg_2238	2238	Polyline	2238	A	Best Condition	8.87463	Most likely compliant	Candidate			8.87463
SW_Seg_2239	2239	Polyline	2239	A	Best Condition	14.548149	Most likely compliant	Candidate			14.548149
SW_Seg_2240	2240	Polyline	2240	A	Best Condition	20.600832	Most likely compliant	Candidate			20.600832
SW_Seg_2241	2241	Polyline	2241	A	Best Condition	150.26806	Most likely compliant	Candidate			150.26806
SW_Seg_2242	2242	Polyline	2242	B	Good Condition	13.749352	May be ADA compliant				13.749352
SW_Seg_2243	2243	Polyline	2243	B	Good Condition	12.537276	May be ADA compliant				12.537276
SW_Seg_2244	2244	Polyline	2244	B	Good Condition	12.53555	May be ADA compliant				12.53555
SW_Seg_2245	2245	Polyline	2245	C	Worse Condition	46.68992	Not ADA compliant	No			46.68992
SW_Seg_2246	2246	Polyline	2246	B	Good Condition	50.005346	May be ADA compliant				50.005346
SW_Seg_2247	2247	Polyline	2247	C	Worse Condition	9.632665	Not ADA compliant	No			9.632665
SW_Seg_2248	2248	Polyline	2248	B	Good Condition	21.699294	May be ADA compliant				21.699314
SW_Seg_2249	2249	Polyline	2249	C	Worse Condition	8.468917	Not ADA compliant	No	Disintegrating sidewalk surface		8.468924
SW_Seg_2250	2250	Polyline	2250	B	Good Condition	121.153889	May be ADA compliant			2025 Sidewalk Survey	121.153889
SW_Seg_2251	2251	Polyline	2251	B	Good Condition	27.975487	May be ADA compliant				27.975447
SW_Seg_2252	2252	Polyline	2252	B	Good Condition	179.057914	May be ADA compliant				179.057914
SW_Seg_2253	2253	Polyline	2253	C	Worse Condition	248.105479	Not ADA compliant	No	Disintegrating sidewalk surface		248.105479
SW_Seg_2254	2254	Polyline	2254	A	Best Condition	186.224527	Most likely compliant	Candidate			186.224527
SW_Seg_2255	2255	Polyline	2255	A	Best Condition	31.070096	Most likely compliant	Candidate			31.070116
SW_Seg_2256	2256	Polyline	2256	B	Good Condition	177.922557	May be ADA compliant				177.922557
SW_Seg_2257	2257	Polyline	2257	B	Good Condition	94.104649	May be ADA compliant				94.104649
SW_Seg_2258	2258	Polyline	2258	B	Good Condition	101.731279	May be ADA compliant				101.731279
SW_Seg_2259	2259	Polyline	2259	A	Best Condition	29.645181	Most likely compliant	Candidate			29.645181
SW_Seg_2260	2260	Polyline	2260	A	Best Condition	12.535549	Most likely compliant	Candidate			12.535549
SW_Seg_2261	2261	Polyline	2261	A	Best Condition	115.834826	Most likely compliant	Candidate			115.834826
SW_Seg_2262	2262	Polyline	2262	C	Worse Condition	153.970799	Not ADA compliant	No			153.970799
SW_Seg_2263	2263	Polyline	2263	C	Worse Condition	88.673411	Not ADA compliant	No			88.673411
SW_Seg_2264	2264	Polyline	2264	C	Worse Condition	130.708222	Not ADA compliant	No			130.708222
SW_Seg_2265	2265	Polyline	2265	C	Worse Condition	160.596318	Not ADA compliant	No			160.596323
SW_Seg_2266	2266	Polyline	2266	C	Worse Condition	12.076843	Not ADA compliant	No			12.076807
SW_Seg_2267	2267	Polyline	2267	C	Worse Condition	105.454126	Not ADA compliant	No			105.454126
SW_Seg_2268	2268	Polyline	2268	C	Worse Condition	64.894295	Not ADA compliant	No	Disintegrating sidewalk surface		64.894295

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2269	2269	Polyline	2269	A	Best Condition	246.140106	Most likely compliant	Candidate			246.140113
SW_Seg_2270	2270	Polyline	2270	C	Worse Condition	29.826317	Not ADA compliant	No			29.826329
SW_Seg_2271	2271	Polyline	2271	A	Best Condition	155.235959	Most likely compliant	Candidate			155.235959
SW_Seg_2272	2272	Polyline	2272	A	Best Condition	92.203537	Most likely compliant	Candidate			92.203552
SW_Seg_2273	2273	Polyline	2273	B	Good Condition	155.84747	May be ADA compliant			2025 Sidewalk Survey	155.84747
SW_Seg_2274	2274	Polyline	2274	B	Good Condition	122.108522	May be ADA compliant			2025 Sidewalk Survey	122.108522
SW_Seg_2275	2275	Polyline	2275	B	Good Condition	292.371502	May be ADA compliant			2025 Sidewalk Survey	292.371502
SW_Seg_2276	2276	Polyline	2276	B	Good Condition	153.419666	May be ADA compliant				153.419666
SW_Seg_2277	2277	Polyline	2277	B	Good Condition	134.844295	May be ADA compliant				134.844295
SW_Seg_2278	2278	Polyline	2278	B	Good Condition	76.519805	May be ADA compliant				76.519805
SW_Seg_2279	2279	Polyline	2279	B	Good Condition	267.428077	May be ADA compliant				267.428077
SW_Seg_2280	2280	Polyline	2280	A	Best Condition	11.979362	Most likely compliant	Candidate			11.979362
SW_Seg_2281	2281	Polyline	2281	A	Best Condition	7.29488	Most likely compliant	Candidate			7.29488
SW_Seg_2282	2282	Polyline	2282	B	Good Condition	141.679151	May be ADA compliant			2025 Sidewalk Survey	141.679151
SW_Seg_2283	2283	Polyline	2283	B	Good Condition	276.939542	May be ADA compliant				276.939542
SW_Seg_2284	2284	Polyline	2284	C	Worse Condition	144.408406	Not ADA compliant	No	Disintegrating sidewalk surface		144.408406
SW_Seg_2285	2285	Polyline	2285	C	Worse Condition	60.988967	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	60.988967
SW_Seg_2286	2286	Polyline	2286	C	Worse Condition	50.142774	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	50.142774
SW_Seg_2287	2287	Polyline	2287	B	Good Condition	74.455389	May be ADA compliant				74.455389
SW_Seg_2288	2288	Polyline	2288	B	Good Condition	105.290933	May be ADA compliant				105.290933
SW_Seg_2289	2289	Polyline	2289	C	Worse Condition	81.791514	Not ADA compliant	No			81.791514
SW_Seg_2290	2290	Polyline	2290	C	Worse Condition	128.594378	Not ADA compliant	No			128.59439
SW_Seg_2291	2291	Polyline	2291	B	Good Condition	270.595368	May be ADA compliant				270.595368
SW_Seg_2292	2292	Polyline	2292	C	Worse Condition	104.794651	Not ADA compliant	No	Disintegrating sidewalk surface		104.794651
SW_Seg_2293	2293	Polyline	2293	A	Best Condition	16.546325	Most likely compliant	Candidate			16.546325
SW_Seg_2294	2294	Polyline	2294	A	Best Condition	107.394013	Most likely compliant	Candidate			107.394013
SW_Seg_2295	2295	Polyline	2295	C	Worse Condition	95.256239	Not ADA compliant	No	Disintegrating sidewalk surface		95.256239
SW_Seg_2296	2296	Polyline	2296	C	Worse Condition	57.371857	Not ADA compliant	No	Disintegrating sidewalk surface		57.371857
SW_Seg_2297	2297	Polyline	2297	C	Worse Condition	7.233588	Not ADA compliant	No	Disintegrating sidewalk surface		7.233593
SW_Seg_2298	2298	Polyline	2298	A	Best Condition	10.157241	Most likely compliant	Candidate			10.157234
SW_Seg_2299	2299	Polyline	2299	C	Worse Condition	18.56834	Not ADA compliant	No	Disintegrating sidewalk surface		18.568339
SW_Seg_2300	2300	Polyline	2300	C	Worse Condition	18.717924	Not ADA compliant	No	Disintegrating sidewalk surface		18.717924
SW_Seg_2301	2301	Polyline	2301	A	Best Condition	121.124279	Most likely compliant	Candidate			121.124279
SW_Seg_2302	2302	Polyline	2302	A	Best Condition	29.05352	Most likely compliant	Candidate			29.05352
SW_Seg_2303	2303	Polyline	2303	A	Best Condition	412.942697	Most likely compliant	Candidate			412.942697
SW_Seg_2304	2304	Polyline	2304	A	Best Condition	177.602316	Most likely compliant	Candidate			177.602316
SW_Seg_2305	2305	Polyline	2305	A	Best Condition	178.149728	Most likely compliant	Candidate			178.149728
SW_Seg_2306	2306	Polyline	2306	A	Best Condition	6.880146	Most likely compliant	Candidate			6.880145
SW_Seg_2307	2307	Polyline	2307	C	Worse Condition	22.084187	Not ADA compliant	No	Disintegrating sidewalk surface		22.084187
SW_Seg_2308	2308	Polyline	2308	A	Best Condition	50.12414	Most likely compliant	Candidate			50.12414
SW_Seg_2309	2309	Polyline	2309	A	Best Condition	11.912213	Most likely compliant	Candidate			11.912213
SW_Seg_2310	2310	Polyline	2310	B	Good Condition	134.865161	May be ADA compliant				134.86516
SW_Seg_2311	2311	Polyline	2311	B	Good Condition	41.080809	May be ADA compliant				41.080829
SW_Seg_2312	2312	Polyline	2312	A	Best Condition	15.909972	Most likely compliant	Candidate			15.909971
SW_Seg_2313	2313	Polyline	2313	A	Best Condition	16.354937	Most likely compliant	Candidate			16.354937
SW_Seg_2314	2314	Polyline	2314	B	Good Condition	168.535732	May be ADA compliant				168.535732
SW_Seg_2315	2315	Polyline	2315	A	Best Condition	7.842902	Most likely compliant	Candidate			7.842902
SW_Seg_2316	2316	Polyline	2316	A	Best Condition	18.697373	Most likely compliant	Candidate			18.697373
SW_Seg_2317	2317	Polyline	2317	A	Best Condition	19.703668	Most likely compliant	Candidate			19.703668
SW_Seg_2318	2318	Polyline	2318	A	Best Condition	6.895545	Most likely compliant	Candidate			6.895545
SW_Seg_2319	2319	Polyline	2319	A	Best Condition	17.080576	Most likely compliant	Candidate			17.080576
SW_Seg_2320	2320	Polyline	2320	A	Best Condition	10.820867	Most likely compliant	Candidate			10.820867
SW_Seg_2321	2321	Polyline	2321	C	Worse Condition	318.173706	Not ADA compliant	No	Disintegrating sidewalk surface		318.173706
SW_Seg_2322	2322	Polyline	2322	A	Best Condition	27.536758	Most likely compliant	Candidate			27.536758

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2323	2323	Polyline	2323	A	Best Condition	6.438564	Most likely compliant	Candidate			6.438564
SW_Seg_2324	2324	Polyline	2324	C	Worse Condition	6.396464	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	6.396464
SW_Seg_2325	2325	Polyline	2325	A	Best Condition	12.482947	Most likely compliant	Candidate			12.482947
SW_Seg_2326	2326	Polyline	2326	A	Best Condition	9.098419	Most likely compliant	Candidate			9.098419
SW_Seg_2327	2327	Polyline	2327	A	Best Condition	14.00688	Most likely compliant	Candidate			14.00688
SW_Seg_2328	2328	Polyline	2328	A	Best Condition	13.559118	Most likely compliant	Candidate			13.559118
SW_Seg_2329	2329	Polyline	2329	C	Worse Condition	14.325802	Not ADA compliant	No	Disintegrating sidewalk surface		14.325888
SW_Seg_2330	2330	Polyline	2330	B	Good Condition	49.729704	May be ADA compliant				49.729704
SW_Seg_2331	2331	Polyline	2331	A	Best Condition	11.07465	Most likely compliant	Candidate			11.074685
SW_Seg_2332	2332	Polyline	2332	A	Best Condition	10.032788	Most likely compliant	Candidate			10.032813
SW_Seg_2333	2333	Polyline	2333	A	Best Condition	11.117476	Most likely compliant	Candidate			11.117479
SW_Seg_2334	2334	Polyline	2334	A	Best Condition	4.750655	Most likely compliant	Candidate			4.750653
SW_Seg_2335	2335	Polyline	2335	A	Best Condition	15.269988	Most likely compliant	Candidate			15.269976
SW_Seg_2336	2336	Polyline	2336	A	Best Condition	5.954801	Most likely compliant	Candidate			5.954794
SW_Seg_2337	2337	Polyline	2337	A	Best Condition	9.968683	Most likely compliant	Candidate			9.968695
SW_Seg_2338	2338	Polyline	2338	A	Best Condition	9.459153	Most likely compliant	Candidate			9.459178
SW_Seg_2339	2339	Polyline	2339	A	Best Condition	59.761517	Most likely compliant	Candidate			59.761543
SW_Seg_2340	2340	Polyline	2340	C	Worse Condition	8.297374	Not ADA compliant	No	Disintegrating sidewalk surface		8.297374
SW_Seg_2341	2341	Polyline	2341	C	Worse Condition	7.353338	Not ADA compliant	No	Disintegrating sidewalk surface		7.353295
SW_Seg_2342	2342	Polyline	2342	A	Best Condition	56.402949	Most likely compliant	Candidate			56.402955
SW_Seg_2343	2343	Polyline	2343	C	Worse Condition	6.071065	Not ADA compliant	No	Disintegrating sidewalk surface		6.071065
SW_Seg_2344	2344	Polyline	2344	A	Best Condition	12.228069	Most likely compliant	Candidate			12.228054
SW_Seg_2345	2345	Polyline	2345	C	Worse Condition	5.924367	Not ADA compliant	No	Disintegrating sidewalk surface		5.924347
SW_Seg_2346	2346	Polyline	2346	A	Best Condition	9.075054	Most likely compliant	Candidate			9.075033
SW_Seg_2347	2347	Polyline	2347	C	Worse Condition	6.01785	Not ADA compliant	No	Disintegrating sidewalk surface		6.01785
SW_Seg_2348	2348	Polyline	2348	C	Worse Condition	4.558779	Not ADA compliant	No	Disintegrating sidewalk surface		4.558782
SW_Seg_2349	2349	Polyline	2349	C	Worse Condition	6.960535	Not ADA compliant	No	Disintegrating sidewalk surface		6.960522
SW_Seg_2350	2350	Polyline	2350	A	Best Condition	29.073086	Most likely compliant	Candidate			29.073114
SW_Seg_2351	2351	Polyline	2351	C	Worse Condition	10.835678	Not ADA compliant	No	Disintegrating sidewalk surface		10.835658
SW_Seg_2352	2352	Polyline	2352	A	Best Condition	48.398794	Most likely compliant	Candidate			48.398817
SW_Seg_2353	2353	Polyline	2353	C	Worse Condition	11.426681	Not ADA compliant	No	Disintegrating sidewalk surface		11.426681
SW_Seg_2354	2354	Polyline	2354	C	Worse Condition	22.399627	Not ADA compliant	No	Disintegrating sidewalk surface		22.399627
SW_Seg_2355	2355	Polyline	2355	A	Best Condition	15.247411	Most likely compliant	Candidate			15.247411
SW_Seg_2356	2356	Polyline	2356	A	Best Condition	15.014601	Most likely compliant	Candidate			15.014601
SW_Seg_2357	2357	Polyline	2357	C	Worse Condition	2.840727	Not ADA compliant	No	Disintegrating sidewalk surface		2.840727
SW_Seg_2358	2358	Polyline	2358	C	Worse Condition	5.824619	Not ADA compliant	No	Disintegrating sidewalk surface		5.824619
SW_Seg_2359	2359	Polyline	2359	A	Best Condition	8.350797	Most likely compliant	Candidate			8.35081
SW_Seg_2360	2360	Polyline	2360	C	Worse Condition	9.031518	Not ADA compliant	No	Disintegrating sidewalk surface		9.031496
SW_Seg_2361	2361	Polyline	2361	A	Best Condition	2.527333	Most likely compliant	Candidate			2.527333
SW_Seg_2362	2362	Polyline	2362	A	Best Condition	9.049454	Most likely compliant	Candidate			9.04947
SW_Seg_2363	2363	Polyline	2363	A	Best Condition	146.220514	Most likely compliant	Candidate			146.220481
SW_Seg_2364	2364	Polyline	2364	C	Worse Condition	12.809634	Not ADA compliant	No	Disintegrating sidewalk surface		12.809634
SW_Seg_2365	2365	Polyline	2365	C	Worse Condition	10.58729	Not ADA compliant	No	Disintegrating sidewalk surface		10.587267
SW_Seg_2366	2366	Polyline	2366	A	Best Condition	8.572977	Most likely compliant	Candidate			8.572993
SW_Seg_2367	2367	Polyline	2367	A	Best Condition	13.595476	Most likely compliant	Candidate			13.595496
SW_Seg_2368	2368	Polyline	2368	A	Best Condition	9.985361	Most likely compliant	Candidate			9.985327
SW_Seg_2369	2369	Polyline	2369	C	Worse Condition	8.039595	Not ADA compliant	No	Disintegrating sidewalk surface		8.039592
SW_Seg_2370	2370	Polyline	2370	C	Worse Condition	17.889287	Not ADA compliant	No	Disintegrating sidewalk surface		17.889274
SW_Seg_2371	2371	Polyline	2371	C	Worse Condition	2.958811	Not ADA compliant	No	Disintegrating sidewalk surface		2.958811
SW_Seg_2372	2372	Polyline	2372	A	Best Condition	31.979817	Most likely compliant	Candidate			31.979817
SW_Seg_2373	2373	Polyline	2373	A	Best Condition	38.531205	Most likely compliant	Candidate			38.531205
SW_Seg_2374	2374	Polyline	2374	A	Best Condition	92.882573	Most likely compliant	Candidate			92.882573
SW_Seg_2375	2375	Polyline	2375	C	Worse Condition	13.10033	Not ADA compliant	No	Disintegrating sidewalk surface		13.10033
SW_Seg_2376	2376	Polyline	2376	A	Best Condition	8.787407	Most likely compliant	Candidate			8.787407

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2377	2377	Polyline	2377	A	Best Condition	12.869121	Most likely compliant	Candidate			12.869128
SW_Seg_2378	2378	Polyline	2378	C	Worse Condition	12.441089	Not ADA compliant	No	Disintegrating sidewalk surface		12.441082
SW_Seg_2379	2379	Polyline	2379	A	Best Condition	27.410258	Most likely compliant	Candidate			27.410258
SW_Seg_2380	2380	Polyline	2380	C	Worse Condition	18.220952	Not ADA compliant	No	Disintegrating sidewalk surface		18.220952
SW_Seg_2381	2381	Polyline	2381	A	Best Condition	12.62901	Most likely compliant	Candidate			12.629036
SW_Seg_2382	2382	Polyline	2382	A	Best Condition	13.886651	Most likely compliant	Candidate			13.886635
SW_Seg_2383	2383	Polyline	2383	A	Best Condition	8.875727	Most likely compliant	Candidate			8.87574
SW_Seg_2384	2384	Polyline	2384	A	Best Condition	15.284777	Most likely compliant	Candidate			15.284789
SW_Seg_2385	2385	Polyline	2385	A	Best Condition	12.220828	Most likely compliant	Candidate			12.220801
SW_Seg_2386	2386	Polyline	2386	A	Best Condition	10.423333	Most likely compliant	Candidate			10.423304
SW_Seg_2387	2387	Polyline	2387	A	Best Condition	14.504257	Most likely compliant	Candidate			14.504227
SW_Seg_2388	2388	Polyline	2388	A	Best Condition	10.916261	Most likely compliant	Candidate			10.916239
SW_Seg_2389	2389	Polyline	2389	A	Best Condition	11.699894	Most likely compliant	Candidate			11.699906
SW_Seg_2390	2390	Polyline	2390	A	Best Condition	15.441549	Most likely compliant	Candidate			15.441546
SW_Seg_2391	2391	Polyline	2391	A	Best Condition	7.820641	Most likely compliant	Candidate			7.82063
SW_Seg_2392	2392	Polyline	2392	C	Worse Condition	7.520529	Not ADA compliant	No	Disintegrating sidewalk surface		7.52053
SW_Seg_2393	2393	Polyline	2393	A	Best Condition	7.214113	Most likely compliant	Candidate			7.214102
SW_Seg_2394	2394	Polyline	2394	C	Worse Condition	8.800036	Not ADA compliant	No	Disintegrating sidewalk surface		8.800058
SW_Seg_2395	2395	Polyline	2395	A	Best Condition	22.893146	Most likely compliant	Candidate			22.893169
SW_Seg_2396	2396	Polyline	2396	C	Worse Condition	15.034948	Not ADA compliant	No	Disintegrating sidewalk surface		15.034948
SW_Seg_2397	2397	Polyline	2397	C	Worse Condition	15.774696	Not ADA compliant	No	Disintegrating sidewalk surface		15.77468
SW_Seg_2398	2398	Polyline	2398	C	Worse Condition	22.23363	Not ADA compliant	No	Disintegrating sidewalk surface		22.233655
SW_Seg_2399	2399	Polyline	2399	A	Best Condition	8.080921	Most likely compliant	Candidate		2025 Sidewalk Survey	8.080911
SW_Seg_2400	2400	Polyline	2400	C	Worse Condition	9.292996	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	9.293012
SW_Seg_2401	2401	Polyline	2401	C	Worse Condition	21.160683	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	21.160646
SW_Seg_2402	2402	Polyline	2402	A	Best Condition	7.771182	Most likely compliant	Candidate			7.771193
SW_Seg_2403	2403	Polyline	2403	A	Best Condition	10.37905	Most likely compliant	Candidate			10.379035
SW_Seg_2404	2404	Polyline	2404	A	Best Condition	10.795944	Most likely compliant	Candidate			10.79593
SW_Seg_2405	2405	Polyline	2405	A	Best Condition	13.168088	Most likely compliant	Candidate			13.168052
SW_Seg_2406	2406	Polyline	2406	A	Best Condition	10.066272	Most likely compliant	Candidate			10.066256
SW_Seg_2407	2407	Polyline	2407	A	Best Condition	4.379357	Most likely compliant	Candidate			4.379364
SW_Seg_2408	2408	Polyline	2408	A	Best Condition	11.157436	Most likely compliant	Candidate			11.157446
SW_Seg_2409	2409	Polyline	2409	B	Good Condition	8.805673	May be ADA compliant				8.805673
SW_Seg_2410	2410	Polyline	2410	B	Good Condition	41.570997	May be ADA compliant				41.570997
SW_Seg_2411	2411	Polyline	2411	B	Good Condition	49.643856	May be ADA compliant				49.643843
SW_Seg_2412	2412	Polyline	2412	B	Good Condition	118.274522	May be ADA compliant			2025 Sidewalk Survey	118.274522
SW_Seg_2413	2413	Polyline	2413	B	Good Condition	114.381244	May be ADA compliant			2025 Sidewalk Survey	114.381244
SW_Seg_2414	2414	Polyline	2414	B	Good Condition	24.105271	May be ADA compliant				24.105271
SW_Seg_2415	2415	Polyline	2415	B	Good Condition	54.312611	May be ADA compliant				54.312611
SW_Seg_2416	2416	Polyline	2416	B	Good Condition	45.79893	May be ADA compliant				45.79893
SW_Seg_2417	2417	Polyline	2417	B	Good Condition	97.741794	May be ADA compliant				97.741794
SW_Seg_2418	2418	Polyline	2418	B	Good Condition	181.200208	May be ADA compliant			2025 Sidewalk Survey	181.200208
SW_Seg_2419	2419	Polyline	2419	B	Good Condition	11.466362	May be ADA compliant				11.466362
SW_Seg_2420	2420	Polyline	2420	B	Good Condition	36.33009	May be ADA compliant				36.33009
SW_Seg_2421	2421	Polyline	2421	B	Good Condition	60.408556	May be ADA compliant			2025 Sidewalk Survey	60.408556
SW_Seg_2422	2422	Polyline	2422	B	Good Condition	113.396122	May be ADA compliant			2025 Sidewalk Survey	113.396122
SW_Seg_2423	2423	Polyline	2423	B	Good Condition	98.944712	May be ADA compliant			2025 Sidewalk Survey	98.944712
SW_Seg_2424	2424	Polyline	2424	B	Good Condition	48.358549	May be ADA compliant				48.358549
SW_Seg_2425	2425	Polyline	2425	B	Good Condition	78.23319	May be ADA compliant				78.23319
SW_Seg_2426	2426	Polyline	2426	B	Good Condition	37.421221	May be ADA compliant			2025 Sidewalk Survey	37.421221
SW_Seg_2427	2427	Polyline	2427	B	Good Condition	14.383575	May be ADA compliant				14.383575
SW_Seg_2428	2428	Polyline	2428	B	Good Condition	83.055473	May be ADA compliant				83.055473
SW_Seg_2429	2429	Polyline	2429	B	Good Condition	94.611279	May be ADA compliant				94.611279
SW_Seg_2430	2430	Polyline	2430	B	Good Condition	34.249011	May be ADA compliant				34.249011

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2431	2431	Polyline	2431	B	Good Condition	70.244584	May be ADA compliant				70.244584
SW_Seg_2432	2432	Polyline	2432	B	Good Condition	294.646266	May be ADA compliant				294.646266
SW_Seg_2433	2433	Polyline	2433	B	Good Condition	20.341347	May be ADA compliant				20.341365
SW_Seg_2434	2434	Polyline	2434	B	Good Condition	19.687669	May be ADA compliant				19.687689
SW_Seg_2435	2435	Polyline	2435	A	Best Condition	39.62728	Most likely compliant	Candidate			39.627377
SW_Seg_2436	2436	Polyline	2436	A	Best Condition	38.367046	Most likely compliant	Candidate			38.367061
SW_Seg_2437	2437	Polyline	2437	A	Best Condition	646.890983	Most likely compliant	Candidate			646.890983
SW_Seg_2438	2438	Polyline	2438	A	Best Condition	302.364683	Most likely compliant	Candidate			302.364683
SW_Seg_2439	2439	Polyline	2439	C	Worse Condition	31.37391	Not ADA compliant	No	Disintegrating sidewalk surface		31.37391
SW_Seg_2440	2440	Polyline	2440	C	Worse Condition	103.756949	Not ADA compliant	No	Disintegrating sidewalk surface		103.756949
SW_Seg_2441	2441	Polyline	2441	C	Worse Condition	51.604368	Not ADA compliant	No	Disintegrating sidewalk surface		51.604368
SW_Seg_2442	2442	Polyline	2442	C	Worse Condition	34.090472	Not ADA compliant	No	Disintegrating sidewalk surface		34.090472
SW_Seg_2443	2443	Polyline	2443	D	Missing	47.113325	Not ADA compliant - Missing	No	Sidewalk gap candidate	2025 Sidewalk Survey	47.113325
SW_Seg_2444	2444	Polyline	2444	D	Missing	83.832682	Not ADA compliant - Missing	No	Sidewalk gap candidate		83.832726
SW_Seg_2445	2445	Polyline	2445	D	Missing	145.887971	Not ADA compliant - Missing	No	Sidewalk gap candidate		145.887971
SW_Seg_2446	2446	Polyline	2446	C	Worse Condition	95.699616	Not ADA compliant	No	Disintegrating sidewalk surface		95.699616
SW_Seg_2447	2447	Polyline	2447	B	Good Condition	38.623647	May be ADA compliant				38.623647
SW_Seg_2448	2448	Polyline	2448	C	Worse Condition	85.361527	Not ADA compliant	No	Disintegrating sidewalk surface		85.361527
SW_Seg_2449	2449	Polyline	2449	B	Good Condition	51.499173	May be ADA compliant				51.499173
SW_Seg_2450	2450	Polyline	2450	D	Missing	229.113947	Not ADA compliant - Missing	No	Sidewalk gap candidate		229.113947
SW_Seg_2451	2451	Polyline	2451	D	Missing	278.381531	Not ADA compliant - Missing	No	Sidewalk gap candidate		278.381531
SW_Seg_2452	2452	Polyline	2452	C	Worse Condition	64.605738	Not ADA compliant	No	Disintegrating sidewalk surface		64.605738
SW_Seg_2453	2453	Polyline	2453	D	Missing	124.010395	Not ADA compliant - Missing	No	Sidewalk gap candidate		124.010395
SW_Seg_2454	2454	Polyline	2454	D	Missing	177.077241	Not ADA compliant - Missing	No	Sidewalk gap candidate		177.077241
SW_Seg_2455	2455	Polyline	2455	B	Good Condition	25.512739	May be ADA compliant				25.512735
SW_Seg_2456	2456	Polyline	2456	B	Good Condition	31.075154	May be ADA compliant				31.075202
SW_Seg_2457	2457	Polyline	2457	C	Worse Condition	8.417807	Not ADA compliant	No	Disintegrating sidewalk surface		8.417816
SW_Seg_2458	2458	Polyline	2458	B	Good Condition	8.351179	May be ADA compliant				8.351179
SW_Seg_2459	2459	Polyline	2459	C	Worse Condition	5.323107	Not ADA compliant	No			5.323103
SW_Seg_2460	2460	Polyline	2460	B	Good Condition	5.130961	May be ADA compliant				5.130961
SW_Seg_2461	2461	Polyline	2461	C	Worse Condition	4.533964	Not ADA compliant	No			4.533957
SW_Seg_2462	2462	Polyline	2462	C	Worse Condition	4.058418	Not ADA compliant	No	Disintegrating sidewalk surface		4.058394
SW_Seg_2463	2463	Polyline	2463	C	Worse Condition	51.489734	Not ADA compliant	No	Disintegrating sidewalk surface		51.489734
SW_Seg_2464	2464	Polyline	2464	A	Best Condition	157.586727	Most likely compliant	Candidate			157.586727
SW_Seg_2465	2465	Polyline	2465	B	Good Condition	37.420925	May be ADA compliant				37.420925
SW_Seg_2466	2466	Polyline	2466	A	Best Condition	25.59267	Most likely compliant	Candidate			25.59267
SW_Seg_2467	2467	Polyline	2467	A	Best Condition	32.282313	Most likely compliant	Candidate			32.282313
SW_Seg_2468	2468	Polyline	2468	A	Best Condition	138.935479	Most likely compliant	Candidate			138.935479
SW_Seg_2469	2469	Polyline	2469	B	Good Condition	84.56929	May be ADA compliant				84.56929
SW_Seg_2470	2470	Polyline	2470	C	Worse Condition	9.993388	Not ADA compliant	No	Disintegrating sidewalk surface		9.993388
SW_Seg_2471	2471	Polyline	2471	B	Good Condition	39.547211	May be ADA compliant			2025 Sidewalk Survey	39.547211
SW_Seg_2472	2472	Polyline	2472	C	Worse Condition	20.756692	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	20.756692
SW_Seg_2473	2473	Polyline	2473	C	Worse Condition	20.83617	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	20.83617
SW_Seg_2474	2474	Polyline	2474	C	Worse Condition	222.813161	Not ADA compliant	No	Disintegrating sidewalk surface		222.813161
SW_Seg_2475	2475	Polyline	2475	A	Best Condition	105.283556	Most likely compliant	Candidate			105.283556
SW_Seg_2476	2476	Polyline	2476	A	Best Condition	16.667168	Most likely compliant	Candidate			16.667146
SW_Seg_2477	2477	Polyline	2477	A	Best Condition	70.204319	Most likely compliant	Candidate			70.204319
SW_Seg_2478	2478	Polyline	2478	A	Best Condition	120.414451	Most likely compliant	Candidate			120.414451
SW_Seg_2479	2479	Polyline	2479	C	Worse Condition	3.908794	Not ADA compliant	No	Disintegrating sidewalk surface		3.908794
SW_Seg_2480	2480	Polyline	2480	B	Good Condition	71.809802	May be ADA compliant			2025 Sidewalk Survey	71.809802
SW_Seg_2481	2481	Polyline	2481	B	Good Condition	89.300405	May be ADA compliant			2025 Sidewalk Survey	89.300405
SW_Seg_2482	2482	Polyline	2482	B	Good Condition	61.647594	May be ADA compliant			2025 Sidewalk Survey	61.647594
SW_Seg_2483	2483	Polyline	2483	C	Worse Condition	138.426465	Not ADA compliant	No	Disintegrating sidewalk surface		138.426465
SW_Seg_2484	2484	Polyline	2484	C	Worse Condition	39.59738	Not ADA compliant	No	Disintegrating sidewalk surface		39.59738

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2485	2485	Polyline	2485	C	Worse Condition	34.026394	Not ADA compliant	No	Disintegrating sidewalk surface		34.026394
SW_Seg_2486	2486	Polyline	2486	A	Best Condition	19.074293	Most likely compliant	Candidate			19.074293
SW_Seg_2487	2487	Polyline	2487	A	Best Condition	33.690344	Most likely compliant	Candidate			33.690344
SW_Seg_2488	2488	Polyline	2488	C	Worse Condition	75.329448	Not ADA compliant	No	Disintegrating sidewalk surface		75.329448
SW_Seg_2489	2489	Polyline	2489	A	Best Condition	10.141234	Most likely compliant	Candidate			10.141234
SW_Seg_2490	2490	Polyline	2490	C	Worse Condition	90.057012	Not ADA compliant	No	Disintegrating sidewalk surface		90.057012
SW_Seg_2491	2491	Polyline	2491	C	Worse Condition	106.417589	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	106.417589
SW_Seg_2492	2492	Polyline	2492	B	Good Condition	32.559471	May be ADA compliant			2025 Sidewalk Survey	32.559471
SW_Seg_2493	2493	Polyline	2493	A	Best Condition	17.398534	Most likely compliant	Candidate			17.398534
SW_Seg_2494	2494	Polyline	2494	D	Missing	82.096715	Not ADA compliant - Missing	No	Sidewalk gap candidate	2025 Sidewalk Survey	82.096715
SW_Seg_2495	2495	Polyline	2495	D	Missing	40.284411	Not ADA compliant - Missing	No	Sidewalk gap candidate	2025 Sidewalk Survey	40.284411
SW_Seg_2496	2496	Polyline	2496	C	Worse Condition	128.901144	Not ADA compliant	No	Disintegrating sidewalk surface		128.901144
SW_Seg_2497	2497	Polyline	2497	A	Best Condition	49.984813	Most likely compliant	Candidate			49.984813
SW_Seg_2498	2498	Polyline	2498	B	Good Condition	47.891721	May be ADA compliant				47.891721
SW_Seg_2499	2499	Polyline	2499	B	Good Condition	60.410361	May be ADA compliant				60.410361
SW_Seg_2500	2500	Polyline	2500	C	Worse Condition	3.637091	Not ADA compliant	No	Disintegrating sidewalk surface		3.637091
SW_Seg_2501	2501	Polyline	2501	A	Best Condition	97.263928	Most likely compliant	Candidate			97.263928
SW_Seg_2502	2502	Polyline	2502	C	Worse Condition	17.990584	Not ADA compliant	No	Disintegrating sidewalk surface		17.990584
SW_Seg_2503	2503	Polyline	2503	C	Worse Condition	13.153743	Not ADA compliant	No	Disintegrating sidewalk surface		13.153743
SW_Seg_2504	2504	Polyline	2504	C	Worse Condition	79.241549	Not ADA compliant	No	Disintegrating sidewalk surface		79.241549
SW_Seg_2505	2505	Polyline	2505	C	Worse Condition	8.947962	Not ADA compliant	No	Disintegrating sidewalk surface		8.947962
SW_Seg_2506	2506	Polyline	2506	C	Worse Condition	3.516237	Not ADA compliant	No	Disintegrating sidewalk surface		3.516237
SW_Seg_2507	2507	Polyline	2507	A	Best Condition	4.033744	Most likely compliant	Candidate			4.033744
SW_Seg_2508	2508	Polyline	2508	B	Good Condition	4.038334	May be ADA compliant				4.038334
SW_Seg_2509	2509	Polyline	2509	C	Worse Condition	3.924093	Not ADA compliant	No	Disintegrating sidewalk surface		3.924093
SW_Seg_2510	2510	Polyline	2510	B	Good Condition	7.097433	May be ADA compliant				7.097433
SW_Seg_2511	2511	Polyline	2511	A	Best Condition	19.085353	Most likely compliant	Candidate			19.085356
SW_Seg_2512	2512	Polyline	2512	B	Good Condition	11.033738	May be ADA compliant				11.033738
SW_Seg_2513	2513	Polyline	2513	B	Good Condition	62.159393	May be ADA compliant				62.159393
SW_Seg_2514	2514	Polyline	2514	A	Best Condition	13.831009	Most likely compliant	Candidate			13.831009
SW_Seg_2515	2515	Polyline	2515	B	Good Condition	47.16332	May be ADA compliant				47.16332
SW_Seg_2516	2516	Polyline	2516	C	Worse Condition	59.873202	Not ADA compliant	No	Disintegrating sidewalk surface		59.873202
SW_Seg_2517	2517	Polyline	2517	B	Good Condition	39.060119	May be ADA compliant				39.060119
SW_Seg_2518	2518	Polyline	2518	C	Worse Condition	85.273259	Not ADA compliant	No	Disintegrating sidewalk surface		85.273259
SW_Seg_2519	2519	Polyline	2519	D	Missing	59.761874	Not ADA compliant - Missing	No	Sidewalk gap candidate		59.761874
SW_Seg_2520	2520	Polyline	2520	B	Good Condition	65.513829	May be ADA compliant			2025 Sidewalk Survey	65.513829
SW_Seg_2521	2521	Polyline	2521	C	Worse Condition	59.192146	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	59.192146
SW_Seg_2522	2522	Polyline	2522	B	Good Condition	58.548871	May be ADA compliant			2025 Sidewalk Survey	58.548871
SW_Seg_2523	2523	Polyline	2523	B	Good Condition	81.135549	May be ADA compliant				81.135549
SW_Seg_2524	2524	Polyline	2524	C	Worse Condition	55.835837	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	55.835837
SW_Seg_2525	2525	Polyline	2525	B	Good Condition	28.076586	May be ADA compliant			2025 Sidewalk Survey	28.076586
SW_Seg_2526	2526	Polyline	2526	C	Worse Condition	17.259279	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	17.259279
SW_Seg_2527	2527	Polyline	2527	B	Good Condition	12.83491	May be ADA compliant			2025 Sidewalk Survey	12.83491
SW_Seg_2528	2528	Polyline	2528	C	Worse Condition	109.941125	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	109.941125
SW_Seg_2529	2529	Polyline	2529	A	Best Condition	50.926794	Most likely compliant	Candidate			50.926794
SW_Seg_2530	2530	Polyline	2530	C	Worse Condition	135.047203	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	135.047203
SW_Seg_2531	2531	Polyline	2531	A	Best Condition	73.285468	Most likely compliant	Candidate			73.285468
SW_Seg_2532	2532	Polyline	2532	A	Best Condition	59.809535	Most likely compliant	Candidate			59.809535
SW_Seg_2533	2533	Polyline	2533	C	Worse Condition	144.526468	Not ADA compliant	No	Disintegrating sidewalk surface		144.526468
SW_Seg_2534	2534	Polyline	2534	B	Good Condition	23.34435	May be ADA compliant				23.34435
SW_Seg_2535	2535	Polyline	2535	C	Worse Condition	28.787636	Not ADA compliant	No	Disintegrating sidewalk surface		28.787636
SW_Seg_2536	2536	Polyline	2536	B	Good Condition	10.832898	May be ADA compliant				10.832898
SW_Seg_2537	2537	Polyline	2537	C	Worse Condition	268.634724	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	268.634724
SW_Seg_2538	2538	Polyline	2538	C	Worse Condition	128.157456	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	128.157456

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2539	2539	Polyline	2539	C	Worse Condition	131.187117	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	131.187117
SW_Seg_2540	2540	Polyline	2540	A	Best Condition	51.736162	Most likely compliant	Candidate			51.736162
SW_Seg_2541	2541	Polyline	2541	C	Worse Condition	50.342231	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	50.342231
SW_Seg_2542	2542	Polyline	2542	B	Good Condition	3.799272	May be ADA compliant				3.799272
SW_Seg_2543	2543	Polyline	2543	B	Good Condition	261.683077	May be ADA compliant				261.683077
SW_Seg_2544	2544	Polyline	2544	A	Best Condition	16.25603	Most likely compliant	Candidate			16.25603
SW_Seg_2545	2545	Polyline	2545	B	Good Condition	50.236826	May be ADA compliant			2025 Sidewalk Survey	50.236826
SW_Seg_2546	2546	Polyline	2546	B	Good Condition	119.008051	May be ADA compliant				119.008051
SW_Seg_2547	2547	Polyline	2547	A	Best Condition	91.661824	Most likely compliant	Candidate		2025 Sidewalk Survey	91.661824
SW_Seg_2548	2548	Polyline	2548	A	Best Condition	77.898677	Most likely compliant	Candidate			77.898677
SW_Seg_2549	2549	Polyline	2549	B	Good Condition	19.532874	May be ADA compliant				19.532874
SW_Seg_2550	2550	Polyline	2550	A	Best Condition	126.003627	Most likely compliant	Candidate		2025 Sidewalk Survey	126.003627
SW_Seg_2551	2551	Polyline	2551	C	Worse Condition	95.25084	Not ADA compliant	No	Disintegrating sidewalk surface		95.25084
SW_Seg_2552	2552	Polyline	2552	C	Worse Condition	46.832799	Not ADA compliant	No	Disintegrating sidewalk surface		46.832799
SW_Seg_2553	2553	Polyline	2553	D	Missing	2.052784	Not ADA compliant - Missing	No	Sidewalk gap candidate		2.052784
SW_Seg_2554	2554	Polyline	2554	D	Missing	2.071828	Not ADA compliant - Missing	No	Sidewalk gap candidate		2.071828
SW_Seg_2555	2555	Polyline	2555	A	Best Condition	18.046546	Most likely compliant	Candidate			18.046546
SW_Seg_2556	2556	Polyline	2556	C	Worse Condition	55.962285	Not ADA compliant	No	Disintegrating sidewalk surface		55.962285
SW_Seg_2557	2557	Polyline	2557	B	Good Condition	110.373321	May be ADA compliant				110.373321
SW_Seg_2558	2558	Polyline	2558	C	Worse Condition	23.641081	Not ADA compliant	No	Disintegrating sidewalk surface		23.641081
SW_Seg_2559	2559	Polyline	2559	B	Good Condition	99.778155	May be ADA compliant				99.778155
SW_Seg_2560	2560	Polyline	2560	C	Worse Condition	20.395521	Not ADA compliant	No	Disintegrating sidewalk surface		20.395521
SW_Seg_2561	2561	Polyline	2561	C	Worse Condition	13.245108	Not ADA compliant	No	Disintegrating sidewalk surface		13.245108
SW_Seg_2562	2562	Polyline	2562	A	Best Condition	36.28744	Most likely compliant	Candidate			36.28744
SW_Seg_2563	2563	Polyline	2563	A	Best Condition	92.400261	Most likely compliant	Candidate			92.400261
SW_Seg_2564	2564	Polyline	2564	B	Good Condition	112.164992	May be ADA compliant				112.164992
SW_Seg_2565	2565	Polyline	2565	A	Best Condition	46.131497	Most likely compliant	Candidate			46.131497
SW_Seg_2566	2566	Polyline	2566	B	Good Condition	118.306037	May be ADA compliant				118.306037
SW_Seg_2567	2567	Polyline	2567	A	Best Condition	20.075103	Most likely compliant	Candidate			20.075103
SW_Seg_2568	2568	Polyline	2568	B	Good Condition	184.210174	May be ADA compliant				184.210174
SW_Seg_2569	2569	Polyline	2569	B	Good Condition	65.770289	May be ADA compliant				65.770289
SW_Seg_2570	2570	Polyline	2570	A	Best Condition	93.877426	Most likely compliant	Candidate			93.877426
SW_Seg_2571	2571	Polyline	2571	A	Best Condition	64.502632	Most likely compliant	Candidate			64.502632
SW_Seg_2572	2572	Polyline	2572	B	Good Condition	71.814727	May be ADA compliant			2025 Sidewalk Survey	71.814727
SW_Seg_2573	2573	Polyline	2573	C	Worse Condition	16.284539	Not ADA compliant	No	Disintegrating sidewalk surface		16.284539
SW_Seg_2574	2574	Polyline	2574	A	Best Condition	15.448993	Most likely compliant	Candidate			15.448993
SW_Seg_2575	2575	Polyline	2575	A	Best Condition	11.102539	Most likely compliant	Candidate			11.102539
SW_Seg_2576	2576	Polyline	2576	A	Best Condition	120.521609	Most likely compliant	Candidate			120.521609
SW_Seg_2577	2577	Polyline	2577	C	Worse Condition	9.587319	Not ADA compliant	No	Disintegrating sidewalk surface		9.587319
SW_Seg_2578	2578	Polyline	2578	B	Good Condition	28.158972	May be ADA compliant				28.158972
SW_Seg_2579	2579	Polyline	2579	A	Best Condition	10.093479	Most likely compliant	Candidate			10.093479
SW_Seg_2580	2580	Polyline	2580	B	Good Condition	65.192719	May be ADA compliant				65.192719
SW_Seg_2581	2581	Polyline	2581	C	Worse Condition	20.180403	Not ADA compliant	No	Disintegrating sidewalk surface		20.180403
SW_Seg_2582	2582	Polyline	2582	A	Best Condition	6.740749	Most likely compliant	Candidate			6.740749
SW_Seg_2583	2583	Polyline	2583	A	Best Condition	7.423085	Most likely compliant	Candidate			7.423085
SW_Seg_2584	2584	Polyline	2584	B	Good Condition	40.903561	May be ADA compliant			2025 Sidewalk Survey	40.903561
SW_Seg_2585	2585	Polyline	2585	C	Worse Condition	87.817557	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	87.817557
SW_Seg_2586	2586	Polyline	2586	A	Best Condition	54.045129	Most likely compliant	Candidate			54.045129
SW_Seg_2587	2587	Polyline	2587	B	Good Condition	30.146474	May be ADA compliant				30.146474
SW_Seg_2588	2588	Polyline	2588	B	Good Condition	44.008147	May be ADA compliant				44.008147
SW_Seg_2589	2589	Polyline	2589	B	Good Condition	8.541797	May be ADA compliant				8.541797
SW_Seg_2590	2590	Polyline	2590	C	Worse Condition	44.78588	Not ADA compliant	No	Disintegrating sidewalk surface		44.78588
SW_Seg_2591	2591	Polyline	2591	C	Worse Condition	36.666046	Not ADA compliant	No	Disintegrating sidewalk surface		36.666046
SW_Seg_2592	2592	Polyline	2592	A	Best Condition	62.588423	Most likely compliant	Candidate			62.588423

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2593	2593	Polyline	2593	A	Best Condition	23.101013	Most likely compliant	Candidate			23.101013
SW_Seg_2594	2594	Polyline	2594	A	Best Condition	15.769316	Most likely compliant	Candidate			15.769316
SW_Seg_2595	2595	Polyline	2595	A	Best Condition	11.914651	Most likely compliant	Candidate			11.914651
SW_Seg_2596	2596	Polyline	2596	A	Best Condition	6.377342	Most likely compliant	Candidate			6.377342
SW_Seg_2597	2597	Polyline	2597	C	Worse Condition	59.610401	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	59.610401
SW_Seg_2598	2598	Polyline	2598	C	Worse Condition	8.397383	Not ADA compliant	No	Disintegrating sidewalk surface		8.397383
SW_Seg_2599	2599	Polyline	2599	B	Good Condition	26.181249	May be ADA compliant				26.181249
SW_Seg_2600	2600	Polyline	2600	C	Worse Condition	13.178718	Not ADA compliant	No	Disintegrating sidewalk surface		13.178718
SW_Seg_2601	2601	Polyline	2601	B	Good Condition	9.306425	May be ADA compliant				9.306425
SW_Seg_2602	2602	Polyline	2602	C	Worse Condition	100.661782	Not ADA compliant	No	Disintegrating sidewalk surface		100.661782
SW_Seg_2603	2603	Polyline	2603	B	Good Condition	59.410987	May be ADA compliant				59.410987
SW_Seg_2604	2604	Polyline	2604	A	Best Condition	10.786179	Most likely compliant	Candidate			10.786179
SW_Seg_2605	2605	Polyline	2605	A	Best Condition	9.65264	Most likely compliant	Candidate			9.65264
SW_Seg_2606	2606	Polyline	2606	C	Worse Condition	5.099277	Not ADA compliant	No	Disintegrating sidewalk surface		5.099277
SW_Seg_2607	2607	Polyline	2607	B	Good Condition	13.586712	May be ADA compliant				13.586712
SW_Seg_2608	2608	Polyline	2608	C	Worse Condition	54.65091	Not ADA compliant	No	Disintegrating sidewalk surface		54.650912
SW_Seg_2609	2609	Polyline	2609	A	Best Condition	13.863114	Most likely compliant	Candidate			13.863114
SW_Seg_2610	2610	Polyline	2610	A	Best Condition	14.062048	Most likely compliant	Candidate			14.062048
SW_Seg_2611	2611	Polyline	2611	A	Best Condition	14.26631	Most likely compliant	Candidate			14.26631
SW_Seg_2612	2612	Polyline	2612	C	Worse Condition	32.227531	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	32.227531
SW_Seg_2613	2613	Polyline	2613	D	Missing	17.380482	Not ADA compliant - Missing	No	Sidewalk gap candidate	2025 Sidewalk Survey	17.380482
SW_Seg_2614	2614	Polyline	2614	C	Worse Condition	100.944571	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	100.944571
SW_Seg_2615	2615	Polyline	2615	A	Best Condition	15.788713	Most likely compliant	Candidate			15.788713
SW_Seg_2616	2616	Polyline	2616	A	Best Condition	9.040705	Most likely compliant	Candidate			9.040705
SW_Seg_2617	2617	Polyline	2617	C	Worse Condition	90.264521	Not ADA compliant	No	Disintegrating sidewalk surface		90.264521
SW_Seg_2618	2618	Polyline	2618	B	Good Condition	49.140044	May be ADA compliant				49.140044
SW_Seg_2619	2619	Polyline	2619	C	Worse Condition	20.19042	Not ADA compliant	No	Disintegrating sidewalk surface		20.19042
SW_Seg_2620	2620	Polyline	2620	C	Worse Condition	7.370534	Not ADA compliant	No	Disintegrating sidewalk surface		7.370534
SW_Seg_2621	2621	Polyline	2621	C	Worse Condition	10.645012	Not ADA compliant	No	Disintegrating sidewalk surface		10.645012
SW_Seg_2622	2622	Polyline	2622	C	Worse Condition	89.534254	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	89.534254
SW_Seg_2623	2623	Polyline	2623	C	Worse Condition	9.631848	Not ADA compliant	No	Disintegrating sidewalk surface		9.631848
SW_Seg_2624	2624	Polyline	2624	C	Worse Condition	13.201139	Not ADA compliant	No	Disintegrating sidewalk surface		13.201139
SW_Seg_2625	2625	Polyline	2625	A	Best Condition	17.565252	Most likely compliant	Candidate			17.565252
SW_Seg_2626	2626	Polyline	2626	A	Best Condition	23.296119	Most likely compliant	Candidate			23.296119
SW_Seg_2627	2627	Polyline	2627	A	Best Condition	23.439706	Most likely compliant	Candidate			23.439706
SW_Seg_2628	2628	Polyline	2628	A	Best Condition	11.874507	Most likely compliant	Candidate			11.874507
SW_Seg_2629	2629	Polyline	2629	A	Best Condition	6.508413	Most likely compliant	Candidate			6.508413
SW_Seg_2630	2630	Polyline	2630	A	Best Condition	11.185249	Most likely compliant	Candidate			11.185249
SW_Seg_2631	2631	Polyline	2631	A	Best Condition	22.927778	Most likely compliant	Candidate			22.927778
SW_Seg_2632	2632	Polyline	2632	A	Best Condition	13.673718	Most likely compliant	Candidate			13.673718
SW_Seg_2633	2633	Polyline	2633	C	Worse Condition	50.17511	Not ADA compliant	No	Disintegrating sidewalk surface		50.17511
SW_Seg_2634	2634	Polyline	2634	B	Good Condition	67.96855	May be ADA compliant				67.96855
SW_Seg_2635	2635	Polyline	2635	C	Worse Condition	7.106125	Not ADA compliant	No	Disintegrating sidewalk surface		7.106125
SW_Seg_2636	2636	Polyline	2636	B	Good Condition	41.5484	May be ADA compliant			2025 Sidewalk Survey	41.5484
SW_Seg_2637	2637	Polyline	2637	C	Worse Condition	8.723362	Not ADA compliant	No	Disintegrating sidewalk surface		8.723362
SW_Seg_2638	2638	Polyline	2638	B	Good Condition	27.121301	May be ADA compliant			2025 Sidewalk Survey	27.121301
SW_Seg_2639	2639	Polyline	2639	C	Worse Condition	7.213778	Not ADA compliant	No	Disintegrating sidewalk surface		7.213778
SW_Seg_2640	2640	Polyline	2640	C	Worse Condition	10.001178	Not ADA compliant	No	Disintegrating sidewalk surface		10.001178
SW_Seg_2641	2641	Polyline	2641	C	Worse Condition	16.024216	Not ADA compliant	No	Disintegrating sidewalk surface		16.024216
SW_Seg_2642	2642	Polyline	2642	A	Best Condition	77.473054	Most likely compliant	Candidate			77.473054
SW_Seg_2643	2643	Polyline	2643	C	Worse Condition	81.057079	Not ADA compliant	No	Disintegrating sidewalk surface		81.057079
SW_Seg_2644	2644	Polyline	2644	B	Good Condition	68.717916	May be ADA compliant				68.717916
SW_Seg_2645	2645	Polyline	2645	C	Worse Condition	76.713784	Not ADA compliant	No	Disintegrating sidewalk surface		76.713784
SW_Seg_2646	2646	Polyline	2646	A	Best Condition	13.649608	Most likely compliant	Candidate			13.649608

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2647	2647	Polyline	2647	A	Best Condition	17.574872	Most likely compliant	Candidate			17.574872
SW_Seg_2648	2648	Polyline	2648	C	Worse Condition	10.323152	Not ADA compliant	No	Disintegrating sidewalk surface		10.323152
SW_Seg_2649	2649	Polyline	2649	C	Worse Condition	12.253849	Not ADA compliant	No	Disintegrating sidewalk surface		12.253849
SW_Seg_2650	2650	Polyline	2650	C	Worse Condition	9.62259	Not ADA compliant	No	Disintegrating sidewalk surface		9.62259
SW_Seg_2651	2651	Polyline	2651	C	Worse Condition	15.988889	Not ADA compliant	No	Disintegrating sidewalk surface		15.988889
SW_Seg_2652	2652	Polyline	2652	B	Good Condition	141.568603	May be ADA compliant			2025 Sidewalk Survey	141.568603
SW_Seg_2653	2653	Polyline	2653	C	Worse Condition	18.444316	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	18.444316
SW_Seg_2654	2654	Polyline	2654	B	Good Condition	108.946918	May be ADA compliant			2025 Sidewalk Survey	108.946918
SW_Seg_2655	2655	Polyline	2655	C	Worse Condition	43.349868	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	43.349868
SW_Seg_2656	2656	Polyline	2656	A	Best Condition	19.804309	Most likely compliant	Candidate			19.804309
SW_Seg_2657	2657	Polyline	2657	A	Best Condition	130.990583	Most likely compliant	Candidate			130.990583
SW_Seg_2658	2658	Polyline	2658	C	Worse Condition	36.280132	Not ADA compliant	No	Disintegrating sidewalk surface		36.280132
SW_Seg_2659	2659	Polyline	2659	A	Best Condition	19.139408	Most likely compliant	Candidate			19.139408
SW_Seg_2660	2660	Polyline	2660	A	Best Condition	16.902833	Most likely compliant	Candidate			16.902833
SW_Seg_2661	2661	Polyline	2661	A	Best Condition	13.504626	Most likely compliant	Candidate			13.504626
SW_Seg_2662	2662	Polyline	2662	B	Good Condition	64.000941	May be ADA compliant				64.000941
SW_Seg_2663	2663	Polyline	2663	C	Worse Condition	10.505864	Not ADA compliant	No	Disintegrating sidewalk surface		10.505864
SW_Seg_2664	2664	Polyline	2664	C	Worse Condition	11.437395	Not ADA compliant	No	Disintegrating sidewalk surface		11.437395
SW_Seg_2665	2665	Polyline	2665	C	Worse Condition	7.884767	Not ADA compliant	No	Disintegrating sidewalk surface		7.884767
SW_Seg_2666	2666	Polyline	2666	A	Best Condition	67.001817	Most likely compliant	Candidate			67.001817
SW_Seg_2667	2667	Polyline	2667	A	Best Condition	24.340248	Most likely compliant	Candidate			24.340248
SW_Seg_2668	2668	Polyline	2668	A	Best Condition	145.514852	Most likely compliant	Candidate			145.514852
SW_Seg_2669	2669	Polyline	2669	C	Worse Condition	28.826374	Not ADA compliant	No	Disintegrating sidewalk surface		28.826374
SW_Seg_2670	2670	Polyline	2670	C	Worse Condition	11.439696	Not ADA compliant	No	Disintegrating sidewalk surface		11.439696
SW_Seg_2671	2671	Polyline	2671	C	Worse Condition	14.645627	Not ADA compliant	No	Disintegrating sidewalk surface		14.645627
SW_Seg_2672	2672	Polyline	2672	C	Worse Condition	84.411566	Not ADA compliant	No	Disintegrating sidewalk surface		84.411566
SW_Seg_2673	2673	Polyline	2673	C	Worse Condition	20.951801	Not ADA compliant	No	Disintegrating sidewalk surface		20.951801
SW_Seg_2674	2674	Polyline	2674	A	Best Condition	33.368478	Most likely compliant	Candidate			33.368478
SW_Seg_2675	2675	Polyline	2675	B	Good Condition	39.192065	May be ADA compliant			2025 Sidewalk Survey	39.192065
SW_Seg_2676	2676	Polyline	2676	C	Worse Condition	44.204105	Not ADA compliant	No	Disintegrating sidewalk surface		44.204105
SW_Seg_2677	2677	Polyline	2677	A	Best Condition	15.093473	Most likely compliant	Candidate			15.093472
SW_Seg_2678	2678	Polyline	2678	C	Worse Condition	11.168724	Not ADA compliant	No	Disintegrating sidewalk surface		11.168724
SW_Seg_2679	2679	Polyline	2679	C	Worse Condition	15.559015	Not ADA compliant	No	Disintegrating sidewalk surface		15.559015
SW_Seg_2680	2680	Polyline	2680	B	Good Condition	50.617735	May be ADA compliant				50.617735
SW_Seg_2681	2681	Polyline	2681	C	Worse Condition	13.087903	Not ADA compliant	No	Disintegrating sidewalk surface		13.087903
SW_Seg_2682	2682	Polyline	2682	A	Best Condition	10.322329	Most likely compliant	Candidate			10.322329
SW_Seg_2683	2683	Polyline	2683	A	Best Condition	19.529739	Most likely compliant	Candidate			19.529739
SW_Seg_2684	2684	Polyline	2684	C	Worse Condition	13.492815	Not ADA compliant	No	Disintegrating sidewalk surface		13.492815
SW_Seg_2685	2685	Polyline	2685	C	Worse Condition	10.391162	Not ADA compliant	No	Disintegrating sidewalk surface		10.391162
SW_Seg_2686	2686	Polyline	2686	C	Worse Condition	12.105981	Not ADA compliant	No	Disintegrating sidewalk surface		12.105981
SW_Seg_2687	2687	Polyline	2687	C	Worse Condition	10.0934	Not ADA compliant	No	Disintegrating sidewalk surface		10.0934
SW_Seg_2688	2688	Polyline	2688	C	Worse Condition	11.29976	Not ADA compliant	No	Disintegrating sidewalk surface		11.29976
SW_Seg_2689	2689	Polyline	2689	B	Good Condition	46.323375	May be ADA compliant				46.323375
SW_Seg_2690	2690	Polyline	2690	C	Worse Condition	15.043862	Not ADA compliant	No	Disintegrating sidewalk surface		15.043862
SW_Seg_2691	2691	Polyline	2691	A	Best Condition	12.992638	Most likely compliant	Candidate			12.992638
SW_Seg_2692	2692	Polyline	2692	C	Worse Condition	23.419018	Not ADA compliant	No	Disintegrating sidewalk surface		23.419018
SW_Seg_2693	2693	Polyline	2693	B	Good Condition	105.051805	May be ADA compliant				105.051805
SW_Seg_2694	2694	Polyline	2694	C	Worse Condition	32.944432	Not ADA compliant	No	Disintegrating sidewalk surface		32.944432
SW_Seg_2695	2695	Polyline	2695	B	Good Condition	111.349921	May be ADA compliant				111.349921
SW_Seg_2696	2696	Polyline	2696	C	Worse Condition	45.711394	Not ADA compliant	No	Disintegrating sidewalk surface		45.711394
SW_Seg_2697	2697	Polyline	2697	B	Good Condition	16.987569	May be ADA compliant				16.987569
SW_Seg_2698	2698	Polyline	2698	C	Worse Condition	17.865833	Not ADA compliant	No	Disintegrating sidewalk surface		17.865833
SW_Seg_2699	2699	Polyline	2699	A	Best Condition	41.250785	Most likely compliant	Candidate			41.250796
SW_Seg_2700	2700	Polyline	2700	C	Worse Condition	25.680498	Not ADA compliant	No	Disintegrating sidewalk surface		25.680507

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2701	2701	Polyline	2701	A	Best Condition	147.891305	Most likely compliant	Candidate			147.891305
SW_Seg_2702	2702	Polyline	2702	A	Best Condition	52.207742	Most likely compliant	Candidate			52.207704
SW_Seg_2703	2703	Polyline	2703	C	Worse Condition	42.629193	Not ADA compliant	No	Disintegrating sidewalk surface		42.629193
SW_Seg_2704	2704	Polyline	2704	A	Best Condition	39.13662	Most likely compliant	Candidate			39.13662
SW_Seg_2705	2705	Polyline	2705	C	Worse Condition	17.851096	Not ADA compliant	No	Disintegrating sidewalk surface		17.851096
SW_Seg_2706	2706	Polyline	2706	C	Worse Condition	21.193222	Not ADA compliant	No	Disintegrating sidewalk surface		21.193199
SW_Seg_2707	2707	Polyline	2707	A	Best Condition	24.430367	Most likely compliant	Candidate			24.430361
SW_Seg_2708	2708	Polyline	2708	C	Worse Condition	21.21419	Not ADA compliant	No	Disintegrating sidewalk surface		21.214185
SW_Seg_2709	2709	Polyline	2709	C	Worse Condition	8.213662	Not ADA compliant	No	Disintegrating sidewalk surface		8.213662
SW_Seg_2710	2710	Polyline	2710	C	Worse Condition	108.832711	Not ADA compliant	No	Disintegrating sidewalk surface		108.832711
SW_Seg_2711	2711	Polyline	2711	B	Good Condition	29.095932	May be ADA compliant				29.095932
SW_Seg_2712	2712	Polyline	2712	A	Best Condition	19.809752	Most likely compliant	Candidate			19.809752
SW_Seg_2713	2713	Polyline	2713	A	Best Condition	22.589315	Most likely compliant	Candidate		2025 Sidewalk Survey	22.589315
SW_Seg_2714	2714	Polyline	2714	A	Best Condition	88.022864	Most likely compliant	Candidate			88.022864
SW_Seg_2715	2715	Polyline	2715	C	Worse Condition	7.986403	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	7.986403
SW_Seg_2716	2716	Polyline	2716	A	Best Condition	125.16746	Most likely compliant	Candidate			125.16746
SW_Seg_2717	2717	Polyline	2717	A	Best Condition	147.531396	Most likely compliant	Candidate		2025 Sidewalk Survey	147.531396
SW_Seg_2718	2718	Polyline	2718	A	Best Condition	70.109357	Most likely compliant	Candidate			70.109357
SW_Seg_2719	2719	Polyline	2719	A	Best Condition	8.850731	Most likely compliant	Candidate			8.850731
SW_Seg_2720	2720	Polyline	2720	A	Best Condition	8.578633	Most likely compliant	Candidate			8.578633
SW_Seg_2721	2721	Polyline	2721	A	Best Condition	21.302759	Most likely compliant	Candidate			21.302759
SW_Seg_2722	2722	Polyline	2722	A	Best Condition	17.350185	Most likely compliant	Candidate			17.350185
SW_Seg_2723	2723	Polyline	2723	A	Best Condition	120.329183	Most likely compliant	Candidate		2025 Sidewalk Survey	120.329183
SW_Seg_2724	2724	Polyline	2724	A	Best Condition	47.693683	Most likely compliant	Candidate		2025 Sidewalk Survey	47.693683
SW_Seg_2725	2725	Polyline	2725	C	Worse Condition	98.575385	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	98.575385
SW_Seg_2726	2726	Polyline	2726	B	Good Condition	88.437205	May be ADA compliant			2025 Sidewalk Survey	88.437205
SW_Seg_2727	2727	Polyline	2727	C	Worse Condition	125.417852	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	125.417852
SW_Seg_2728	2728	Polyline	2728	A	Best Condition	39.357254	Most likely compliant	Candidate			39.357254
SW_Seg_2729	2729	Polyline	2729	A	Best Condition	92.41725	Most likely compliant	Candidate			92.41725
SW_Seg_2730	2730	Polyline	2730	B	Good Condition	24.957459	May be ADA compliant				24.957459
SW_Seg_2731	2731	Polyline	2731	B	Good Condition	85.973889	May be ADA compliant				85.973889
SW_Seg_2732	2732	Polyline	2732	C	Worse Condition	4.055266	Not ADA compliant	No	Disintegrating sidewalk surface		4.055266
SW_Seg_2733	2733	Polyline	2733	A	Best Condition	4.638662	Most likely compliant	Candidate			4.638662
SW_Seg_2734	2734	Polyline	2734	C	Worse Condition	4.765911	Not ADA compliant	No	Disintegrating sidewalk surface		4.765911
SW_Seg_2735	2735	Polyline	2735	A	Best Condition	108.97613	Most likely compliant	Candidate			108.97613
SW_Seg_2736	2736	Polyline	2736	A	Best Condition	20.212215	Most likely compliant	Candidate			20.212215
SW_Seg_2737	2737	Polyline	2737	A	Best Condition	14.826707	Most likely compliant	Candidate			14.826707
SW_Seg_2738	2738	Polyline	2738	A	Best Condition	37.747763	Most likely compliant	Candidate			37.747763
SW_Seg_2739	2739	Polyline	2739	C	Worse Condition	29.775807	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	29.775807
SW_Seg_2740	2740	Polyline	2740	C	Worse Condition	32.421427	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	32.421427
SW_Seg_2741	2741	Polyline	2741	B	Good Condition	92.357585	May be ADA compliant			2025 Sidewalk Survey	92.357585
SW_Seg_2742	2742	Polyline	2743	A	Best Condition	140.928269	Most likely compliant	Candidate			140.928269
SW_Seg_2744	2743	Polyline	2744	A	Best Condition	49.315272	Most likely compliant	Candidate			49.315272
SW_Seg_2745	2744	Polyline	2745	A	Best Condition	31.520624	Most likely compliant	Candidate			31.520624
SW_Seg_2746	2745	Polyline	2746	A	Best Condition	11.440242	Most likely compliant	Candidate			11.440242
SW_Seg_2747	2746	Polyline	2747	A	Best Condition	16.970731	Most likely compliant	Candidate			16.970731
SW_Seg_2748	2747	Polyline	2748	A	Best Condition	19.367833	Most likely compliant	Candidate			19.367833
SW_Seg_2749	2748	Polyline	2749	A	Best Condition	17.244435	Most likely compliant	Candidate			17.244435
SW_Seg_2750	2749	Polyline	2750	A	Best Condition	17.019279	Most likely compliant	Candidate			17.019279
SW_Seg_2751	2750	Polyline	2751	A	Best Condition	25.474418	Most likely compliant	Candidate			25.474418
SW_Seg_2752	2751	Polyline	2752	A	Best Condition	49.453473	Most likely compliant	Candidate			49.453473
SW_Seg_2753	2752	Polyline	2753	C	Worse Condition	97.929726	Not ADA compliant	No	Disintegrating sidewalk surface		97.929726
SW_Seg_2754	2753	Polyline	2754	C	Worse Condition	47.710386	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	47.710386
SW_Seg_2755	2754	Polyline	2755	C	Worse Condition	44.547503	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	44.547503

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2756	2755	Polyline	2756	C	Worse Condition	48.005243	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	48.005243
SW_Seg_2757	2756	Polyline	2757	B	Good Condition	49.501612	May be ADA compliant				49.501612
SW_Seg_2758	2757	Polyline	2758	C	Worse Condition	20.036745	Not ADA compliant	No	Disintegrating sidewalk surface		20.036745
SW_Seg_2759	2758	Polyline	2759	B	Good Condition	40.863725	May be ADA compliant				40.863725
SW_Seg_2760	2759	Polyline	2760	C	Worse Condition	18.793269	Not ADA compliant	No	Disintegrating sidewalk surface		18.793269
SW_Seg_2761	2760	Polyline	2761	A	Best Condition	17.536327	Most likely compliant	Candidate			17.536327
SW_Seg_2762	2761	Polyline	2762	A	Best Condition	15.630035	Most likely compliant	Candidate			15.630035
SW_Seg_2763	2762	Polyline	2763	A	Best Condition	17.328801	Most likely compliant	Candidate			17.328801
SW_Seg_2764	2763	Polyline	2764	A	Best Condition	8.700813	Most likely compliant	Candidate			8.700813
SW_Seg_2765	2764	Polyline	2765	A	Best Condition	26.142153	Most likely compliant	Candidate			26.142153
SW_Seg_2766	2765	Polyline	2766	A	Best Condition	3.957306	Most likely compliant	Candidate			3.957306
SW_Seg_2767	2766	Polyline	2767	B	Good Condition	6.709676	May be ADA compliant				6.709676
SW_Seg_2768	2767	Polyline	2768	C	Worse Condition	6.505639	Not ADA compliant				6.505639
SW_Seg_2769	2768	Polyline	2769	C	Worse Condition	6.578277	Not ADA compliant			2025 Sidewalk Survey	6.578256
SW_Seg_2770	2769	Polyline	2770	B	Good Condition	6.017953	May be ADA compliant				6.017953
SW_Seg_2771	2770	Polyline	2771	B	Good Condition	9.261709	May be ADA compliant			2025 Sidewalk Survey	9.261724
SW_Seg_2772	2771	Polyline	2772	A	Best Condition	3.190564	Most likely compliant	Candidate			3.190564
SW_Seg_2773	2772	Polyline	2773	C	Worse Condition	118.86539	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	118.86539
SW_Seg_2774	2773	Polyline	2774	C	Worse Condition	69.810013	Not ADA compliant	No	Disintegrating sidewalk surface		69.810013
SW_Seg_2775	2774	Polyline	2775	A	Best Condition	52.375412	Most likely compliant	Candidate			52.375412
SW_Seg_2776	2775	Polyline	2776	C	Worse Condition	78.512569	Not ADA compliant	No	Disintegrating sidewalk surface		78.512569
SW_Seg_2777	2776	Polyline	2777	A	Best Condition	100.304047	Most likely compliant	Candidate			100.304047
SW_Seg_2778	2777	Polyline	2778	B	Good Condition	9.741533	May be ADA compliant				9.741533
SW_Seg_2779	2778	Polyline	2779	A	Best Condition	48.070011	Most likely compliant	Candidate			48.070011
SW_Seg_2780	2779	Polyline	2780	C	Worse Condition	73.188267	Not ADA compliant	No	Disintegrating sidewalk surface		73.188267
SW_Seg_2781	2780	Polyline	2781	B	Good Condition	56.912168	May be ADA compliant			2025 Sidewalk Survey	56.912168
SW_Seg_2782	2781	Polyline	2782	B	Good Condition	107.501942	May be ADA compliant				107.501942
SW_Seg_2783	2782	Polyline	2783	A	Best Condition	6.478552	Most likely compliant	Candidate			6.478552
SW_Seg_2784	2783	Polyline	2784	C	Worse Condition	100.056826	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	100.056826
SW_Seg_2785	2784	Polyline	2785	C	Worse Condition	97.112063	Not ADA compliant	No	Disintegrating sidewalk surface		97.112063
SW_Seg_2786	2785	Polyline	2786	B	Good Condition	39.998503	May be ADA compliant				39.998503
SW_Seg_2787	2786	Polyline	2787	C	Worse Condition	24.611541	Not ADA compliant	No	Disintegrating sidewalk surface		24.611541
SW_Seg_2788	2787	Polyline	2788	B	Good Condition	79.302677	May be ADA compliant			2025 Sidewalk Survey	79.302677
SW_Seg_2789	2788	Polyline	2789	C	Worse Condition	131.801066	Not ADA compliant	No	Disintegrating sidewalk surface		131.801066
SW_Seg_2790	2789	Polyline	2790	A	Best Condition	16.754144	Most likely compliant	Candidate			16.754144
SW_Seg_2791	2790	Polyline	2791	A	Best Condition	37.256377	Most likely compliant	Candidate			37.256377
SW_Seg_2792	2791	Polyline	2792	A	Best Condition	39.93515	Most likely compliant	Candidate			39.93515
SW_Seg_2793	2792	Polyline	2793	C	Worse Condition	11.616116	Not ADA compliant	No	Disintegrating sidewalk surface		11.616116
SW_Seg_2794	2793	Polyline	2794	C	Worse Condition	24.204015	Not ADA compliant	No	Disintegrating sidewalk surface		24.204015
SW_Seg_2795	2794	Polyline	2795	C	Worse Condition	124.001436	Not ADA compliant	No	Disintegrating sidewalk surface		124.001436
SW_Seg_2796	2795	Polyline	2796	B	Good Condition	115.099403	May be ADA compliant				115.099403
SW_Seg_2797	2796	Polyline	2797	C	Worse Condition	18.54843	Not ADA compliant	No	Disintegrating sidewalk surface		18.54843
SW_Seg_2798	2797	Polyline	2798	C	Worse Condition	103.574986	Not ADA compliant	No	Disintegrating sidewalk surface		103.574986
SW_Seg_2799	2798	Polyline	2799	B	Good Condition	19.380146	May be ADA compliant				19.380146
SW_Seg_2800	2799	Polyline	2800	C	Worse Condition	33.599182	Not ADA compliant	No	Disintegrating sidewalk surface		33.599182
SW_Seg_2801	2800	Polyline	2801	A	Best Condition	65.008624	Most likely compliant	Candidate			65.008624
SW_Seg_2802	2801	Polyline	2802	C	Worse Condition	25.46222	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	25.46222
SW_Seg_2803	2802	Polyline	2803	A	Best Condition	90.705607	Most likely compliant	Candidate			90.705607
SW_Seg_2804	2803	Polyline	2804	A	Best Condition	88.27539	Most likely compliant	Candidate			88.27539
SW_Seg_2805	2804	Polyline	2805	A	Best Condition	35.455131	Most likely compliant	Candidate			35.455131
SW_Seg_2806	2805	Polyline	2806	A	Best Condition	18.087961	Most likely compliant	Candidate			18.087961
SW_Seg_2807	2806	Polyline	2807	A	Best Condition	32.127984	Most likely compliant	Candidate			32.127984
SW_Seg_2808	2807	Polyline	2808	A	Best Condition	7.463626	Most likely compliant	Candidate			7.463626
SW_Seg_2809	2808	Polyline	2809	A	Best Condition	24.572908	Most likely compliant	Candidate			24.572908

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2810	2809	Polyline	2810	C	Worse Condition	17.840448	Not ADA compliant	No	Disintegrating sidewalk surface		17.840448
SW_Seg_2811	2810	Polyline	2811	C	Worse Condition	15.631619	Not ADA compliant	No	Disintegrating sidewalk surface		15.631619
SW_Seg_2812	2811	Polyline	2812	C	Worse Condition	10.381738	Not ADA compliant	No	Disintegrating sidewalk surface		10.381738
SW_Seg_2813	2812	Polyline	2813	C	Worse Condition	43.168615	Not ADA compliant	No	Disintegrating sidewalk surface		43.168615
SW_Seg_2814	2813	Polyline	2814	B	Good Condition	109.913891	May be ADA compliant				109.913891
SW_Seg_2815	2814	Polyline	2815	C	Worse Condition	31.162773	Not ADA compliant	No	Disintegrating sidewalk surface		31.162773
SW_Seg_2816	2815	Polyline	2816	C	Worse Condition	10.537086	Not ADA compliant	No	Disintegrating sidewalk surface		10.537086
SW_Seg_2817	2816	Polyline	2817	C	Worse Condition	13.992616	Not ADA compliant	No	Disintegrating sidewalk surface		13.992616
SW_Seg_2818	2817	Polyline	2818	A	Best Condition	12.716391	Most likely compliant	Candidate			12.716391
SW_Seg_2819	2818	Polyline	2819	A	Best Condition	16.527504	Most likely compliant	Candidate			16.527504
SW_Seg_2820	2819	Polyline	2820	A	Best Condition	5.916014	Most likely compliant	Candidate			5.916014
SW_Seg_2821	2820	Polyline	2821	A	Best Condition	19.874496	Most likely compliant	Candidate			19.874496
SW_Seg_2822	2821	Polyline	2822	A	Best Condition	14.533194	Most likely compliant	Candidate			14.533194
SW_Seg_2823	2822	Polyline	2823	A	Best Condition	21.547759	Most likely compliant	Candidate			21.547759
SW_Seg_2824	2823	Polyline	2824	A	Best Condition	12.035469	Most likely compliant	Candidate			12.035469
SW_Seg_2825	2824	Polyline	2825	B	Good Condition	71.901773	May be ADA compliant				71.901773
SW_Seg_2826	2825	Polyline	2826	C	Worse Condition	40.948607	Not ADA compliant	No	Disintegrating sidewalk surface		40.948607
SW_Seg_2827	2826	Polyline	2827	C	Worse Condition	89.008526	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	89.008526
SW_Seg_2828	2827	Polyline	2828	A	Best Condition	18.551553	Most likely compliant	Candidate			18.551553
SW_Seg_2829	2828	Polyline	2829	A	Best Condition	11.367374	Most likely compliant	Candidate			11.367374
SW_Seg_2830	2829	Polyline	2830	B	Good Condition	18.680012	May be ADA compliant				18.680012
SW_Seg_2831	2830	Polyline	2831	C	Worse Condition	27.349233	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	27.349233
SW_Seg_2832	2831	Polyline	2832	C	Worse Condition	26.835099	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	26.835099
SW_Seg_2833	2832	Polyline	2833	C	Worse Condition	63.327328	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	63.327328
SW_Seg_2834	2833	Polyline	2834	A	Best Condition	12.912052	Most likely compliant	Candidate			12.912052
SW_Seg_2835	2834	Polyline	2835	A	Best Condition	12.635651	Most likely compliant	Candidate			12.635651
SW_Seg_2836	2835	Polyline	2836	B	Good Condition	78.26822	May be ADA compliant				78.26822
SW_Seg_2837	2836	Polyline	2837	C	Worse Condition	49.388975	Not ADA compliant	No	Disintegrating sidewalk surface		49.388975
SW_Seg_2838	2837	Polyline	2838	A	Best Condition	23.982585	Most likely compliant	Candidate			23.982585
SW_Seg_2839	2838	Polyline	2839	A	Best Condition	12.77534	Most likely compliant	Candidate			12.77534
SW_Seg_2840	2839	Polyline	2840	A	Best Condition	13.941471	Most likely compliant	Candidate			13.941471
SW_Seg_2841	2840	Polyline	2841	A	Best Condition	19.984236	Most likely compliant	Candidate			19.984236
SW_Seg_2842	2841	Polyline	2842	A	Best Condition	66.576806	Most likely compliant	Candidate			66.576806
SW_Seg_2843	2842	Polyline	2843	A	Best Condition	153.767804	Most likely compliant	Candidate			153.767804
SW_Seg_2844	2843	Polyline	2844	A	Best Condition	14.656885	Most likely compliant	Candidate			14.656885
SW_Seg_2845	2844	Polyline	2845	A	Best Condition	19.762484	Most likely compliant	Candidate			19.762484
SW_Seg_2846	2845	Polyline	2846	B	Good Condition	10.671483	May be ADA compliant				10.671483
SW_Seg_2847	2846	Polyline	2847	B	Good Condition	12.950805	May be ADA compliant				12.950805
SW_Seg_2848	2847	Polyline	2848	C	Worse Condition	11.311905	Not ADA compliant	No	Disintegrating sidewalk surface		11.311905
SW_Seg_2849	2848	Polyline	2849	C	Worse Condition	14.813414	Not ADA compliant	No	Disintegrating sidewalk surface		14.813414
SW_Seg_2850	2849	Polyline	2850	C	Worse Condition	14.029488	Not ADA compliant	No	Disintegrating sidewalk surface		14.029488
SW_Seg_2851	2850	Polyline	2851	C	Worse Condition	17.210371	Not ADA compliant	No	Disintegrating sidewalk surface		17.210371
SW_Seg_2852	2851	Polyline	2852	A	Best Condition	12.926235	Most likely compliant	Candidate			12.926235
SW_Seg_2853	2852	Polyline	2853	A	Best Condition	20.696954	Most likely compliant	Candidate			20.696954
SW_Seg_2854	2853	Polyline	2854	A	Best Condition	13.256802	Most likely compliant	Candidate			13.256802
SW_Seg_2855	2854	Polyline	2855	A	Best Condition	10.609059	Most likely compliant	Candidate			10.609059
SW_Seg_2856	2855	Polyline	2856	A	Best Condition	13.244055	Most likely compliant	Candidate			13.244055
SW_Seg_2857	2856	Polyline	2857	A	Best Condition	18.457803	Most likely compliant	Candidate			18.457803
SW_Seg_2858	2857	Polyline	2858	C	Worse Condition	65.814609	Not ADA compliant	No	Disintegrating sidewalk surface		65.814609
SW_Seg_2859	2858	Polyline	2859	C	Worse Condition	92.382828	Not ADA compliant	No	Disintegrating sidewalk surface		92.382828
SW_Seg_2860	2859	Polyline	2860	B	Good Condition	142.481174	May be ADA compliant				142.481174
SW_Seg_2861	2860	Polyline	2861	C	Worse Condition	31.420202	Not ADA compliant	No	Disintegrating sidewalk surface		31.420202
SW_Seg_2862	2861	Polyline	2862	C	Worse Condition	81.284501	Not ADA compliant	No	Disintegrating sidewalk surface		81.284501
SW_Seg_2863	2862	Polyline	2863	B	Good Condition	97.985896	May be ADA compliant				97.985896

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2864	2863	Polyline	2864	C	Worse Condition	34.950096	Not ADA compliant	No	Disintegrating sidewalk surface		34.950096
SW_Seg_2865	2864	Polyline	2865	C	Worse Condition	82.342357	Not ADA compliant	No	Disintegrating sidewalk surface		82.342357
SW_Seg_2866	2865	Polyline	2866	C	Worse Condition	110.705437	Not ADA compliant	No	Disintegrating sidewalk surface		110.705437
SW_Seg_2867	2866	Polyline	2867	A	Best Condition	22.892017	Most likely compliant	Candidate			22.892017
SW_Seg_2868	2867	Polyline	2868	C	Worse Condition	70.332952	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	70.332952
SW_Seg_2869	2868	Polyline	2869	A	Best Condition	125.125021	Most likely compliant	Candidate			125.125021
SW_Seg_2870	2869	Polyline	2870	B	Good Condition	21.850448	May be ADA compliant				21.850448
SW_Seg_2871	2870	Polyline	2871	A	Best Condition	107.154534	Most likely compliant	Candidate			107.154534
SW_Seg_2872	2871	Polyline	2872	C	Worse Condition	66.436747	Not ADA compliant	No	Disintegrating sidewalk surface		66.436747
SW_Seg_2873	2872	Polyline	2873	C	Worse Condition	109.979443	Not ADA compliant	No	Disintegrating sidewalk surface		109.979443
SW_Seg_2874	2873	Polyline	2874	A	Best Condition	49.705777	Most likely compliant	Candidate			49.705777
SW_Seg_2875	2874	Polyline	2875	C	Worse Condition	12.644989	Not ADA compliant	No	Disintegrating sidewalk surface		12.644989
SW_Seg_2876	2875	Polyline	2876	C	Worse Condition	11.283478	Not ADA compliant	No	Disintegrating sidewalk surface		11.283478
SW_Seg_2877	2876	Polyline	2877	B	Good Condition	69.225031	May be ADA compliant				69.225031
SW_Seg_2878	2877	Polyline	2878	C	Worse Condition	21.161808	Not ADA compliant	No	Disintegrating sidewalk surface		21.161808
SW_Seg_2879	2878	Polyline	2879	B	Good Condition	18.482206	May be ADA compliant			2025 Sidewalk Survey	18.482206
SW_Seg_2880	2879	Polyline	2880	C	Worse Condition	44.139687	Not ADA compliant	No	Disintegrating sidewalk surface	2025 Sidewalk Survey	44.139687
SW_Seg_2881	2880	Polyline	2881	B	Good Condition	65.906182	May be ADA compliant				65.906182
SW_Seg_2882	2881	Polyline	2882	A	Best Condition	56.102697	Most likely compliant	Candidate			56.102697
SW_Seg_2883	2882	Polyline	2883	A	Best Condition	120.086971	Most likely compliant	Candidate			120.086971
SW_Seg_2884	2883	Polyline	2884	A	Best Condition	23.923485	Most likely compliant	Candidate			23.923485
SW_Seg_2885	2884	Polyline	2885	A	Best Condition	111.582014	Most likely compliant	Candidate			111.582014
SW_Seg_2886	2885	Polyline	2886	B	Good Condition	17.755668	May be ADA compliant				17.755668
SW_Seg_2887	2886	Polyline	2887	B	Good Condition	13.033909	May be ADA compliant				13.033909
SW_Seg_2888	2887	Polyline	2888	C	Worse Condition	11.644909	Not ADA compliant	No	Disintegrating sidewalk surface		11.644909
SW_Seg_2889	2888	Polyline	2889	C	Worse Condition	13.402434	Not ADA compliant	No	Disintegrating sidewalk surface		13.402434
SW_Seg_2890	2889	Polyline	2890	C	Worse Condition	154.625944	Not ADA compliant	No	Disintegrating sidewalk surface		154.625944
SW_Seg_2891	2890	Polyline	2891	B	Good Condition	68.414401	May be ADA compliant				68.414401
SW_Seg_2892	2891	Polyline	2892	A	Best Condition	15.622008	Most likely compliant	Candidate			15.622008
SW_Seg_2893	2892	Polyline	2893	A	Best Condition	17.77474	Most likely compliant	Candidate			17.77474
SW_Seg_2894	2893	Polyline	2894	B	Good Condition	4.40443	May be ADA compliant				4.40443
SW_Seg_2895	2894	Polyline	2895	C	Worse Condition	4.512214	Not ADA compliant	No			4.512235
SW_Seg_2896	2895	Polyline	2896	A	Best Condition	105.996318	Most likely compliant	Candidate			105.996318
SW_Seg_2897	2896	Polyline	2897	A	Best Condition	69.610582	Most likely compliant	Candidate			69.610582
SW_Seg_2898	2897	Polyline	2898	A	Best Condition	65.415461	Most likely compliant	Candidate			65.415461
SW_Seg_2899	2898	Polyline	2899	A	Best Condition	9.551781	Most likely compliant	Candidate			9.551781
SW_Seg_2900	2899	Polyline	2900	A	Best Condition	70.570158	Most likely compliant	Candidate			70.570158
SW_Seg_2901	2900	Polyline	2901	A	Best Condition	22.504747	Most likely compliant	Candidate			22.504747
SW_Seg_2902	2901	Polyline	2902	A	Best Condition	16.728927	Most likely compliant	Candidate			16.728927
SW_Seg_2903	2902	Polyline	2903	A	Best Condition	13.990158	Most likely compliant	Candidate			13.990158
SW_Seg_2904	2903	Polyline	2904	A	Best Condition	14.228587	Most likely compliant	Candidate			14.228587
SW_Seg_2905	2904	Polyline	2905	A	Best Condition	17.104751	Most likely compliant	Candidate			17.104751
SW_Seg_2906	2905	Polyline	2906	A	Best Condition	15.863337	Most likely compliant	Candidate			15.863337
SW_Seg_2907	2906	Polyline	2907	A	Best Condition	17.13622	Most likely compliant	Candidate			17.13622
SW_Seg_2908	2907	Polyline	2908	A	Best Condition	18.267826	Most likely compliant	Candidate			18.267826
SW_Seg_2909	2908	Polyline	2909	A	Best Condition	19.069348	Most likely compliant	Candidate			19.069348
SW_Seg_2910	2909	Polyline	2910	A	Best Condition	10.893905	Most likely compliant	Candidate			10.893905
SW_Seg_2911	2910	Polyline	2911	B	Good Condition	7.076603	May be ADA compliant				7.076603
SW_Seg_2912	2911	Polyline	2912	A	Best Condition	62.662748	Most likely compliant	Candidate			62.662748
SW_Seg_2913	2912	Polyline	2913	A	Best Condition	14.640568	Most likely compliant	Candidate			14.640568
SW_Seg_2914	2913	Polyline	2914	C	Worse Condition	126.63311	Not ADA compliant	No	Disintegrating sidewalk surface		126.63311
SW_Seg_2915	2914	Polyline	2915	B	Good Condition	14.828419	May be ADA compliant				14.828419
SW_Seg_2916	2915	Polyline	2916	C	Worse Condition	68.596985	Not ADA compliant	No	Disintegrating sidewalk surface		68.596985
SW_Seg_2917	2916	Polyline	2917	B	Good Condition	17.903182	May be ADA compliant				17.903182

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2918	2917	Polyline	2918	C	Worse Condition	112.754788	Not ADA compliant	No	Disintegrating sidewalk surface		112.754788
SW_Seg_2919	2918	Polyline	2919	C	Worse Condition	47.494885	Not ADA compliant	No	Disintegrating sidewalk surface		47.494885
SW_Seg_2920	2919	Polyline	2920	C	Worse Condition	66.264567	Not ADA compliant	No	Disintegrating sidewalk surface		66.264567
SW_Seg_2921	2920	Polyline	2921	B	Good Condition	44.785851	May be ADA compliant				44.785851
SW_Seg_2922	2921	Polyline	2922	B	Good Condition	105.657431	May be ADA compliant				105.657431
SW_Seg_2923	2922	Polyline	2923	B	Good Condition	193.946986	May be ADA compliant				193.946986
SW_Seg_2924	2923	Polyline	2924	A	Best Condition	133.182054	Most likely compliant	Candidate			133.182054
SW_Seg_2925	2924	Polyline	2925	A	Best Condition	24.008087	Most likely compliant	Candidate			24.008087
SW_Seg_2926	2925	Polyline	2926	A	Best Condition	29.256896	Most likely compliant	Candidate			29.256896
SW_Seg_2927	2926	Polyline	2927	C	Worse Condition	132.416247	Not ADA compliant	No			132.416247
SW_Seg_2928	2927	Polyline	2928	B	Good Condition	131.561185	May be ADA compliant				131.561185
SW_Seg_2929	2928	Polyline	2929	B	Good Condition	103.269973	May be ADA compliant				103.269973
SW_Seg_2930	2929	Polyline	2930	C	Worse Condition	171.999017	Not ADA compliant	No			171.999017
SW_Seg_2931	2930	Polyline	2931	B	Good Condition	79.323819	May be ADA compliant				79.323819
SW_Seg_2932	2931	Polyline	2932	B	Good Condition	226.63718	May be ADA compliant				226.63718
SW_Seg_2933	2932	Polyline	2933	D	Missing	26.403043	Not ADA compliant - Missing	No	Sidewalk gap candidate		26.403043
SW_Seg_2934	2933	Polyline	2934	B	Good Condition	186.831844	May be ADA compliant				186.831844
SW_Seg_2935	2934	Polyline	2935	C	Worse Condition	19.039726	Not ADA compliant				19.039726
SW_Seg_2936	2935	Polyline	2936	B	Good Condition	250.902941	May be ADA compliant				250.902941
SW_Seg_2937	2936	Polyline	2937	C	Worse Condition	108.666194	Not ADA compliant	No			108.666194
SW_Seg_2938	2937	Polyline	2938	B	Good Condition	285.362965	May be ADA compliant				285.362965
SW_Seg_2939	2938	Polyline	2939	C	Worse Condition	156.689694	Not ADA compliant	No	Disintegrating sidewalk surface		156.689694
SW_Seg_2940	2939	Polyline	2940	C	Worse Condition	42.766236	Not ADA compliant	No	Disintegrating sidewalk surface		42.766236
SW_Seg_2941	2940	Polyline	2941	A	Best Condition	68.58277	Most likely compliant	Candidate			68.58277
SW_Seg_2942	2941	Polyline	2942	B	Good Condition	82.268963	May be ADA compliant				82.268963
SW_Seg_2943	2942	Polyline	2943	B	Good Condition	10.474712	May be ADA compliant				10.474712
SW_Seg_2944	2943	Polyline	2944	A	Best Condition	18.227237	Most likely compliant	Candidate			18.227237
SW_Seg_2945	2944	Polyline	2945	B	Good Condition	25.143144	May be ADA compliant				25.143144
SW_Seg_2946	2945	Polyline	2946	B	Good Condition	62.630864	May be ADA compliant				62.630864
SW_Seg_2947	2946	Polyline	2947	A	Best Condition	20.402797	Most likely compliant	Candidate			20.402797
SW_Seg_2948	2947	Polyline	2948	A	Best Condition	23.767449	Most likely compliant	Candidate			23.767449
SW_Seg_2949	2948	Polyline	2949	C	Worse Condition	15.828275	Not ADA compliant	No	Disintegrating sidewalk surface		15.828275
SW_Seg_2950	2949	Polyline	2950	C	Worse Condition	72.532195	Not ADA compliant	No	Disintegrating sidewalk surface		72.532195
SW_Seg_2951	2950	Polyline	2951	C	Worse Condition	107.325629	Not ADA compliant	No	Disintegrating sidewalk surface		107.325629
SW_Seg_2952	2951	Polyline	2952	B	Good Condition	24.547138	May be ADA compliant				24.547138
SW_Seg_2953	2952	Polyline	2953	C	Worse Condition	8.724584	Not ADA compliant	No	Disintegrating sidewalk surface		8.724584
SW_Seg_2954	2953	Polyline	2954	A	Best Condition	59.805143	Most likely compliant	Candidate			59.805143
SW_Seg_2955	2954	Polyline	2955	B	Good Condition	4.66799	May be ADA compliant				4.66799
SW_Seg_2956	2955	Polyline	2956	C	Worse Condition	30.285247	Not ADA compliant	No	Disintegrating sidewalk surface		30.285247
SW_Seg_2957	2956	Polyline	2957	A	Best Condition	157.66757	Most likely compliant	Candidate			157.66757
SW_Seg_2958	2957	Polyline	2958	C	Worse Condition	3.791183	Not ADA compliant	No	Disintegrating sidewalk surface		3.791183
SW_Seg_2959	2958	Polyline	2959	C	Worse Condition	2.459558	Not ADA compliant	No	Disintegrating sidewalk surface		2.459558
SW_Seg_2960	2959	Polyline	2960	A	Best Condition	38.97341	Most likely compliant	Candidate			38.97341
SW_Seg_2961	2960	Polyline	2961	B	Good Condition	18.296999	May be ADA compliant	No			18.296999
SW_Seg_2962	2961	Polyline	2962	B	Good Condition	22.924007	May be ADA compliant	No			22.924007
SW_Seg_2963	2962	Polyline	2963	B	Good Condition	20.345445	May be ADA compliant	No			20.345445
SW_Seg_2964	2963	Polyline	2964	A	Best Condition	8.536329	Most likely compliant	Candidate			8.536329
SW_Seg_2965	2964	Polyline	2965	A	Best Condition	30.62411	Most likely compliant	Candidate			30.62411
SW_Seg_2966	2965	Polyline	2966	C	Worse Condition	38.408556	Not ADA compliant				38.408556
SW_Seg_2967	2966	Polyline	2967	C	Worse Condition	18.375145	Not ADA compliant				18.375145
SW_Seg_2968	2967	Polyline	2968	C	Worse Condition	42.026929	Not ADA compliant				42.026929
SW_Seg_2969	2968	Polyline	2969	C	Worse Condition	12.808807	Not ADA compliant				12.808807
SW_Seg_2970	2969	Polyline	2970	B	Good Condition	11.476366	May be ADA compliant				11.476366
SW_Seg_2971	2970	Polyline	2971	B	Good Condition	39.582667	May be ADA compliant				39.582667

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_2972	2971	Polyline	2972	A	Best Condition	29.301948	Most likely compliant	Candidate			29.301948
SW_Seg_2973	2972	Polyline	2973	A	Best Condition	14.050221	Most likely compliant	Candidate			14.050221
SW_Seg_2974	2973	Polyline	2974	C	Worse Condition	40.668597	Not ADA compliant				40.668597
SW_Seg_2975	2974	Polyline	2975	B	Good Condition	52.061997	May be ADA compliant				52.061997
SW_Seg_2976	2975	Polyline	2976	B	Good Condition	51.843871	May be ADA compliant				51.843871
SW_Seg_2977	2976	Polyline	2977	B	Good Condition	65.012839	May be ADA compliant				65.012839
SW_Seg_2978	2977	Polyline	2978	B	Good Condition	77.467572	May be ADA compliant				77.467572
SW_Seg_2979	2978	Polyline	2979	C	Worse Condition	11.55977	Not ADA compliant				11.55977
SW_Seg_2980	2979	Polyline	2980	A	Best Condition	28.948189	Most likely compliant	Candidate			28.948189
SW_Seg_2981	2980	Polyline	2981	C	Worse Condition	2.891249	Not ADA compliant				2.891249
SW_Seg_2982	2981	Polyline	2982	A	Best Condition	11.269198	Most likely compliant	Candidate			11.269198
SW_Seg_2983	2982	Polyline	2983	A	Best Condition	22.679747	Most likely compliant	Candidate			22.679747
SW_Seg_2984	2983	Polyline	2984	B	Good Condition	42.725969	May be ADA compliant				42.725969
SW_Seg_2985	2984	Polyline	2985	C	Worse Condition	94.444372	Not ADA compliant				94.444372
SW_Seg_2986	2985	Polyline	2986	B	Good Condition	18.812366	May be ADA compliant				18.812366
SW_Seg_2987	2986	Polyline	2987	A	Best Condition	117.528568	Most likely compliant	Candidate			117.528568
SW_Seg_2988	2987	Polyline	2988	A	Best Condition	60.094585	Most likely compliant	Candidate			60.094585
SW_Seg_2989	2988	Polyline	2989	C	Worse Condition	30.911885	Not ADA compliant	No			30.911885
SW_Seg_2990	2989	Polyline	2990	B	Good Condition	30.300412	May be ADA compliant				30.300412
SW_Seg_2991	2990	Polyline	2991	A	Best Condition	66.41712	Most likely compliant	Candidate			66.41712
SW_Seg_2992	2991	Polyline	2992	B	Good Condition	23.793712	May be ADA compliant				23.793712
SW_Seg_2993	2992	Polyline	2993	A	Best Condition	77.64828	Most likely compliant	Candidate			77.64828
SW_Seg_2994	2993	Polyline	2994	B	Good Condition	9.321386	May be ADA compliant				9.321386
SW_Seg_2995	2994	Polyline	2995	C	Worse Condition	2.952139	Not ADA compliant				2.952139
SW_Seg_2996	2995	Polyline	2996	C	Worse Condition	3.639256	Not ADA compliant	No			3.639247
SW_Seg_2997	2996	Polyline	2997	A	Best Condition	11.533588	Most likely compliant	Candidate			11.533596
SW_Seg_2998	2997	Polyline	2998	B	Good Condition	144.319291	May be ADA compliant				144.319291
SW_Seg_2999	2998	Polyline	2999	C	Worse Condition	25.037057	Not ADA compliant				25.037057
SW_Seg_3000	2999	Polyline	3000	C	Worse Condition	158.277964	Not ADA compliant	No		2025 Sidewalk Survey	158.277964
SW_Seg_3001	3000	Polyline	3001	B	Good Condition	45.738935	May be ADA compliant			2025 Sidewalk Survey	45.738935
SW_Seg_3002	3001	Polyline	3002	C	Worse Condition	101.684683	Not ADA compliant			2025 Sidewalk Survey	101.684683
SW_Seg_3003	3002	Polyline	3003	B	Good Condition	15.13325	May be ADA compliant			2025 Sidewalk Survey	15.13325
SW_Seg_3004	3003	Polyline	3004	B	Good Condition	282.547618	May be ADA compliant				282.547618
SW_Seg_3005	3004	Polyline	3005	C	Worse Condition	8.78661	Not ADA compliant				8.78661
SW_Seg_3006	3005	Polyline	3006	D	Missing	33.279408	Not ADA compliant - Missing	No			33.279408
SW_Seg_3007	3006	Polyline	3007	D	Missing	7.888604	Not ADA compliant - Missing	No			7.888604
SW_Seg_3008	3007	Polyline	3008	B	Good Condition	207.449956	May be ADA compliant				207.449956
SW_Seg_3009	3008	Polyline	3009	B	Good Condition	6.299894	May be ADA compliant				6.299946
SW_Seg_3010	3009	Polyline	3010	B	Good Condition	307.736429	May be ADA compliant			2025 Sidewalk Survey	307.736429
SW_Seg_3011	3010	Polyline	3011	A	Best Condition	10.43875	Most likely compliant	Candidate			10.43875
SW_Seg_3012	3011	Polyline	3012	B	Good Condition	296.862339	May be ADA compliant			2025 Sidewalk Survey	296.862339
SW_Seg_3013	3012	Polyline	3013	B	Good Condition	143.221209	May be ADA compliant			2025 Sidewalk Survey	143.221209
SW_Seg_3014	3013	Polyline	3014	B	Good Condition	465.64134	May be ADA compliant			2025 Sidewalk Survey	465.64134
SW_Seg_3015	3014	Polyline	3015	B	Good Condition	232.469307	May be ADA compliant				232.469307
SW_Seg_3016	3015	Polyline	3016	B	Good Condition	20.332512	May be ADA compliant				20.332512
SW_Seg_3017	3016	Polyline	3017	B	Good Condition	62.956827	May be ADA compliant				62.956811
SW_Seg_3018	3017	Polyline	3018	B	Good Condition	296.929088	May be ADA compliant				296.929088
SW_Seg_3019	3018	Polyline	3019	C	Worse Condition	7.449925	Not ADA compliant	NO			7.449925
SW_Seg_3020	3019	Polyline	3020	B	Good Condition	167.858236	May be ADA compliant				167.858236
SW_Seg_3021	3020	Polyline	3021	C	Worse Condition	43.408347	Not ADA compliant	No			43.408347
SW_Seg_3022	3021	Polyline	3022	B	Good Condition	25.123814	May be ADA compliant				25.12381
SW_Seg_3023	3022	Polyline	3023	B	Good Condition	29.687412	May be ADA compliant				29.687414
SW_Seg_3024	3023	Polyline	3024	B	Good Condition	10.544316	May be ADA compliant				10.544316
SW_Seg_3025	3024	Polyline	3025	B	Good Condition	142.138106	May be ADA compliant			2025 Sidewalk Survey	142.138106

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3026	3025	Polyline	3026	C	Worse Condition	68.619963	Not ADA compliant	No		2025 Sidewalk Survey	68.619963
SW_Seg_3027	3026	Polyline	3027	B	Good Condition	144.002013	May be ADA compliant			2025 Sidewalk Survey	144.002013
SW_Seg_3028	3027	Polyline	3028	C	Worse Condition	21.883666	Not ADA compliant	No			21.883666
SW_Seg_3029	3028	Polyline	3029	A	Best Condition	15.627301	Most likely compliant	Candidate			15.627301
SW_Seg_3030	3029	Polyline	3030	B	Good Condition	117.013206	May be ADA compliant			2025 Sidewalk Survey	117.013206
SW_Seg_3031	3030	Polyline	3031	B	Good Condition	114.654522	May be ADA compliant				114.654522
SW_Seg_3032	3031	Polyline	3032	B	Good Condition	129.711344	May be ADA compliant			2025 Sidewalk Survey	129.711344
SW_Seg_3033	3032	Polyline	3033	B	Good Condition	6.576119	May be ADA compliant				6.576119
SW_Seg_3034	3033	Polyline	3034	C	Worse Condition	85.257056	Not ADA compliant	No		2025 Sidewalk Survey	85.257056
SW_Seg_3035	3034	Polyline	3035	B	Good Condition	13.136553	May be ADA compliant				13.136553
SW_Seg_3036	3035	Polyline	3036	D	Missing	25.566765	Not ADA compliant - Missing	No			25.566765
SW_Seg_3037	3036	Polyline	3037	C	Worse Condition	9.725341	Not ADA compliant				9.725341
SW_Seg_3038	3037	Polyline	3038	C	Worse Condition	9.726205	Not ADA compliant				9.726205
SW_Seg_3039	3038	Polyline	3039	C	Worse Condition	8.951456	Not ADA compliant				8.951456
SW_Seg_3040	3039	Polyline	3040	C	Worse Condition	12.678087	Not ADA compliant	No			12.678087
SW_Seg_3041	3040	Polyline	3041	B	Good Condition	113.887147	May be ADA compliant				113.887147
SW_Seg_3042	3041	Polyline	3042	B	Good Condition	58.249422	May be ADA compliant				58.249422
SW_Seg_3043	3042	Polyline	3043	C	Worse Condition	9.484337	Not ADA compliant	No			9.484337
SW_Seg_3044	3043	Polyline	3044	C	Worse Condition	8.455042	Not ADA compliant	No			8.455042
SW_Seg_3045	3044	Polyline	3045	C	Worse Condition	8.210165	Not ADA compliant	No			8.210165
SW_Seg_3046	3045	Polyline	3046	C	Worse Condition	8.57977	Not ADA compliant	No			8.57977
SW_Seg_3047	3046	Polyline	3047	B	Good Condition	58.669722	May be ADA compliant			2025 Sidewalk Survey	58.669722
SW_Seg_3048	3047	Polyline	3048	C	Worse Condition	12.374199	Not ADA compliant	No			12.374199
SW_Seg_3049	3048	Polyline	3049	C	Worse Condition	13.491883	Not ADA compliant	No			13.491883
SW_Seg_3050	3049	Polyline	3050	C	Worse Condition	59.253467	Not ADA compliant	No		2025 Sidewalk Survey	59.253467
SW_Seg_3051	3050	Polyline	3051	C	Worse Condition	4.82485	Not ADA compliant	No			4.82485
SW_Seg_3052	3051	Polyline	3052	C	Worse Condition	11.827613	Not ADA compliant	No			11.827613
SW_Seg_3053	3052	Polyline	3053	C	Worse Condition	12.624892	Not ADA compliant	No			12.624892
SW_Seg_3054	3053	Polyline	3054	C	Worse Condition	13.795331	Not ADA compliant	No			13.795331
SW_Seg_3055	3054	Polyline	3055	C	Worse Condition	11.365361	Not ADA compliant	No			11.365361
SW_Seg_3056	3055	Polyline	3056	C	Worse Condition	28.024266	Not ADA compliant				28.024266
SW_Seg_3057	3056	Polyline	3057	C	Worse Condition	68.956191	Not ADA compliant	No			68.956191
SW_Seg_3058	3057	Polyline	3058	A	Best Condition	18.932816	Most likely compliant	Candidate			18.932816
SW_Seg_3059	3058	Polyline	3059	B	Good Condition	4.330302	May be ADA compliant				4.330302
SW_Seg_3060	3059	Polyline	3060	A	Best Condition	11.986194	Most likely compliant	Candidate			11.986194
SW_Seg_3061	3060	Polyline	3061	A	Best Condition	114.789972	Most likely compliant	Candidate			114.789972
SW_Seg_3062	3061	Polyline	3062	B	Good Condition	22.45313	May be ADA compliant				22.45313
SW_Seg_3063	3062	Polyline	3063	C	Worse Condition	117.890078	Not ADA compliant	No			117.890078
SW_Seg_3064	3063	Polyline	3064	B	Good Condition	18.611109	May be ADA compliant				18.611109
SW_Seg_3065	3064	Polyline	3065	A	Best Condition	31.184997	Most likely compliant	Candidate			31.184997
SW_Seg_3066	3065	Polyline	3066	A	Best Condition	39.863244	Most likely compliant	Candidate			39.863244
SW_Seg_3067	3066	Polyline	3067	B	Good Condition	34.220415	May be ADA compliant				34.220415
SW_Seg_3068	3067	Polyline	3068	A	Best Condition	5.612158	Most likely compliant	Candidate			5.612158
SW_Seg_3069	3068	Polyline	3069	C	Worse Condition	19.184639	Not ADA compliant	No			19.184639
SW_Seg_3070	3069	Polyline	3070	B	Good Condition	13.469521	May be ADA compliant				13.469521
SW_Seg_3071	3070	Polyline	3071	B	Good Condition	46.847271	May be ADA compliant				46.847271
SW_Seg_3072	3071	Polyline	3072	C	Worse Condition	46.853533	Not ADA compliant	No			46.853533
SW_Seg_3073	3072	Polyline	3073	C	Worse Condition	16.185212	Not ADA compliant	No			16.185212
SW_Seg_3074	3073	Polyline	3074	A	Best Condition	124.213779	Most likely compliant	Candidate			124.213779
SW_Seg_3075	3074	Polyline	3075	B	Good Condition	78.83914	May be ADA compliant			2025 Sidewalk Survey	78.83914
SW_Seg_3076	3075	Polyline	3076	B	Good Condition	34.921385	May be ADA compliant			2025 Sidewalk Survey	34.921385
SW_Seg_3077	3076	Polyline	3077	A	Best Condition	43.018907	Most likely compliant	Candidate			43.018907
SW_Seg_3078	3077	Polyline	3078	A	Best Condition	56.0242	Most likely compliant	Candidate			56.0242
SW_Seg_3079	3078	Polyline	3079	B	Good Condition	19.548288	May be ADA compliant				19.548288

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3080	3079	Polyline	3080	C	Worse Condition	28.588961	Not ADA compliant	No			28.588961
SW_Seg_3081	3080	Polyline	3081	A	Best Condition	33.692441	Most likely compliant	Candidate			33.692441
SW_Seg_3082	3081	Polyline	3082	B	Good Condition	20.81094	May be ADA compliant				20.81094
SW_Seg_3083	3082	Polyline	3083	A	Best Condition	30.833272	Most likely compliant	Candidate			30.833272
SW_Seg_3084	3083	Polyline	3084	A	Best Condition	17.832475	Most likely compliant	Candidate			17.832475
SW_Seg_3085	3084	Polyline	3085	A	Best Condition	73.345794	Most likely compliant	Candidate			73.345794
SW_Seg_3086	3085	Polyline	3086	B	Good Condition	23.031732	May be ADA compliant				23.031732
SW_Seg_3087	3086	Polyline	3087	A	Best Condition	19.470877	Most likely compliant	Candidate			19.470877
SW_Seg_3088	3087	Polyline	3088	B	Good Condition	17.554715	May be ADA compliant				17.554715
SW_Seg_3089	3088	Polyline	3089	C	Worse Condition	114.236162	Not ADA compliant	No			114.236162
SW_Seg_3090	3089	Polyline	3090	B	Good Condition	34.079162	May be ADA compliant				34.079162
SW_Seg_3091	3090	Polyline	3091	B	Good Condition	29.987888	May be ADA compliant				29.987888
SW_Seg_3092	3091	Polyline	3092	A	Best Condition	9.408388	Most likely compliant	Candidate			9.408388
SW_Seg_3093	3092	Polyline	3093	B	Good Condition	94.597623	May be ADA compliant				94.597623
SW_Seg_3094	3093	Polyline	3094	C	Worse Condition	121.134888	Not ADA compliant	No			121.134888
SW_Seg_3095	3094	Polyline	3095	A	Best Condition	32.320932	Most likely compliant	Candidate			32.320932
SW_Seg_3096	3095	Polyline	3096	A	Best Condition	26.357311	Most likely compliant	Candidate			26.357311
SW_Seg_3097	3096	Polyline	3097	A	Best Condition	34.208013	Most likely compliant	Candidate			34.208013
SW_Seg_3098	3097	Polyline	3098	A	Best Condition	36.40128	Most likely compliant	Candidate			36.40128
SW_Seg_3099	3098	Polyline	3099	B	Good Condition	41.726612	May be ADA compliant				41.726612
SW_Seg_3100	3099	Polyline	3100	A	Best Condition	10.459482	Most likely compliant	Candidate			10.459482
SW_Seg_3101	3100	Polyline	3101	A	Best Condition	13.075144	Most likely compliant	Candidate			13.075144
SW_Seg_3102	3101	Polyline	3102	A	Best Condition	61.72664	Most likely compliant	Candidate			61.72664
SW_Seg_3103	3102	Polyline	3103	B	Good Condition	34.202994	May be ADA compliant				34.202994
SW_Seg_3104	3103	Polyline	3104	B	Good Condition	57.248564	May be ADA compliant				57.248564
SW_Seg_3105	3104	Polyline	3105	A	Best Condition	37.038623	Most likely compliant	Candidate			37.038623
SW_Seg_3106	3105	Polyline	3106	A	Best Condition	13.624051	Most likely compliant	Candidate			13.624051
SW_Seg_3107	3106	Polyline	3107	A	Best Condition	6.071023	Most likely compliant	Candidate			6.071023
SW_Seg_3108	3107	Polyline	3108	A	Best Condition	0.64534	Most likely compliant	Candidate			0.64534
SW_Seg_3109	3108	Polyline	3109	A	Best Condition	66.412541	Most likely compliant	Candidate			66.412541
SW_Seg_3110	3109	Polyline	3110	B	Good Condition	38.326422	May be ADA compliant			2025 Sidewalk Survey	38.326422
SW_Seg_3111	3110	Polyline	3111	A	Best Condition	30.69451	Most likely compliant	Candidate			30.69451
SW_Seg_3112	3111	Polyline	3112	B	Good Condition	20.34115	May be ADA compliant				20.34115
SW_Seg_3113	3112	Polyline	3113	B	Good Condition	92.885566	May be ADA compliant				92.885566
SW_Seg_3114	3113	Polyline	3114	C	Worse Condition	36.407587	Not ADA compliant	No			36.407587
SW_Seg_3115	3114	Polyline	3115	C	Worse Condition	57.334368	Not ADA compliant	No		2025 Sidewalk Survey	57.334368
SW_Seg_3116	3115	Polyline	3116	C	Worse Condition	20.019834	Not ADA compliant	No			20.019834
SW_Seg_3117	3116	Polyline	3117	B	Good Condition	47.478622	May be ADA compliant				47.478622
SW_Seg_3118	3117	Polyline	3118	C	Worse Condition	42.691698	Not ADA compliant	No			42.691698
SW_Seg_3119	3118	Polyline	3119	B	Good Condition	49.138093	May be ADA compliant			2025 Sidewalk Survey	49.138093
SW_Seg_3120	3119	Polyline	3120	C	Worse Condition	46.57269	Not ADA compliant	No		2025 Sidewalk Survey	46.57269
SW_Seg_3121	3120	Polyline	3121	C	Worse Condition	46.171884	Not ADA compliant	No		2025 Sidewalk Survey	46.171884
SW_Seg_3122	3121	Polyline	3122	C	Worse Condition	16.268912	Not ADA compliant	No		2025 Sidewalk Survey	16.268912
SW_Seg_3123	3122	Polyline	3123	B	Good Condition	35.360724	May be ADA compliant			2025 Sidewalk Survey	35.360724
SW_Seg_3124	3123	Polyline	3124	C	Worse Condition	10.696267	Not ADA compliant	No		2025 Sidewalk Survey	10.696267
SW_Seg_3125	3124	Polyline	3125	A	Best Condition	66.043548	Most likely compliant	Candidate			66.043548
SW_Seg_3126	3125	Polyline	3126	C	Worse Condition	12.624751	Not ADA compliant				12.624751
SW_Seg_3127	3126	Polyline	3127	B	Good Condition	16.173273	May be ADA compliant				16.173273
SW_Seg_3128	3127	Polyline	3128	A	Best Condition	26.722004	Most likely compliant	Candidate			26.722004
SW_Seg_3129	3128	Polyline	3129	A	Best Condition	24.147113	Most likely compliant	Candidate			24.147113
SW_Seg_3130	3129	Polyline	3130	B	Good Condition	96.554537	May be ADA compliant				96.554537
SW_Seg_3131	3130	Polyline	3131	C	Worse Condition	38.266096	Not ADA compliant	No			38.266096
SW_Seg_3132	3131	Polyline	3132	B	Good Condition	118.336814	May be ADA compliant				118.336814
SW_Seg_3133	3132	Polyline	3133	A	Best Condition	16.396051	Most likely compliant	Candidate			16.396051

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3134	3133	Polyline	3134	A	Best Condition	118.774877	Most likely compliant	Candidate			118.774877
SW_Seg_3135	3134	Polyline	3135	A	Best Condition	20.524149	Most likely compliant	Candidate			20.524149
SW_Seg_3136	3135	Polyline	3136	B	Good Condition	102.054607	May be ADA compliant			2025 Sidewalk Survey	102.054607
SW_Seg_3137	3136	Polyline	3137	C	Worse Condition	48.435744	Not ADA compliant	No		2025 Sidewalk Survey	48.435744
SW_Seg_3138	3137	Polyline	3138	B	Good Condition	76.361652	May be ADA compliant				76.361652
SW_Seg_3139	3138	Polyline	3139	B	Good Condition	139.440188	May be ADA compliant			2025 Sidewalk Survey	139.440188
SW_Seg_3140	3139	Polyline	3140	C	Worse Condition	54.960725	Not ADA compliant	No		2025 Sidewalk Survey	54.960725
SW_Seg_3141	3140	Polyline	3141	C	Worse Condition	92.454236	Not ADA compliant	No			92.454236
SW_Seg_3142	3141	Polyline	3142	A	Best Condition	18.462912	Most likely compliant	Candidate			18.462912
SW_Seg_3143	3142	Polyline	3143	A	Best Condition	30.605328	Most likely compliant	Candidate			30.605328
SW_Seg_3144	3143	Polyline	3144	B	Good Condition	130.091434	May be ADA compliant				130.091434
SW_Seg_3145	3144	Polyline	3145	B	Good Condition	145.805224	May be ADA compliant			2025 Sidewalk Survey	145.805224
SW_Seg_3146	3145	Polyline	3146	B	Good Condition	131.44538	May be ADA compliant				131.44538
SW_Seg_3147	3146	Polyline	3147	A	Best Condition	31.634885	Most likely compliant	Candidate			31.634885
SW_Seg_3148	3147	Polyline	3148	A	Best Condition	137.373901	Most likely compliant	Candidate			137.373901
SW_Seg_3149	3148	Polyline	3149	A	Best Condition	23.008016	Most likely compliant	Candidate			23.008016
SW_Seg_3150	3149	Polyline	3150	A	Best Condition	84.405801	Most likely compliant	Candidate		2025 Sidewalk Survey	84.405801
SW_Seg_3151	3150	Polyline	3151	A	Best Condition	132.48237	Most likely compliant	Candidate			132.48237
SW_Seg_3152	3151	Polyline	3152	B	Good Condition	21.874681	May be ADA compliant				21.874681
SW_Seg_3153	3152	Polyline	3153	A	Best Condition	24.659229	Most likely compliant	Candidate			24.659229
SW_Seg_3154	3153	Polyline	3154	B	Good Condition	103.259088	May be ADA compliant				103.259088
SW_Seg_3155	3154	Polyline	3155	B	Good Condition	20.342163	May be ADA compliant				20.342163
SW_Seg_3156	3155	Polyline	3156	B	Good Condition	8.398571	May be ADA compliant				8.39858
SW_Seg_3157	3156	Polyline	3157	C	Worse Condition	3.079906	Not ADA compliant	No			3.079897
SW_Seg_3158	3157	Polyline	3158	C	Worse Condition	46.037983	Not ADA compliant	No		2025 Sidewalk Survey	46.037983
SW_Seg_3159	3158	Polyline	3159	A	Best Condition	12.118238	Most likely compliant	Candidate			12.118238
SW_Seg_3160	3159	Polyline	3160	A	Best Condition	40.932947	Most likely compliant	Candidate			40.932947
SW_Seg_3161	3160	Polyline	3161	A	Best Condition	99.763479	Most likely compliant	Candidate			99.763479
SW_Seg_3162	3161	Polyline	3162	B	Good Condition	16.444185	May be ADA compliant				16.444185
SW_Seg_3163	3162	Polyline	3163	A	Best Condition	48.428201	Most likely compliant	Candidate			48.428201
SW_Seg_3164	3163	Polyline	3164	B	Good Condition	4.565404	May be ADA compliant				4.565404
SW_Seg_3165	3164	Polyline	3165	B	Good Condition	49.494662	May be ADA compliant				49.494662
SW_Seg_3166	3165	Polyline	3166	A	Best Condition	47.43776	Most likely compliant	Candidate			47.437822
SW_Seg_3167	3166	Polyline	3167	A	Best Condition	100.320078	Most likely compliant	Candidate			100.320068
SW_Seg_3168	3167	Polyline	3168	A	Best Condition	25.556521	Most likely compliant	Candidate			25.556521
SW_Seg_3169	3168	Polyline	3169	A	Best Condition	23.040239	Most likely compliant	Candidate			23.040234
SW_Seg_3170	3169	Polyline	3170	A	Best Condition	175.632124	Most likely compliant	Candidate			175.632124
SW_Seg_3171	3170	Polyline	3171	A	Best Condition	200.871874	Most likely compliant	Candidate			200.871887
SW_Seg_3172	3171	Polyline	3172	A	Best Condition	88.92981	Most likely compliant	Candidate			88.929842
SW_Seg_3173	3172	Polyline	3173	A	Best Condition	22.796252	Most likely compliant	Candidate			22.796222
SW_Seg_3174	3173	Polyline	3174	A	Best Condition	22.531869	Most likely compliant	Candidate			22.531824
SW_Seg_3175	3174	Polyline	3175	A	Best Condition	71.942575	Most likely compliant	Candidate			71.942588
SW_Seg_3176	3175	Polyline	3176	A	Best Condition	24.637417	Most likely compliant	Candidate			24.637419
SW_Seg_3177	3176	Polyline	3177	A	Best Condition	16.322125	Most likely compliant	Candidate			16.322125
SW_Seg_3178	3177	Polyline	3178	A	Best Condition	115.151748	Most likely compliant	Candidate			115.151748
SW_Seg_3179	3178	Polyline	3179	A	Best Condition	9.344844	Most likely compliant	Candidate			9.344844
SW_Seg_3180	3179	Polyline	3180	A	Best Condition	53.51991	Most likely compliant	Candidate			53.519917
SW_Seg_3181	3180	Polyline	3181	A	Best Condition	64.220986	Most likely compliant	Candidate			64.220986
SW_Seg_3182	3181	Polyline	3182	A	Best Condition	19.516684	Most likely compliant	Candidate			19.51665
SW_Seg_3183	3182	Polyline	3183	A	Best Condition	14.365035	Most likely compliant	Candidate			14.365035
SW_Seg_3184	3183	Polyline	3184	A	Best Condition	16.695569	Most likely compliant	Candidate			16.695569
SW_Seg_3185	3184	Polyline	3185	A	Best Condition	12.149385	Most likely compliant	Candidate			12.149385
SW_Seg_3186	3185	Polyline	3186	A	Best Condition	22.860805	Most likely compliant	Candidate			22.860805
SW_Seg_3187	3186	Polyline	3187	A	Best Condition	257.514247	Most likely compliant	Candidate			257.514247

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3188	3187	Polyline	3188	A	Best Condition	19.599343	Most likely compliant	Candidate			19.599405
SW_Seg_3189	3188	Polyline	3189	A	Best Condition	7.685318	Most likely compliant	Candidate			7.685318
SW_Seg_3190	3189	Polyline	3190	C	Worse Condition	32.142399	Not ADA compliant				32.142399
SW_Seg_3191	3190	Polyline	3191	B	Good Condition	30.113097	May be ADA compliant			2025 Sidewalk Survey	30.113097
SW_Seg_3192	3191	Polyline	3192	A	Best Condition	40.765776	Most likely compliant	Candidate			40.765776
SW_Seg_3193	3192	Polyline	3193	B	Good Condition	72.596735	May be ADA compliant			2025 Sidewalk Survey	72.596735
SW_Seg_3194	3193	Polyline	3194	A	Best Condition	95.252056	Most likely compliant	Candidate			95.252056
SW_Seg_3195	3194	Polyline	3195	C	Worse Condition	79.144718	Not ADA compliant	No			79.144718
SW_Seg_3196	3195	Polyline	3196	B	Good Condition	152.502273	May be ADA compliant			2025 Sidewalk Survey	152.502273
SW_Seg_3197	3196	Polyline	3197	C	Worse Condition	21.553382	Not ADA compliant				21.553382
SW_Seg_3198	3197	Polyline	3198	B	Good Condition	71.900019	May be ADA compliant			2025 Sidewalk Survey	71.900019
SW_Seg_3199	3198	Polyline	3199	C	Worse Condition	17.425716	Not ADA compliant	No		2025 Sidewalk Survey	17.425716
SW_Seg_3200	3199	Polyline	3200	B	Good Condition	58.401266	May be ADA compliant			2025 Sidewalk Survey	58.401266
SW_Seg_3201	3200	Polyline	3201	C	Worse Condition	20.094981	Not ADA compliant	No		2025 Sidewalk Survey	20.094981
SW_Seg_3202	3201	Polyline	3202	A	Best Condition	17.097115	Most likely compliant	Candidate			17.097115
SW_Seg_3203	3202	Polyline	3203	C	Worse Condition	123.77612	Not ADA compliant	No		2025 Sidewalk Survey	123.77612
SW_Seg_3204	3203	Polyline	3204	B	Good Condition	20.227969	May be ADA compliant			2025 Sidewalk Survey	20.227969
SW_Seg_3205	3204	Polyline	3205	C	Worse Condition	126.988698	Not ADA compliant			2025 Sidewalk Survey	126.988698
SW_Seg_3206	3205	Polyline	3206	C	Worse Condition	18.650436	Not ADA compliant			2025 Sidewalk Survey	18.650436
SW_Seg_3207	3206	Polyline	3207	B	Good Condition	13.436092	May be ADA compliant				13.436092
SW_Seg_3208	3207	Polyline	3208	C	Worse Condition	10.473227	Not ADA compliant	No			10.473227
SW_Seg_3209	3208	Polyline	3209	B	Good Condition	100.828893	May be ADA compliant				100.828893
SW_Seg_3210	3209	Polyline	3210	C	Worse Condition	18.922006	Not ADA compliant	No			18.922006
SW_Seg_3211	3210	Polyline	3211	B	Good Condition	46.495372	May be ADA compliant				46.495372
SW_Seg_3212	3211	Polyline	3212	C	Worse Condition	16.920403	Not ADA compliant	No			16.920403
SW_Seg_3213	3212	Polyline	3213	B	Good Condition	117.923681	May be ADA compliant				117.923681
SW_Seg_3214	3213	Polyline	3214	B	Good Condition	48.09259	May be ADA compliant				48.09259
SW_Seg_3215	3214	Polyline	3215	C	Worse Condition	13.515142	Not ADA compliant				13.515142
SW_Seg_3216	3215	Polyline	3216	C	Worse Condition	27.759993	Not ADA compliant				27.759993
SW_Seg_3217	3216	Polyline	3217	B	Good Condition	90.320536	May be ADA compliant				90.320536
SW_Seg_3218	3217	Polyline	3218	C	Worse Condition	17.019635	Not ADA compliant				17.019635
SW_Seg_3219	3218	Polyline	3219	A	Best Condition	8.084959	Most likely compliant	Candidate			8.084959
SW_Seg_3220	3219	Polyline	3220	C	Worse Condition	72.81182	Not ADA compliant			2025 Sidewalk Survey	72.81182
SW_Seg_3221	3220	Polyline	3221	B	Good Condition	33.832328	May be ADA compliant			2025 Sidewalk Survey	33.832328
SW_Seg_3222	3221	Polyline	3222	B	Good Condition	54.837269	May be ADA compliant			2025 Sidewalk Survey	54.837269
SW_Seg_3223	3222	Polyline	3223	B	Good Condition	16.182829	May be ADA compliant				16.182829
SW_Seg_3224	3223	Polyline	3224	A	Best Condition	13.036823	Most likely compliant	Candidate			13.036823
SW_Seg_3225	3224	Polyline	3225	A	Best Condition	19.026035	Most likely compliant	Candidate			19.026035
SW_Seg_3226	3225	Polyline	3226	B	Good Condition	28.196687	May be ADA compliant			2025 Sidewalk Survey	28.196687
SW_Seg_3227	3226	Polyline	3227	C	Worse Condition	23.555536	Not ADA compliant	No		2025 Sidewalk Survey	23.555536
SW_Seg_3228	3227	Polyline	3228	B	Good Condition	59.953335	May be ADA compliant			2025 Sidewalk Survey	59.953335
SW_Seg_3229	3228	Polyline	3229	C	Worse Condition	30.740153	Not ADA compliant	No		2025 Sidewalk Survey	30.740153
SW_Seg_3230	3229	Polyline	3230	B	Good Condition	57.105092	May be ADA compliant			2025 Sidewalk Survey	57.105092
SW_Seg_3231	3230	Polyline	3231	C	Worse Condition	42.894503	Not ADA compliant	No		2025 Sidewalk Survey	42.894503
SW_Seg_3232	3231	Polyline	3232	C	Worse Condition	76.677081	Not ADA compliant	No		2025 Sidewalk Survey	76.677081
SW_Seg_3233	3232	Polyline	3233	C	Worse Condition	9.046192	Not ADA compliant				9.046204
SW_Seg_3234	3233	Polyline	3234	C	Worse Condition	8.721972	Not ADA compliant	No			8.721972
SW_Seg_3235	3234	Polyline	3235	C	Worse Condition	8.911314	Not ADA compliant	No			8.911314
SW_Seg_3236	3235	Polyline	3236	C	Worse Condition	9.592341	Not ADA compliant	No			9.592341
SW_Seg_3237	3236	Polyline	3237	B	Good Condition	133.555318	May be ADA compliant				133.555318
SW_Seg_3238	3237	Polyline	3238	C	Worse Condition	16.92031	Not ADA compliant	No			16.92031
SW_Seg_3239	3238	Polyline	3239	B	Good Condition	39.747366	May be ADA compliant				39.747366
SW_Seg_3240	3239	Polyline	3240	C	Worse Condition	12.632486	Not ADA compliant	No			12.632486
SW_Seg_3241	3240	Polyline	3241	B	Good Condition	141.584986	May be ADA compliant				141.584986

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3242	3241	Polyline	3242	C	Worse Condition	17.661927	Not ADA compliant	No			17.661927
SW_Seg_3243	3242	Polyline	3243	A	Best Condition	5.505776	Most likely compliant	Candidate			5.505776
SW_Seg_3244	3243	Polyline	3244	B	Good Condition	71.403165	May be ADA compliant			2025 Sidewalk Survey	71.403165
SW_Seg_3245	3244	Polyline	3245	C	Worse Condition	10.695307	Not ADA compliant	No		2025 Sidewalk Survey	10.695307
SW_Seg_3246	3245	Polyline	3246	B	Good Condition	44.439825	May be ADA compliant			2025 Sidewalk Survey	44.439825
SW_Seg_3247	3246	Polyline	3247	C	Worse Condition	8.073085	Not ADA compliant	No		2025 Sidewalk Survey	8.073085
SW_Seg_3248	3247	Polyline	3248	C	Worse Condition	40.949206	Not ADA compliant	No		2025 Sidewalk Survey	40.949206
SW_Seg_3249	3248	Polyline	3249	B	Good Condition	98.350562	May be ADA compliant			2025 Sidewalk Survey	98.350562
SW_Seg_3250	3249	Polyline	3250	B	Good Condition	64.810442	May be ADA compliant			2025 Sidewalk Survey	64.810442
SW_Seg_3251	3250	Polyline	3251	A	Best Condition	38.545295	Most likely compliant	Candidate			38.545295
SW_Seg_3252	3251	Polyline	3252	C	Worse Condition	141.875525	Not ADA compliant	No		2025 Sidewalk Survey	141.875525
SW_Seg_3253	3252	Polyline	3253	B	Good Condition	150.856439	May be ADA compliant			2025 Sidewalk Survey	150.856439
SW_Seg_3254	3253	Polyline	3254	C	Worse Condition	26.257337	Not ADA compliant	No			26.257337
SW_Seg_3255	3254	Polyline	3255	B	Good Condition	59.052504	May be ADA compliant			2025 Sidewalk Survey	59.052504
SW_Seg_3256	3255	Polyline	3256	B	Good Condition	9.472959	May be ADA compliant				9.472959
SW_Seg_3257	3256	Polyline	3257	B	Good Condition	40.160556	May be ADA compliant			2025 Sidewalk Survey	40.160556
SW_Seg_3258	3257	Polyline	3258	C	Worse Condition	18.151935	Not ADA compliant	No		2025 Sidewalk Survey	18.151935
SW_Seg_3259	3258	Polyline	3259	B	Good Condition	25.717978	May be ADA compliant			2025 Sidewalk Survey	25.717978
SW_Seg_3260	3259	Polyline	3260	A	Best Condition	10.451392	Most likely compliant	Candidate			10.451392
SW_Seg_3261	3260	Polyline	3261	B	Good Condition	65.808907	May be ADA compliant			2025 Sidewalk Survey	65.808907
SW_Seg_3262	3261	Polyline	3262	C	Worse Condition	16.534056	Not ADA compliant	No		2025 Sidewalk Survey	16.534056
SW_Seg_3263	3262	Polyline	3263	B	Good Condition	52.282809	May be ADA compliant			2025 Sidewalk Survey	52.282809
SW_Seg_3264	3263	Polyline	3264	C	Worse Condition	43.215135	Not ADA compliant	No		2025 Sidewalk Survey	43.215135
SW_Seg_3265	3264	Polyline	3265	C	Worse Condition	24.316752	Not ADA compliant	No		2025 Sidewalk Survey	24.316752
SW_Seg_3266	3265	Polyline	3266	C	Worse Condition	70.992547	Not ADA compliant	No		2025 Sidewalk Survey	70.992547
SW_Seg_3267	3266	Polyline	3267	B	Good Condition	26.023818	May be ADA compliant				26.023818
SW_Seg_3268	3267	Polyline	3268	A	Best Condition	65.515562	Most likely compliant	Candidate		2025 Sidewalk Survey	65.515563
SW_Seg_3269	3268	Polyline	3269	B	Good Condition	50.965355	May be ADA compliant			2025 Sidewalk Survey	50.965355
SW_Seg_3270	3269	Polyline	3270	C	Worse Condition	118.665126	Not ADA compliant	No		2025 Sidewalk Survey	118.665125
SW_Seg_3271	3270	Polyline	3271	C	Worse Condition	117.351295	Not ADA compliant	No		2025 Sidewalk Survey	117.351295
SW_Seg_3272	3271	Polyline	3272	B	Good Condition	89.9327	May be ADA compliant				89.9327
SW_Seg_3273	3272	Polyline	3273	B	Good Condition	21.719415	May be ADA compliant				21.719415
SW_Seg_3274	3273	Polyline	3274	B	Good Condition	114.502319	May be ADA compliant				114.502319
SW_Seg_3275	3274	Polyline	3275	A	Best Condition	91.670891	Most likely compliant	Candidate			91.670891
SW_Seg_3276	3275	Polyline	3276	B	Good Condition	15.474113	May be ADA compliant				15.474113
SW_Seg_3277	3276	Polyline	3277	A	Best Condition	50.238089	Most likely compliant	Candidate			50.238089
SW_Seg_3278	3277	Polyline	3278	A	Best Condition	127.188678	Most likely compliant	Candidate			127.188678
SW_Seg_3279	3278	Polyline	3279	A	Best Condition	20.887985	Most likely compliant	Candidate			20.887985
SW_Seg_3280	3279	Polyline	3280	B	Good Condition	60.010117	May be ADA compliant				60.010117
SW_Seg_3281	3280	Polyline	3281	C	Worse Condition	5.760567	Not ADA compliant	No		2025 Sidewalk Survey	5.760567
SW_Seg_3282	3281	Polyline	3282	C	Worse Condition	12.586686	Not ADA compliant	No		2025 Sidewalk Survey	12.586686
SW_Seg_3283	3282	Polyline	3283	C	Worse Condition	141.072864	Not ADA compliant	No		2025 Sidewalk Survey	141.072864
SW_Seg_3284	3283	Polyline	3284	A	Best Condition	20.02835	Most likely compliant	Candidate			20.02835
SW_Seg_3285	3284	Polyline	3285	C	Worse Condition	129.625887	Not ADA compliant	No		2025 Sidewalk Survey	129.625887
SW_Seg_3286	3285	Polyline	3286	A	Best Condition	18.731876	Most likely compliant	Candidate			18.731876
SW_Seg_3287	3286	Polyline	3287	C	Worse Condition	7.855014	Not ADA compliant	No		2025 Sidewalk Survey	7.855014
SW_Seg_3288	3287	Polyline	3288	C	Worse Condition	12.872462	Not ADA compliant	No		2025 Sidewalk Survey	12.872462
SW_Seg_3289	3288	Polyline	3289	C	Worse Condition	10.766596	Not ADA compliant	No			10.766596
SW_Seg_3290	3289	Polyline	3290	C	Worse Condition	10.055125	Not ADA compliant	No			10.055125
SW_Seg_3291	3290	Polyline	3291	B	Good Condition	40.893293	May be ADA compliant				40.893293
SW_Seg_3292	3291	Polyline	3292	C	Worse Condition	20.592663	Not ADA compliant	No			20.592663
SW_Seg_3293	3292	Polyline	3293	C	Worse Condition	99.429632	Not ADA compliant	No		2025 Sidewalk Survey	99.429632
SW_Seg_3294	3293	Polyline	3294	C	Worse Condition	11.987321	Not ADA compliant	No		2025 Sidewalk Survey	11.987321
SW_Seg_3295	3294	Polyline	3295	C	Worse Condition	8.091623	Not ADA compliant	No		2025 Sidewalk Survey	8.091623

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3296	3295	Polyline	3296	C	Worse Condition	12.233525	Not ADA compliant	No		2025 Sidewalk Survey	12.233525
SW_Seg_3297	3296	Polyline	3297	C	Worse Condition	12.492866	Not ADA compliant	No			12.492866
SW_Seg_3298	3297	Polyline	3298	B	Good Condition	130.927702	May be ADA compliant			2025 Sidewalk Survey	130.927702
SW_Seg_3299	3298	Polyline	3299	A	Best Condition	20.933737	Most likely compliant	Candidate			20.933737
SW_Seg_3300	3299	Polyline	3300	B	Good Condition	65.379905	May be ADA compliant			2025 Sidewalk Survey	65.379905
SW_Seg_3301	3300	Polyline	3301	A	Best Condition	22.245369	Most likely compliant	Candidate			22.245369
SW_Seg_3302	3301	Polyline	3302	A	Best Condition	22.611489	Most likely compliant	Candidate			22.611489
SW_Seg_3303	3302	Polyline	3303	B	Good Condition	123.015055	May be ADA compliant			2025 Sidewalk Survey	123.015055
SW_Seg_3304	3303	Polyline	3304	A	Best Condition	20.564948	Most likely compliant	Candidate			20.564948
SW_Seg_3305	3304	Polyline	3305	B	Good Condition	64.666196	May be ADA compliant			2025 Sidewalk Survey	64.666196
SW_Seg_3306	3305	Polyline	3306	C	Worse Condition	107.876289	Not ADA compliant	No		2025 Sidewalk Survey	107.876289
SW_Seg_3307	3306	Polyline	3307	A	Best Condition	44.88713	Most likely compliant	Candidate			44.88713
SW_Seg_3308	3307	Polyline	3308	A	Best Condition	105.861605	Most likely compliant	Candidate			105.861605
SW_Seg_3309	3308	Polyline	3309	A	Best Condition	19.815439	Most likely compliant	Candidate			19.815439
SW_Seg_3310	3309	Polyline	3310	A	Best Condition	17.018941	Most likely compliant	Candidate			17.018941
SW_Seg_3311	3310	Polyline	3311	C	Worse Condition	14.545844	Not ADA compliant	No			14.545844
SW_Seg_3312	3311	Polyline	3312	C	Worse Condition	8.671145	Not ADA compliant	No			8.671145
SW_Seg_3313	3312	Polyline	3313	A	Best Condition	101.311786	Most likely compliant	Candidate			101.311786
SW_Seg_3314	3313	Polyline	3314	A	Best Condition	64.622344	Most likely compliant	Candidate			64.622344
SW_Seg_3315	3314	Polyline	3315	B	Good Condition	134.212924	May be ADA compliant			2025 Sidewalk Survey	134.212924
SW_Seg_3316	3315	Polyline	3316	A	Best Condition	69.268478	Most likely compliant	Candidate			69.268478
SW_Seg_3317	3316	Polyline	3317	C	Worse Condition	89.544775	Not ADA compliant			2025 Sidewalk Survey	89.544775
SW_Seg_3318	3317	Polyline	3318	C	Worse Condition	31.549271	Not ADA compliant				31.549271
SW_Seg_3319	3318	Polyline	3319	B	Good Condition	29.681759	May be ADA compliant				29.681759
SW_Seg_3320	3319	Polyline	3320	A	Best Condition	51.943506	Most likely compliant	Candidate			51.943506
SW_Seg_3321	3320	Polyline	3321	A	Best Condition	40.687381	Most likely compliant	Candidate			40.687381
SW_Seg_3322	3321	Polyline	3322	B	Good Condition	34.840145	May be ADA compliant			2025 Sidewalk Survey	34.840145
SW_Seg_3323	3322	Polyline	3323	A	Best Condition	8.517592	Most likely compliant	Candidate			8.517592
SW_Seg_3324	3323	Polyline	3324	C	Worse Condition	6.552277	Not ADA compliant	No			6.552258
SW_Seg_3325	3324	Polyline	3325	C	Worse Condition	69.061944	Not ADA compliant	No		2025 Sidewalk Survey	69.061944
SW_Seg_3326	3325	Polyline	3326	A	Best Condition	3.418396	Most likely compliant	Candidate			3.418396
SW_Seg_3327	3326	Polyline	3327	B	Good Condition	6.08899	May be ADA compliant				6.088957
SW_Seg_3328	3327	Polyline	3328	A	Best Condition	7.924236	Most likely compliant	Candidate			7.924226
SW_Seg_3329	3328	Polyline	3329	B	Good Condition	46.812131	May be ADA compliant			2025 Sidewalk Survey	46.812131
SW_Seg_3330	3329	Polyline	3330	C	Worse Condition	5.211796	Not ADA compliant	No			5.211796
SW_Seg_3331	3330	Polyline	3331	B	Good Condition	5.919541	May be ADA compliant				5.919523
SW_Seg_3332	3331	Polyline	3332	B	Good Condition	140.129404	May be ADA compliant			2025 Sidewalk Survey	140.129404
SW_Seg_3333	3332	Polyline	3333	A	Best Condition	20.527291	Most likely compliant	Candidate			20.527291
SW_Seg_3334	3333	Polyline	3334	B	Good Condition	141.928241	May be ADA compliant			2025 Sidewalk Survey	141.928241
SW_Seg_3335	3334	Polyline	3335	A	Best Condition	19.69371	Most likely compliant	Candidate			19.69371
SW_Seg_3336	3335	Polyline	3336	C	Worse Condition	58.483087	Not ADA compliant	No		2025 Sidewalk Survey	58.483087
SW_Seg_3337	3336	Polyline	3337	B	Good Condition	65.397353	May be ADA compliant				65.397353
SW_Seg_3338	3337	Polyline	3338	C	Worse Condition	40.478004	Not ADA compliant	No			40.478004
SW_Seg_3339	3338	Polyline	3339	C	Worse Condition	10.292654	Not ADA compliant	No			10.292654
SW_Seg_3340	3339	Polyline	3340	C	Worse Condition	15.624546	Not ADA compliant	No			15.624546
SW_Seg_3341	3340	Polyline	3341	C	Worse Condition	15.450959	Not ADA compliant	No			15.450959
SW_Seg_3342	3341	Polyline	3342	C	Worse Condition	10.768401	Not ADA compliant	No			10.768401
SW_Seg_3343	3342	Polyline	3343	C	Worse Condition	12.598605	Not ADA compliant	No			12.598605
SW_Seg_3344	3343	Polyline	3344	C	Worse Condition	13.667111	Not ADA compliant	No			13.667111
SW_Seg_3345	3344	Polyline	3345	C	Worse Condition	7.703068	Not ADA compliant	No			7.703068
SW_Seg_3346	3345	Polyline	3346	C	Worse Condition	11.886673	Not ADA compliant	No			11.886673
SW_Seg_3347	3346	Polyline	3347	C	Worse Condition	13.66578	Not ADA compliant	No			13.66578
SW_Seg_3348	3347	Polyline	3348	C	Worse Condition	6.529951	Not ADA compliant	No			6.529951
SW_Seg_3349	3348	Polyline	3349	C	Worse Condition	64.816156	Not ADA compliant	No			64.816156

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3350	3349	Polyline	3350	B	Good Condition	89.581594	May be ADA compliant				89.581594
SW_Seg_3351	3350	Polyline	3351	C	Worse Condition	19.387491	Not ADA compliant	No			19.387491
SW_Seg_3352	3351	Polyline	3352	B	Good Condition	56.943565	May be ADA compliant			2025 Sidewalk Survey	56.943565
SW_Seg_3353	3352	Polyline	3353	C	Worse Condition	12.411145	Not ADA compliant	No			12.411145
SW_Seg_3354	3353	Polyline	3354	A	Best Condition	54.436372	Most likely compliant	Candidate			54.436372
SW_Seg_3355	3354	Polyline	3355	B	Good Condition	31.033242	May be ADA compliant				31.033242
SW_Seg_3356	3355	Polyline	3356	B	Good Condition	51.422735	May be ADA compliant				51.422735
SW_Seg_3357	3356	Polyline	3357	A	Best Condition	20.587769	Most likely compliant	Candidate			20.587769
SW_Seg_3358	3357	Polyline	3358	B	Good Condition	59.901529	May be ADA compliant				59.901529
SW_Seg_3359	3358	Polyline	3359	B	Good Condition	15.127516	May be ADA compliant				15.127516
SW_Seg_3360	3359	Polyline	3360	B	Good Condition	52.019716	May be ADA compliant				52.019716
SW_Seg_3361	3360	Polyline	3361	A	Best Condition	14.306128	Most likely compliant	Candidate			14.306128
SW_Seg_3362	3361	Polyline	3362	C	Worse Condition	17.432423	Not ADA compliant	No			17.432423
SW_Seg_3363	3362	Polyline	3363	C	Worse Condition	19.393253	Not ADA compliant	No			19.393253
SW_Seg_3364	3363	Polyline	3364	B	Good Condition	103.901039	May be ADA compliant			2025 Sidewalk Survey	103.901039
SW_Seg_3365	3364	Polyline	3365	C	Worse Condition	43.935997	Not ADA compliant	No		2025 Sidewalk Survey	43.935997
SW_Seg_3366	3365	Polyline	3366	C	Worse Condition	25.418491	Not ADA compliant	No			25.418491
SW_Seg_3367	3366	Polyline	3367	C	Worse Condition	54.695794	Not ADA compliant	No			54.695794
SW_Seg_3368	3367	Polyline	3368	A	Best Condition	23.727547	Most likely compliant	Candidate			23.727547
SW_Seg_3369	3368	Polyline	3369	B	Good Condition	92.90702	May be ADA compliant				92.90702
SW_Seg_3370	3369	Polyline	3370	C	Worse Condition	7.773774	Not ADA compliant	No			7.773774
SW_Seg_3371	3370	Polyline	3371	C	Worse Condition	9.050972	Not ADA compliant	No			9.050972
SW_Seg_3372	3371	Polyline	3372	C	Worse Condition	11.107891	Not ADA compliant	No			11.107891
SW_Seg_3373	3372	Polyline	3373	C	Worse Condition	11.138256	Not ADA compliant	No			11.138256
SW_Seg_3374	3373	Polyline	3374	C	Worse Condition	11.935584	Not ADA compliant	No			11.935584
SW_Seg_3375	3374	Polyline	3375	C	Worse Condition	6.793247	Not ADA compliant	No			6.793247
SW_Seg_3376	3375	Polyline	3376	B	Good Condition	91.740889	May be ADA compliant				91.740889
SW_Seg_3377	3376	Polyline	3377	A	Best Condition	17.227983	Most likely compliant	Candidate			17.227983
SW_Seg_3378	3377	Polyline	3378	B	Good Condition	36.530615	May be ADA compliant				36.530615
SW_Seg_3379	3378	Polyline	3379	A	Best Condition	17.992997	Most likely compliant	Candidate			17.992997
SW_Seg_3380	3379	Polyline	3380	B	Good Condition	90.613395	May be ADA compliant				90.613395
SW_Seg_3381	3380	Polyline	3381	A	Best Condition	21.790121	Most likely compliant	Candidate			21.790121
SW_Seg_3382	3381	Polyline	3382	A	Best Condition	27.65938	Most likely compliant	Candidate			27.65938
SW_Seg_3383	3382	Polyline	3383	A	Best Condition	27.174	Most likely compliant	Candidate			27.174
SW_Seg_3384	3383	Polyline	3384	A	Best Condition	41.336602	Most likely compliant	Candidate			41.336602
SW_Seg_3385	3384	Polyline	3385	A	Best Condition	49.585654	Most likely compliant	Candidate			49.585654
SW_Seg_3386	3385	Polyline	3386	A	Best Condition	18.978995	Most likely compliant	Candidate			18.978995
SW_Seg_3387	3386	Polyline	3387	A	Best Condition	12.93692	Most likely compliant	Candidate			12.93692
SW_Seg_3388	3387	Polyline	3388	B	Good Condition	6.146378	May be ADA compliant				6.146378
SW_Seg_3389	3388	Polyline	3389	A	Best Condition	12.235471	Most likely compliant	Candidate			12.235471
SW_Seg_3390	3389	Polyline	3390	C	Worse Condition	19.356938	Not ADA compliant	No			19.356938
SW_Seg_3391	3390	Polyline	3391	B	Good Condition	13.300458	May be ADA compliant				13.300458
SW_Seg_3392	3391	Polyline	3392	B	Good Condition	40.140723	May be ADA compliant				40.140723
SW_Seg_3393	3392	Polyline	3393	C	Worse Condition	22.488099	Not ADA compliant	No			22.488099
SW_Seg_3394	3393	Polyline	3394	A	Best Condition	99.993493	Most likely compliant	Candidate			99.993493
SW_Seg_3395	3394	Polyline	3395	B	Good Condition	5.535755	May be ADA compliant				5.535755
SW_Seg_3396	3395	Polyline	3396	C	Worse Condition	6.450721	Not ADA compliant	No			6.450721
SW_Seg_3397	3396	Polyline	3397	B	Good Condition	6.14871	May be ADA compliant				6.14871
SW_Seg_3398	3397	Polyline	3398	B	Good Condition	87.236059	May be ADA compliant				87.236059
SW_Seg_3399	3398	Polyline	3399	A	Best Condition	15.456873	Most likely compliant	Candidate			15.456873
SW_Seg_3400	3399	Polyline	3400	C	Worse Condition	46.728804	Not ADA compliant	No			46.728804
SW_Seg_3401	3400	Polyline	3401	C	Worse Condition	8.677958	Not ADA compliant	No			8.677958
SW_Seg_3402	3401	Polyline	3402	B	Good Condition	110.223837	May be ADA compliant				110.223837
SW_Seg_3403	3402	Polyline	3403	C	Worse Condition	45.820648	Not ADA compliant	No		2025 Sidewalk Survey	45.820648

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3404	3403	Polyline	3404	C	Worse Condition	19.247951	Not ADA compliant	No			19.247951
SW_Seg_3405	3404	Polyline	3405	C	Worse Condition	15.826058	Not ADA compliant	No			15.826058
SW_Seg_3406	3405	Polyline	3406	C	Worse Condition	9.964136	Not ADA compliant	No			9.964136
SW_Seg_3407	3406	Polyline	3407	C	Worse Condition	14.06762	Not ADA compliant	No			14.06762
SW_Seg_3408	3407	Polyline	3408	C	Worse Condition	79.090373	Not ADA compliant	No		2025 Sidewalk Survey	79.090373
SW_Seg_3409	3408	Polyline	3409	B	Good Condition	13.399775	May be ADA compliant				13.399775
SW_Seg_3410	3409	Polyline	3410	B	Good Condition	11.762388	May be ADA compliant				11.762388
SW_Seg_3411	3410	Polyline	3411	B	Good Condition	135.594964	May be ADA compliant				135.594964
SW_Seg_3412	3411	Polyline	3412	C	Worse Condition	22.632073	Not ADA compliant	No			22.632073
SW_Seg_3413	3412	Polyline	3413	C	Worse Condition	131.918422	Not ADA compliant	No			131.918422
SW_Seg_3414	3413	Polyline	3414	B	Good Condition	17.264936	May be ADA compliant				17.264936
SW_Seg_3415	3414	Polyline	3415	B	Good Condition	141.854173	May be ADA compliant				141.854173
SW_Seg_3416	3415	Polyline	3416	A	Best Condition	17.347808	Most likely compliant	Candidate			17.347808
SW_Seg_3417	3416	Polyline	3417	B	Good Condition	142.357794	May be ADA compliant				142.357794
SW_Seg_3418	3417	Polyline	3418	A	Best Condition	23.440591	Most likely compliant	Candidate			23.440591
SW_Seg_3419	3418	Polyline	3419	C	Worse Condition	8.355354	Not ADA compliant	No			8.355354
SW_Seg_3420	3419	Polyline	3420	C	Worse Condition	13.805208	Not ADA compliant	No			13.805208
SW_Seg_3421	3420	Polyline	3421	C	Worse Condition	7.63878	Not ADA compliant	No			7.63878
SW_Seg_3422	3421	Polyline	3422	C	Worse Condition	12.931073	Not ADA compliant	No			12.931073
SW_Seg_3423	3422	Polyline	3423	C	Worse Condition	12.461109	Not ADA compliant	No			12.461109
SW_Seg_3424	3423	Polyline	3424	C	Worse Condition	10.746707	Not ADA compliant	No			10.746707
SW_Seg_3425	3424	Polyline	3425	C	Worse Condition	11.333668	Not ADA compliant	No			11.333668
SW_Seg_3426	3425	Polyline	3426	C	Worse Condition	22.653869	Not ADA compliant	No			22.653869
SW_Seg_3427	3426	Polyline	3427	C	Worse Condition	10.44902	Not ADA compliant	No			10.44902
SW_Seg_3428	3427	Polyline	3428	C	Worse Condition	12.197656	Not ADA compliant	No			12.197656
SW_Seg_3429	3428	Polyline	3429	C	Worse Condition	9.75054	Not ADA compliant	No			9.75054
SW_Seg_3430	3429	Polyline	3430	C	Worse Condition	15.942832	Not ADA compliant	No			15.942832
SW_Seg_3431	3430	Polyline	3431	C	Worse Condition	10.856491	Not ADA compliant	No			10.856491
SW_Seg_3432	3431	Polyline	3432	C	Worse Condition	10.674104	Not ADA compliant	No			10.674104
SW_Seg_3433	3432	Polyline	3433	B	Good Condition	17.013033	May be ADA compliant				17.013033
SW_Seg_3434	3433	Polyline	3434	B	Good Condition	10.167864	May be ADA compliant				10.167864
SW_Seg_3435	3434	Polyline	3435	B	Good Condition	15.607834	May be ADA compliant				15.607834
SW_Seg_3436	3435	Polyline	3436	B	Good Condition	10.462436	May be ADA compliant				10.462436
SW_Seg_3437	3436	Polyline	3437	B	Good Condition	12.437489	May be ADA compliant				12.437489
SW_Seg_3438	3437	Polyline	3438	B	Good Condition	55.334325	May be ADA compliant				55.334325
SW_Seg_3439	3438	Polyline	3439	C	Worse Condition	88.333809	Not ADA compliant	No			88.333809
SW_Seg_3440	3439	Polyline	3440	C	Worse Condition	70.333875	Not ADA compliant	No			70.333875
SW_Seg_3441	3440	Polyline	3441	A	Best Condition	40.758201	Most likely compliant	Candidate			40.758201
SW_Seg_3442	3441	Polyline	3442	C	Worse Condition	27.150235	Not ADA compliant	No			27.150235
SW_Seg_3443	3442	Polyline	3443	C	Worse Condition	74.658072	Not ADA compliant	No			74.658072
SW_Seg_3444	3443	Polyline	3444	A	Best Condition	77.552812	Most likely compliant	Candidate			77.552812
SW_Seg_3445	3444	Polyline	3445	C	Worse Condition	61.723366	Not ADA compliant	No			61.723366
SW_Seg_3446	3445	Polyline	3446	B	Good Condition	14.474032	May be ADA compliant				14.474032
SW_Seg_3447	3446	Polyline	3447	B	Good Condition	83.290977	May be ADA compliant				83.290977
SW_Seg_3448	3447	Polyline	3448	C	Worse Condition	24.367517	Not ADA compliant	No			24.367517
SW_Seg_3449	3448	Polyline	3449	C	Worse Condition	23.605	Not ADA compliant	No			23.605
SW_Seg_3450	3449	Polyline	3450	C	Worse Condition	9.84029	Not ADA compliant	No			9.84029
SW_Seg_3451	3450	Polyline	3451	A	Best Condition	18.675915	Most likely compliant	Candidate			18.675915
SW_Seg_3452	3451	Polyline	3452	B	Good Condition	9.330996	May be ADA compliant				9.330996
SW_Seg_3453	3452	Polyline	3453	C	Worse Condition	126.252872	Not ADA compliant	No		2025 Sidewalk Survey	126.252872
SW_Seg_3454	3453	Polyline	3454	A	Best Condition	51.962615	Most likely compliant	Candidate			51.962615
SW_Seg_3455	3454	Polyline	3455	B	Good Condition	28.200969	May be ADA compliant			2025 Sidewalk Survey	28.200969
SW_Seg_3456	3455	Polyline	3456	C	Worse Condition	25.728248	Not ADA compliant	No		2025 Sidewalk Survey	25.728248
SW_Seg_3457	3456	Polyline	3457	A	Best Condition	19.548632	Most likely compliant	Candidate			19.548632

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3458	3457	Polyline	3458	A	Best Condition	100.548601	Most likely compliant	Candidate			100.548601
SW_Seg_3459	3458	Polyline	3459	B	Good Condition	112.225027	May be ADA compliant				112.225027
SW_Seg_3460	3459	Polyline	3460	A	Best Condition	19.685476	Most likely compliant	Candidate			19.685476
SW_Seg_3461	3460	Polyline	3461	B	Good Condition	80.701264	May be ADA compliant				80.701264
SW_Seg_3462	3461	Polyline	3462	A	Best Condition	29.218427	Most likely compliant	Candidate			29.218427
SW_Seg_3463	3462	Polyline	3463	B	Good Condition	11.131707	May be ADA compliant				11.131707
SW_Seg_3464	3463	Polyline	3464	A	Best Condition	28.714891	Most likely compliant	Candidate			28.714891
SW_Seg_3465	3464	Polyline	3465	B	Good Condition	18.714382	May be ADA compliant				18.714382
SW_Seg_3466	3465	Polyline	3466	B	Good Condition	47.075287	May be ADA compliant				47.075287
SW_Seg_3467	3466	Polyline	3467	A	Best Condition	53.65508	Most likely compliant	Candidate			53.65508
SW_Seg_3468	3467	Polyline	3468	A	Best Condition	10.972482	Most likely compliant	Candidate			10.97252
SW_Seg_3469	3468	Polyline	3469	A	Best Condition	1.214433	Most likely compliant	Candidate			1.214433
SW_Seg_3470	3469	Polyline	3470	C	Worse Condition	45.686366	Not ADA compliant				45.686366
SW_Seg_3471	3470	Polyline	3471	A	Best Condition	8.662048	Most likely compliant	Candidate			8.662048
SW_Seg_3472	3471	Polyline	3472	B	Good Condition	29.403416	May be ADA compliant				29.403416
SW_Seg_3473	3472	Polyline	3473	A	Best Condition	20.88115	Most likely compliant	Candidate			20.88115
SW_Seg_3474	3473	Polyline	3474	C	Worse Condition	5.357518	Not ADA compliant	No			5.357518
SW_Seg_3475	3474	Polyline	3475	C	Worse Condition	6.537183	Not ADA compliant				6.537183
SW_Seg_3476	3475	Polyline	3476	B	Good Condition	21.580049	May be ADA compliant				21.580049
SW_Seg_3477	3476	Polyline	3477	B	Good Condition	23.362379	May be ADA compliant				23.362379
SW_Seg_3478	3477	Polyline	3478	B	Good Condition	17.005776	May be ADA compliant				17.005776
SW_Seg_3479	3478	Polyline	3479	B	Good Condition	13.951545	May be ADA compliant				13.951545
SW_Seg_3480	3479	Polyline	3480	B	Good Condition	24.32747	May be ADA compliant				24.32747
SW_Seg_3481	3480	Polyline	3481	C	Worse Condition	11.141374	Not ADA compliant				11.141374
SW_Seg_3482	3481	Polyline	3482	B	Good Condition	122.895315	May be ADA compliant				122.895315
SW_Seg_3483	3482	Polyline	3483	B	Good Condition	20.671859	May be ADA compliant				20.671859
SW_Seg_3484	3483	Polyline	3484	C	Worse Condition	44.578536	Not ADA compliant	No		2025 Sidewalk Survey	44.578536
SW_Seg_3485	3484	Polyline	3485	B	Good Condition	4.429178	May be ADA compliant				4.429178
SW_Seg_3486	3485	Polyline	3486	C	Worse Condition	26.399757	Not ADA compliant	No			26.399757
SW_Seg_3487	3486	Polyline	3487	A	Best Condition	4.729131	Most likely compliant	Candidate			4.729131
SW_Seg_3488	3487	Polyline	3488	B	Good Condition	68.687293	May be ADA compliant				68.687293
SW_Seg_3489	3488	Polyline	3489	A	Best Condition	58.013258	Most likely compliant	Candidate			58.013258
SW_Seg_3490	3489	Polyline	3490	B	Good Condition	6.960291	May be ADA compliant				6.960291
SW_Seg_3491	3490	Polyline	3491	A	Best Condition	32.670519	Most likely compliant	Candidate			32.670519
SW_Seg_3492	3491	Polyline	3492	A	Best Condition	126.350173	Most likely compliant	Candidate			126.350173
SW_Seg_3493	3492	Polyline	3493	A	Best Condition	74.81943	Most likely compliant	Candidate			74.81943
SW_Seg_3494	3493	Polyline	3494	B	Good Condition	9.022416	May be ADA compliant				9.022416
SW_Seg_3495	3494	Polyline	3495	A	Best Condition	3.014757	Most likely compliant	Candidate			3.014757
SW_Seg_3496	3495	Polyline	3496	B	Good Condition	28.509391	May be ADA compliant			2025 Sidewalk Survey	28.509391
SW_Seg_3497	3496	Polyline	3497	C	Worse Condition	91.951198	Not ADA compliant	No		2025 Sidewalk Survey	91.951198
SW_Seg_3498	3497	Polyline	3498	B	Good Condition	37.583292	May be ADA compliant				37.583292
SW_Seg_3499	3498	Polyline	3499	C	Worse Condition	20.123444	Not ADA compliant	No			20.123444
SW_Seg_3500	3499	Polyline	3500	B	Good Condition	90.679711	May be ADA compliant				90.679711
SW_Seg_3501	3500	Polyline	3501	C	Worse Condition	26.483647	Not ADA compliant				26.483647
SW_Seg_3502	3501	Polyline	3502	C	Worse Condition	23.827191	Not ADA compliant	No			23.827191
SW_Seg_3503	3502	Polyline	3503	B	Good Condition	97.217191	May be ADA compliant				97.217191
SW_Seg_3504	3503	Polyline	3504	B	Good Condition	61.802819	May be ADA compliant				61.802819
SW_Seg_3505	3504	Polyline	3505	D	Missing	30.123687	Not ADA compliant - Missing	No	Stairs	2025 Sidewalk Survey	30.123687
SW_Seg_3507	3505	Polyline	3507	C	Worse Condition	23.987258	Not ADA compliant	No			23.987258
SW_Seg_3508	3506	Polyline	3508	B	Good Condition	147.430557	May be ADA compliant				147.430557
SW_Seg_3509	3507	Polyline	3509	C	Worse Condition	34.320394	Not ADA compliant	No		2025 Sidewalk Survey	34.320394
SW_Seg_3510	3508	Polyline	3510	C	Worse Condition	14.733954	Not ADA compliant	No	Stepped slope with curb		14.733954
SW_Seg_3511	3509	Polyline	3511	D	Missing	7.86994	Not ADA compliant - Missing	No	Stairs		7.86994
SW_Seg_3512	3510	Polyline	3512	B	Good Condition	2.235787	May be ADA compliant				2.235787

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3513	3511	Polyline	3513	C	Worse Condition	6.730717	Not ADA compliant	No			6.730717
SW_Seg_3514	3512	Polyline	3514	B	Good Condition	10.28433	May be ADA compliant				10.28433
SW_Seg_3515	3513	Polyline	3515	B	Good Condition	9.667748	May be ADA compliant				9.667748
SW_Seg_3516	3514	Polyline	3516	B	Good Condition	8.340275	May be ADA compliant				8.340275
SW_Seg_3517	3515	Polyline	3517	C	Worse Condition	10.290003	Not ADA compliant	No			10.290003
SW_Seg_3518	3516	Polyline	3518	B	Good Condition	9.445298	May be ADA compliant				9.445298
SW_Seg_3519	3517	Polyline	3519	C	Worse Condition	7.79818	Not ADA compliant	No			7.79818
SW_Seg_3520	3518	Polyline	3520	A	Best Condition	23.991288	Most likely compliant	Candidate			23.991288
SW_Seg_3521	3519	Polyline	3521	A	Best Condition	18.979201	Most likely compliant	Candidate			18.979201
SW_Seg_3522	3520	Polyline	3522	C	Worse Condition	7.762371	Not ADA compliant				7.762371
SW_Seg_3523	3521	Polyline	3523	C	Worse Condition	15.473995	Not ADA compliant				15.473995
SW_Seg_3524	3522	Polyline	3524	B	Good Condition	76.469155	May be ADA compliant				76.469155
SW_Seg_3525	3523	Polyline	3525	C	Worse Condition	31.33094	Not ADA compliant	No	Stepped slope with curb		31.33094
SW_Seg_3526	3524	Polyline	3526	C	Worse Condition	9.352173	Not ADA compliant				9.352173
SW_Seg_3527	3525	Polyline	3527	B	Good Condition	17.542771	May be ADA compliant				17.542771
SW_Seg_3528	3526	Polyline	3528	B	Good Condition	13.168083	May be ADA compliant				13.16807
SW_Seg_3529	3527	Polyline	3529	B	Good Condition	7.323874	May be ADA compliant				7.323874
SW_Seg_3530	3528	Polyline	3530	B	Good Condition	6.09412	May be ADA compliant				6.09412
SW_Seg_3531	3529	Polyline	3531	C	Worse Condition	3.175324	Not ADA compliant				3.175324
SW_Seg_3532	3530	Polyline	3532	C	Worse Condition	8.205258	Not ADA compliant				8.205258
SW_Seg_3533	3531	Polyline	3533	B	Good Condition	110.030406	May be ADA compliant				110.030406
SW_Seg_3534	3532	Polyline	3534	C	Worse Condition	49.376326	Not ADA compliant	No			49.376326
SW_Seg_3535	3533	Polyline	3535	A	Best Condition	8.307563	Most likely compliant	Candidate			8.307563
SW_Seg_3536	3534	Polyline	3536	A	Best Condition	16.240459	Most likely compliant	Candidate			16.240459
SW_Seg_3537	3535	Polyline	3537	A	Best Condition	8.105127	Most likely compliant	Candidate			8.105127
SW_Seg_3538	3536	Polyline	3538	A	Best Condition	18.860425	Most likely compliant	Candidate			18.860425
SW_Seg_3539	3537	Polyline	3539	A	Best Condition	332.727084	Most likely compliant	Candidate			332.727084
SW_Seg_3540	3538	Polyline	3540	C	Worse Condition	133.861482	Not ADA compliant	No			133.861482
SW_Seg_3541	3539	Polyline	3541	B	Good Condition	44.302432	May be ADA compliant				44.302432
SW_Seg_3542	3540	Polyline	3542	C	Worse Condition	114.998911	Not ADA compliant	No			114.998911
SW_Seg_3543	3541	Polyline	3543	B	Good Condition	19.565358	May be ADA compliant				19.565358
SW_Seg_3544	3542	Polyline	3544	C	Worse Condition	157.42617	Not ADA compliant	No			157.42617
SW_Seg_3545	3543	Polyline	3545	A	Best Condition	140.391744	Most likely compliant	Candidate		2025 Sidewalk Survey	140.391744
SW_Seg_3546	3544	Polyline	3546	C	Worse Condition	25.666843	Not ADA compliant	No		2025 Sidewalk Survey	25.666843
SW_Seg_3547	3545	Polyline	3547	C	Worse Condition	17.053827	Not ADA compliant	No		2025 Sidewalk Survey	17.053827
SW_Seg_3548	3546	Polyline	3548	B	Good Condition	29.288987	May be ADA compliant			2025 Sidewalk Survey	29.288987
SW_Seg_3549	3547	Polyline	3549	B	Good Condition	58.75369	May be ADA compliant			2025 Sidewalk Survey	58.75369
SW_Seg_3550	3548	Polyline	3550	C	Worse Condition	118.112118	Not ADA compliant	No		2025 Sidewalk Survey	118.112118
SW_Seg_3551	3549	Polyline	3551	A	Best Condition	13.575648	Most likely compliant	Candidate			13.575648
SW_Seg_3552	3550	Polyline	3552	C	Worse Condition	102.907801	Not ADA compliant	No		2025 Sidewalk Survey	102.907801
SW_Seg_3553	3551	Polyline	3553	C	Worse Condition	61.975228	Not ADA compliant			2025 Sidewalk Survey	61.975228
SW_Seg_3554	3552	Polyline	3554	C	Worse Condition	16.712978	Not ADA compliant	No			16.712978
SW_Seg_3555	3553	Polyline	3555	B	Good Condition	50.84995	May be ADA compliant			2025 Sidewalk Survey	50.84995
SW_Seg_3556	3554	Polyline	3556	A	Best Condition	27.080594	Most likely compliant	Candidate			27.080594
SW_Seg_3557	3555	Polyline	3557	B	Good Condition	21.394205	May be ADA compliant			2025 Sidewalk Survey	21.394205
SW_Seg_3558	3556	Polyline	3558	B	Good Condition	46.242614	May be ADA compliant			2025 Sidewalk Survey	46.242614
SW_Seg_3559	3557	Polyline	3559	C	Worse Condition	18.393757	Not ADA compliant	No			18.393757
SW_Seg_3560	3558	Polyline	3560	C	Worse Condition	12.803619	Not ADA compliant	No			12.803619
SW_Seg_3561	3559	Polyline	3561	C	Worse Condition	104.768154	Not ADA compliant	No		2025 Sidewalk Survey	104.768154
SW_Seg_3562	3560	Polyline	3562	A	Best Condition	14.772818	Most likely compliant	Candidate			14.772818
SW_Seg_3563	3561	Polyline	3563	C	Worse Condition	9.841448	Not ADA compliant	No			9.841448
SW_Seg_3564	3562	Polyline	3564	B	Good Condition	41.93986	May be ADA compliant			2025 Sidewalk Survey	41.93986
SW_Seg_3565	3563	Polyline	3565	C	Worse Condition	27.075317	Not ADA compliant	No		2025 Sidewalk Survey	27.075317
SW_Seg_3566	3564	Polyline	3566	C	Worse Condition	49.058019	Not ADA compliant	No		2025 Sidewalk Survey	49.058019

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3567	3565	Polyline	3567	D	Missing	48.241068	Not ADA compliant - Missing	No		2025 Sidewalk Survey	48.241068
SW_Seg_3568	3566	Polyline	3568	C	Worse Condition	11.445416	Not ADA compliant	No		2025 Sidewalk Survey	11.445416
SW_Seg_3569	3567	Polyline	3569	C	Worse Condition	120.569683	Not ADA compliant	No		2025 Sidewalk Survey	120.569683
SW_Seg_3570	3568	Polyline	3570	C	Worse Condition	14.308595	Not ADA compliant	No			14.308595
SW_Seg_3571	3569	Polyline	3571	C	Worse Condition	7.718938	Not ADA compliant				7.718938
SW_Seg_3572	3570	Polyline	3572	C	Worse Condition	149.898999	Not ADA compliant	No		2025 Sidewalk Survey	149.898999
SW_Seg_3573	3571	Polyline	3573	C	Worse Condition	17.640187	Not ADA compliant	NO			17.640187
SW_Seg_3574	3572	Polyline	3574	A	Best Condition	9.182533	Most likely compliant	Candidate			9.182533
SW_Seg_3575	3573	Polyline	3575	B	Good Condition	49.151489	May be ADA compliant				49.151489
SW_Seg_3576	3574	Polyline	3576	A	Best Condition	19.13385	Most likely compliant	Candidate			19.13385
SW_Seg_3577	3575	Polyline	3577	B	Good Condition	24.638038	May be ADA compliant				24.638038
SW_Seg_3578	3576	Polyline	3578	B	Good Condition	32.671707	May be ADA compliant				32.671707
SW_Seg_3579	3577	Polyline	3579	A	Best Condition	32.207652	Most likely compliant	Candidate			32.207652
SW_Seg_3580	3578	Polyline	3580	B	Good Condition	26.64934	May be ADA compliant				26.64934
SW_Seg_3581	3579	Polyline	3581	B	Good Condition	15.904967	May be ADA compliant				15.904989
SW_Seg_3582	3580	Polyline	3582	C	Worse Condition	28.770624	Not ADA compliant	No			28.770624
SW_Seg_3583	3581	Polyline	3583	A	Best Condition	103.527834	Most likely compliant	Candidate			103.527834
SW_Seg_3584	3582	Polyline	3584	A	Best Condition	24.897232	Most likely compliant	Candidate			24.897232
SW_Seg_3585	3583	Polyline	3585	B	Good Condition	42.140788	May be ADA compliant				42.140788
SW_Seg_3586	3584	Polyline	3586	C	Worse Condition	42.499825	Not ADA compliant	No			42.499827
SW_Seg_3587	3585	Polyline	3587	B	Good Condition	61.961199	May be ADA compliant				61.961198
SW_Seg_3588	3586	Polyline	3588	C	Worse Condition	32.663193	Not ADA compliant	No			32.663186
SW_Seg_3589	3587	Polyline	3589	C	Worse Condition	16.804293	Not ADA compliant	No			16.804293
SW_Seg_3590	3588	Polyline	3590	B	Good Condition	31.828808	May be ADA compliant				31.828808
SW_Seg_3591	3589	Polyline	3591	A	Best Condition	12.466504	Most likely compliant	Candidate			12.466504
SW_Seg_3592	3590	Polyline	3592	C	Worse Condition	24.12286	Not ADA compliant	No			24.12286
SW_Seg_3593	3591	Polyline	3593	B	Good Condition	45.376558	May be ADA compliant				45.376558
SW_Seg_3594	3592	Polyline	3594	C	Worse Condition	147.400174	Not ADA compliant	No		2025 Sidewalk Survey	147.400174
SW_Seg_3595	3593	Polyline	3595	B	Good Condition	72.52403	May be ADA compliant			2025 Sidewalk Survey	72.52403
SW_Seg_3596	3594	Polyline	3596	A	Best Condition	27.126879	Most likely compliant	Candidate			27.126879
SW_Seg_3597	3595	Polyline	3597	B	Good Condition	55.832089	May be ADA compliant				55.832089
SW_Seg_3598	3596	Polyline	3598	B	Good Condition	319.116255	May be ADA compliant				319.116255
SW_Seg_3599	3597	Polyline	3599	B	Good Condition	158.824041	May be ADA compliant			2025 Sidewalk Survey	158.824041
SW_Seg_3600	3598	Polyline	3600	C	Worse Condition	119.627814	Not ADA compliant	No			119.627814
SW_Seg_3601	3599	Polyline	3601	B	Good Condition	61.059394	May be ADA compliant	No		2025 Sidewalk Survey	61.059394
SW_Seg_3602	3600	Polyline	3602	C	Worse Condition	15.711422	Not ADA compliant	No			15.711424
SW_Seg_3603	3601	Polyline	3603	B	Good Condition	86.456874	May be ADA compliant				86.456874
SW_Seg_3604	3602	Polyline	3604	C	Worse Condition	6.526972	Not ADA compliant	No			6.526972
SW_Seg_3605	3603	Polyline	3605	B	Good Condition	74.10213	May be ADA compliant				74.10213
SW_Seg_3606	3604	Polyline	3606	B	Good Condition	50.205661	May be ADA compliant				50.205661
SW_Seg_3607	3605	Polyline	3607	B	Good Condition	26.843784	May be ADA compliant				26.843784
SW_Seg_3608	3606	Polyline	3608	C	Worse Condition	28.33662	Not ADA compliant	No		2025 Sidewalk Survey	28.33662
SW_Seg_3609	3607	Polyline	3609	A	Best Condition	51.465032	Most likely compliant	Candidate			51.465032
SW_Seg_3610	3608	Polyline	3610	C	Worse Condition	20.162148	Not ADA compliant	No			20.162148
SW_Seg_3611	3609	Polyline	3611	C	Worse Condition	143.878707	Not ADA compliant	No			143.878707
SW_Seg_3612	3610	Polyline	3612	C	Worse Condition	18.306636	Not ADA compliant	No			18.306636
SW_Seg_3613	3611	Polyline	3613	C	Worse Condition	49.920621	Not ADA compliant	No			49.920621
SW_Seg_3614	3612	Polyline	3614	C	Worse Condition	19.827942	Not ADA compliant	No			19.827942
SW_Seg_3615	3613	Polyline	3615	B	Good Condition	12.593061	May be ADA compliant				12.593061
SW_Seg_3616	3614	Polyline	3616	A	Best Condition	25.690952	Most likely compliant	Candidate			25.690963
SW_Seg_3617	3615	Polyline	3617	B	Good Condition	2.526602	May be ADA compliant				2.526602
SW_Seg_3618	3616	Polyline	3618	B	Good Condition	20.328099	May be ADA compliant				20.328099
SW_Seg_3619	3617	Polyline	3619	C	Worse Condition	33.173753	Not ADA compliant				33.173753
SW_Seg_3620	3618	Polyline	3620	C	Worse Condition	37.948135	Not ADA compliant				37.948129

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3621	3619	Polyline	3621	C	Worse Condition	503.309497	Not ADA compliant	No			503.309497
SW_Seg_3622	3620	Polyline	3622	C	Worse Condition	122.77334	Not ADA compliant	No		2025 Sidewalk Survey	122.77334
SW_Seg_3623	3621	Polyline	3623	B	Good Condition	33.901098	May be ADA compliant			2025 Sidewalk Survey	33.901098
SW_Seg_3624	3622	Polyline	3624	C	Worse Condition	17.401656	Not ADA compliant	No		2025 Sidewalk Survey	17.401656
SW_Seg_3625	3623	Polyline	3625	C	Worse Condition	35.821869	Not ADA compliant	No			35.821874
SW_Seg_3626	3624	Polyline	3626	C	Worse Condition	103.131233	Not ADA compliant	No			103.131245
SW_Seg_3627	3625	Polyline	3627	B	Good Condition	14.556296	May be ADA compliant				14.556296
SW_Seg_3628	3626	Polyline	3628	A	Best Condition	13.43592	Most likely compliant	Candidate			13.43592
SW_Seg_3629	3627	Polyline	3629	B	Good Condition	11.985507	May be ADA compliant				11.985507
SW_Seg_3630	3628	Polyline	3630	B	Good Condition	8.592121	May be ADA compliant				8.592121
SW_Seg_3631	3629	Polyline	3631	B	Good Condition	31.114624	May be ADA compliant				31.114624
SW_Seg_3632	3630	Polyline	3632	B	Good Condition	16.183052	May be ADA compliant				16.183052
SW_Seg_3633	3631	Polyline	3633	B	Good Condition	12.489945	May be ADA compliant				12.489945
SW_Seg_3634	3632	Polyline	3634	B	Good Condition	74.087303	May be ADA compliant				74.087303
SW_Seg_3635	3633	Polyline	3635	B	Good Condition	16.235467	May be ADA compliant				16.235467
SW_Seg_3636	3634	Polyline	3636	B	Good Condition	13.06248	May be ADA compliant				13.06248
SW_Seg_3637	3635	Polyline	3637	B	Good Condition	19.295823	May be ADA compliant				19.295823
SW_Seg_3638	3636	Polyline	3638	B	Good Condition	10.349878	May be ADA compliant				10.349878
SW_Seg_3639	3637	Polyline	3639	C	Worse Condition	71.248598	Not ADA compliant	No		2025 Sidewalk Survey	71.248598
SW_Seg_3640	3638	Polyline	3640	C	Worse Condition	128.326456	Not ADA compliant				128.326456
SW_Seg_3641	3639	Polyline	3641	A	Best Condition	18.127772	Most likely compliant	Candidate			18.127772
SW_Seg_3642	3640	Polyline	3642	B	Good Condition	139.401179	May be ADA compliant				139.401179
SW_Seg_3643	3641	Polyline	3643	B	Good Condition	16.582155	May be ADA compliant				16.582155
SW_Seg_3644	3642	Polyline	3644	B	Good Condition	16.454917	May be ADA compliant				16.454917
SW_Seg_3645	3643	Polyline	3645	C	Worse Condition	10.870654	Not ADA compliant	No			10.870654
SW_Seg_3646	3644	Polyline	3646	C	Worse Condition	17.421257	Not ADA compliant	No			17.421257
SW_Seg_3647	3645	Polyline	3647	C	Worse Condition	8.687564	Not ADA compliant	No	Stepped slope with curb		8.687564
SW_Seg_3648	3646	Polyline	3648	C	Worse Condition	16.539016	Not ADA compliant	No			16.539016
SW_Seg_3649	3647	Polyline	3649	C	Worse Condition	7.032466	Not ADA compliant	No			7.032466
SW_Seg_3650	3648	Polyline	3650	B	Good Condition	44.950741	May be ADA compliant				44.950741
SW_Seg_3651	3649	Polyline	3651	B	Good Condition	15.277283	May be ADA compliant				15.277283
SW_Seg_3652	3650	Polyline	3652	B	Good Condition	8.929396	May be ADA compliant				8.929396
SW_Seg_3653	3651	Polyline	3653	B	Good Condition	40.740887	May be ADA compliant				40.740887
SW_Seg_3654	3652	Polyline	3654	C	Worse Condition	16.700725	Not ADA compliant	No			16.700725
SW_Seg_3655	3653	Polyline	3655	C	Worse Condition	7.367432	Not ADA compliant	No			7.367432
SW_Seg_3656	3654	Polyline	3656	C	Worse Condition	9.881964	Not ADA compliant	No			9.881964
SW_Seg_3657	3655	Polyline	3657	C	Worse Condition	17.107991	Not ADA compliant	No			17.107991
SW_Seg_3658	3656	Polyline	3658	C	Worse Condition	8.154982	Not ADA compliant	No			8.154982
SW_Seg_3659	3657	Polyline	3659	C	Worse Condition	17.178067	Not ADA compliant	No			17.178067
SW_Seg_3660	3658	Polyline	3660	A	Best Condition	64.419136	Most likely compliant	Candidate			64.419136
SW_Seg_3661	3659	Polyline	3661	B	Good Condition	143.01163	May be ADA compliant				143.01163
SW_Seg_3662	3660	Polyline	3662	A	Best Condition	12.744778	Most likely compliant	Candidate			12.744778
SW_Seg_3663	3661	Polyline	3663	C	Worse Condition	87.214022	Not ADA compliant	No			87.214022
SW_Seg_3664	3662	Polyline	3664	A	Best Condition	19.194206	Most likely compliant	Candidate			19.194206
SW_Seg_3665	3663	Polyline	3665	B	Good Condition	96.108804	May be ADA compliant				96.108804
SW_Seg_3666	3664	Polyline	3666	A	Best Condition	47.58421	Most likely compliant	Candidate			47.58421
SW_Seg_3667	3665	Polyline	3667	C	Worse Condition	7.786996	Not ADA compliant	No			7.786996
SW_Seg_3668	3666	Polyline	3668	B	Good Condition	35.376993	May be ADA compliant				35.376993
SW_Seg_3669	3667	Polyline	3669	B	Good Condition	12.319581	May be ADA compliant				12.319581
SW_Seg_3670	3668	Polyline	3670	C	Worse Condition	7.54378	Not ADA compliant	No			7.54378
SW_Seg_3671	3669	Polyline	3671	C	Worse Condition	10.94311	Not ADA compliant	No			10.94311
SW_Seg_3672	3670	Polyline	3672	B	Good Condition	51.122155	May be ADA compliant				51.122154
SW_Seg_3673	3671	Polyline	3673	C	Worse Condition	56.1752	Not ADA compliant			2025 Sidewalk Survey	56.1752
SW_Seg_3674	3672	Polyline	3674	C	Worse Condition	59.093107	Not ADA compliant	No		2025 Sidewalk Survey	59.093107

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3675	3673	Polyline	3675	B	Good Condition	69.898053	May be ADA compliant				69.898053
SW_Seg_3676	3674	Polyline	3676	C	Worse Condition	42.416549	Not ADA compliant	No			42.416549
SW_Seg_3677	3675	Polyline	3677	C	Worse Condition	12.143575	Not ADA compliant	No			12.143575
SW_Seg_3678	3676	Polyline	3678	C	Worse Condition	4.312277	Not ADA compliant	No			4.312277
SW_Seg_3679	3677	Polyline	3679	C	Worse Condition	12.343945	Not ADA compliant				12.343945
SW_Seg_3680	3678	Polyline	3680	C	Worse Condition	7.868949	Not ADA compliant				7.868949
SW_Seg_3681	3679	Polyline	3681	B	Good Condition	143.422265	May be ADA compliant				143.422265
SW_Seg_3682	3680	Polyline	3682	A	Best Condition	16.376147	Most likely compliant	Candidate			16.376147
SW_Seg_3683	3681	Polyline	3683	C	Worse Condition	71.573902	Not ADA compliant	No			71.573902
SW_Seg_3684	3682	Polyline	3684	A	Best Condition	140.850018	Most likely compliant	Candidate			140.850018
SW_Seg_3686	3683	Polyline	3686	B	Good Condition	107.959032	May be ADA compliant				107.959032
SW_Seg_3687	3684	Polyline	3687	C	Worse Condition	9.876994	Not ADA compliant	No			9.876994
SW_Seg_3688	3685	Polyline	3688	C	Worse Condition	141.317586	Not ADA compliant	No			141.317586
SW_Seg_3689	3686	Polyline	3689	C	Worse Condition	15.568994	Not ADA compliant	No			15.568994
SW_Seg_3691	3687	Polyline	3691	B	Good Condition	120.207652	May be ADA compliant				120.207652
SW_Seg_3692	3688	Polyline	3692	C	Worse Condition	105.543539	Not ADA compliant	NO			105.543539
SW_Seg_3693	3689	Polyline	3693	A	Best Condition	6.089452	Most likely compliant	Candidate			6.089452
SW_Seg_3694	3690	Polyline	3694	B	Good Condition	88.727965	May be ADA compliant				88.727965
SW_Seg_3695	3691	Polyline	3695	C	Worse Condition	52.844713	Not ADA compliant				52.844713
SW_Seg_3696	3692	Polyline	3696	C	Worse Condition	15.085399	Not ADA compliant				15.085399
SW_Seg_3697	3693	Polyline	3697	C	Worse Condition	16.726686	Not ADA compliant				16.726686
SW_Seg_3698	3694	Polyline	3698	C	Worse Condition	10.947975	Not ADA compliant				10.947975
SW_Seg_3699	3695	Polyline	3699	A	Best Condition	10.04662	Most likely compliant	Candidate			10.04662
SW_Seg_3700	3696	Polyline	3700	A	Best Condition	125.885614	Most likely compliant	Candidate			125.885614
SW_Seg_3701	3697	Polyline	3701	B	Good Condition	175.287505	May be ADA compliant				175.287505
SW_Seg_3702	3698	Polyline	3702	A	Best Condition	11.179052	Most likely compliant	Candidate			11.179052
SW_Seg_3703	3699	Polyline	3703	C	Worse Condition	16.550079	Not ADA compliant				16.550079
SW_Seg_3704	3700	Polyline	3704	C	Worse Condition	8.598902	Not ADA compliant				8.598902
SW_Seg_3705	3701	Polyline	3705	A	Best Condition	7.768128	Most likely compliant	Candidate			7.768128
SW_Seg_3706	3702	Polyline	3706	A	Best Condition	20.858681	Most likely compliant	Candidate			20.858681
SW_Seg_3707	3703	Polyline	3707	A	Best Condition	94.687003	Most likely compliant	Candidate			94.686984
SW_Seg_3708	3704	Polyline	3708	A	Best Condition	17.049197	Most likely compliant	Candidate			17.049197
SW_Seg_3709	3705	Polyline	3709	A	Best Condition	13.976077	Most likely compliant	Candidate			13.976077
SW_Seg_3710	3706	Polyline	3710	B	Good Condition	9.497343	May be ADA compliant				9.497343
SW_Seg_3711	3707	Polyline	3711	B	Good Condition	146.408141	May be ADA compliant				146.408141
SW_Seg_3712	3708	Polyline	3712	C	Worse Condition	6.693809	Not ADA compliant	No			6.693809
SW_Seg_3713	3709	Polyline	3713	A	Best Condition	20.525937	Most likely compliant	Candidate			20.525937
SW_Seg_3714	3710	Polyline	3714	A	Best Condition	24.806303	Most likely compliant	Candidate			24.806303
SW_Seg_3715	3711	Polyline	3715	A	Best Condition	47.526798	Most likely compliant	Candidate			47.526798
SW_Seg_3716	3712	Polyline	3716	B	Good Condition	74.502904	May be ADA compliant				74.502904
SW_Seg_3717	3713	Polyline	3717	A	Best Condition	52.391574	Most likely compliant	Candidate			52.391574
SW_Seg_3718	3714	Polyline	3718	B	Good Condition	18.638524	May be ADA compliant				18.638524
SW_Seg_3719	3715	Polyline	3719	B	Good Condition	134.91416	May be ADA compliant				134.91416
SW_Seg_3720	3716	Polyline	3720	C	Worse Condition	19.273152	Not ADA compliant				19.273152
SW_Seg_3721	3717	Polyline	3721	A	Best Condition	18.36977	Most likely compliant	Candidate			18.36977
SW_Seg_3722	3718	Polyline	3722	A	Best Condition	38.163262	Most likely compliant	Candidate			38.163262
SW_Seg_3723	3719	Polyline	3723	A	Best Condition	131.112278	Most likely compliant	Candidate			131.112278
SW_Seg_3724	3720	Polyline	3724	B	Good Condition	18.421703	May be ADA compliant				18.421703
SW_Seg_3725	3721	Polyline	3725	C	Worse Condition	25.142923	Not ADA compliant	No			25.142923
SW_Seg_3726	3722	Polyline	3726	B	Good Condition	31.959869	May be ADA compliant				31.959869
SW_Seg_3727	3723	Polyline	3727	B	Good Condition	90.903391	May be ADA compliant				90.903391
SW_Seg_3728	3724	Polyline	3728	A	Best Condition	53.773588	Most likely compliant	Candidate			53.773588
SW_Seg_3729	3725	Polyline	3729	A	Best Condition	10.795708	Most likely compliant	Candidate			10.795708
SW_Seg_3730	3726	Polyline	3730	A	Best Condition	352.509096	Most likely compliant	Candidate			352.509096

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3731	3727	Polyline	3731	B	Good Condition	49.2229	May be ADA compliant				49.2229
SW_Seg_3732	3728	Polyline	3732	A	Best Condition	71.058554	Most likely compliant	Candidate			71.058554
SW_Seg_3733	3729	Polyline	3733	B	Good Condition	108.740173	May be ADA compliant				108.740173
SW_Seg_3734	3730	Polyline	3734	B	Good Condition	17.24522	May be ADA compliant				17.24522
SW_Seg_3735	3731	Polyline	3735	B	Good Condition	54.611336	May be ADA compliant				54.611336
SW_Seg_3736	3732	Polyline	3736	A	Best Condition	32.920829	Most likely compliant	Candidate			32.920829
SW_Seg_3737	3733	Polyline	3737	C	Worse Condition	14.999554	Not ADA compliant				14.999554
SW_Seg_3738	3734	Polyline	3738	C	Worse Condition	27.305347	Not ADA compliant				27.305347
SW_Seg_3739	3735	Polyline	3739	B	Good Condition	23.665801	May be ADA compliant				23.665801
SW_Seg_3740	3736	Polyline	3740	B	Good Condition	48.67234	May be ADA compliant				48.67234
SW_Seg_3741	3737	Polyline	3741	B	Good Condition	28.981612	May be ADA compliant				28.981612
SW_Seg_3742	3738	Polyline	3742	B	Good Condition	147.196377	May be ADA compliant			2025 Sidewalk Survey	147.196377
SW_Seg_3743	3739	Polyline	3743	C	Worse Condition	90.644808	Not ADA compliant			2025 Sidewalk Survey	90.644808
SW_Seg_3744	3740	Polyline	3744	C	Worse Condition	5.983192	Not ADA compliant	No			5.983192
SW_Seg_3745	3741	Polyline	3745	B	Good Condition	30.20656	May be ADA compliant			2025 Sidewalk Survey	30.20656
SW_Seg_3746	3742	Polyline	3746	A	Best Condition	50.251823	Most likely compliant	Candidate			50.251823
SW_Seg_3747	3743	Polyline	3747	A	Best Condition	22.220351	Most likely compliant	Candidate			22.220282
SW_Seg_3748	3744	Polyline	3748	C	Worse Condition	19.435505	Not ADA compliant				19.435505
SW_Seg_3749	3745	Polyline	3749	B	Good Condition	147.112458	May be ADA compliant				147.112458
SW_Seg_3750	3746	Polyline	3750	C	Worse Condition	15.29614	Not ADA compliant				15.296133
SW_Seg_3751	3747	Polyline	3751	C	Worse Condition	77.47458	Not ADA compliant			2025 Sidewalk Survey	77.47458
SW_Seg_3752	3748	Polyline	3752	C	Worse Condition	58.223375	Not ADA compliant			2025 Sidewalk Survey	58.223375
SW_Seg_3753	3749	Polyline	3753	B	Good Condition	25.251044	May be ADA compliant			2025 Sidewalk Survey	25.251044
SW_Seg_3754	3750	Polyline	3754	A	Best Condition	62.841208	Most likely compliant	Candidate			62.841208
SW_Seg_3755	3751	Polyline	3755	A	Best Condition	54.999837	Most likely compliant	Candidate			54.999837
SW_Seg_3756	3752	Polyline	3756	A	Best Condition	49.546333	Most likely compliant	Candidate			49.546333
SW_Seg_3757	3753	Polyline	3757	C	Worse Condition	13.028336	Not ADA compliant	No			13.028361
SW_Seg_3759	3754	Polyline	3759	B	Good Condition	82.619958	May be ADA compliant				82.619958
SW_Seg_3760	3755	Polyline	3760	B	Good Condition	118.634131	May be ADA compliant			2025 Sidewalk Survey	118.634131
SW_Seg_3761	3756	Polyline	3761	C	Good Condition	3.880459	Not ADA compliant	No			3.880459
SW_Seg_3762	3757	Polyline	3762	C	Worse Condition	2.742395	Not ADA compliant	No			2.742395
SW_Seg_3763	3758	Polyline	3763	B	Good Condition	112.154102	May be ADA compliant			2025 Sidewalk Survey	112.154102
SW_Seg_3764	3759	Polyline	3764	C	Worse Condition	10.111265	Not ADA compliant				10.111265
SW_Seg_3765	3760	Polyline	3765	B	Good Condition	142.147711	May be ADA compliant				142.147711
SW_Seg_3766	3761	Polyline	3766	C	Worse Condition	9.79834	Not ADA compliant				9.79834
SW_Seg_3767	3762	Polyline	3767	C	Worse Condition	14.459778	Not ADA compliant				14.459778
SW_Seg_3768	3763	Polyline	3768	C	Worse Condition	163.3155	Not ADA compliant				163.3155
SW_Seg_3769	3764	Polyline	3769	C	Worse Condition	5.273336	Not ADA compliant				5.273336
SW_Seg_3770	3765	Polyline	3770	C	Worse Condition	4.80993	Not ADA compliant				4.80993
SW_Seg_3771	3766	Polyline	3771	C	Worse Condition	29.051152	Not ADA compliant				29.051152
SW_Seg_3772	3767	Polyline	3772	A	Best Condition	123.312789	Most likely compliant	Candidate			123.312789
SW_Seg_3773	3768	Polyline	3773	C	Worse Condition	3.419926	Not ADA compliant				3.419926
SW_Seg_3774	3769	Polyline	3774	C	Worse Condition	7.812121	Not ADA compliant				7.812121
SW_Seg_3775	3770	Polyline	3775	C	Worse Condition	7.282917	Not ADA compliant				7.282917
SW_Seg_3776	3771	Polyline	3776	D	Missing	3.63226	Not ADA compliant - Missing	No	Stairs		3.63226
SW_Seg_3777	3772	Polyline	3777	B	Good Condition	124.037694	May be ADA compliant				124.037694
SW_Seg_3778	3773	Polyline	3778	B	Good Condition	128.195728	May be ADA compliant				128.195728
SW_Seg_3779	3774	Polyline	3779	C	Worse Condition	10.376399	Not ADA compliant				10.376399
SW_Seg_3780	3775	Polyline	3780	C	Worse Condition	130.383822	Not ADA compliant			2025 Sidewalk Survey	130.383822
SW_Seg_3781	3776	Polyline	3781	B	Good Condition	170.04009	May be ADA compliant			2025 Sidewalk Survey	170.04009
SW_Seg_3782	3777	Polyline	3782	C	Worse Condition	25.245471	Not ADA compliant			2025 Sidewalk Survey	25.245492
SW_Seg_3783	3778	Polyline	3783	C	Worse Condition	85.049444	Not ADA compliant			2025 Sidewalk Survey	85.049444
SW_Seg_3784	3779	Polyline	3784	C	Worse Condition	51.600969	Not ADA compliant			2025 Sidewalk Survey	51.600952
SW_Seg_3785	3780	Polyline	3785	B	Good Condition	152.225535	May be ADA compliant			2025 Sidewalk Survey	152.225535

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3786	3781	Polyline	3786	C	Worse Condition	73.479155	Not ADA compliant	No		2025 Sidewalk Survey	73.479155
SW_Seg_3787	3782	Polyline	3787	B	Good Condition	176.644579	May be ADA compliant			2025 Sidewalk Survey	176.644579
SW_Seg_3788	3783	Polyline	3788	C	Worse Condition	132.273245	Not ADA compliant	No		2025 Sidewalk Survey	132.273245
SW_Seg_3789	3784	Polyline	3789	B	Good Condition	124.591639	May be ADA compliant			2025 Sidewalk Survey	124.591639
SW_Seg_3790	3785	Polyline	3790	C	Worse Condition	62.947375	Not ADA compliant			2025 Sidewalk Survey	62.947375
SW_Seg_3791	3786	Polyline	3791	C	Worse Condition	117.676325	Not ADA compliant			2025 Sidewalk Survey	117.676325
SW_Seg_3792	3787	Polyline	3792	B	Good Condition	48.508698	May be ADA compliant			2025 Sidewalk Survey	48.508698
SW_Seg_3793	3788	Polyline	3793	C	Worse Condition	13.93904	Not ADA compliant			2025 Sidewalk Survey	13.93904
SW_Seg_3794	3789	Polyline	3794	C	Worse Condition	12.98872	Not ADA compliant			2025 Sidewalk Survey	12.98872
SW_Seg_3795	3790	Polyline	3795	C	Worse Condition	12.128411	Not ADA compliant			2025 Sidewalk Survey	12.128411
SW_Seg_3796	3791	Polyline	3796	C	Worse Condition	6.729064	Not ADA compliant				6.729064
SW_Seg_3797	3792	Polyline	3797	C	Worse Condition	4.631902	Not ADA compliant				4.631902
SW_Seg_3798	3793	Polyline	3798	C	Worse Condition	10.193446	Not ADA compliant				10.193446
SW_Seg_3799	3794	Polyline	3799	C	Worse Condition	8.114385	Not ADA compliant				8.114385
SW_Seg_3800	3795	Polyline	3800	C	Worse Condition	33.399399	Not ADA compliant				33.399399
SW_Seg_3801	3796	Polyline	3801	C	Worse Condition	24.551189	Not ADA compliant				24.551189
SW_Seg_3802	3797	Polyline	3802	C	Worse Condition	20.752803	Not ADA compliant				20.752803
SW_Seg_3803	3798	Polyline	3803	B	Good Condition	71.567024	May be ADA compliant				71.567024
SW_Seg_3804	3799	Polyline	3804	C	Worse Condition	47.804081	Not ADA compliant	No			47.804081
SW_Seg_3805	3800	Polyline	3805	B	Good Condition	50.533204	May be ADA compliant				50.533205
SW_Seg_3806	3801	Polyline	3806	C	Worse Condition	13.498694	Not ADA compliant	No		2025 Sidewalk Survey	13.498694
SW_Seg_3807	3802	Polyline	3807	B	Good Condition	101.647063	May be ADA compliant				101.647063
SW_Seg_3808	3803	Polyline	3808	C	Worse Condition	25.315192	Not ADA compliant			2025 Sidewalk Survey	25.315192
SW_Seg_3809	3804	Polyline	3809	B	Good Condition	55.194892	May be ADA compliant			2025 Sidewalk Survey	55.194892
SW_Seg_3810	3805	Polyline	3810	A	Best Condition	11.318954	Most likely compliant	Candidate			11.318954
SW_Seg_3811	3806	Polyline	3811	B	Good Condition	41.670015	May be ADA compliant				41.670015
SW_Seg_3812	3807	Polyline	3812	A	Best Condition	8.645308	Most likely compliant	Candidate			8.645308
SW_Seg_3813	3808	Polyline	3813	B	Good Condition	37.580404	May be ADA compliant				37.580404
SW_Seg_3814	3809	Polyline	3814	A	Best Condition	8.281719	Most likely compliant	Candidate			8.281719
SW_Seg_3815	3810	Polyline	3815	D	Missing	21.685701	Not ADA compliant - Missing	No			21.685701
SW_Seg_3816	3811	Polyline	3816	C	Worse Condition	7.007634	Not ADA compliant				7.007634
SW_Seg_3817	3812	Polyline	3817	C	Worse Condition	8.801657	Not ADA compliant				8.801657
SW_Seg_3818	3813	Polyline	3818	C	Worse Condition	7.417999	Not ADA compliant				7.417999
SW_Seg_3819	3814	Polyline	3819	C	Worse Condition	4.389898	Not ADA compliant				4.389898
SW_Seg_3820	3815	Polyline	3820	C	Worse Condition	3.303185	Not ADA compliant				3.303185
SW_Seg_3821	3816	Polyline	3821	C	Worse Condition	21.423158	Not ADA compliant				21.423158
SW_Seg_3822	3817	Polyline	3822	A	Best Condition	16.896997	Most likely compliant	Candidate			16.896997
SW_Seg_3823	3818	Polyline	3823	A	Best Condition	16.139828	Most likely compliant	Candidate			16.139828
SW_Seg_3824	3819	Polyline	3824	A	Best Condition	20.041023	Most likely compliant	Candidate			20.041023
SW_Seg_3825	3820	Polyline	3825	A	Best Condition	13.494003	Most likely compliant	Candidate			13.494003
SW_Seg_3826	3821	Polyline	3826	B	Good Condition	89.962796	May be ADA compliant				89.962796
SW_Seg_3827	3822	Polyline	3827	A	Best Condition	20.658036	Most likely compliant	Candidate			20.658036
SW_Seg_3828	3823	Polyline	3828	A	Best Condition	18.597781	Most likely compliant	Candidate			18.597765
SW_Seg_3829	3824	Polyline	3829	B	Good Condition	61.258167	May be ADA compliant				61.258167
SW_Seg_3830	3825	Polyline	3830	C	Worse Condition	12.010754	Not ADA compliant	No			12.010754
SW_Seg_3831	3826	Polyline	3831	C	Worse Condition	163.833561	Not ADA compliant			2025 Sidewalk Survey	163.833561
SW_Seg_3832	3827	Polyline	3832	C	Worse Condition	24.221435	Not ADA compliant				24.221435
SW_Seg_3833	3828	Polyline	3833	C	Worse Condition	3.250916	Not ADA compliant				3.250916
SW_Seg_3834	3829	Polyline	3834	C	Worse Condition	17.176368	Not ADA compliant				17.176368
SW_Seg_3835	3830	Polyline	3835	C	Worse Condition	10.064352	Not ADA compliant				10.064352
SW_Seg_3836	3831	Polyline	3836	C	Worse Condition	10.495515	Not ADA compliant				10.495515
SW_Seg_3837	3832	Polyline	3837	C	Worse Condition	16.862418	Not ADA compliant				16.862418
SW_Seg_3838	3833	Polyline	3838	C	Worse Condition	10.582809	Not ADA compliant				10.582809
SW_Seg_3839	3834	Polyline	3839	B	Good Condition	44.424309	May be ADA compliant				44.424309

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3840	3835	Polyline	3840	C	Worse Condition	16.128492	Not ADA compliant	No			16.128492
SW_Seg_3841	3836	Polyline	3841	B	Good Condition	87.985213	May be ADA compliant				87.985213
SW_Seg_3842	3837	Polyline	3842	C	Worse Condition	22.334416	Not ADA compliant	No			22.334416
SW_Seg_3843	3838	Polyline	3843	A	Best Condition	8.318521	Most likely compliant	Candidate			8.318521
SW_Seg_3844	3839	Polyline	3844	B	Good Condition	14.323348	May be ADA compliant				14.323348
SW_Seg_3845	3840	Polyline	3845	A	Best Condition	3.854446	Most likely compliant	Candidate			3.854446
SW_Seg_3846	3841	Polyline	3846	B	Good Condition	11.963146	May be ADA compliant				11.963146
SW_Seg_3847	3842	Polyline	3847	B	Good Condition	76.369065	May be ADA compliant				76.369065
SW_Seg_3848	3843	Polyline	3848	C	Worse Condition	25.211098	Not ADA compliant				25.211098
SW_Seg_3849	3844	Polyline	3849	C	Worse Condition	11.321754	Not ADA compliant				11.321754
SW_Seg_3850	3845	Polyline	3850	C	Worse Condition	10.753233	Not ADA compliant				10.753233
SW_Seg_3851	3846	Polyline	3851	C	Worse Condition	17.871526	Not ADA compliant				17.871526
SW_Seg_3852	3847	Polyline	3852	C	Worse Condition	17.723675	Not ADA compliant				17.723675
SW_Seg_3853	3848	Polyline	3853	C	Worse Condition	11.639628	Not ADA compliant				11.639628
SW_Seg_3854	3849	Polyline	3854	C	Worse Condition	16.298095	Not ADA compliant				16.298095
SW_Seg_3855	3850	Polyline	3855	B	Good Condition	81.127741	May be ADA compliant				81.127741
SW_Seg_3856	3851	Polyline	3856	C	Worse Condition	27.483396	Not ADA compliant				27.483396
SW_Seg_3857	3852	Polyline	3857	C	Worse Condition	16.142296	Not ADA compliant				16.142296
SW_Seg_3858	3853	Polyline	3858	C	Worse Condition	2.828455	Not ADA compliant				2.828455
SW_Seg_3859	3854	Polyline	3859	A	Best Condition	127.620189	Most likely compliant	Candidate			127.620189
SW_Seg_3860	3855	Polyline	3860	C	Worse Condition	20.247503	Not ADA compliant				20.247503
SW_Seg_3861	3856	Polyline	3861	C	Worse Condition	15.937525	Not ADA compliant				15.937525
SW_Seg_3862	3857	Polyline	3862	C	Worse Condition	10.943588	Not ADA compliant				10.943588
SW_Seg_3863	3858	Polyline	3863	C	Worse Condition	11.085989	Not ADA compliant				11.085989
SW_Seg_3864	3859	Polyline	3864	C	Worse Condition	5.163228	Not ADA compliant				5.163228
SW_Seg_3865	3860	Polyline	3865	C	Worse Condition	9.732942	Not ADA compliant				9.732942
SW_Seg_3866	3861	Polyline	3866	C	Worse Condition	15.363137	Not ADA compliant				15.363137
SW_Seg_3867	3862	Polyline	3867	C	Worse Condition	9.599152	Not ADA compliant				9.599152
SW_Seg_3868	3863	Polyline	3868	C	Worse Condition	15.043787	Not ADA compliant				15.043787
SW_Seg_3869	3864	Polyline	3869	B	Good Condition	14.352569	May be ADA compliant				14.352569
SW_Seg_3870	3865	Polyline	3870	B	Good Condition	12.409988	May be ADA compliant				12.409988
SW_Seg_3871	3866	Polyline	3871	B	Good Condition	85.512125	May be ADA compliant				85.512125
SW_Seg_3872	3867	Polyline	3872	C	Worse Condition	53.994129	Not ADA compliant				53.994129
SW_Seg_3873	3868	Polyline	3873	C	Worse Condition	9.127132	Not ADA compliant				9.127132
SW_Seg_3874	3869	Polyline	3874	B	Good Condition	15.61543	May be ADA compliant				15.61543
SW_Seg_3875	3870	Polyline	3875	B	Good Condition	58.773485	May be ADA compliant				58.773485
SW_Seg_3876	3871	Polyline	3876	A	Best Condition	11.886247	Most likely compliant	Candidate			11.886247
SW_Seg_3877	3872	Polyline	3877	C	Worse Condition	98.877912	Not ADA compliant		Vegetation	2025 Sidewalk Survey	98.877912
SW_Seg_3878	3873	Polyline	3878	B	Good Condition	6.708509	May be ADA compliant				6.708509
SW_Seg_3879	3874	Polyline	3879	C	Worse Condition	9.105235	Not ADA compliant				9.105235
SW_Seg_3880	3875	Polyline	3880	C	Worse Condition	16.071973	Not ADA compliant				16.071973
SW_Seg_3881	3876	Polyline	3881	B	Good Condition	11.092919	May be ADA compliant				11.092919
SW_Seg_3882	3877	Polyline	3882	C	Worse Condition	16.597262	Not ADA compliant				16.597262
SW_Seg_3883	3878	Polyline	3883	C	Worse Condition	16.885876	Not ADA compliant				16.885876
SW_Seg_3884	3879	Polyline	3884	B	Good Condition	10.236534	May be ADA compliant				10.236534
SW_Seg_3885	3880	Polyline	3885	C	Worse Condition	9.447162	Not ADA compliant				9.447162
SW_Seg_3886	3881	Polyline	3886	C	Worse Condition	16.115535	Not ADA compliant				16.115535
SW_Seg_3887	3882	Polyline	3887	C	Worse Condition	18.694602	Not ADA compliant				18.694602
SW_Seg_3888	3883	Polyline	3888	C	Worse Condition	14.420519	Not ADA compliant				14.420519
SW_Seg_3889	3884	Polyline	3889	B	Good Condition	74.457685	May be ADA compliant				74.457685
SW_Seg_3890	3885	Polyline	3890	C	Worse Condition	12.413346	Not ADA compliant				12.413346
SW_Seg_3891	3886	Polyline	3891	C	Worse Condition	51.092651	Not ADA compliant				51.092651
SW_Seg_3892	3887	Polyline	3892	B	Good Condition	17.977689	May be ADA compliant				17.977689
SW_Seg_3893	3888	Polyline	3893	C	Worse Condition	35.907055	Not ADA compliant			2025 Sidewalk Survey	35.907055

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3894	3889	Polyline	3894	B	Good Condition	134.057668	May be ADA compliant				134.057668
SW_Seg_3895	3890	Polyline	3895	C	Worse Condition	18.152864	Not ADA compliant	No			18.152864
SW_Seg_3896	3891	Polyline	3896	B	Good Condition	17.069885	May be ADA compliant				17.069885
SW_Seg_3897	3892	Polyline	3897	C	Worse Condition	3.289057	Not ADA compliant				3.289057
SW_Seg_3898	3893	Polyline	3898	C	Worse Condition	9.578998	Not ADA compliant				9.578998
SW_Seg_3899	3894	Polyline	3899	C	Worse Condition	50.712016	Not ADA compliant				50.712016
SW_Seg_3900	3895	Polyline	3900	C	Worse Condition	11.223702	Not ADA compliant				11.223702
SW_Seg_3901	3896	Polyline	3901	C	Worse Condition	32.554813	Not ADA compliant		Vegetation		32.554813
SW_Seg_3902	3897	Polyline	3902	B	Good Condition	5.54034	May be ADA compliant				5.54034
SW_Seg_3903	3898	Polyline	3903	C	Worse Condition	7.563508	Not ADA compliant				7.563508
SW_Seg_3904	3899	Polyline	3904	C	Worse Condition	9.512117	Not ADA compliant				9.512117
SW_Seg_3905	3900	Polyline	3905	B	Good Condition	7.957562	May be ADA compliant				7.957562
SW_Seg_3906	3901	Polyline	3906	B	Good Condition	154.703675	May be ADA compliant			2025 Sidewalk Survey	154.703675
SW_Seg_3907	3902	Polyline	3907	C	Worse Condition	34.950671	Not ADA compliant	No		2025 Sidewalk Survey	34.950671
SW_Seg_3908	3903	Polyline	3908	C	Worse Condition	18.087358	Not ADA compliant	No			18.087358
SW_Seg_3909	3904	Polyline	3909	B	Good Condition	182.296639	May be ADA compliant				182.296639
SW_Seg_3910	3905	Polyline	3910	C	Worse Condition	33.373985	Not ADA compliant	No			33.373985
SW_Seg_3911	3906	Polyline	3911	B	Good Condition	91.443437	May be ADA compliant				91.443437
SW_Seg_3912	3907	Polyline	3912	C	Worse Condition	27.436521	Not ADA compliant	No			27.436521
SW_Seg_3913	3908	Polyline	3913	C	Worse Condition	6.349126	Not ADA compliant				6.349126
SW_Seg_3914	3909	Polyline	3914	C	Worse Condition	9.017775	Not ADA compliant				9.017775
SW_Seg_3915	3910	Polyline	3915	B	Good Condition	109.285602	May be ADA compliant				109.285602
SW_Seg_3916	3911	Polyline	3916	C	Worse Condition	15.471079	Not ADA compliant	No		2025 Sidewalk Survey	15.471079
SW_Seg_3917	3912	Polyline	3917	B	Good Condition	28.849959	May be ADA compliant			2025 Sidewalk Survey	28.849959
SW_Seg_3918	3913	Polyline	3918	C	Worse Condition	29.207697	Not ADA compliant	No		2025 Sidewalk Survey	29.207697
SW_Seg_3919	3914	Polyline	3919	B	Good Condition	175.955414	May be ADA compliant				175.955414
SW_Seg_3920	3915	Polyline	3920	C	Worse Condition	19.023621	Not ADA compliant	No		2025 Sidewalk Survey	19.023621
SW_Seg_3921	3916	Polyline	3921	B	Good Condition	29.776654	May be ADA compliant			2025 Sidewalk Survey	29.776654
SW_Seg_3922	3917	Polyline	3922	A	Best Condition	21.989694	Most likely compliant	Candidate			21.989694
SW_Seg_3923	3918	Polyline	3923	B	Good Condition	18.457597	May be ADA compliant			2025 Sidewalk Survey	18.457597
SW_Seg_3924	3919	Polyline	3924	A	Best Condition	19.956281	Most likely compliant	Candidate			19.956281
SW_Seg_3925	3920	Polyline	3925	C	Worse Condition	10.255839	Not ADA compliant				10.255839
SW_Seg_3926	3921	Polyline	3926	C	Worse Condition	7.347434	Not ADA compliant				7.347434
SW_Seg_3927	3922	Polyline	3927	C	Worse Condition	5.553868	Not ADA compliant				5.553868
SW_Seg_3928	3923	Polyline	3928	C	Worse Condition	6.731558	Not ADA compliant				6.731558
SW_Seg_3929	3924	Polyline	3929	C	Worse Condition	9.770062	Not ADA compliant				9.770062
SW_Seg_3930	3925	Polyline	3930	C	Worse Condition	6.462233	Not ADA compliant				6.462233
SW_Seg_3931	3926	Polyline	3931	C	Worse Condition	9.442347	Not ADA compliant				9.442347
SW_Seg_3932	3927	Polyline	3932	C	Worse Condition	6.755819	Not ADA compliant				6.755819
SW_Seg_3933	3928	Polyline	3933	B	Good Condition	95.860165	May be ADA compliant			2025 Sidewalk Survey	95.860165
SW_Seg_3934	3929	Polyline	3934	A	Best Condition	43.502151	Most likely compliant	Candidate			43.502151
SW_Seg_3935	3930	Polyline	3935	B	Good Condition	208.435646	May be ADA compliant				208.435646
SW_Seg_3936	3931	Polyline	3936	C	Worse Condition	14.242339	Not ADA compliant				14.242339
SW_Seg_3937	3932	Polyline	3937	B	Good Condition	205.089353	May be ADA compliant				205.089353
SW_Seg_3938	3933	Polyline	3938	C	Worse Condition	13.9239	Not ADA compliant				13.9239
SW_Seg_3939	3934	Polyline	3939	C	Worse Condition	114.544272	Not ADA compliant				114.544272
SW_Seg_3940	3935	Polyline	3940	A	Best Condition	30.778345	Most likely compliant	Candidate			30.778345
SW_Seg_3941	3936	Polyline	3941	A	Best Condition	8.585178	Most likely compliant	Candidate			8.585178
SW_Seg_3942	3937	Polyline	3942	B	Good Condition	69.610666	May be ADA compliant				69.610666
SW_Seg_3943	3938	Polyline	3943	C	Worse Condition	39.541341	Not ADA compliant				39.541341
SW_Seg_3944	3939	Polyline	3944	C	Worse Condition	11.269735	Not ADA compliant				11.269735
SW_Seg_3945	3940	Polyline	3945	C	Worse Condition	6.170199	Not ADA compliant				6.170199
SW_Seg_3946	3941	Polyline	3946	B	Good Condition	135.341654	May be ADA compliant				135.341654
SW_Seg_3947	3942	Polyline	3947	A	Best Condition	53.056247	Most likely compliant	Candidate			53.056247

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_3948	3943	Polyline	3948	A	Best Condition	10.631543	Most likely compliant	Candidate			10.631543
SW_Seg_3949	3944	Polyline	3949	B	Good Condition	67.341359	May be ADA compliant				67.341359
SW_Seg_3950	3945	Polyline	3950	C	Worse Condition	16.150808	Not ADA compliant				16.150808
SW_Seg_3951	3946	Polyline	3951	B	Good Condition	11.145926	May be ADA compliant				11.145926
SW_Seg_3952	3947	Polyline	3952	C	Worse Condition	15.140807	Not ADA compliant				15.140807
SW_Seg_3953	3948	Polyline	3953	C	Worse Condition	20.246664	Not ADA compliant				20.246664
SW_Seg_3954	3949	Polyline	3954	C	Worse Condition	18.023674	Not ADA compliant				18.023674
SW_Seg_3955	3950	Polyline	3955	C	Worse Condition	9.349523	Not ADA compliant				9.349523
SW_Seg_3956	3951	Polyline	3956	C	Worse Condition	10.52833	Not ADA compliant				10.52833
SW_Seg_3957	3952	Polyline	3957	C	Worse Condition	15.044615	Not ADA compliant				15.044615
SW_Seg_3958	3953	Polyline	3958	C	Worse Condition	10.691508	Not ADA compliant				10.691508
SW_Seg_3959	3954	Polyline	3959	B	Good Condition	51.905871	May be ADA compliant				51.905871
SW_Seg_3960	3955	Polyline	3960	A	Best Condition	20.076185	Most likely compliant	Candidate			20.076185
SW_Seg_3961	3956	Polyline	3961	C	Worse Condition	7.981627	Not ADA compliant				7.981627
SW_Seg_3962	3957	Polyline	3962	C	Worse Condition	9.433984	Not ADA compliant				9.433984
SW_Seg_3963	3958	Polyline	3963	C	Worse Condition	9.34207	Not ADA compliant				9.34207
SW_Seg_3964	3959	Polyline	3964	C	Worse Condition	9.524979	Not ADA compliant				9.524979
SW_Seg_3965	3960	Polyline	3965	C	Worse Condition	7.198314	Not ADA compliant				7.198314
SW_Seg_3966	3961	Polyline	3966	C	Worse Condition	7.540863	Not ADA compliant				7.540863
SW_Seg_3967	3962	Polyline	3967	C	Worse Condition	6.755077	Not ADA compliant				6.755077
SW_Seg_3968	3963	Polyline	3968	B	Good Condition	121.102779	May be ADA compliant				121.102779
SW_Seg_3969	3964	Polyline	3969	A	Best Condition	39.437694	Most likely compliant	Candidate			39.437694
SW_Seg_3970	3965	Polyline	3970	B	Good Condition	108.191226	May be ADA compliant				108.191226
SW_Seg_3971	3966	Polyline	3971	C	Worse Condition	8.558704	Not ADA compliant				8.558704
SW_Seg_3972	3967	Polyline	3972	C	Worse Condition	10.847616	Not ADA compliant				10.847616
SW_Seg_3973	3968	Polyline	3973	B	Good Condition	97.372154	May be ADA compliant				97.372154
SW_Seg_3974	3969	Polyline	3974	A	Best Condition	14.528665	Most likely compliant	Candidate			14.528665
SW_Seg_3975	3970	Polyline	3975	C	Worse Condition	11.117254	Not ADA compliant				11.117254
SW_Seg_3976	3971	Polyline	3976	C	Worse Condition	15.871753	Not ADA compliant				15.871753
SW_Seg_3977	3972	Polyline	3977	B	Good Condition	91.897838	May be ADA compliant				91.897838
SW_Seg_3978	3973	Polyline	3978	C	Worse Condition	48.827923	Not ADA compliant				48.827923
SW_Seg_3979	3974	Polyline	3979	B	Good Condition	62.178198	May be ADA compliant				62.178198
SW_Seg_3980	3975	Polyline	3980	B	Good Condition	36.867036	May be ADA compliant				36.867036
SW_Seg_3981	3976	Polyline	3981	C	Worse Condition	10.457741	Not ADA compliant				10.457741
SW_Seg_3982	3977	Polyline	3982	C	Worse Condition	10.094601	Not ADA compliant				10.094601
SW_Seg_3983	3978	Polyline	3983	C	Worse Condition	10.385635	Not ADA compliant				10.385635
SW_Seg_3984	3979	Polyline	3984	C	Worse Condition	10.177079	Not ADA compliant	No			10.177079
SW_Seg_3985	3980	Polyline	3985	C	Worse Condition	96.327635	Not ADA compliant	No			96.327635
SW_Seg_3986	3981	Polyline	3986	C	Worse Condition	14.897835	Not ADA compliant				14.897835
SW_Seg_3987	3982	Polyline	3987	C	Worse Condition	11.337159	Not ADA compliant				11.337159
SW_Seg_3988	3983	Polyline	3988	C	Worse Condition	9.59189	Not ADA compliant				9.59189
SW_Seg_3989	3984	Polyline	3989	B	Good Condition	72.235869	May be ADA compliant				72.235869
SW_Seg_3990	3985	Polyline	3990	A	Best Condition	19.361302	Most likely compliant	Candidate			19.361302
SW_Seg_3991	3986	Polyline	3991	B	Good Condition	70.591043	May be ADA compliant				70.591043
SW_Seg_3992	3987	Polyline	3992	C	Worse Condition	50.051971	Not ADA compliant				50.051971
SW_Seg_3993	3988	Polyline	3993	B	Good Condition	19.684912	May be ADA compliant				19.684912
SW_Seg_3994	3989	Polyline	3994	C	Worse Condition	29.574138	Not ADA compliant				29.574138
SW_Seg_3995	3990	Polyline	3995	A	Best Condition	14.009884	Most likely compliant	Candidate			14.009884
SW_Seg_3996	3991	Polyline	3996	B	Good Condition	29.10829	May be ADA compliant				29.10829
SW_Seg_3997	3992	Polyline	3997	C	Worse Condition	15.644361	Not ADA compliant				15.644361
SW_Seg_3998	3993	Polyline	3998	C	Worse Condition	16.632433	Not ADA compliant				16.632433
SW_Seg_3999	3994	Polyline	3999	C	Worse Condition	19.262873	Not ADA compliant				19.262873
SW_Seg_4000	3995	Polyline	4000	C	Worse Condition	15.334466	Not ADA compliant				15.334466
SW_Seg_4001	3996	Polyline	4001	C	Worse Condition	10.092423	Not ADA compliant				10.092423

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_4002	3997	Polyline	4002	C	Worse Condition	9.921914	Not ADA compliant				9.921914
SW_Seg_4003	3998	Polyline	4003	C	Worse Condition	16.311054	Not ADA compliant				16.311054
SW_Seg_4004	3999	Polyline	4004	C	Worse Condition	16.841744	Not ADA compliant				16.841744
SW_Seg_4005	4000	Polyline	4005	A	Best Condition	17.332504	Most likely compliant	Candidate			17.332504
SW_Seg_4006	4001	Polyline	4006	A	Best Condition	7.807678	Most likely compliant	Candidate			7.807678
SW_Seg_4007	4002	Polyline	4007	C	Worse Condition	14.844402	Not ADA compliant				14.844402
SW_Seg_4008	4003	Polyline	4008	C	Worse Condition	8.051411	Not ADA compliant				8.051411
SW_Seg_4009	4004	Polyline	4009	A	Best Condition	8.167274	Most likely compliant	Candidate			8.167274
SW_Seg_4010	4005	Polyline	4010	B	Good Condition	153.939767	May be ADA compliant				153.939767
SW_Seg_4011	4006	Polyline	4011	C	Worse Condition	50.764665	Not ADA compliant				50.764665
SW_Seg_4012	4007	Polyline	4012	B	Good Condition	67.398265	May be ADA compliant			2025 Sidewalk Survey	67.398265
SW_Seg_4013	4008	Polyline	4013	A	Best Condition	62.444757	Most likely compliant	Candidate		2025 Sidewalk Survey	62.444757
SW_Seg_4014	4009	Polyline	4014	B	Good Condition	104.603533	May be ADA compliant				104.603533
SW_Seg_4015	4010	Polyline	4015	C	Worse Condition	14.28339	Not ADA compliant				14.28339
SW_Seg_4016	4011	Polyline	4016	A	Best Condition	43.926548	Most likely compliant	Candidate			43.926548
SW_Seg_4017	4012	Polyline	4017	A	Best Condition	11.022391	Most likely compliant	Candidate			11.022391
SW_Seg_4018	4013	Polyline	4018	B	Good Condition	23.679784	May be ADA compliant				23.679784
SW_Seg_4019	4014	Polyline	4019	C	Worse Condition	19.23359	Not ADA compliant				19.23359
SW_Seg_4020	4015	Polyline	4020	B	Good Condition	145.355981	May be ADA compliant				145.355981
SW_Seg_4021	4016	Polyline	4021	C	Worse Condition	20.526024	Not ADA compliant				20.526024
SW_Seg_4022	4017	Polyline	4022	C	Worse Condition	23.100001	Not ADA compliant				23.100001
SW_Seg_4023	4018	Polyline	4023	C	Worse Condition	15.150893	Not ADA compliant				15.150893
SW_Seg_4024	4019	Polyline	4024	B	Good Condition	16.853169	May be ADA compliant				16.853169
SW_Seg_4025	4020	Polyline	4025	B	Good Condition	191.53557	May be ADA compliant				191.53557
SW_Seg_4026	4021	Polyline	4026	B	Good Condition	6.919279	May be ADA compliant				6.919279
SW_Seg_4027	4022	Polyline	4027	A	Best Condition	25.145288	Most likely compliant	Candidate			25.145288
SW_Seg_4028	4023	Polyline	4028	A	Best Condition	19.726923	Most likely compliant	Candidate			19.726923
SW_Seg_4029	4024	Polyline	4029	A	Best Condition	32.65533	Most likely compliant	Candidate			32.65533
SW_Seg_4030	4025	Polyline	4030	A	Best Condition	29.912349	Most likely compliant	Candidate			29.912349
SW_Seg_4031	4026	Polyline	4031	A	Best Condition	15.796384	Most likely compliant	Candidate			15.796384
SW_Seg_4032	4027	Polyline	4032	A	Best Condition	30.969891	Most likely compliant	Candidate			30.969891
SW_Seg_4033	4028	Polyline	4033	A	Best Condition	17.244409	Most likely compliant	Candidate			17.244409
SW_Seg_4034	4029	Polyline	4034	A	Best Condition	9.209066	Most likely compliant	Candidate			9.209066
SW_Seg_4035	4030	Polyline	4035	C	Worse Condition	4.061558	Not ADA compliant				4.061558
SW_Seg_4036	4031	Polyline	4036	A	Best Condition	34.536735	Most likely compliant	Candidate			34.536735
SW_Seg_4037	4032	Polyline	4037	A	Best Condition	15.12239	Most likely compliant	Candidate			15.12239
SW_Seg_4038	4033	Polyline	4038	B	Good Condition	39.750881	May be ADA compliant				39.750881
SW_Seg_4039	4034	Polyline	4039	C	Worse Condition	9.771307	Not ADA compliant				9.771307
SW_Seg_4040	4035	Polyline	4040	C	Worse Condition	8.658917	Not ADA compliant				8.658917
SW_Seg_4041	4036	Polyline	4041	C	Worse Condition	2.68831	Not ADA compliant				2.68831
SW_Seg_4042	4037	Polyline	4042	C	Worse Condition	3.673683	Not ADA compliant				3.673683
SW_Seg_4043	4038	Polyline	4043	C	Worse Condition	11.067693	Not ADA compliant				11.067693
SW_Seg_4044	4039	Polyline	4044	C	Worse Condition	10.431914	Not ADA compliant				10.431914
SW_Seg_4045	4040	Polyline	4045	B	Good Condition	155.341893	May be ADA compliant				155.341893
SW_Seg_4046	4041	Polyline	4046	C	Worse Condition	8.608132	Not ADA compliant			2025 Sidewalk Survey	8.608132
SW_Seg_4047	4042	Polyline	4047	C	Worse Condition	6.385649	Not ADA compliant				6.385649
SW_Seg_4048	4043	Polyline	4048	C	Worse Condition	5.915207	Not ADA compliant				5.915207
SW_Seg_4049	4044	Polyline	4049	C	Worse Condition	139.655531	Not ADA compliant				139.655531
SW_Seg_4050	4045	Polyline	4050	A	Best Condition	37.285015	Most likely compliant	Candidate			37.285015
SW_Seg_4051	4046	Polyline	4051	A	Best Condition	15.918456	Most likely compliant	Candidate			15.918456
SW_Seg_4052	4047	Polyline	4052	A	Best Condition	14.876807	Most likely compliant	Candidate			14.876807
SW_Seg_4053	4048	Polyline	4053	C	Worse Condition	9.404986	Not ADA compliant				9.404986
SW_Seg_4054	4049	Polyline	4054	C	Worse Condition	9.791704	Not ADA compliant				9.791704
SW_Seg_4055	4050	Polyline	4055	C	Worse Condition	10.287398	Not ADA compliant				10.287398

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_4056	4051	Polyline	4056	C	Worse Condition	9.782393	Not ADA compliant				9.782393
SW_Seg_4057	4052	Polyline	4057	C	Worse Condition	8.897521	Not ADA compliant				8.897521
SW_Seg_4058	4053	Polyline	4058	C	Worse Condition	10.229111	Not ADA compliant				10.229111
SW_Seg_4059	4054	Polyline	4059	C	Worse Condition	8.040302	Not ADA compliant				8.040302
SW_Seg_4060	4055	Polyline	4060	C	Worse Condition	9.787568	Not ADA compliant				9.787568
SW_Seg_4061	4056	Polyline	4061	C	Worse Condition	9.462172	Not ADA compliant				9.462172
SW_Seg_4062	4057	Polyline	4062	B	Good Condition	49.250462	May be ADA compliant				49.250462
SW_Seg_4063	4058	Polyline	4063	C	Worse Condition	30.164837	Not ADA compliant	No			30.164837
SW_Seg_4064	4059	Polyline	4064	C	Worse Condition	46.576995	Not ADA compliant			2025 Sidewalk Survey	46.576995
SW_Seg_4065	4060	Polyline	4065	C	Worse Condition	59.05534	Not ADA compliant			2025 Sidewalk Survey	59.05534
SW_Seg_4066	4061	Polyline	4066	C	Worse Condition	11.306291	Not ADA compliant				11.306291
SW_Seg_4067	4062	Polyline	4067	C	Worse Condition	10.564575	Not ADA compliant				10.564575
SW_Seg_4068	4063	Polyline	4068	A	Best Condition	100.49941	Most likely compliant	Candidate			100.49941
SW_Seg_4069	4064	Polyline	4069	C	Worse Condition	11.776394	Not ADA compliant				11.776394
SW_Seg_4070	4065	Polyline	4070	C	Worse Condition	10.349279	Not ADA compliant				10.349279
SW_Seg_4071	4066	Polyline	4071	C	Worse Condition	11.676056	Not ADA compliant				11.676056
SW_Seg_4072	4067	Polyline	4072	C	Worse Condition	10.807674	Not ADA compliant				10.807674
SW_Seg_4073	4068	Polyline	4073	C	Worse Condition	9.434801	Not ADA compliant				9.434801
SW_Seg_4074	4069	Polyline	4074	C	Worse Condition	8.897382	Not ADA compliant				8.897382
SW_Seg_4075	4070	Polyline	4075	B	Good Condition	63.560265	May be ADA compliant				63.560265
SW_Seg_4076	4071	Polyline	4076	C	Worse Condition	42.242139	Not ADA compliant	No			42.242139
SW_Seg_4077	4072	Polyline	4077	C	Worse Condition	10.186604	Not ADA compliant				10.186604
SW_Seg_4078	4073	Polyline	4078	C	Worse Condition	10.135974	Not ADA compliant				10.135974
SW_Seg_4079	4074	Polyline	4079	C	Worse Condition	10.035461	Not ADA compliant				10.035461
SW_Seg_4080	4075	Polyline	4080	C	Worse Condition	11.126912	Not ADA compliant				11.126912
SW_Seg_4081	4076	Polyline	4081	A	Best Condition	106.513158	Most likely compliant	Candidate			106.513158
SW_Seg_4082	4077	Polyline	4082	A	Best Condition	38.830734	Most likely compliant	Candidate			38.830734
SW_Seg_4083	4078	Polyline	4083	B	Good Condition	81.130083	May be ADA compliant				81.130083
SW_Seg_4084	4079	Polyline	4084	B	Good Condition	57.472184	May be ADA compliant				57.472184
SW_Seg_4085	4080	Polyline	4085	A	Best Condition	11.820561	Most likely compliant	Candidate			11.820561
SW_Seg_4086	4081	Polyline	4086	A	Best Condition	42.516701	Most likely compliant	Candidate			42.516701
SW_Seg_4087	4082	Polyline	4087	B	Good Condition	35.723101	May be ADA compliant				35.723101
SW_Seg_4088	4083	Polyline	4088	C	Worse Condition	10.932974	Not ADA compliant				10.932974
SW_Seg_4089	4084	Polyline	4089	C	Worse Condition	10.728791	Not ADA compliant				10.728791
SW_Seg_4090	4085	Polyline	4090	C	Worse Condition	2.203429	Not ADA compliant				2.203429
SW_Seg_4091	4086	Polyline	4091	A	Best Condition	32.772307	Most likely compliant	Candidate			32.772307
SW_Seg_4092	4087	Polyline	4092	A	Best Condition	18.719659	Most likely compliant	Candidate			18.719659
SW_Seg_4093	4088	Polyline	4093	A	Best Condition	29.390757	Most likely compliant	Candidate			29.390757
SW_Seg_4094	4089	Polyline	4094	C	Worse Condition	16.100819	Not ADA compliant				16.100819
SW_Seg_4095	4090	Polyline	4095	C	Worse Condition	10.120746	Not ADA compliant				10.120746
SW_Seg_4096	4091	Polyline	4096	C	Worse Condition	9.633407	Not ADA compliant				9.633407
SW_Seg_4097	4092	Polyline	4097	C	Worse Condition	7.954947	Not ADA compliant				7.954947
SW_Seg_4098	4093	Polyline	4098	B	Good Condition	88.390733	May be ADA compliant				88.390733
SW_Seg_4099	4094	Polyline	4099	C	Worse Condition	51.857549	Not ADA compliant	No			51.857549
SW_Seg_4100	4095	Polyline	4100	B	Good Condition	15.175536	May be ADA compliant				15.175536
SW_Seg_4101	4096	Polyline	4101	C	Worse Condition	87.352315	Not ADA compliant				87.352315
SW_Seg_4102	4097	Polyline	4102	B	Good Condition	16.796876	May be ADA compliant				16.796876
SW_Seg_4103	4098	Polyline	4103	B	Good Condition	53.480957	May be ADA compliant				53.480957
SW_Seg_4104	4099	Polyline	4104	B	Good Condition	68.655398	May be ADA compliant				68.655398
SW_Seg_4105	4100	Polyline	4105	B	Good Condition	13.416925	May be ADA compliant				13.416925
SW_Seg_4106	4101	Polyline	4106	B	Good Condition	40.589739	May be ADA compliant				40.589739
SW_Seg_4107	4102	Polyline	4107	C	Worse Condition	13.199137	Not ADA compliant				13.199137
SW_Seg_4108	4103	Polyline	4108	C	Worse Condition	9.778536	Not ADA compliant				9.778536
SW_Seg_4109	4104	Polyline	4109	C	Worse Condition	8.542479	Not ADA compliant				8.542479

City of Aberdeen
2025 ADA Transition Plan

SW_ID	OBJECTID *	Shape *	SW_ID_No	TSI_Sidewalk_Seg_Facility_Grade	TSI_Sidewalk_Seg_Facility_Condition	Shape_Leng	ADA2010	PROWAG2024	Comment	SIDEWALK_SURVEY_2025	Shape_Length
SW_Seg_4110	4105	Polyline	4110	C	Worse Condition	34.233976	Not ADA compliant				34.233976
SW_Seg_4111	4106	Polyline	4111	B	Good Condition	119.556349	May be ADA compliant				119.556349
SW_Seg_4112	4107	Polyline	4112	C	Worse Condition	54.465972	Not ADA compliant	No			54.465972
SW_Seg_4113	4108	Polyline	4113	C	Worse Condition	9.242973	Not ADA compliant				9.242973
SW_Seg_4114	4109	Polyline	4114	C	Worse Condition	9.168397	Not ADA compliant				9.168397
SW_Seg_4115	4110	Polyline	4115	B	Good Condition	32.451115	May be ADA compliant				32.451115
SW_Seg_4116	4111	Polyline	4116	C	Worse Condition	12.53483	Not ADA compliant				12.53483
SW_Seg_4117	4112	Polyline	4117	C	Worse Condition	10.904184	Not ADA compliant				10.904184
SW_Seg_4118	4113	Polyline	4118	C	Worse Condition	15.777776	Not ADA compliant				15.777776
SW_Seg_4119	4114	Polyline	4119	B	Good Condition	12.166681	May be ADA compliant				12.166681
SW_Seg_2742	4115	Polyline	2742	A	Best Condition	47.825676	Most likely compliant	Candidate			47.825676
SW_Seg_3506	4116	Polyline	3506	A	Best Condition	35.706679	Most likely compliant	Candidate			35.706738
SW_Seg_4120	4117	Polyline	4120	D	Missing	309.235491	Not ADA compliant - Missing	No			309.235491
SW_Seg_4121	4118	Polyline	4121	D	Missing	213.725176	Not ADA compliant - Missing	No			213.725176
SW_Seg_4122	4119	Polyline	4122	D	Missing	331.751452	Not ADA compliant - Missing	No			331.751452
SW_Seg_4123	4120	Polyline	4123	D	Missing	317.990392	Not ADA compliant - Missing	No			317.990392
SW_Seg_4124	4121	Polyline	4124	D	Missing	133.416511	Not ADA compliant - Missing	No			133.416511
SW_Seg_4125	4122	Polyline	4125	D	Missing	92.81782	Not ADA compliant - Missing	No			92.81782
SW_Seg_4126	4123	Polyline	4126	D	Missing	271.250335	Not ADA compliant - Missing	No			271.250335
SW_Seg_4127	4124	Polyline	4127	D	Missing	247.598332	Not ADA compliant - Missing	No			247.598332
SW_Seg_3758	4125	Polyline	3758	D	Missing	171.79295	Not ADA compliant - Missing	No			171.79295
SW_Seg_3690	4126	Polyline	3690	D	Missing	579.15857	Not ADA compliant - Missing	No			579.158521
SW_Seg_3685	4127	Polyline	3685	C	Worse Condition	120.550486	Not ADA compliant	No	Disintegrating sidewalk surface		120.550641
SW_Seg_4129	4128	Polyline	4129	A	Best Condition	22.51591	Most likely compliant	Candidate	Rebuilt		22.515621
SW_Seg_4128	4129	Polyline	4128	A	Best Condition	0	Most likely compliant	Candidate			87.606944

Public Right-of-Way Americans with Disabilities Act (ADA) Self-Evaluation and Transition Plan



Appendix C4

2025 ADA Paved Path Inventory Documentation

Prepared by
Transportation Solutions, Inc



City of Aberdeen
2025 ADA Transition Plan

Field Name	Description
OBJECTID *	ESRI default
Shape *	ESRI default
Path_Name	Paved Path Name
Shape_Length	US survey feet

City of Aberdeen
2025 ADA Transition Plan

OBJECTID *	Shape *	Path_Name	Shape_Length
1	Polyline	East Aberdeen Waterfront Trail	3660.666293
2	Polyline	East Aberdeen Waterfront Trail	109.294826
3	Polyline	East Aberdeen Waterfront Trail	622.378391
4	Polyline	East Aberdeen Waterfront Trail	46.342062
5	Polyline	East Aberdeen Waterfront Trail	339.676086
6	Polyline	East Aberdeen Waterfront Trail	1046.197236
7	Polyline	East Aberdeen Waterfront Trail	1475.826447
8	Polyline	East Aberdeen Waterfront Trail	1752.821566
9	Polyline	East Aberdeen Waterfront Trail	121.893333
10	Polyline	Basich Trail	2799.662032
11	Polyline	Basich Trail	165.782284
12	Polyline	Basich Trail	448.023677
13	Polyline	Basich Trail	1086.923801
14	Polyline	Chehalis Riverfront Walkway	5889.104761
15	Polyline	Chehalis Riverfront Walkway	4315.255379
16	Polyline	Chehalis Riverfront Walkway	146.012263
17	Polyline	Chehalis Riverfront Walkway	931.781129
18	Polyline	Chehalis Riverfront Walkway	101.802513
19	Polyline	Chehalis Riverfront Walkway	657.9309
20	Polyline	Chehalis Riverfront Walkway	618.393877
21	Polyline	Chehalis Riverfront Walkway	347.15459
22	Polyline	Chehalis Riverfront Walkway	120.100191
23	Polyline	Chehalis Riverfront Walkway	1903.347611
24	Polyline	Basich Trail	65.737003
25	Polyline	Fry Creek Pedestrian Path	49.808524
26	Polyline	Fry Creek Pedestrian Path	83.646979
27	Polyline	Fry Creek Pedestrian Path	29.23224
28	Polyline	Fry Creek Pedestrian Path	22.314251
29	Polyline	Fry Creek Pedestrian Path	54.539674
30	Polyline	Fry Creek Pedestrian Path	156.073053
31	Polyline	Fry Creek Pedestrian Path	8.985414
32	Polyline	Fry Creek Pedestrian Path	2.311366

City of Aberdeen
2025 ADA Transition Plan

Field Name	Alias	Data Type	Number Format	Length	Data Source	Attribute Answer Options	Notes
OBJECTID	FID *	Object ID	Numeric		TSI deliverable	ESRI default	
Shape	Shape*	Geometry			TSI deliverable	ESRI default	
GlobalID	GlobalID	Text		38	TSI deliverable	ESRI default	
GlobalID_2	GlobalID_2 *	Global ID			TSI deliverable	ESRI default	Global ID needed for linked photo attachments
CreationDate	CreationDate	Date			TSI deliverable	ESRI default	
Creator_1	Creator	Text		128	TSI deliverable	ESRI default	
EditDate_1	EditDate	Date			TSI deliverable	ESRI default	
Editor_1	Editor	Text		128	TSI deliverable	ESRI default	
TSI_SUP_ID	TSI_SUP_ID	Text		255	TSI deliverable	TSI_SUP_####	
TSI_SUP_ID_No	TSI_SUP_ID_No	Long	Numeric		TSI deliverable	Number only	
TSI_SUP_Width	TSI_SUP_Width_In	Long	Numeric		TSI deliverable	Varies, inches as integer	
TSI_SUP_Cross_Slope	TSI_SUP_Cross_Slope	Double	Numeric		TSI deliverable	Varies, percentage expressed to tenth decimal	
TSI_Compliant_2010	TSI_Compliant_2010	Text		255	TSI deliverable	Yes or No	Compliance to 2010 ADA Standards
Paved_Path_Name	Paved_Path_Name	Text		255	TSI deliverable	Varies	See ADA Paved_Paved_Paths in GIS
Obstacle	TSI_Obstacle	Text		254	TSI deliverable	Tree Roots, Vegetation, Utility Pole/Box, Sign/Movable Object, Fixed Object, Upheaval, PAR Overhead, Other, Null	City can use to sort by obstacle type
Notes	TSI_Notes	Text		254	TSI deliverable	Varies	
TSI_SUP_Photo_ID	TSI_SUP_Photo_ID	Text		255	TSI deliverable	TSI_SUP_####.jpg	TSI_SUP_ID with ".jpg" suffix

File #	Shape #	GlobalID	GlobalID 2 *	CreationDate	Creator	EditDate	Editor	TSI_SUP_ID	TSI_SUP_ID No	TSI_SUP_Width in	TSI_SUP_Cross.Slope	TSI_Compliant 2010	Paved_Path_Name	TSI_Obstacle	TSI_Notes	TSI_SUP_Photo_ID
3	Point	<Null>	(2E25F20-F468-459B-AE0E-C6F641FF0B3)	5/7/2025 3:32	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0001	1	120	3	No	East Aberdeen Waterfront Trail	Other	Cross slope exceeds 1:48	TSI_SUP_0001.jpg
20	Point	<Null>	(FC701AD-0644-49D1-8ABE-6CA4E8C1F075)	5/7/2025 19:07		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0002	2	120	<Null>	No	East Aberdeen Waterfront Trail	Upheaval	Tree roots	TSI_SUP_0002.jpg
21	Point	<Null>	(6E197D05-1681-4C96-BF6E-C2D5E5E6E989)	5/7/2025 19:08		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0003	3	120	2	Yes	East Aberdeen Waterfront Trail	<Null>	<Null>	TSI_SUP_0003.jpg
22	Point	<Null>	(0C63175D-719D-40AD-8792-0393C49A93C2)	5/7/2025 19:12		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0004	4	120	2	No	East Aberdeen Waterfront Trail	Other	Asphalt diverts and cracks	TSI_SUP_0004.jpg
51	Point	<Null>	(96B27332-86F8-4247-AB61-7D34629FE0F9)	5/9/2025 14:56	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0005	5	120	2.9	No	East Aberdeen Waterfront Trail	<Null>	Cross slopes exceeds 1:48	TSI_SUP_0005.jpg
55	Point	<Null>	(4B20002A-46B8-484C-93A5-F95AB95D171F)	5/9/2025 17:20		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0006	6	120	0.3	Yes	East Aberdeen Waterfront Trail	<Null>	<Null>	TSI_SUP_0006.jpg
50	Point	<Null>	(87E85EBA-7B38-463E-B070-F426B28B1FA2)	5/9/2025 14:56	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0007	7	94	1.2	No	East Aberdeen Waterfront Trail	Upheaval	Cracks can be seen	TSI_SUP_0007.jpg
49	Point	<Null>	(A5B8E592-2150-4F5C-BB83-63455C0E0AE2)	5/9/2025 14:56	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0008	8	60	<Null>	No	East Aberdeen Waterfront Trail	Tree Roots	Viewed from adjacent road. Transient populations present.	TSI_SUP_0008.jpg
29	Point	<Null>	(8396C149-CD26-4839-BDC3-903296C6C78F)	5/7/2025 20:23		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0009	9	120	<Null>	No	East Aberdeen Waterfront Trail	Upheaval	<Null>	TSI_SUP_0009.jpg
28	Point	<Null>	(2B4AE681-6F0D-4F21-8804-71A022B0087B)	5/7/2025 20:22		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0010	10	120	3	No	East Aberdeen Waterfront Trail	Upheaval	Cross slope exceeds 1:48	TSI_SUP_0010.jpg
27	Point	<Null>	(31702D3A-671E-41F0-918B-244D5C59CC07)	5/7/2025 20:21		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0011	11	120	5	No	East Aberdeen Waterfront Trail	<Null>	Cross slope exceeds 1:48	TSI_SUP_0011.jpg
26	Point	<Null>	(CC475328-D30A-448C-AC85-886EAB807004)	5/7/2025 20:20		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0012	12	120	5	No	East Aberdeen Waterfront Trail	Upheaval	Cross slope exceeds 1:48	TSI_SUP_0012.jpg
25	Point	<Null>	(67CB0B9A-52DF-4FEC-884E-91701E7F7365)	5/7/2025 20:19		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0013	13	120	5	No	East Aberdeen Waterfront Trail	Upheaval	Cross slope exceeds 1:48	TSI_SUP_0013.jpg
24	Point	<Null>	(844B6D36-8059-4398-80C3-B3920A1E0818)	5/7/2025 20:17		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0014	14	120	11	No	East Aberdeen Waterfront Trail	Upheaval	Cross slope exceeds 1:48	TSI_SUP_0014.jpg
23	Point	<Null>	(ADAB6959-6D80-4389-9A0E-0AB5C9ED4F03)	5/7/2025 20:16		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0015	15	120	2.1	Yes	East Aberdeen Waterfront Trail	<Null>	<Null>	TSI_SUP_0015.jpg
2	Point	<Null>	(B6A08194-48BF-4030-BD76-C43707EB89F4)	5/7/2025 3:31	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0016	16	54	1.5	No	East Aberdeen Waterfront Trail	Vegetation	Transition to road to cross creek	TSI_SUP_0016.jpg
52	Point	<Null>	(B801BA56-0105-438A-9F36-B3F405DC03B1)	5/9/2025 14:58	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0017	17	78	2.6	No	East Aberdeen Waterfront Trail	Upheaval	Cracking along pathway	TSI_SUP_0017.jpg
53	Point	<Null>	(3B9F3352-96B1-4609-A215-B379E7F436E)	5/9/2025 14:58	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0018	18	89	8.3	No	East Aberdeen Waterfront Trail	Vegetation	Cracking along path	TSI_SUP_0018.jpg
54	Point	<Null>	(10E10E0B-3C81-4F1C-8D2D-BE3935ACDE7)	5/9/2025 14:58	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0019	19	78	0.5	Yes	East Aberdeen Waterfront Trail	<Null>	<Null>	TSI_SUP_0019.jpg
18	Point	<Null>	(CA2B69FD-8C51-4319-9028-D49C19181248)	5/7/2025 3:37	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0020	20	190	1.5	Yes	East Aberdeen Waterfront Trail	Other	Pathway connects through circle as shown in photos	TSI_SUP_0020a.jpg
56	Point	<Null>	(47F5DA0D-D83D-4F50-80F3-05458353ABC8)	5/7/2025 17:46		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0021	21	96	1.6	Yes	East Aberdeen Waterfront Trail	<Null>	Cracks forming along pathway	TSI_SUP_0020b.jpg
19	Point	<Null>	(153FD0D7-31A5-495E-A16B-3FD6CA2E41F)	5/7/2025 3:37	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0022	22	136	1.6	Yes	East Aberdeen Waterfront Trail	<Null>	<Null>	TSI_SUP_0020c.jpg
48	Point	<Null>	(7A435E3F-CAB3-48D3-B47C-7F2E7473BF1D)	5/9/2025 14:56	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0023	23	132	3.1	No	East Aberdeen Waterfront Trail	Other	Pavement removed, gravel transition	TSI_SUP_0021.jpg
57	Point	<Null>	(02D99E01-7A2D-4D0A-AB28-78A34695647E)	5/9/2025 17:52		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0024	24	127	0.3	No	East Aberdeen Waterfront Trail	Fixed Object	Sewer manhole not flush	TSI_SUP_0022.jpg
47	Point	<Null>	(197A83F6-73F0-43A0-9F6D-B848DA492A0)	5/9/2025 14:56	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0025	25	132	2.4	No	East Aberdeen Waterfront Trail	Upheaval	Depression on south side	TSI_SUP_0023.jpg
46	Point	<Null>	(1B66CDAC-7588-4D93-AC48-6CD88710A6AA)	5/9/2025 14:56	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0026	26	132	4	No	East Aberdeen Waterfront Trail	<Null>	Cross slope exceeds 1:48	TSI_SUP_0024.jpg
45	Point	<Null>	(D0C9F66D-C66F-4CC7-A88B-2B4C30B62B52)	5/9/2025 14:56	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0027	27	98	2.4	No	East Aberdeen Waterfront Trail	<Null>	Cross slopes exceeds 1:48	TSI_SUP_0025.jpg
44	Point	<Null>	(D7571AD8-8258-4FDD-B539-08D590E20B08)	5/9/2025 14:56	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0028	28	66	5.6	No	East Aberdeen Waterfront Trail	<Null>	Cross slope exceeds 1:48	TSI_SUP_0026.jpg
60	Point	<Null>	(B810DAC9-4679-4E47-B2A3-B382356BFE6)	5/9/2025 18:07		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0029	29	54	2.6	No	East Aberdeen Waterfront Trail	Upheaval	Cracks	TSI_SUP_0027.jpg
61	Point	<Null>	(5C23A056-EF00-4A4D-AB7E-218F870C201B)	5/9/2025 18:08		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0030	30	60	0.3	Yes	East Aberdeen Waterfront Trail	Other	<Null>	TSI_SUP_0028.jpg
59	Point	<Null>	(2A6C835E-FACE-4E1C-817C-A65A0E5608CD)	5/9/2025 18:06		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0031	31	57	1.3	No	East Aberdeen Waterfront Trail	Upheaval	Cracks forming	TSI_SUP_0029.jpg
1	Point	<Null>	(1252AA70-E569-4169-81D3-600A03816F02)	5/7/2025 3:30	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0032	32	70	4.5	No	East Aberdeen Waterfront Trail	Fixed Object	Utility pole narrows path	TSI_SUP_0030.jpg
9	Point	<Null>	(252A1E62-BF0C-4AD2-878E-CD83B11E6C9D)	5/7/2025 3:33	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0033	33	72	1.4	Yes	Basich Trail	<Null>	Connects to sidewalk PAR, sufficient clearance between rocks	TSI_SUP_0031.jpg
8	Point	<Null>	(52B7E954-DA2C-4077-A38A-5E6A917E59E3)	5/7/2025 3:33	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0034	34	138	1.7	No	Basich Trail	Other	DWS missing	TSI_SUP_0032.jpg
7	Point	<Null>	(68178F61-C0C1-4ADD-A658-A408973DD34D)	5/7/2025 3:32	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0035	35	138	1.9	No	Basich Trail	Other	DWS missing	TSI_SUP_0033.jpg
6	Point	<Null>	(11426D35-A057-4416-8D0C-43D9B51CA036)	5/7/2025 3:32	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0036	36	113	3.1	No	Basich Trail	<Null>	Cross slope exceeds 1:48	TSI_SUP_0034.jpg
34	Point	<Null>	(07AB8B01-37EE-42A1-A1E4-3A582FCFE03)	5/9/2025 14:50	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0037	37	104	2.7	No	Basich Trail	<Null>	Cross slope exceeds 1:48	TSI_SUP_0035.jpg
35	Point	<Null>	(F9B2D65F-F496-412A-8D6D-CBAAB585412F)	5/9/2025 14:50	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0038	38	118	1.3	Yes	Basich Trail	Vegetation	Monitor vegetation	TSI_SUP_0036.jpg
5	Point	<Null>	(AB46C4E2-CF90-4460-B986-6AFA01A0CEEC)	5/7/2025 3:32	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0039	39	131	1	Yes	Basich Trail	<Null>	Cross slope exceeds 1:48	TSI_SUP_0037.jpg
43	Point	<Null>	(BA15F406-A695-4E91-851D-30195976809F)	5/9/2025 14:55	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0040	40	131	3.1	No	Basich Trail	<Null>	Cross slope exceeds 1:48	TSI_SUP_0038.jpg
4	Point	<Null>	(513DEDBA-3178-4670-B98E-5CED72E3581F)	5/7/2025 3:32	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0041	41	131	1.4	Yes	Basich Trail	<Null>	Cross slope exceeds 1:48	TSI_SUP_0039.jpg
33	Point	<Null>	(89908E7F-87E4-4ACF-AE88-7C3B1B2FA08)	5/9/2025 14:50	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0042	42	48	3.7	No	Chehalis Riverfront Walkway	Other	Gravel path between roadway and paved path	TSI_SUP_0040.jpg
11	Point	<Null>	(ED3475A5-85A6-4469-A663-1D22A115F2BC)	5/7/2025 3:33	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0043	43	48	0	No	Chehalis Riverfront Walkway	Other	Gravel path between roadway and paved path	TSI_SUP_0041.jpg
63	Point	<Null>	(A7CEBA61-7CFS-45E9-AF84-67ED70D8CC72)	5/9/2025 23:17		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0044	44	48	1	No	Chehalis Riverfront Walkway	Other	Sudden dip, monitor vegetation	TSI_SUP_0042.jpg
10	Point	<Null>	(BB635450-6EA9-4C5F-9FC3-AF7CB23DC81)	5/7/2025 3:33	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0045	45	39	1.2	No	Chehalis Riverfront Walkway	Vegetation	PAR narrow, gravel transitions	TSI_SUP_0043.jpg
32	Point	<Null>	(B0E6BA92-7E65-48AB-A931-4330B8B0D889)	5/9/2025 14:49	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0046	46	94	5.5	No	Chehalis Riverfront Walkway	Vegetation	Pathway has no pavement to road	TSI_SUP_0044.jpg
12	Point	<Null>	(0156B975-45E2-4E5F-85A9-ECA133CD4945)	5/7/2025 3:33	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0047	47	103	1.5	Yes	Chehalis Riverfront Walkway	<Null>	<Null>	TSI_SUP_0045.jpg
13	Point	<Null>	(561EBD44-494D-43AB-9059-28A7CDF7D2A4)	5/7/2025 3:33	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0048	48	103	3.7	No	Chehalis Riverfront Walkway	Fixed Object	Hump to Dike trail	TSI_SUP_0046.jpg
31	Point	<Null>	(CF722810-2ADD-476B-A3D1-EE389655A846)	5/9/2025 14:49	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0049	49	98	1.1	Yes	Chehalis Riverfront Walkway	<Null>	Width is measured at bollards in the middle between dike path and Front St	TSI_SUP_0047.jpg
30	Point	<Null>	(4AC8B0F7-1CEB-4E4A-8815-562123B9D71A)	5/9/2025 14:49	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0050	50	94	3.9	No	Chehalis Riverfront Walkway	Other	Lots of debris on transition to road with dirt and gravel fill in.	TSI_SUP_0048.jpg
14	Point	<Null>	(308B382-27A2-45F1-875A-F5AAC9C1D60)	5/7/2025 3:34	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0051	51	96	2.7	No	Chehalis Riverfront Walkway	<Null>	Cross slope exceeds 1:48	TSI_SUP_0049.jpg
36	Point	<Null>	(CS7A77CB-90F5-400E-850C-9D3FB72A5CFD)	5/9/2025 14:54	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0052	52	96	2.7	No	Chehalis Riverfront Walkway	<Null>	Cross slope exceeds 1:48	TSI_SUP_0050.jpg
64	Point	<Null>	(AB3903F4-D462-43FB-BF04-8BBD320880A0)	5/9/2025 23:34		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0053	53	120	0.3	No	Chehalis Riverfront Walkway	Fixed Object	Width between bollards less than 36 inches	TSI_SUP_0051.jpg
37	Point	<Null>	(1263BD42-65E9-4E29-B990-FD6860F5049)	5/9/2025 14:54	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0054	54	94	0.3	Yes	Chehalis Riverfront Walkway	<Null>	Ralph Rd has access	TSI_SUP_0052.jpg
38	Point	<Null>	(EDDE4E5C-522E-4AF9-B7EF-6DCE995480CA)	5/9/2025 14:55	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0055	55	96	1.1	Yes	Chehalis Riverfront Walkway	<Null>	<Null>	TSI_SUP_0053.jpg
15	Point	<Null>	(E05D9C72-96BC-43CE-BECA-08BCFFC07E0E)	5/7/2025 3:34	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0056	56	96	6.2	No	Chehalis Riverfront Walkway	<Null>	<Null>	TSI_SUP_0054.jpg
66	Point	<Null>	(35E6354A-9EB7-412C-95A1-A42F46C4646F)	5/10/2025 0:07		8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0057	57	94	1.7	No	Chehalis Riverfront Walkway	<Null>	Bollard hole is tripping hazard	TSI_SUP_0055.jpg
39	Point	<Null>	(0D3982A8-586A-4747-8B51-EFE18A3A5ED)	5/9/2025 14:55	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0058	58	96	4.9	No	Chehalis Riverfront Walkway	Other	Road crossing for dike access no DWS	TSI_SUP_0056.jpg
40	Point	<Null>	(0183E137-B0E1-48F0-8415-168AF265F2B6)	5/9/2025 14:55	jennifers127	8/27/2025 22:14	JENNIFERSALEMANN	TSI_SUP_0059	59	96	0.6					

Public Right-of-Way Americans with Disabilities Act (ADA) Self-Evaluation and Transition Plan



Appendix C5

2025 ADA Accessible Pedestrian Signal (APS) Inventory Documentation

Prepared by
Transportation Solutions, Inc



City of Aberdeen
2025 ADA Transition Plan

Attribute Field	Data Type	Number Format	Length	Data Source	Attribute Answer Options	Notes
OBJECTID *	Object ID			TSI deliverable	ESRI default	
Shape *	Geometry			TSI deliverable	ESRI default	
APS_ID_No	Short	Numeric		TSI deliverable	Entered for City of Aberdeen intersections	1-8 = Aberdeen, Null = WSDOT
APS_ID_Name	Text		255	TSI deliverable		
APS_Photo_ID	Text		255	TSI deliverable	APS_####	ID for Aberdeen intersection
LocationDe	Text		50	TSI deliverable	Street @ Cross Street	Location of intersection
Interstype	Text		254	TSI deliverable	Signalized-WSDOT	Type of intersection including jurisdiction
					Signalized-Aberdeen	
					Signalized-Aberdeen-Removal Pending	
					Roundabout	
Juris	Text		254	TSI deliverable	WSDOT or City of Aberdeen	Responsible jurisdiction
APS_Type	Text		254	TSI deliverable	APS appears compliant	WSDOT responsibility
					PPB-old style pushbuttons (no raised arrow in direction of travel)	WSDOT responsibility
					Old Ped Heads Exist - No Pushbuttons visible	Aberdeen Responsibility
					Ped Heads Exist - No Pushbuttons visible	Aberdeen - Pending Removal
					APS not required at Single-Lane Roundabout	Aberdeen Responsibility
APS_ID_Name	Text		255	TSI deliverable	APS_####.jpg	APS ID_Name + ".jpg" suffix

City of Aberdeen
2025 ADA Transition Plan

APS_ID_No	APS_ID_Name	OBJECTID *	Shape *	LocationDe	IntersType	Juris	APS_Type	APS_Photo_ID
<Null>	<Null>	1	Point	Wishkah @ L	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	2	Point	Wishkah @ Broadway	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	3	Point	Heron @ Broadway	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	4	Point	Wishkah @ K	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	5	Point	Wishkah @ I	Signalized-WSDOT	WSDOT	PPB- old style pushbuttons (no raised arrow in direction of travel)	<Null>
<Null>	<Null>	6	Point	Heron @ I	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	7	Point	Heron @ H	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	8	Point	Heron @ G	Signalized-WSDOT	WSDOT	PPB- old style pushbuttons (no raised arrow in direction of travel)	<Null>
<Null>	<Null>	9	Point	Wishkah @ G	Signalized-WSDOT	WSDOT	PPB- old style pushbuttons (no raised arrow in direction of travel)	<Null>
<Null>	<Null>	10	Point	Heron @ K	Signalized-WSDOT	WSDOT	PPB- old style pushbuttons (no raised arrow in direction of travel)	<Null>
<Null>	<Null>	11	Point	Heron @ L	Signalized-WSDOT	WSDOT	PPB- old style pushbuttons (no raised arrow in direction of travel)	<Null>
<Null>	<Null>	12	Point	Heron @ Alder	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	13	Point	Heron @ Park	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	14	Point	Wishkah @ F	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	17	Point	Simpson @ Myrtle	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	19	Point	Boone @ Cushing	Signalized-WSDOT	WSDOT	PPB- old style pushbuttons (no raised arrow in direction of travel)	<Null>
<Null>	<Null>	20	Point	Wishkah @ Alder	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	21	Point	Wishkah @ H	Signalized-WSDOT	WSDOT	PPB- old style pushbuttons (no raised arrow in direction of travel)	<Null>
<Null>	<Null>	22	Point	Wishkah @ Park	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	23	Point	Market @ Park	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	24	Point	Market @ Alder	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	25	Point	1st @ Alder	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	30	Point	Wishkah @ Chehalis	Signalized-WSDOT	WSDOT	PPB- old style pushbuttons (no raised arrow in direction of travel)	<Null>
<Null>	<Null>	31	Point	Wishkah @ Tyler	Signalized-WSDOT	WSDOT	PPB- old style pushbuttons (no raised arrow in direction of travel)	<Null>
<Null>	<Null>	32	Point	Boone @ Harriman	Signalized-WSDOT	WSDOT	PPB- old style pushbuttons (no raised arrow in direction of travel)	<Null>
<Null>	<Null>	33	Point	Sumner @ Oak	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	34	Point	E Heron @ S Harbor St	RRFB-WSDOT	WSDOT	RRFB - old style pushbuttons (no raised arrow in direction of travel)	<Null>
<Null>	<Null>	36	Point	Front St @ Chehalis Rvier Brg (US 101)	Signalized-WSDOT	WSDOT	APS appears compliant	<Null>
<Null>	<Null>	37	Point	Boone @ Boone	Signalized-WSDOT	WSDOT	PPB- old style pushbuttons (no raised arrow in direction of travel)	<Null>
<Null>	<Null>	38	Point	Boone @ Scott	Signalized-WSDOT	WSDOT	PPB- old style pushbuttons (no raised arrow in direction of travel)	<Null>
1	APS_0001	18	Point	Market @ Broadway	Signalized-Aberdeen	City of Aberdeen	Old Ped Heads Exist - No Pushbuttons visible	APS_0001_Photo_01.jpg; APS_0001_Photo_02.jpg; APS_0001_Photo_03.jpg; APS_0001_Photo_04.jpg; APS_0001_Photo_05.jpg
2	APS_0002	35	Point	1st @ Broadway	Signalized-Aberdeen	City of Aberdeen	Old Ped Heads Exist - No Pushbuttons visible	APS_0002_Photo_01.jpg; APS_0002_Photo_02.jpg; APS_0002_Photo_03.jpg; APS_0002_Photo_04.jpg; APS_0002_Photo_05.jpg
3	APS_0003	16	Point	1st @ F	Signalized-Aberdeen - Removal Pending	City of Aberdeen	Ped Heads Exist - No Pushbuttons visible	<Null>
4	APS_0004	26	Point	Market @ K	Signalized-Aberdeen - Removal Pending	City of Aberdeen	Old Ped Heads Exist - No Pushbuttons visible	<Null>
5	APS_0005	27	Point	Market @ I	Signalized-Aberdeen - Removal Pending	City of Aberdeen	Old Ped Heads Exist - No Pushbuttons visible	<Null>
6	APS_0006	28	Point	Market @ H	Signalized-Aberdeen - Removal Pending	City of Aberdeen	Old Ped Heads Exist - No Pushbuttons visible	<Null>
7	APS_0007	29	Point	Market @ G	Signalized-Aberdeen - Removal Pending	City of Aberdeen	Ped Heads Exist - No Pushbuttons visible	<Null>
8	APS_0008	15	Point	Market @ F	Roundabout	City of Aberdeen	APS not required at Single-Lane Roundabout	<Null>

Public Right-of-Way Americans with Disabilities Act (ADA) Self-Evaluation and Transition Plan



Appendix C6

2025 ADA Rectangular Rapid Flashing Beacon (RRFB) Inventory Documentation

Prepared by
Transportation Solutions, Inc



Field	Answer Type	Answer Options	Description
OBJECTID	Object ID	Automatically populated	ESRI Default - hidden in PDF but provided in source file
SHAPE	Point	Automatically populated	ESRI Default - hidden in PDF but provided in source file
CreationDate *	Date	Automatically populated	ESRI Default - hidden in PDF but provided in source file
Creator	String	Automatically populated	ESRI Default - hidden in PDF but provided in source file
EditDate	Date	Automatically populated	ESRI Default - hidden in PDF but provided in source file
Editor	String	Automatically populated	ESRI Default - hidden in PDF but provided in source file
RRFB_PPB_ID_No	Integer	Enter whole number	ID number for individual ped pushbutton location
RRFB_PPB_ID_Name	Text	RRFB_PPB_ID_### format	Name for individual ped pushbutton location
Collector_Date	Date	Calendar	Date of field assessment
PPB_Crossing_Direction	Multiple Choice	Northbound	Ped pushbutton crossing direction
		Southbound	
		Eastbound	
		Westbound	
		Northwestbound	
		Northeastbound	
		Southwestbound	
		Southeastbound	
		Center	
PPB_Corner	Multiple Choice	North	Location of ped pushbutton relative to crossing type
		South	
		East	
		West	
		Northwest	
		Northeast	
		Southwest	
		Southeast	
		Center	
Crossing_Type	Multiple Choice	Mid-block	Type of pedestrian crossing. In Sedro-Woolley, Other is for all way stop control, two-way stop control, and T intersections.
		Roundabout	
		Other	
Street_Name	Text	Enter names of streets served by crossing	ex. "State and Rita"
Q1_Field_Tech_Initials	Multiple Choice	JLS	Initials of TSI staff person who completed field assessment
Q2_Dir_Arrow_Parallel_Xwalk	Multiple Choice	Yes	Does the pushbutton include a tactile raised arrow pointing in the crossing direction for that pushbutton?
		No	
Q3_PPB_Height_42in_Above_PAR	Multiple Choice	Yes	Is the ped pushbutton 42 inches above the pedestrian access route (PAR) per best practice?
		No	
Q4_PPB_Height_Above_PAR_Inches	Numeric Whole	Enter whole number for inches (Ex 42)	Gives pushbutton height in inches above PAR
Q5_PPB_to_CurbLine_18in_to_6Ft	Multiple Choice	Yes	Is the ped pushbutton between 18 inch and 6 feet of the curb?
		No	
Q6_PPB_to_Curb_Max_10Feet	Numeric Decimal	Enter number for feet (Ex. 5.5)	Gives pushbutton distance in feet to front of curb.
Q7_PPB_to_XWalk_Line_Upto5Ft	Multiple Choice	Yes	Is ped pushbutton within 5 feet of crosswalk line?
		No	
Q8_PPB_toXwalk_Line_Max5Feet	Numeric Decimal	Enter number for feet (Ex. 1.5)	Gives distance of ped pushbutton to crosswalk line.
Q9_PAR_Min_Clearance_Feet	Numeric Decimal	Enter number for feet (Ex. 1.5)	Gives minimum pedestrian access route width in feet
Q10_DWS	Multiple Choice	DWS present - minimum 2x4Feet	DWS is present and compliant
		DWS present - less than 2x4Feet	DWS is present but non-compliant
		No DWS present	No DWS present; non-compliant
Q11_PBB_Reach_Inches	Numeric Whole	Enter whole number for inches (Ex 10)	Gives reach of pushbutton from PAR in inches
Q12_Locator_Tone_Provided	Multiple Choice	Yes	Is a locator tone provided for pedestrians with visual disabilities to find the pushbutton?
		No	
		Chirp or Audible Tone	

Field	Answer Type	Answer Options	Description
Q13_RRFB_Message_Type	Multiple Choice	Verbal spoken message	What audible event occurs when ped pushbutton is pressed?
		No audible sound or message	
Q14_RRFB_Message_Yellow_Are_Flashin	Multiple Choice	Yes-Spoken Once	Compliant RRFBs per 2023 PROWAG should provide "Yellow lights are flashing" spoken message twice.
		Yes-Spoken Twice	
		No Message	
		Other Spoken Message	
Q15_PPB_RRFB_Compliant_MUTCD11	Multiple Choice	Yes	RRFB is compliant
		No	RRFB is non-compliant
Q16_PPB_RRFB_Compliant_PROWAG24	Multiple Choice	Yes	RRFB is compliant
		No	RRFB is non-compliant
Notes	Open-Ended	Add as needed	Additional notes for informational purposes.
RRFB_PBB_Photo_ID	Take Photos	"Wide" view of ped pushbutton crossing	RRFB_PBD_ID_Name_Photo01.jpg
		"Close up" view of ped pushbutton	RRFB_PBD_ID_Name_Photo01.jpg
		Optional additional photos	RRFB_PBD_ID_Name_Photo03.jpg; RRFB_PBD_ID_Name_Photo04.jpg

City of Aberdeen
2025 ADA Transition Plan

Attribute Field	RRFB #1	RRFB #2	RRFB #3	RRFB #4
RRFB_PBB_ID_No	1	2	3	4
OBJECTID *	3	4	1	2
SHAPE *	Point	Point	Point	Point
CreationDate	3/18/2025 22:23	3/18/2025 22:27	3/16/2025 20:43	3/16/2025 20:43
Creator	jennifers127	jennifers127	jennifers127	jennifers127
EditDate	4/8/2025 19:03	4/8/2025 19:03	4/8/2025 19:04	4/8/2025 19:01
Editor	JENNIFERSALEMANN	JENNIFERSALEMANN	JENNIFERSALEMANN	JENNIFERSALEMANN
RRFB_PBB_ID_Name	RRFB_PPBB_ID_01	RRFB_PPBB_ID_02	RRFB_PPBB_ID_03	RRFB_PPBB_ID_04
Collector Date	3/18/2025 22:20	3/18/2025 22:23	3/18/2025 22:34	3/18/2025 22:37
PPB_Crossing_Direction	Westbound	Eastbound	Northbound	Southbound
PPB_Corner	East	West	South	North
Crossing_Type	Mid-Block	Mid-Block	Mid-Block	Mid-Block
Street_Name	US 105 south of Edward P Smith Dr	US 105 south of Edward P Smith Dr	E Heron St	E Heron St
Q1_Field_Tech_Initials	JLS	JLS	JLS	JLS
Q2_Dir_Arrow_Parallel_XWalk	Yes	Yes	No	No
Q3_PPBB_Height_42in_Above_PAR	Yes	No	Yes	Yes
Q4_PPBB_Height_Above_PAR_Inches	42	43	42	42
Q5_PPBB_to_CurbLine_18in_to_6Ft	Yes	Yes	No	No
Q6_PPBB_to_Curb_Max_10Feet	4	6	8	8
Q7_PPBB_to_XWalk_Line_Upto5Ft	Yes	Yes	No	No
Q8_PPBB_to_XWalk_Line_Max5Feet	1	0	7	10
Q9_PAR_Min_Clearance_Feet	60	60	48	72
Q10_DWS	DWS present - minimum 2x4Feet	DWS present - minimum 2x4Feet	DWS present - minimum 2x4Feet	DWS present - minimum 2x4Feet
Q11_PPBB_Reach	10	0	0	18
Q12_Locator_Tone_Provided	Yes	Yes	No	No
Q13_RRFB_Message_Type	Verbal Spoken Message	Verbal Spoken Message	Chirp or Audible Tone	Chirp or Audible Tone
Q14_RRFB_Message_Yellow_Lights_Are_Flashing	Yes-Spoken Twice	Yes-Spoken Twice	No Message	No Message
Q15_PPBB_RRFB_Compliant_MUTCD11	Yes	Yes	Yes	Yes
Notes	Also PROWAG compliant	Also PROWAG compliant	Not PROWAG compliant	Not PROWAG compliant
RRFB_PBB_Photo_ID	RRFB_PPBB_ID_01_Photo_01.jpg; RRFB_PPBB_ID_01_Photo_02.jpg	RRFB_PPBB_ID_02_Photo_01.jpg; RRFB_PPBB_ID_02_Photo_02.jpg	RRFB_PPBB_ID_03_Photo_01.jpg;RRFB_PPBB_ID_03_Photo_02.jpg;RRFB_PPBB_ID_03_Photo_03.jpg;RRFB_PPBB_ID_03_Photo_04.jpg	RRFB_PPBB_ID_04_Photo_01.jpg; RRFB_PPBB_ID_04_Photo_02.jpg; RRFB_PPBB_ID_04_Photo_03.jpg; RRFB_PPBB_ID_04_Photo_04.jpg

Public Right-of-Way Americans with Disabilities Act (ADA) Self-Evaluation and Transition Plan



Appendix C7

Cost Estimate Documentation

(includes WSDOT Driveway Designs)

Prepared by
Transportation Solutions, Inc



Planning Level Cost Estimate



Project:	<u>City of Aberdeen</u>	Date:	<u>10/14/25</u>
Design Option:	<u>Typical Curb Ramp Removal and Replacement</u>	Prepared by:	<u>VLS</u>
Length:	<u>15 feet</u>		
Description:	<u>Replace non-compliant curb ramp</u>		
Assumptions:	<u>Drainage improvements not included. Undergrounding of utilities not included. ROW costs excluded.</u>		

Preparation		
1	Mobilization	\$500.00
2-4	Preparation Items	\$700.00
5-12	Removal Items	\$365.00
Preparation Subtotal		\$1,565.00

Grading		
13-14	Roadway Grading	\$155.00
15-18	Roadway Foundation	\$200.00
19-24	Utility Excavation	\$0.00
Grading Subtotal		\$355.00

Storm Drainage		
25-36	Conveyance System	\$1,400.00
37	Culvert/Stream Crossing	\$0.00
38	Detention/Water Quality Facility	\$0.00
Storm Drainage Subtotal		\$1,400.00

Paving		
39-41	Hot Mix Asphalt Pavement	\$310.00
HMA Subtotal		\$310.00

Concrete		
42-44	Sidewalks, Ramps, Driveways	\$3,500.00
45-47	Curbs and Gutters	\$600.00
48-49	Concrete Roadway/Roundabout	\$0.00
Concrete Subtotal		\$4,100.00

	Low	High
PE	\$2,000	\$3,000
ROW	\$0	\$0
CN	\$8,000	\$17,000
Total	\$10,000	\$20,000

Project Cost Summary includes a range of reported project costs for this planning level estimate, which is based upon 10% design information (scoping row). Low is 30% below and high is 50% above the estimated cost category. Reference: WSDOT Cost Estimating Manual for Projects, Page 4-10, January 2023.

Structures		
50-53	Retaining Walls	\$0.00
54	Bridge Structure	\$0.00
Structure Subtotal		\$0.00

TESC and Landscaping		
55-57	TESC	\$255.00
58-62	Plantings	\$0.00
63-64	Irrigation	\$0.00
TESC and Landscaping Subtotal		\$255.00

Traffic		
65-74	Markings and Signing	\$0.00
75-78	Guardrail/Handrail	\$0.00
79-83	Traffic Signal System	\$0.00
84-86	Illumination System	\$0.00
87-92	Traffic Control	\$850.00
Traffic Subtotal		\$850.00

Other Items		
93-94	Utility Relocates	\$0.00
95-97	Misc. Construction	\$500.00
Other Items Subtotal		\$500.00

CONSTRUCTION SUBTOTAL		\$9,335.00
CONTINGENCY	20%	\$1,870.00
CONSTRUCTION (CN) SUBTOTAL		\$11,205.00
DESIGN ENGINEERING	15%	\$1,690.00
CONSTRUCTION ENGINEERING	5%	\$570.00
PROJECT ADMINISTRATION	0%	\$0.00
ENGR. AND ADMIN. (PE) SUBTOTAL		\$2,260.00
ENVIRONMENTAL ENGINEERING (PE)	0%	\$0.00
ENVIRONMENTAL MITIGATION (CN)	0%	\$0.00
ENVIRONMENTAL SUBTOTAL		\$0.00
RIGHT-OF-WAY (ROW) SUBTOTAL		\$0.00
TOTAL PROJECT COST	Year 2025	\$13,465.00

Planning Level Cost Estimate



Project:	<u>City of Aberdeen</u>	Date:	<u>10/14/25</u>
Design Option:	<u>Type 1 Driveway</u>	Prepared by:	<u>VLS</u>
Length:	<u>20 feet</u>		
Description:	<u>Construct Type 1 Driveway for the width listed above.</u>		
Assumptions:	<u>Drainage improvements not included. Undergrounding of utilities not included. ROW costs excluded.</u>		

Preparation		
1	Mobilization	\$600.00
2-4	Preparation Items	\$2,200.00
5-12	Removal Items	\$745.00
Preparation Subtotal		\$3,545.00

Grading		
13-14	Roadway Grading	\$290.00
15-18	Roadway Foundation	\$435.00
19-24	Utility Excavation	\$0.00
Grading Subtotal		\$725.00

Storm Drainage		
25-36	Conveyance System	\$0.00
37	Culvert/Stream Crossing	\$0.00
38	Detention/Water Quality Facility	\$0.00
Storm Drainage Subtotal		\$0.00

Paving		
39-41	Hot Mix Asphalt Pavement	\$1,550.00
HMA Subtotal		\$1,550.00

Concrete		
42-44	Sidewalks, Ramps, Driveways	\$2,000.00
45-47	Curbs and Gutters	\$1,600.00
48-49	Concrete Roadway/Roundabout	\$0.00
Concrete Subtotal		\$3,600.00

	Low	High
PE	\$2,000	\$4,000
ROW	\$0	\$0
CN	\$9,000	\$20,000
Total	\$11,000	\$24,000

Project Cost Summary includes a range of reported project costs for this planning level estimate, which is based upon 10% design information (scoping row). Low is 30% below and high is 50% above the estimated cost category. Reference: WSDOT Cost Estimating Manual for Projects, Page 4-10, January 2023.

Structures		
50-53	Retaining Walls	\$0.00
54	Bridge Structure	\$0.00
Structure Subtotal		\$0.00

TESC and Landscaping		
55-57	TESC	\$200.00
58-62	Plantings	\$0.00
63-64	Irrigation	\$0.00
TESC and Landscaping Subtotal		\$200.00

Traffic		
65-74	Markings and Signing	\$0.00
75-78	Guardrail/Handrail	\$0.00
79-83	Traffic Signal System	\$0.00
84-86	Illumination System	\$0.00
87-92	Traffic Control	\$1,100.00
Traffic Subtotal		\$1,100.00

Other Items		
93-94	Utility Relocates	\$0.00
95-97	Misc. Construction	\$500.00
Other Items Subtotal		\$500.00

CONSTRUCTION SUBTOTAL		\$11,220.00
CONTINGENCY	20%	\$2,250.00
CONSTRUCTION (CN) SUBTOTAL		\$13,470.00
DESIGN ENGINEERING	15%	\$2,030.00
CONSTRUCTION ENGINEERING	5%	\$680.00
PROJECT ADMINISTRATION	0%	\$0.00
ENGR. AND ADMIN. (PE) SUBTOTAL		\$2,710.00
ENVIRONMENTAL ENGINEERING (PE)	0%	\$0.00
ENVIRONMENTAL MITIGATION (CN)	0%	\$0.00
ENVIRONMENTAL SUBTOTAL		\$0.00
RIGHT-OF-WAY (ROW) SUBTOTAL		\$0.00
TOTAL PROJECT COST	Year 2025	\$16,180.00

Planning Level Cost Estimate



Project:	<u>City of Aberdeen</u>	Date:	<u>10/14/25</u>
Design Option:	<u>Type 2 Driveway</u>	Prepared by:	<u>VLS</u>
Length:	<u>20 feet</u>		
Description:	<u>Construct Type 2 Driveway for the width listed above.</u>		
Assumptions:	<u>Drainage improvements not included. Undergrounding of utilities not included. ROW costs excluded.</u>		

Preparation		
1	Mobilization	\$700.00
2-4	Preparation Items	\$2,200.00
5-12	Removal Items	\$650.00
Preparation Subtotal		\$3,550.00

Grading		
13-14	Roadway Grading	\$245.00
15-18	Roadway Foundation	\$390.00
19-24	Utility Excavation	\$0.00
Grading Subtotal		\$635.00

Storm Drainage		
25-36	Conveyance System	\$0.00
37	Culvert/Stream Crossing	\$0.00
38	Detention/Water Quality Facility	\$0.00
Storm Drainage Subtotal		\$0.00

Paving		
39-41	Hot Mix Asphalt Pavement	\$1,550.00
HMA Subtotal		\$1,550.00

Concrete		
42-44	Sidewalks, Ramps, Driveways	\$3,800.00
45-47	Curbs and Gutters	\$1,400.00
48-49	Concrete Roadway/Roundabout	\$0.00
Concrete Subtotal		\$5,200.00

	Low	High
PE	\$2,000	\$5,000
ROW	\$0	\$0
CN	\$11,000	\$24,000
Total	\$13,000	\$29,000

Project Cost Summary includes a range of reported project costs for this planning level estimate, which is based upon 10% design information (scoping row). Low is 30% below and high is 50% above the estimated cost category. Reference: WSDOT Cost Estimating Manual for Projects, Page 4-10, January 2023.

Structures		
50-53	Retaining Walls	\$0.00
54	Bridge Structure	\$0.00
Structure Subtotal		\$0.00

TESC and Landscaping		
55-57	TESC	\$200.00
58-62	Plantings	\$0.00
63-64	Irrigation	\$0.00
TESC and Landscaping Subtotal		\$200.00

Traffic		
65-74	Markings and Signing	\$0.00
75-78	Guardrail/Handrail	\$0.00
79-83	Traffic Signal System	\$0.00
84-86	Illumination System	\$0.00
87-92	Traffic Control	\$1,700.00
Traffic Subtotal		\$1,700.00

Other Items		
93-94	Utility Relocates	\$0.00
95-97	Misc. Construction	\$500.00
Other Items Subtotal		\$500.00

CONSTRUCTION SUBTOTAL		\$13,335.00
CONTINGENCY	20%	\$2,670.00
CONSTRUCTION (CN) SUBTOTAL		\$16,005.00
DESIGN ENGINEERING	15%	\$2,410.00
CONSTRUCTION ENGINEERING	5%	\$810.00
PROJECT ADMINISTRATION	0%	\$0.00
ENGR. AND ADMIN. (PE) SUBTOTAL		\$3,220.00
ENVIRONMENTAL ENGINEERING (PE)	0%	\$0.00
ENVIRONMENTAL MITIGATION (CN)	0%	\$0.00
ENVIRONMENTAL SUBTOTAL		\$0.00
RIGHT-OF-WAY (ROW) SUBTOTAL		\$0.00
TOTAL PROJECT COST	Year 2025	\$19,225.00

Planning Level Cost Estimate

Project:	<u>City of Aberdeen</u>	Date:	<u>10/14/25</u>
Design Option:	<u>Type 3 Driveway</u>	Prepared by:	<u>VLS</u>
Length:	<u>20 feet</u>		
Description:	<u>Construct Type 3 Driveway for the width listed above.</u>		
Assumptions:	<u>Drainage improvements not included. Undergrounding of utilities not included. ROW costs excluded.</u>		

Preparation		
1	Mobilization	\$600.00
2-4	Preparation Items	\$2,200.00
5-12	Removal Items	\$555.00
Preparation Subtotal		\$3,355.00

Grading		
13-14	Roadway Grading	\$245.00
15-18	Roadway Foundation	\$390.00
19-24	Utility Excavation	\$0.00
Grading Subtotal		\$635.00

Storm Drainage		
25-36	Conveyance System	\$0.00
37	Culvert/Stream Crossing	\$0.00
38	Detention/Water Quality Facility	\$0.00
Storm Drainage Subtotal		\$0.00

Paving		
39-41	Hot Mix Asphalt Pavement	\$1,550.00
HMA Subtotal		\$1,550.00

Concrete		
42-44	Sidewalks, Ramps, Driveways	\$2,800.00
45-47	Curbs and Gutters	\$1,000.00
48-49	Concrete Roadway/Roundabout	\$0.00
Concrete Subtotal		\$3,800.00

	Low	High
PE	\$2,000	\$4,000
ROW	\$0	\$0
CN	\$10,000	\$21,000
Total	\$12,000	\$25,000

Project Cost Summary includes a range of reported project costs for this planning level estimate, which is based upon 10% design information (scoping row). Low is 30% below and high is 50% above the estimated cost category. Reference: WSDOT Cost Estimating Manual for Projects, Page 4-10, January 2023.

Structures		
50-53	Retaining Walls	\$0.00
54	Bridge Structure	\$0.00
Structure Subtotal		\$0.00

TESC and Landscaping		
55-57	TESC	\$200.00
58-62	Plantings	\$0.00
63-64	Irrigation	\$0.00
TESC and Landscaping Subtotal		\$200.00

Traffic		
65-74	Markings and Signing	\$0.00
75-78	Guardrail/Handrail	\$0.00
79-83	Traffic Signal System	\$0.00
84-86	Illumination System	\$0.00
87-92	Traffic Control	\$1,700.00
Traffic Subtotal		\$1,700.00

Other Items		
93-94	Utility Relocates	\$0.00
95-97	Misc. Construction	\$500.00
Other Items Subtotal		\$500.00

CONSTRUCTION SUBTOTAL		\$11,740.00
CONTINGENCY	20%	\$2,350.00
CONSTRUCTION (CN) SUBTOTAL		\$14,090.00
DESIGN ENGINEERING	15%	\$2,120.00
CONSTRUCTION ENGINEERING	5%	\$710.00
PROJECT ADMINISTRATION	0%	\$0.00
ENGR. AND ADMIN. (PE) SUBTOTAL		\$2,830.00
ENVIRONMENTAL ENGINEERING (PE)	0%	\$0.00
ENVIRONMENTAL MITIGATION (CN)	0%	\$0.00
ENVIRONMENTAL SUBTOTAL		\$0.00
RIGHT-OF-WAY (ROW) SUBTOTAL		\$0.00
TOTAL PROJECT COST	Year 2025	\$16,920.00

Planning Level Cost Estimate

Project:	<u>City of Aberdeen</u>	Date:	<u>10/14/25</u>
Design Option:	<u>Typical Sidewalk Removal and Replacement</u>	Prepared by:	<u>VLS</u>
Length:	<u>100 feet</u>		
Description:	<u>Construct curb, gutter, and 6-foot sidewalk for the distance listed above.</u>		
Assumptions:	<u>Drainage improvements not included. Undergrounding of utilities not included. ROW costs excluded.</u>		

Preparation		
1	Mobilization	\$1,000.00
2-4	Preparation Items	\$2,300.00
5-12	Removal Items	\$2,465.00
Preparation Subtotal		\$5,765.00

Grading		
13-14	Roadway Grading	\$670.00
15-18	Roadway Foundation	\$835.00
19-24	Utility Excavation	\$0.00
Grading Subtotal		\$1,505.00

Storm Drainage		
25-36	Conveyance System	\$0.00
37	Culvert/Stream Crossing	\$0.00
38	Detention/Water Quality Facility	\$0.00
Storm Drainage Subtotal		\$0.00

Paving		
39-41	Hot Mix Asphalt Pavement	\$1,550.00
HMA Subtotal		\$1,550.00

Concrete		
42-44	Sidewalks, Ramps, Driveways	\$4,355.00
45-47	Curbs and Gutters	\$4,000.00
48-49	Concrete Roadway/Roundabout	\$0.00
Concrete Subtotal		\$8,355.00

	Low	High
PE	\$3,000	\$7,000
ROW	\$0	\$0
CN	\$17,000	\$35,000
Total	\$20,000	\$42,000

Project Cost Summary includes a range of reported project costs for this planning level estimate, which is based upon 10% design information (scoping row). Low is 30% below and high is 50% above the estimated cost category. Reference: WSDOT Cost Estimating Manual for Projects, Page 4-10, January 2023.

Structures		
50-53	Retaining Walls	\$0.00
54	Bridge Structure	\$0.00
Structure Subtotal		\$0.00

TESC and Landscaping		
55-57	TESC	\$300.00
58-62	Plantings	\$0.00
63-64	Irrigation	\$0.00
TESC and Landscaping Subtotal		\$300.00

Traffic		
65-74	Markings and Signing	\$0.00
75-78	Guardrail/Handrail	\$0.00
79-83	Traffic Signal System	\$0.00
84-86	Illumination System	\$0.00
87-92	Traffic Control	\$1,700.00
Traffic Subtotal		\$1,700.00

Other Items		
93-94	Utility Relocates	\$0.00
95-97	Misc. Construction	\$500.00
Other Items Subtotal		\$500.00

CONSTRUCTION SUBTOTAL		\$19,675.00
CONTINGENCY	20%	\$3,940.00
CONSTRUCTION (CN) SUBTOTAL		\$23,615.00
DESIGN ENGINEERING	15%	\$3,550.00
CONSTRUCTION ENGINEERING	5%	\$1,190.00
PROJECT ADMINISTRATION	0%	\$0.00
ENGR. AND ADMIN. (PE) SUBTOTAL		\$4,740.00
ENVIRONMENTAL ENGINEERING (PE)	0%	\$0.00
ENVIRONMENTAL MITIGATION (CN)	0%	\$0.00
ENVIRONMENTAL SUBTOTAL		\$0.00
RIGHT-OF-WAY (ROW) SUBTOTAL		\$0.00
TOTAL PROJECT COST	Year 2025	\$28,355.00

Planning Level Cost Estimate



Project:	<u>City of Aberdeen</u>	Date:	<u>10/14/25</u>
Design Option:	<u>Typical Sidewalk Removal and Replacement</u>	Prepared by:	<u>VLS</u>
Length:	<u>100 feet</u>		
Description:	<u>Construct curb, gutter, and 6-foot sidewalk for the distance listed above.</u>		
Assumptions:	<u>Drainage improvements included. Undergrounding of utilities not included. ROW costs excluded.</u>		

Preparation		
1	Mobilization	\$1,600.00
2-4	Preparation Items	\$2,500.00
5-12	Removal Items	\$1,840.00
Preparation Subtotal		\$5,940.00

Grading		
13-14	Roadway Grading	\$670.00
15-18	Roadway Foundation	\$835.00
19-24	Utility Excavation	\$0.00
Grading Subtotal		\$1,505.00

Storm Drainage		
25-36	Conveyance System	\$11,200.00
37	Culvert/Stream Crossing	\$0.00
38	Detention/Water Quality Facility	\$0.00
Storm Drainage Subtotal		\$11,200.00

Paving		
39-41	Hot Mix Asphalt Pavement	\$1,550.00
HMA Subtotal		\$1,550.00

Concrete		
42-44	Sidewalks, Ramps, Driveways	\$4,355.00
45-47	Curbs and Gutters	\$4,000.00
48-49	Concrete Roadway/Roundabout	\$0.00
Concrete Subtotal		\$8,355.00

	Low	High
PE	\$5,000	\$11,000
ROW	\$0	\$0
CN	\$27,000	\$57,000
Total	\$32,000	\$68,000

Project Cost Summary includes a range of reported project costs for this planning level estimate, which is based upon 10% design information (scoping row). Low is 30% below and high is 50% above the estimated cost category. Reference: WSDOT Cost Estimating Manual for Projects, Page 4-10, January 2023.

Structures		
50-53	Retaining Walls	\$0.00
54	Bridge Structure	\$0.00
Structure Subtotal		\$0.00

TESC and Landscaping		
55-57	TESC	\$500.00
58-62	Plantings	\$0.00
63-64	Irrigation	\$0.00
TESC and Landscaping Subtotal		\$500.00

Traffic		
65-74	Markings and Signing	\$0.00
75-78	Guardrail/Handrail	\$0.00
79-83	Traffic Signal System	\$0.00
84-86	Illumination System	\$0.00
87-92	Traffic Control	\$2,200.00
Traffic Subtotal		\$2,200.00

Other Items		
93-94	Utility Relocates	\$0.00
95-97	Misc. Construction	\$500.00
Other Items Subtotal		\$500.00

CONSTRUCTION SUBTOTAL		\$31,750.00
CONTINGENCY	20%	\$6,350.00
CONSTRUCTION (CN) SUBTOTAL		\$38,100.00
DESIGN ENGINEERING	15%	\$5,720.00
CONSTRUCTION ENGINEERING	5%	\$1,910.00
PROJECT ADMINISTRATION	0%	\$0.00
ENGR. AND ADMIN. (PE) SUBTOTAL		\$7,630.00
ENVIRONMENTAL ENGINEERING (PE)	0%	\$0.00
ENVIRONMENTAL MITIGATION (CN)	0%	\$0.00
ENVIRONMENTAL SUBTOTAL		\$0.00
RIGHT-OF-WAY (ROW) SUBTOTAL		\$0.00
TOTAL PROJECT COST	Year 2025	\$45,730.00

Planning Level Cost Estimate



Project:	<u>City of Aberdeen</u>	Date:	<u>10/14/25</u>
Design Option:	<u>Typical Pathway Removal and Replacement</u>	Prepared by:	<u>VLS</u>
Length:	<u>100 feet</u>		
Description:	<u>Construct 4 foot AC path for the distance listed above.</u>		
Assumptions:	<u>Drainage improvements not included. Undergrounding of utilities not included. ROW costs excluded.</u>		

Preparation		
1	Mobilization	\$500.00
2-4	Preparation Items	\$2,200.00
5-12	Removal Items	\$900.00
Preparation Subtotal		\$3,600.00

Grading		
13-14	Roadway Grading	\$0.00
15-18	Roadway Foundation	\$0.00
19-24	Utility Excavation	\$0.00
Grading Subtotal		\$0.00

Storm Drainage		
25-36	Conveyance System	\$0.00
37	Culvert/Stream Crossing	\$0.00
38	Detention/Water Quality Facility	\$0.00
Storm Drainage Subtotal		\$0.00

Paving		
39-41	Hot Mix Asphalt Pavement	\$3,800.00
HMA Subtotal		\$3,800.00

Concrete		
42-44	Sidewalks, Ramps, Driveways	\$0.00
45-47	Curbs and Gutters	\$0.00
48-49	Concrete Roadway/Roundabout	\$0.00
Concrete Subtotal		\$0.00

	Low	High
PE	\$2,000	\$3,000
ROW	\$0	\$0
CN	\$8,000	\$17,000
Total	\$10,000	\$20,000

Project Cost Summary includes a range of reported project costs for this planning level estimate, which is based upon 10% design information (scoping row). Low is 30% below and high is 50% above the estimated cost category. Reference: WSDOT Cost Estimating Manual for Projects, Page 4-10, January 2023.

Structures		
50-53	Retaining Walls	\$0.00
54	Bridge Structure	\$0.00
Structure Subtotal		\$0.00

TESC and Landscaping		
55-57	TESC	\$200.00
58-62	Plantings	\$0.00
63-64	Irrigation	\$0.00
TESC and Landscaping Subtotal		\$200.00

Traffic		
65-74	Markings and Signing	\$0.00
75-78	Guardrail/Handrail	\$0.00
79-83	Traffic Signal System	\$0.00
84-86	Illumination System	\$0.00
87-92	Traffic Control	\$1,100.00
Traffic Subtotal		\$1,100.00

Other Items		
93-94	Utility Relocates	\$0.00
95-97	Misc. Construction	\$500.00
Other Items Subtotal		\$500.00

CONSTRUCTION SUBTOTAL		\$9,200.00
CONTINGENCY	20%	\$1,840.00
CONSTRUCTION (CN) SUBTOTAL		\$11,040.00
DESIGN ENGINEERING	15%	\$1,660.00
CONSTRUCTION ENGINEERING	5%	\$560.00
PROJECT ADMINISTRATION	0%	\$0.00
ENGR. AND ADMIN. (PE) SUBTOTAL		\$2,220.00
ENVIRONMENTAL ENGINEERING (PE)	0%	\$0.00
ENVIRONMENTAL MITIGATION (CN)	0%	\$0.00
ENVIRONMENTAL SUBTOTAL		\$0.00
RIGHT-OF-WAY (ROW) SUBTOTAL		\$0.00
TOTAL PROJECT COST	Year 2025	\$13,260.00

Planning Level Cost Estimate

Project:	<u>City of Aberdeen</u>	Date:	<u>10/14/25</u>
Design Option:	<u>Typical Pathway Removal and Replacement</u>	Prepared by:	<u>VLS</u>
Length:	<u>100 feet</u>		
Description:	<u>Construct 8 foot AC path for the distance listed above.</u>		
Assumptions:	<u>Drainage improvements not included. Undergrounding of utilities not included. ROW costs excluded.</u>		

Preparation		
1	Mobilization	\$1,200.00
2-4	Preparation Items	\$2,200.00
5-12	Removal Items	\$1,780.00
Preparation Subtotal		\$5,180.00

Grading		
13-14	Roadway Grading	\$0.00
15-18	Roadway Foundation	\$0.00
19-24	Utility Excavation	\$0.00
Grading Subtotal		\$0.00

Storm Drainage		
25-36	Conveyance System	\$0.00
37	Culvert/Stream Crossing	\$0.00
38	Detention/Water Quality Facility	\$0.00
Storm Drainage Subtotal		\$0.00

Paving		
39-41	Hot Mix Asphalt Pavement	\$5,700.00
HMA Subtotal		\$5,700.00

Concrete		
42-44	Sidewalks, Ramps, Driveways	\$0.00
45-47	Curbs and Gutters	\$0.00
48-49	Concrete Roadway/Roundabout	\$0.00
Concrete Subtotal		\$0.00

	Low	High
PE	\$2,000	\$5,000
ROW	\$0	\$0
CN	\$11,000	\$23,000
Total	\$13,000	\$28,000

Project Cost Summary includes a range of reported project costs for this planning level estimate, which is based upon 10% design information (scoping row). Low is 30% below and high is 50% above the estimated cost category. Reference: WSDOT Cost Estimating Manual for Projects, Page 4-10, January 2023.

Structures		
50-53	Retaining Walls	\$0.00
54	Bridge Structure	\$0.00
Structure Subtotal		\$0.00

TESC and Landscaping		
55-57	TESC	\$200.00
58-62	Plantings	\$0.00
63-64	Irrigation	\$0.00
TESC and Landscaping Subtotal		\$200.00

Traffic		
65-74	Markings and Signing	\$0.00
75-78	Guardrail/Handrail	\$0.00
79-83	Traffic Signal System	\$0.00
84-86	Illumination System	\$0.00
87-92	Traffic Control	\$1,100.00
Traffic Subtotal		\$1,100.00

Other Items		
93-94	Utility Relocates	\$0.00
95-97	Misc. Construction	\$500.00
Other Items Subtotal		\$500.00

CONSTRUCTION SUBTOTAL		\$12,680.00
CONTINGENCY	20%	\$2,540.00
CONSTRUCTION (CN) SUBTOTAL		\$15,220.00
DESIGN ENGINEERING	15%	\$2,290.00
CONSTRUCTION ENGINEERING	5%	\$770.00
PROJECT ADMINISTRATION	0%	\$0.00
ENGR. AND ADMIN. (PE) SUBTOTAL		\$3,060.00
ENVIRONMENTAL ENGINEERING (PE)	0%	\$0.00
ENVIRONMENTAL MITIGATION (CN)	0%	\$0.00
ENVIRONMENTAL SUBTOTAL		\$0.00
RIGHT-OF-WAY (ROW) SUBTOTAL		\$0.00
TOTAL PROJECT COST	Year 2025	\$18,280.00

Planning Level Cost Estimate



Project:	<u>City of Aberdeen</u>	Date:	<u>10/14/25</u>
Design Option:	<u>Typical Pathway Removal and Replacement</u>	Prepared by:	<u>VLS</u>
Length:	<u>100 feet</u>		
Description:	<u>Construct 10 foot AC path for the distance listed above.</u>		
Assumptions:	<u>Drainage improvements not included. Undergrounding of utilities not included. ROW costs excluded.</u>		

Preparation		
1	Mobilization	\$600.00
2-4	Preparation Items	\$2,200.00
5-12	Removal Items	\$2,240.00
Preparation Subtotal		\$5,040.00

Grading		
13-14	Roadway Grading	\$0.00
15-18	Roadway Foundation	\$0.00
19-24	Utility Excavation	\$0.00
Grading Subtotal		\$0.00

Storm Drainage		
25-36	Conveyance System	\$0.00
37	Culvert/Stream Crossing	\$0.00
38	Detention/Water Quality Facility	\$0.00
Storm Drainage Subtotal		\$0.00

Paving		
39-41	Hot Mix Asphalt Pavement	\$5,700.00
HMA Subtotal		\$5,700.00

Concrete		
42-44	Sidewalks, Ramps, Driveways	\$0.00
45-47	Curbs and Gutters	\$0.00
48-49	Concrete Roadway/Roundabout	\$0.00
Concrete Subtotal		\$0.00

	Low	High
PE	\$2,000	\$5,000
ROW	\$0	\$0
CN	\$11,000	\$23,000
Total	\$13,000	\$28,000

Project Cost Summary includes a range of reported project costs for this planning level estimate, which is based upon 10% design information (scoping row). Low is 30% below and high is 50% above the estimated cost category. Reference: WSDOT Cost Estimating Manual for Projects, Page 4-10, January 2023.

Structures		
50-53	Retaining Walls	\$0.00
54	Bridge Structure	\$0.00
Structure Subtotal		\$0.00

TESC and Landscaping		
55-57	TESC	\$200.00
58-62	Plantings	\$0.00
63-64	Irrigation	\$0.00
TESC and Landscaping Subtotal		\$200.00

Traffic		
65-74	Markings and Signing	\$0.00
75-78	Guardrail/Handrail	\$0.00
79-83	Traffic Signal System	\$0.00
84-86	Illumination System	\$0.00
87-92	Traffic Control	\$1,100.00
Traffic Subtotal		\$1,100.00

Other Items		
93-94	Utility Relocates	\$0.00
95-97	Misc. Construction	\$500.00
Other Items Subtotal		\$500.00

CONSTRUCTION SUBTOTAL		\$12,540.00
CONTINGENCY	20%	\$2,510.00
CONSTRUCTION (CN) SUBTOTAL		\$15,050.00
DESIGN ENGINEERING	15%	\$2,260.00
CONSTRUCTION ENGINEERING	5%	\$760.00
PROJECT ADMINISTRATION	0%	\$0.00
ENGR. AND ADMIN. (PE) SUBTOTAL		\$3,020.00
ENVIRONMENTAL ENGINEERING (PE)	0%	\$0.00
ENVIRONMENTAL MITIGATION (CN)	0%	\$0.00
ENVIRONMENTAL SUBTOTAL		\$0.00
RIGHT-OF-WAY (ROW) SUBTOTAL		\$0.00
TOTAL PROJECT COST	Year 2025	\$18,070.00

Planning Level Cost Estimate

Project:	<u>City of Aberdeen</u>	Date:	<u>10/14/25</u>
Design Option:	<u>Typical Pathway Removal and Replacement</u>	Prepared by:	<u>VLS</u>
Length:	<u>100 feet</u>		
Description:	<u>Construct 12 foot AC path for the distance listed above.</u>		
Assumptions:	<u>Drainage improvements not included. Undergrounding of utilities not included. ROW costs excluded.</u>		

Preparation		
1	Mobilization	\$800.00
2-4	Preparation Items	\$2,300.00
5-12	Removal Items	\$2,680.00
Preparation Subtotal		\$5,780.00

Grading		
13-14	Roadway Grading	\$0.00
15-18	Roadway Foundation	\$0.00
19-24	Utility Excavation	\$0.00
Grading Subtotal		\$0.00

Storm Drainage		
25-36	Conveyance System	\$0.00
37	Culvert/Stream Crossing	\$0.00
38	Detention/Water Quality Facility	\$0.00
Storm Drainage Subtotal		\$0.00

Paving		
39-41	Hot Mix Asphalt Pavement	\$7,600.00
HMA Subtotal		\$7,600.00

Concrete		
42-44	Sidewalks, Ramps, Driveways	\$0.00
45-47	Curbs and Gutters	\$0.00
48-49	Concrete Roadway/Roundabout	\$0.00
Concrete Subtotal		\$0.00

	Low	High
PE	\$3,000	\$6,000
ROW	\$0	\$0
CN	\$13,000	\$28,000
Total	\$16,000	\$34,000

Project Cost Summary includes a range of reported project costs for this planning level estimate, which is based upon 10% design information (scoping row). Low is 30% below and high is 50% above the estimated cost category. Reference: WSDOT Cost Estimating Manual for Projects, Page 4-10, January 2023.





Structures		
50-53	Retaining Walls	\$0.00
54	Bridge Structure	\$0.00
Structure Subtotal		\$0.00

TESC and Landscaping		
55-57	TESC	\$300.00
58-62	Plantings	\$0.00
63-64	Irrigation	\$0.00
TESC and Landscaping Subtotal		\$300.00



Traffic		
65-74	Markings and Signing	\$0.00
75-78	Guardrail/Handrail	\$0.00
79-83	Traffic Signal System	\$0.00
84-86	Illumination System	\$0.00
87-92	Traffic Control	\$1,100.00
Traffic Subtotal		\$1,100.00

Other Items		
93-94	Utility Relocates	\$0.00
95-97	Misc. Construction	\$500.00
Other Items Subtotal		\$500.00

CONSTRUCTION SUBTOTAL		\$15,280.00
CONTINGENCY	20%	\$3,060.00
CONSTRUCTION (CN) SUBTOTAL		\$18,340.00
DESIGN ENGINEERING	15%	\$2,760.00
CONSTRUCTION ENGINEERING	5%	\$920.00
PROJECT ADMINISTRATION	0%	\$0.00
ENGR. AND ADMIN. (PE) SUBTOTAL		\$3,680.00
ENVIRONMENTAL ENGINEERING (PE)	0%	\$0.00
ENVIRONMENTAL MITIGATION (CN)	0%	\$0.00
ENVIRONMENTAL SUBTOTAL		\$0.00
RIGHT-OF-WAY (ROW) SUBTOTAL		\$0.00
TOTAL PROJECT COST	Year 2025	\$22,020.00




① CONTRACTION JOINT (TYP.) ~ SEE STANDARD PLAN F-30.10 FOR RAMP LENGTHS GREATER THAN 8' - 0" PROVIDE CONTRACTION JOINT EQUALLY SPACED 4' - 0" MIN. OC.



LEGEND

- SLOPE IN EITHER DIRECTION
- * 1.5% OR FLATTER RECOMMENDED FOR DESIGN/FORMWORK (2% MAX.)
- ** 7.5% OR FLATTER RECOMMENDED FOR DESIGN/FORMWORK (8.3% MAX.) (SEE NOTE 6)



Zeller, Scott
Jul 12 2016 4:26 PM



CEMENT CONCRETE DRIVEWAY ENTRANCE TYPES 1, 2, 3, & 4

STANDARD PLAN F-80.10-04





SHEET 1 OF 2 SHEETS

APPROVED FOR PUBLICATION	
<i>Carpenter, Jeff</i>	Carpenter, Jeff Jul 15 2016 2:27 PM
STATE DESIGN ENGINEER	
Washington State Department of Transportation	

DRAWN BY: FERN LIDDELL



* THIS ENTRANCE TYPE SHALL NOT BE USED ALONG A PEDESTRIAN ROUTE



R. Scott Zeller
Jul 18 2016 7:07 AM
CEMENT CONCRETE DRIVEWAY ENTRANCE TYPES 1, 2, 3, & 4
STANDARD PLAN F-80.10-04
SHEET 2 OF 2 SHEETS

APPROVED FOR PUBLICATION
Carpenter, Jeff
Jul 18 2016 12:22 PM
STATE DESIGN ENGINEER
Washington State Department of Transportation

Public Right-of-Way Americans with Disabilities Act (ADA) Self-Evaluation and Transition Plan



Appendix C8

Maximum Extent Feasible (MEF) Documentation

Prepared by
Transportation Solutions, Inc





City of Aberdeen
200 E Market Street
Aberdeen, WA 98520
Phone: (360) 533-4100

Maximum Extent Feasible Documentation for ADA Guidelines Compliance

*****This form is to be stamped and signed by a Professional Engineer licensed to practice in the State of Washington*****

This is to request an official City review of the maximum extent feasible (MEF) design documentation for the occasional case where a pedestrian facility (including driveways which include sidewalks) in the public-right-of-way cannot be altered to comply fully with accessibility standards.

Any features of a pedestrian facility that can be made accessible shall be accessible regardless of whether some features cannot be altered to fully comply with applicable accessibility standards. MEF Applications and supporting documentation shall not be approved where there is an attempt to justify acceptance of pedestrian facilities that were improperly designed or constructed.

One form shall be filled out for each facility (Curb Ramp, Driveway, etc.). This form shall be filled out and submitted with the engineering permit application. In addition, after construction is complete this form shall be filled out for the as-built constructed conditions and submitted to the City for approval before Final is given for the project.

Project Name: _____

Project Location: _____

Facility Type(s): _____

Date: _____ **Prepared By:** _____

The purpose of this document is to provide a record of Americans with Disabilities Act (ADA) accessibility compliance for pedestrian facilities, curb ramps and associated elements for the above stated project.

MEF documentation shall provide sufficient detail to clearly identify the location of each pedestrian facility to be evaluated, and:

1. Reference the applicable accessibility standard for each pedestrian facility where standards cannot be fully complied with;
2. Describe the circumstances that make it virtually impossible to achieve full compliance;
3. Document design alternatives that were considered in an attempt to comply with standards;
4. Describe how accessibility standards are met to the maximum extent feasible; and
5. Attach drawing, engineering calculations, or other data to substantiate the request.

Project Overview

☐ Pre-Construction Submittal

☐ As-built Constructed Conditions

Project Description (Attach additional pages if necessary)

Existing Conditions

ADA Compliance Design Guidelines

The design criteria guidance for ADA compliance for this project is the Proposed Accessibility Guidelines for Pedestrian Facilities in the Public Right-of-Way, August 8, 2023 (the 2023 version of the PROWAG) and the 2010 ADA Standards for Accessible Design. Based on these guidelines, the following determinations have been made for this project:

- ☐ New Construction
☐ Alteration

Maximum Extent Feasible Description

Justification

Recommendation

Engineer Stamp**FOR STAFF USE ONLY**

MEF REVIEW DETERMINATION

FACILITY ID# _____

The pedestrian facilities in the public right-of-way described in the Applicant's supporting documentation comply with applicable accessibility standards to the "maximum extent feasible".

☐

Approved

☐

Approved with Conditions

☐

Denied

Conditions/Comments:

Public Works Director/City Engineer_____
Date